

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	364	Sum Weights	364
Mean	87.4119863	Sum Observations	31817.963
Std Deviation	7.27674959	Variance	52.9510846
Skewness	0.51479579	Kurtosis	-0.5659919
Uncorrected SS	2800492.59	Corrected SS	19221.2437
Coeff Variation	8.32465878	Std Error Mean	0.38140531

Basic Statistical Measures			
Location		Variability	
Mean	87.41199	Std Deviation	7.27675
Median	85.91250	Variance	52.95108
Mode	80.65500	Range	36.86000
		Interquartile Range	11.92000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	229.184	Pr > t	<.0001
Sign	M	182	Pr >= M	<.0001
Signed Rank	S	33215	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	109.3200
99%	106.1900
95%	99.7100
90%	98.0700
75% Q3	93.4550
50% Median	85.9125
25% Q1	81.5350
10%	79.1600
5%	77.7920

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	75.3070
0 % Min	72.4600

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
72.460	117	104.286	217
74.410	443	106.190	69
75.103	144	107.500	231
75.307	143	108.250	229
75.337	142	109.320	71

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	188	33.81	97.92
P	4	0.72	2.08
Total	192	34.53	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	549	Sum Weights	549
Mean	4.12345173	Sum Observations	2263.775
Std Deviation	1.46526932	Variance	2.14701417
Skewness	-0.2116478	Kurtosis	0.23322098
Uncorrected SS	10511.1307	Corrected SS	1176.56377
Coeff Variation	35.5350181	Std Error Mean	0.06253617

Basic Statistical Measures			
Location		Variability	
Mean	4.123452	Std Deviation	1.46527
Median	4.177000	Variance	2.14701
Mode	5.000000	Range	8.20000
		Interquartile Range	1.82000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	65.93707	Pr > t	<.0001
Sign	M	272.5	Pr >= M	<.0001
Signed Rank	S	74392.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.200
99%	7.600
95%	6.395
90%	5.984
75% Q3	5.090
50% Median	4.177
25% Q1	3.270
10%	2.190
5%	1.520

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.400
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	216	7.6	164
0.00	215	7.7	333
0.00	72	7.7	334
0.00	71	8.2	335
0.11	23	8.2	336

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	85.71
T	1	0.18	14.29
Total	7	1.26	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	545	Sum Weights	545
Mean	4.68326055	Sum Observations	2552.377
Std Deviation	1.52590773	Variance	2.3283944
Skewness	-0.177614	Kurtosis	0.21077536
Uncorrected SS	13220.0931	Corrected SS	1266.64655
Coeff Variation	32.5821661	Std Error Mean	0.06536271

Basic Statistical Measures			
Location		Variability	
Mean	4.683261	Std Deviation	1.52591
Median	4.748000	Variance	2.32839
Mode	3.760000	Range	8.20000
		Interquartile Range	1.87000

Note: The mode displayed is the smallest of 3 modes with a count of 8.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	71.65035	Pr > t	<.0001
Sign	M	272.5	Pr >= M	<.0001
Signed Rank	S	74392.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.670
99%	8.330
95%	7.170
90%	6.600
75% Q3	5.640
50% Median	4.748
25% Q1	3.770
10%	2.730
5%	1.950

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.690
0 % Min	0.470

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.47	447	8.45	435
0.52	309	8.51	335
0.63	310	8.60	333
0.68	465	8.65	334
0.69	71	8.67	336

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	54.55
T	5	0.90	45.45
Total	11	1.98	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	547	Sum Weights	547
Mean	4.85506764	Sum Observations	2655.722
Std Deviation	1.46679707	Variance	2.15149365
Skewness	-0.3072077	Kurtosis	0.24695206
Uncorrected SS	14068.4255	Corrected SS	1174.71553
Coeff Variation	30.2116712	Std Error Mean	0.06271571

Basic Statistical Measures			
Location		Variability	
Mean	4.855068	Std Deviation	1.46680
Median	4.940000	Variance	2.15149
Mode	3.610000	Range	7.94000
		Interquartile Range	1.78500

Note: The mode displayed is the smallest of 3 modes with a count of 7.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	77.41389	Pr > t	<.0001
Sign	M	273.5	Pr >= M	<.0001
Signed Rank	S	74939	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.570
99%	7.860
95%	7.250
90%	6.690
75% Q3	5.785
50% Median	4.940
25% Q1	4.000
10%	2.930
5%	2.290

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1%	0.800
0% Min	0.630

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.63	310	7.98	434
0.69	71	8.50	333
0.70	72	8.51	335
0.71	309	8.54	334
0.80	465	8.57	336

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	66.67
T	3	0.54	33.33
Total	9	1.62	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	546	Sum Weights	546
Mean	5.42757875	Sum Observations	2963.458
Std Deviation	1.44086522	Variance	2.07609257
Skewness	-0.3509757	Kurtosis	0.29309215
Uncorrected SS	17215.8721	Corrected SS	1131.47045
Coeff Variation	26.5471084	Std Error Mean	0.06166334

Basic Statistical Measures			
Location		Variability	
Mean	5.427579	Std Deviation	1.44087
Median	5.500000	Variance	2.07609
Mode	4.310000	Range	8.59000
		Interquartile Range	1.86000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	88.01954	Pr > t	<.0001
Sign	M	273	Pr >= M	<.0001
Signed Rank	S	74665.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.170
99%	8.510
95%	7.619
90%	7.218
75% Q3	6.440
50% Median	5.500
25% Q1	4.580
10%	3.730
5%	2.720

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.710
0 % Min	0.580

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.58	72	8.51	286
0.81	71	8.80	333
1.14	310	8.85	334
1.33	309	9.11	335
1.58	465	9.17	336

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	60.00
T	4	0.72	40.00
Total	10	1.80	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	546	Sum Weights	546
Mean	6.50256044	Sum Observations	3550.398
Std Deviation	1.52864771	Variance	2.33676383
Skewness	-0.1451215	Kurtosis	0.01923718
Uncorrected SS	24360.2139	Corrected SS	1273.53629
Coeff Variation	23.5083968	Std Error Mean	0.06542008

Basic Statistical Measures			
Location		Variability	
Mean	6.502560	Std Deviation	1.52865
Median	6.530000	Variance	2.33676
Mode	7.280000	Range	8.93000
		Interquartile Range	2.13000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	99.39701	Pr > t	<.0001
Sign	M	273	Pr >= M	<.0001
Signed Rank	S	74665.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.42
99%	10.05
95%	8.88
90%	8.45
75% Q3	7.60
50% Median	6.53
25% Q1	5.47
10%	4.69
5%	3.87

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	2.82
0 % Min	1.49

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.49	72	10.11	335
1.83	71	10.18	336
2.23	525	10.20	333
2.26	310	10.25	334
2.35	526	10.42	286

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	60.00
T	4	0.72	40.00
Total	10	1.80	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	547	Sum Weights	547
Mean	5.08774406	Sum Observations	2782.996
Std Deviation	1.44267499	Variance	2.08131111
Skewness	-0.3664851	Kurtosis	0.31171014
Uncorrected SS	15295.5672	Corrected SS	1136.39587
Coeff Variation	28.3558876	Std Error Mean	0.06168433

Basic Statistical Measures			
Location		Variability	
Mean	5.087744	Std Deviation	1.44267
Median	5.160000	Variance	2.08131
Mode	5.990000	Range	8.08000
		Interquartile Range	1.76000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	82.48034	Pr > t	<.0001
Sign	M	273.5	Pr >= M	<.0001
Signed Rank	S	74939	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.770
99%	7.920
95%	7.316
90%	6.930
75% Q3	6.000
50% Median	5.160
25% Q1	4.240
10%	3.220
5%	2.610

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.120
0 % Min	0.690

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.69	71	7.99	207
0.73	310	8.40	333
0.79	465	8.44	334
0.80	72	8.71	335
1.05	391	8.77	336

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	66.67
T	3	0.54	33.33
Total	9	1.62	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	175	Sum Weights	175
Mean	4.22967429	Sum Observations	740.193
Std Deviation	2.01075858	Variance	4.04315007
Skewness	1.16744027	Kurtosis	1.33455648
Uncorrected SS	3834.28341	Corrected SS	703.508112
Coeff Variation	47.5393244	Std Error Mean	0.15199906

Basic Statistical Measures			
Location		Variability	
Mean	4.229674	Std Deviation	2.01076
Median	3.645000	Variance	4.04315
Mode	2.581000	Range	9.57400
		Interquartile Range	2.56200

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	27.82698	Pr > t	<.0001
Sign	M	87.5	Pr >= M	<.0001
Signed Rank	S	7700	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.947
99%	10.649
95%	8.763
90%	7.040
75% Q3	5.351
50% Median	3.645
25% Q1	2.789
10%	2.115
5%	1.649

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.418
0 % Min	1.373

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.373	362	9.957	527
1.418	233	9.991	173
1.421	141	10.353	471
1.427	234	10.649	469
1.451	361	10.947	470

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	98.69
P	2	0.36	0.52
T	3	0.54	0.79
Total	381	68.53	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	354	Sum Weights	354
Mean	10.7752599	Sum Observations	3814.442
Std Deviation	2.25369707	Variance	5.07915048
Skewness	-0.5850091	Kurtosis	3.00395056
Uncorrected SS	42894.544	Corrected SS	1792.94012
Coeff Variation	20.9154776	Std Error Mean	0.11978265

Basic Statistical Measures			
Location		Variability	
Mean	10.77526	Std Deviation	2.25370
Median	10.64000	Variance	5.07915
Mode	10.30000	Range	17.10000
		Interquartile Range	2.56000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	89.95677	Pr > t	<.0001
Sign	M	175	Pr >= M	<.0001
Signed Rank	S	31414.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	16.90
99%	15.55
95%	14.99
90%	13.85
75% Q3	12.00
50% Median	10.64
25% Q1	9.44
10%	8.41
5%	7.30

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Quantile	Estimate
1%	3.60
0% Min	-0.20

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.2	319	15.55	302
-0.2	317	15.55	303
3.6	323	15.55	304
3.6	321	16.90	521
5.3	455	16.90	523

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	188	33.81	93.07
P	2	0.36	0.99
T	12	2.16	5.94
Total	202	36.33	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	543	Sum Weights	543
Mean	4.5559558	Sum Observations	2473.884
Std Deviation	1.54432961	Variance	2.38495394
Skewness	-0.1038479	Kurtosis	0.26007237
Uncorrected SS	12563.5512	Corrected SS	1292.64504
Coeff Variation	33.8969401	Std Error Mean	0.06627353

Basic Statistical Measures			
Location		Variability	
Mean	4.555956	Std Deviation	1.54433
Median	4.510000	Variance	2.38495
Mode	3.760000	Range	9.04000
		Interquartile Range	1.85000

Note: The mode displayed is the smallest of 2 modes with a count of 7.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	68.74473	Pr > t	<.0001
Sign	M	271	Pr >= M	<.0001
Signed Rank	S	73576.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.04
99%	8.40
95%	6.98
90%	6.51
75% Q3	5.53
50% Median	4.51
25% Q1	3.68
10%	2.57
5%	1.82

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.68
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	215	8.44	334
0.58	71	8.45	433
0.58	23	8.47	436
0.61	287	8.69	434
0.62	309	9.04	435

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	46.15
T	7	1.26	53.85
Total	13	2.34	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	546	Sum Weights	546
Mean	5.88141941	Sum Observations	3211.255
Std Deviation	1.45783475	Variance	2.12528217
Skewness	-0.3264226	Kurtosis	0.25832057
Uncorrected SS	20045.0163	Corrected SS	1158.27878
Coeff Variation	24.7871245	Std Error Mean	0.06238957

Basic Statistical Measures			
Location		Variability	
Mean	5.881419	Std Deviation	1.45783
Median	5.900000	Variance	2.12528
Mode	5.400000	Range	8.76000
		Interquartile Range	1.99900

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	94.26928	Pr > t	<.0001
Sign	M	273	Pr >= M	<.0001
Signed Rank	S	74665.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.570
99%	8.920
95%	8.060
90%	7.660
75% Q3	6.939
50% Median	5.900
25% Q1	4.940
10%	4.060
5%	3.370

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	2.140
0 % Min	0.810

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.81	71	9.32	286
1.04	72	9.50	333
1.65	310	9.51	335
2.00	525	9.55	334
2.12	526	9.57	336

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	6	1.08	60.00
T	4	0.72	40.00
Total	10	1.80	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	161	Sum Weights	161
Mean	5.76298137	Sum Observations	927.84
Std Deviation	1.74990601	Variance	3.06217106
Skewness	-0.6728153	Kurtosis	0.67252798
Uncorrected SS	5837.072	Corrected SS	489.947369
Coeff Variation	30.3645961	Std Error Mean	0.13791191

Basic Statistical Measures			
Location		Variability	
Mean	5.762981	Std Deviation	1.74991
Median	5.990000	Variance	3.06217
Mode	6.570000	Range	9.19000
		Interquartile Range	2.22000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	41.78741	Pr > t	<.0001
Sign	M	80	Pr >= M	<.0001
Signed Rank	S	6440	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.19
99%	9.17
95%	8.52
90%	7.71
75% Q3	6.93
50% Median	5.99
25% Q1	4.71
10%	3.29
5%	2.58

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.81
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	8.60	256
0.81	410	8.80	477
1.06	430	8.80	478
1.30	429	9.17	216
1.64	283	9.19	215

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	95.19
P	2	0.36	0.51
T	17	3.06	4.30
Total	395	71.04	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	152	Sum Weights	152
Mean	6.32032895	Sum Observations	960.69
Std Deviation	1.78978426	Variance	3.20332771
Skewness	-0.8084849	Kurtosis	1.0547325
Uncorrected SS	6555.5793	Corrected SS	483.702484
Coeff Variation	28.3178973	Std Error Mean	0.14517067

Basic Statistical Measures			
Location		Variability	
Mean	6.320329	Std Deviation	1.78978
Median	6.450000	Variance	3.20333
Mode	6.930000	Range	10.47000
		Interquartile Range	2.10000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	43.53723	Pr > t	<.0001
Sign	M	75.5	Pr >= M	<.0001
Signed Rank	S	5738	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.47
99%	9.78
95%	8.80
90%	8.46
75% Q3	7.63
50% Median	6.45
25% Q1	5.53
10%	3.76
5%	2.70

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.81
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	8.88	142
0.81	410	9.05	534
2.00	430	9.08	141
2.00	283	9.78	215
2.12	429	10.47	216

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	93.07
P	2	0.36	0.50
T	26	4.68	6.44
Total	404	72.66	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	168	Sum Weights	168
Mean	7.06880952	Sum Observations	1187.56
Std Deviation	1.91154789	Variance	3.65401534
Skewness	-0.5381092	Kurtosis	0.83223907
Uncorrected SS	9004.856	Corrected SS	610.220562
Coeff Variation	27.0420059	Std Error Mean	0.14747912

Basic Statistical Measures			
Location		Variability	
Mean	7.068810	Std Deviation	1.91155
Median	7.220000	Variance	3.65402
Mode	6.690000	Range	11.60000
		Interquartile Range	2.51500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	47.93092	Pr > t	<.0001
Sign	M	83.5	Pr >= M	<.0001
Signed Rank	S	7014	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	11.600
99%	10.450
95%	9.970
90%	9.500
75% Q3	8.375
50% Median	7.220
25% Q1	5.860
10%	4.700
5%	4.000

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.000
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	10.30	255
1.00	410	10.40	256
1.99	429	10.41	254
2.46	430	10.45	214
3.19	396	11.60	65

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	96.91
P	2	0.36	0.52
T	10	1.80	2.58
Total	388	69.78	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	167	Sum Weights	167
Mean	5.83706587	Sum Observations	974.79
Std Deviation	1.76116723	Variance	3.10171001
Skewness	-0.6302138	Kurtosis	0.59898865
Uncorrected SS	6204.7973	Corrected SS	514.883862
Coeff Variation	30.1721322	Std Error Mean	0.13628321

Basic Statistical Measures			
Location		Variability	
Mean	5.837066	Std Deviation	1.76117
Median	5.990000	Variance	3.10171
Mode	5.050000	Range	9.00000
		Interquartile Range	2.44000

Note: The mode displayed is the smallest of 3 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	42.83041	Pr > t	<.0001
Sign	M	83	Pr >= M	<.0001
Signed Rank	S	6930.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.00
99%	8.96
95%	8.53
90%	8.31
75% Q3	7.02
50% Median	5.99
25% Q1	4.58
10%	3.41
5%	2.58

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.51
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	8.92	477
0.51	410	8.92	478
1.18	430	8.94	216
1.30	429	8.96	215
1.66	396	9.00	256

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	96.66
P	2	0.36	0.51
T	11	1.98	2.83
Total	389	69.96	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	170	Sum Weights	170
Mean	6.45329412	Sum Observations	1097.06
Std Deviation	1.78424923	Variance	3.1835453
Skewness	-0.7832453	Kurtosis	1.33236174
Uncorrected SS	7617.67	Corrected SS	538.019155
Coeff Variation	27.6486581	Std Error Mean	0.13684567

Basic Statistical Measures			
Location		Variability	
Mean	6.453294	Std Deviation	1.78425
Median	6.460000	Variance	3.18355
Mode	5.870000	Range	10.10000
		Interquartile Range	2.35000

Note: The mode displayed is the smallest of 3 modes with a count of 6.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	47.15746	Pr > t	<.0001
Sign	M	84.5	Pr >= M	<.0001
Signed Rank	S	7182.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.100
99%	9.900
95%	8.960
90%	8.485
75% Q3	7.750
50% Median	6.460
25% Q1	5.400
10%	4.435
5%	3.300

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.300
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	9.10	65
0.30	410	9.71	254
1.53	429	9.81	253
1.76	430	9.90	255
1.78	396	10.10	256

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	97.41
P	2	0.36	0.52
T	8	1.44	2.07
Total	386	69.42	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	154	Sum Weights	154
Mean	5.88032468	Sum Observations	905.57
Std Deviation	1.79034974	Variance	3.20535218
Skewness	-0.7186775	Kurtosis	0.84964856
Uncorrected SS	5815.4645	Corrected SS	490.418884
Coeff Variation	30.4464436	Std Error Mean	0.14427049

Basic Statistical Measures			
Location		Variability	
Mean	5.880325	Std Deviation	1.79035
Median	6.115000	Variance	3.20535
Mode	4.810000	Range	9.54000
		Interquartile Range	2.11000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	40.75903	Pr > t	<.0001
Sign	M	76.5	Pr >= M	<.0001
Signed Rank	S	5890.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.540
99%	9.410
95%	8.700
90%	7.810
75% Q3	7.050
50% Median	6.115
25% Q1	4.940
10%	3.050
5%	2.470

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.610
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	8.82	165
0.61	410	8.92	214
1.30	430	9.16	213
1.41	429	9.41	216
1.53	396	9.54	215

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	93.53
P	2	0.36	0.50
T	24	4.32	5.97
Total	402	72.30	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	168	Sum Weights	168
Mean	6.75720238	Sum Observations	1135.21
Std Deviation	1.81704601	Variance	3.3016562
Skewness	-0.6445797	Kurtosis	1.15677512
Uncorrected SS	8222.2203	Corrected SS	551.376585
Coeff Variation	26.8905074	Std Error Mean	0.14018814

Basic Statistical Measures			
Location		Variability	
Mean	6.757202	Std Deviation	1.81705
Median	6.725000	Variance	3.30166
Mode	5.990000	Range	10.20000
		Interquartile Range	2.27000

Note: The mode displayed is the smallest of 2 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	48.20096	Pr > t	<.0001
Sign	M	83.5	Pr >= M	<.0001
Signed Rank	S	7014	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.200
99%	10.200
95%	9.310
90%	9.050
75% Q3	8.010
50% Median	6.725
25% Q1	5.740
10%	4.810
5%	3.640

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.900
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	10.01	254
0.90	410	10.11	253
1.76	429	10.20	65
1.99	430	10.20	255
2.36	396	10.20	256

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	96.91
P	2	0.36	0.52
T	10	1.80	2.58
Total	388	69.78	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	171	Sum Weights	171
Mean	6.21631579	Sum Observations	1062.99
Std Deviation	1.7755476	Variance	3.15256929
Skewness	-0.7539991	Kurtosis	0.95989002
Uncorrected SS	7143.8183	Corrected SS	535.936779
Coeff Variation	28.5626996	Std Error Mean	0.13577952

Basic Statistical Measures			
Location		Variability	
Mean	6.216316	Std Deviation	1.77555
Median	6.230000	Variance	3.15257
Mode	4.340000	Range	9.80000
		Interquartile Range	2.44000

Note: The mode displayed is the smallest of 2 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	45.78243	Pr > t	<.0001
Sign	M	85	Pr >= M	<.0001
Signed Rank	S	7267.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.80
99%	9.70
95%	8.57
90%	8.33
75% Q3	7.61
50% Median	6.23
25% Q1	5.17
10%	4.20
5%	3.41

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.32
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	8.84	215
0.32	410	9.21	253
1.53	429	9.21	254
1.54	396	9.70	255
1.54	395	9.80	256

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	97.66
P	2	0.36	0.52
T	7	1.26	1.82
Total	385	69.24	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	171	Sum Weights	171
Mean	5.99087719	Sum Observations	1024.44
Std Deviation	1.78526875	Variance	3.18718452
Skewness	-0.6540061	Kurtosis	0.5636309
Uncorrected SS	6679.1156	Corrected SS	541.821368
Coeff Variation	29.7997888	Std Error Mean	0.13652291

Basic Statistical Measures			
Location		Variability	
Mean	5.990877	Std Deviation	1.78527
Median	5.940000	Variance	3.18718
Mode	6.700000	Range	9.30000
		Interquartile Range	2.39000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	43.88184	Pr > t	<.0001
Sign	M	85	Pr >= M	<.0001
Signed Rank	S	7267.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.30
99%	9.20
95%	8.61
90%	8.45
75% Q3	7.30
50% Median	5.94
25% Q1	4.91
10%	3.81
5%	2.82

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.71
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	409	8.81	480
0.71	410	8.84	215
1.30	430	8.95	216
1.30	429	9.20	255
1.41	396	9.30	256

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	97.66
P	2	0.36	0.52
T	7	1.26	1.82
Total	385	69.24	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	177	Sum Weights	177
Mean	0.12989831	Sum Observations	22.992
Std Deviation	0.0584066	Variance	0.00341133
Skewness	1.15581588	Kurtosis	1.05724172
Uncorrected SS	3.587016	Corrected SS	0.60039417
Coeff Variation	44.9633245	Std Error Mean	0.00439011

Basic Statistical Measures			
Location		Variability	
Mean	0.129898	Std Deviation	0.05841
Median	0.116000	Variance	0.00341
Mode	0.121000	Range	0.30800
		Interquartile Range	0.06100

Note: The mode displayed is the smallest of 4 modes with a count of 4.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.58886	Pr > t	<.0001
Sign	M	88.5	Pr >= M	<.0001
Signed Rank	S	7876.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0.341
99%	0.297
95%	0.261
90%	0.224
75% Q3	0.152
50% Median	0.116
25% Q1	0.091
10%	0.069
5%	0.060

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure****Variable: V00XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.039
0 % Min	0.033

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.033	132	0.270	175
0.039	131	0.274	527
0.048	214	0.287	179
0.048	213	0.297	180
0.052	220	0.341	471

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	99.21
P	2	0.36	0.53
T	1	0.18	0.26
Total	379	68.17	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	180	Sum Weights	180
Mean	0.13888889	Sum Observations	25
Std Deviation	0.34679521	Variance	0.12026691
Skewness	2.10596071	Kurtosis	2.46230703
Uncorrected SS	25	Corrected SS	21.5277778
Coeff Variation	249.692548	Std Error Mean	0.02584859

Basic Statistical Measures			
Location		Variability	
Mean	0.138889	Std Deviation	0.34680
Median	0.000000	Variance	0.12027
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.373171	Pr > t	<.0001
Sign	M	12.5	Pr >= M	<.0001
Signed Rank	S	162.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	1	480
0	533	1	481
0	530	1	525
0	529	1	526
0	527	1	528

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	180	Sum Weights	180
Mean	0.02777778	Sum Observations	5
Std Deviation	0.16479395	Variance	0.02715705
Skewness	5.79545664	Kurtosis	31.942128
Uncorrected SS	5	Corrected SS	4.86111111
Coeff Variation	593.258213	Std Error Mean	0.01228302

Basic Statistical Measures			
Location		Variability	
Mean	0.027778	Std Deviation	0.16479
Median	0.000000	Variance	0.02716
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.261479	Pr > t	0.0249
Sign	M	2.5	Pr >= M	0.0625
Signed Rank	S	7.5	Pr >= S	0.0625

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	1	173
0	533	1	174
0	530	1	281
0	529	1	282
0	528	1	430

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	180	Sum Weights	180
Mean	0.01666667	Sum Observations	3
Std Deviation	0.12837619	Variance	0.01648045
Skewness	7.61455895	Kurtosis	56.6104277
Uncorrected SS	3	Corrected SS	2.95
Coeff Variation	770.257158	Std Error Mean	0.0095686

Basic Statistical Measures			
Location		Variability	
Mean	0.016667	Std Deviation	0.12838
Median	0.000000	Variance	0.01648
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.741809	Pr > t	0.0833
Sign	M	1.5	Pr >= M	0.2500
Signed Rank	S	3	Pr >= S	0.2500

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	0	533
0	533	0	534
0	530	1	469
0	529	1	470
0	528	1	471

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	180	Sum Weights	180
Mean	0.03333333	Sum Observations	6
Std Deviation	0.18000621	Variance	0.03240223
Skewness	5.24326488	Kurtosis	25.7781441
Uncorrected SS	6	Corrected SS	5.8
Coeff Variation	540.018622	Std Error Mean	0.01341687

Basic Statistical Measures			
Location		Variability	
Mean	0.033333	Std Deviation	0.18001
Median	0.000000	Variance	0.03240
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.484434	Pr > t	0.0139
Sign	M	3	Pr >= M	0.0313
Signed Rank	S	10.5	Pr >= S	0.0313

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	1	174
0	533	1	175
0	530	1	176
0	529	1	471
0	528	1	472

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	180	Sum Weights	180
Mean	0.01111111	Sum Observations	2
Std Deviation	0.1051144	Variance	0.01104904
Skewness	9.40655144	Kurtosis	87.4548668
Uncorrected SS	2	Corrected SS	1.97777778
Coeff Variation	946.029633	Std Error Mean	0.00783477

Basic Statistical Measures			
Location		Variability	
Mean	0.011111	Std Deviation	0.10511
Median	0.000000	Variance	0.01105
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.418181	Pr > t	0.1579
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	0	530
0	533	0	533
0	530	0	534
0	529	1	215
0	528	1	216

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	180	Sum Weights	180
Mean	0.31111111	Sum Observations	56
Std Deviation	0.4642395	Variance	0.21551831
Skewness	0.82289955	Kurtosis	-1.3378262
Uncorrected SS	56	Corrected SS	38.5777778
Coeff Variation	149.219839	Std Error Mean	0.03460237

Basic Statistical Measures			
Location		Variability	
Mean	0.311111	Std Deviation	0.46424
Median	0.000000	Variance	0.21552
Mode	0.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.991035	Pr > t	<.0001
Sign	M	28	Pr >= M	<.0001
Signed Rank	S	798	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	1	511
0	530	1	525
0	528	1	527
0	526	1	529
0	516	1	533

Missing Values			
Percent Of			
Missing Value	Count	Missing Obs	Percent Of
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	180	Sum Weights	180
Mean	0.03888889	Sum Observations	7
Std Deviation	0.19386942	Variance	0.03758535
Skewness	4.81037332	Kurtosis	21.3771055
Uncorrected SS	7	Corrected SS	6.72777778
Coeff Variation	498.521357	Std Error Mean	0.01445017

Basic Statistical Measures			
Location		Variability	
Mean	0.038889	Std Deviation	0.19387
Median	0.000000	Variance	0.03759
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.69124	Pr > t	0.0078
Sign	M	3.5	Pr >= M	0.0156
Signed Rank	S	14	Pr >= S	0.0156

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	1	283
0	530	1	412
0	529	1	433
0	528	1	434
0	527	1	533

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	180	Sum Weights	180
Mean	0.00555556	Sum Observations	1
Std Deviation	0.0745356	Variance	0.00555556
Skewness	13.4164079	Kurtosis	180
Uncorrected SS	1	Corrected SS	0.99444444
Coeff Variation	1341.64079	Std Error Mean	0.00555556

Basic Statistical Measures			
Location		Variability	
Mean	0.005556	Std Deviation	0.07454
Median	0.000000	Variance	0.00556
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1	Pr > t	0.3187
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	0	529
0	533	0	530
0	530	0	533
0	529	0	534
0	528	1	469

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	180	Sum Weights	180
Mean	0.02777778	Sum Observations	5
Std Deviation	0.16479395	Variance	0.02715705
Skewness	5.79545664	Kurtosis	31.942128
Uncorrected SS	5	Corrected SS	4.86111111
Coeff Variation	593.258213	Std Error Mean	0.01228302

Basic Statistical Measures			
Location		Variability	
Mean	0.027778	Std Deviation	0.16479
Median	0.000000	Variance	0.02716
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.261479	Pr > t	0.0249
Sign	M	2.5	Pr >= M	0.0625
Signed Rank	S	7.5	Pr >= S	0.0625

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	534	1	67
0	533	1	167
0	530	1	263
0	529	1	481
0	528	1	482

Missing Values			
Percent Of			
Missing Value	Count	Missing Obs	Percent Of
.	376	67.63	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	180	Sum Weights	180
Mean	0.17317102	Sum Observations	31.170784
Std Deviation	0.02467029	Variance	0.00060862
Skewness	-2.0594774	Kurtosis	4.08084831
Uncorrected SS	5.50682011	Corrected SS	0.10894358
Coeff Variation	14.2462019	Std Error Mean	0.00183882

Basic Statistical Measures			
Location		Variability	
Mean	0.173171	Std Deviation	0.02467
Median	0.176000	Variance	0.0006086
Mode	0.176000	Range	0.10000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	94.17533	Pr > t	<.0001
Sign	M	90	Pr >= M	<.0001
Signed Rank	S	8145	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0.200000
99%	0.200000
95%	0.200000
90%	0.200000
75% Q3	0.176000
50% Median	0.176000
25% Q1	0.176000
10%	0.157696
5%	0.101000

OAI 0.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea00**The UNIVARIATE Procedure**

Variable: V00IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.100000
0 % Min	0.100000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.1	224	0.2	372
0.1	223	0.2	409
0.1	222	0.2	410
0.1	221	0.2	411
0.1	168	0.2	412

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	376	67.63	100.00
