

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	335	Sum Weights	335
Mean	88.0512776	Sum Observations	29497.178
Std Deviation	7.2353762	Variance	52.3506688
Skewness	0.50683178	Kurtosis	-0.6142521
Uncorrected SS	2614749.33	Corrected SS	17485.1234
Coeff Variation	8.21723023	Std Error Mean	0.39531083

Basic Statistical Measures			
Location		Variability	
Mean	88.05128	Std Deviation	7.23538
Median	86.68600	Variance	52.35067
Mode	77.60000	Range	34.91000
		Interquartile Range	11.48000

Note: The mode displayed is the smallest of 2 modes with a count of 3.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	222.7394	Pr > t	<.0001
Sign	M	167.5	Pr >= M	<.0001
Signed Rank	S	28140	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	109.830
99%	104.810
95%	100.640
90%	98.420
75% Q3	93.720
50% Median	86.686
25% Q1	82.240
10%	79.570
5%	77.940

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	76.340
0 % Min	74.920

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
74.92	135	103.535	201
75.32	133	104.810	65
75.44	421	106.280	215
76.34	247	107.960	213
76.60	419	109.830	67

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	184	35.11	97.35
P	5	0.95	2.65
Total	189	36.07	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	516	Sum Weights	516
Mean	4.04117636	Sum Observations	2085.247
Std Deviation	1.52445601	Variance	2.32396611
Skewness	-0.4671189	Kurtosis	0.02348962
Uncorrected SS	9623.69342	Corrected SS	1196.84255
Coeff Variation	37.7230755	Std Error Mean	0.06711043

Basic Statistical Measures			
Location		Variability	
Mean	4.041176	Std Deviation	1.52446
Median	4.222000	Variance	2.32397
Mode	0.000000	Range	7.58000
		Interquartile Range	2.01000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	60.21681	Pr > t	<.0001
Sign	M	254	Pr >= M	<.0001
Signed Rank	S	64643	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7.580
99%	7.200
95%	6.340
90%	5.800
75% Q3	5.106
50% Median	4.222
25% Q1	3.096
10%	2.000
5%	1.170

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.000
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	496	7.20	316
0	495	7.30	151
0	494	7.30	152
0	493	7.58	159
0	333	7.58	160

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	515	Sum Weights	515
Mean	4.60895728	Sum Observations	2373.613
Std Deviation	1.54925423	Variance	2.40018866
Skewness	-0.6116802	Kurtosis	0.32170651
Uncorrected SS	12173.5779	Corrected SS	1233.69697
Coeff Variation	33.6139854	Std Error Mean	0.0682683

Basic Statistical Measures			
Location		Variability	
Mean	4.608957	Std Deviation	1.54925
Median	4.830000	Variance	2.40019
Mode	5.300000	Range	7.76000
		Interquartile Range	1.73000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	67.51241	Pr > t	<.0001
Sign	M	256	Pr >= M	<.0001
Signed Rank	S	65664	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7.76
99%	7.68
95%	6.91
90%	6.46
75% Q3	5.58
50% Median	4.83
25% Q1	3.85
10%	2.48
5%	1.65

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.48
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	495	7.70	159
0.00	494	7.70	381
0.00	493	7.75	313
0.34	24	7.75	314
0.36	23	7.76	382

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	88.89
T	1	0.19	11.11
Total	9	1.72	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	515	Sum Weights	515
Mean	4.77824466	Sum Observations	2460.796
Std Deviation	1.53004446	Variance	2.34103605
Skewness	-0.7421928	Kurtosis	0.63849791
Uncorrected SS	12961.5779	Corrected SS	1203.29253
Coeff Variation	32.0210573	Std Error Mean	0.06742181

Basic Statistical Measures			
Location		Variability	
Mean	4.778245	Std Deviation	1.53004
Median	5.050000	Variance	2.34104
Mode	5.400000	Range	8.08000
		Interquartile Range	1.73000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	70.8709	Pr > t	<.0001
Sign	M	256	Pr >= M	<.0001
Signed Rank	S	65664	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.080
99%	7.750
95%	6.900
90%	6.519
75% Q3	5.750
50% Median	5.050
25% Q1	4.020
10%	2.640
5%	1.780

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.560
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	495	7.78	160
0.00	494	7.80	152
0.00	493	7.80	159
0.23	23	8.05	316
0.56	423	8.08	315

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	88.89
T	1	0.19	11.11
Total	9	1.72	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	515	Sum Weights	515
Mean	5.35795728	Sum Observations	2759.348
Std Deviation	1.55069126	Variance	2.4046434
Skewness	-0.6494755	Kurtosis	1.00046961
Uncorrected SS	16020.4554	Corrected SS	1235.98671
Coeff Variation	28.941837	Std Error Mean	0.06833162

Basic Statistical Measures			
Location		Variability	
Mean	5.357957	Std Deviation	1.55069
Median	5.500000	Variance	2.40464
Mode	6.110000	Range	9.40000
		Interquartile Range	1.72000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	78.4111	Pr > t	<.0001
Sign	M	256	Pr >= M	<.0001
Signed Rank	S	65664	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.40
99%	8.56
95%	7.55
90%	7.12
75% Q3	6.34
50% Median	5.50
25% Q1	4.62
10%	3.17
5%	2.49

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.98
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.000	495	8.68	204
0.000	494	8.90	151
0.000	493	9.10	152
0.470	496	9.36	316
0.954	95	9.40	315

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	88.89
T	1	0.19	11.11
Total	9	1.72	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	516	Sum Weights	516
Mean	6.45471318	Sum Observations	3330.632
Std Deviation	1.65968747	Variance	2.75456249
Skewness	-0.4414646	Kurtosis	0.84562609
Uncorrected SS	22916.8739	Corrected SS	1418.59968
Coeff Variation	25.7127996	Std Error Mean	0.07306367

Basic Statistical Measures			
Location		Variability	
Mean	6.454713	Std Deviation	1.65969
Median	6.570000	Variance	2.75456
Mode	5.300000	Range	11.01000
		Interquartile Range	1.96900

Note: The mode displayed is the smallest of 3 modes with a count of 6.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	88.34368	Pr > t	<.0001
Sign	M	257	Pr >= M	<.0001
Signed Rank	S	66177.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	11.010
99%	10.300
95%	9.040
90%	8.470
75% Q3	7.469
50% Median	6.570
25% Q1	5.500
10%	4.390
5%	3.320

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.940
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	495	10.36	313
0.00	493	10.47	314
1.60	68	10.50	152
1.60	67	10.97	316
1.76	494	11.01	315

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	515	Sum Weights	515
Mean	5.02621359	Sum Observations	2588.5
Std Deviation	1.52704741	Variance	2.3318738
Skewness	-0.7558045	Kurtosis	0.89514999
Uncorrected SS	14208.937	Corrected SS	1198.58313
Coeff Variation	30.3816657	Std Error Mean	0.06728975

Basic Statistical Measures			
Location		Variability	
Mean	5.026214	Std Deviation	1.52705
Median	5.280000	Variance	2.33187
Mode	5.400000	Range	8.59000
		Interquartile Range	1.76000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	74.69509	Pr > t	<.0001
Sign	M	256	Pr >= M	<.0001
Signed Rank	S	65664	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.59
99%	8.08
95%	7.17
90%	6.76
75% Q3	5.99
50% Median	5.28
25% Q1	4.23
10%	2.91
5%	2.14

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.68
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	495	8.10	151
0.00	494	8.10	159
0.00	493	8.30	152
0.48	496	8.56	316
0.57	24	8.59	315

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	88.89
T	1	0.19	11.11
Total	9	1.72	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	150	Sum Weights	150
Mean	3.94237333	Sum Observations	591.356
Std Deviation	1.66599845	Variance	2.77555084
Skewness	0.33516796	Kurtosis	0.07050471
Uncorrected SS	2744.9032	Corrected SS	413.557075
Coeff Variation	42.2587693	Std Error Mean	0.1360282

Basic Statistical Measures			
Location		Variability	
Mean	3.942373	Std Deviation	1.66600
Median	3.857500	Variance	2.77555
Mode	2.400000	Range	8.74400
		Interquartile Range	2.43500

Note: The mode displayed is the smallest of 4 modes with a count of 3.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	28.98203	Pr > t	<.0001
Sign	M	75	Pr >= M	<.0001
Signed Rank	S	5662.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.2540
99%	9.1790
95%	6.5720
90%	5.9690
75% Q3	5.1350
50% Median	3.8575
25% Q1	2.7000
10%	1.7530
5%	1.4510

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.7040
0 % Min	0.5100

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.510	156	7.118	205
0.704	493	7.118	206
0.900	155	7.203	454
0.968	218	9.179	207
1.056	190	9.254	208

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	98.40
P	2	0.38	0.53
T	4	0.76	1.07
Total	374	71.37	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	331	Sum Weights	331
Mean	10.7962598	Sum Observations	3573.562
Std Deviation	1.86711516	Variance	3.48611902
Skewness	-0.4119239	Kurtosis	3.94282775
Uncorrected SS	39731.5231	Corrected SS	1150.41928
Coeff Variation	17.2940925	Std Error Mean	0.10262593

Basic Statistical Measures			
Location		Variability	
Mean	10.79626	Std Deviation	1.86712
Median	11.06000	Variance	3.48612
Mode	11.32000	Range	15.50000
		Interquartile Range	1.75500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	105.2001	Pr > t	<.0001
Sign	M	165.5	Pr >= M	<.0001
Signed Rank	S	27473	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	18.200
99%	15.410
95%	13.300
90%	12.430
75% Q3	11.715
50% Median	11.060
25% Q1	9.960
10%	8.580
5%	7.800

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	4.250
0 % Min	2.700

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
2.70	511	15.41	417
2.70	509	15.41	419
4.25	323	17.35	307
4.25	321	18.20	513
5.90	431	18.20	515

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	184	35.11	95.34
P	3	0.57	1.55
T	6	1.15	3.11
Total	193	36.83	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	513	Sum Weights	513
Mean	4.49279532	Sum Observations	2304.804
Std Deviation	1.56441976	Variance	2.44740917
Skewness	-0.4815965	Kurtosis	0.18910403
Uncorrected SS	11608.0861	Corrected SS	1253.0735
Coeff Variation	34.8206327	Std Error Mean	0.06907082

Basic Statistical Measures			
Location		Variability	
Mean	4.492795	Std Deviation	1.56442
Median	4.700000	Variance	2.44741
Mode	5.050000	Range	7.90000
		Interquartile Range	1.77000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	65.04621	Pr > t	<.0001
Sign	M	254.5	Pr >= M	<.0001
Signed Rank	S	64897.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7.90
99%	7.76
95%	6.81
90%	6.35
75% Q3	5.41
50% Median	4.70
25% Q1	3.64
10%	2.30
5%	1.50

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.37
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	495	7.80	381
0.00	493	7.86	167
0.00	200	7.86	168
0.00	199	7.88	160
0.23	494	7.90	159

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	72.73
T	3	0.57	27.27
Total	11	2.10	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	516	Sum Weights	516
Mean	5.81799031	Sum Observations	3002.083
Std Deviation	1.59865824	Variance	2.55570818
Skewness	-0.5906141	Kurtosis	1.02525233
Uncorrected SS	18782.2795	Corrected SS	1316.18971
Coeff Variation	27.477843	Std Error Mean	0.070377

Basic Statistical Measures			
Location		Variability	
Mean	5.817990	Std Deviation	1.59866
Median	5.985000	Variance	2.55571
Mode	5.640000	Range	10.31000
		Interquartile Range	1.82500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	82.66891	Pr > t	<.0001
Sign	M	257	Pr >= M	<.0001
Signed Rank	S	66177.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.310
99%	9.560
95%	8.090
90%	7.630
75% Q3	6.775
50% Median	5.985
25% Q1	4.950
10%	3.690
5%	2.830

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.170
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	495	9.57	314
0.00	493	9.60	151
0.35	494	9.60	152
1.14	68	10.27	316
1.14	67	10.31	315

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	8	1.53	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	141	Sum Weights	141
Mean	5.70375887	Sum Observations	804.23
Std Deviation	1.98995676	Variance	3.95992791
Skewness	-0.493577	Kurtosis	-0.1168159
Uncorrected SS	5141.5239	Corrected SS	554.389908
Coeff Variation	34.8885149	Std Error Mean	0.16758459

Basic Statistical Measures			
Location		Variability	
Mean	5.703759	Std Deviation	1.98996
Median	5.810000	Variance	3.95993
Mode	4.930000	Range	8.69000
		Interquartile Range	2.27000

Note: The mode displayed is the smallest of 3 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	34.0351	Pr > t	<.0001
Sign	M	70.5	Pr >= M	<.0001
Signed Rank	S	5005.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.28
99%	9.17
95%	8.70
90%	8.22
75% Q3	7.20
50% Median	5.81
25% Q1	4.93
10%	2.70
5%	1.88

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.94
0 % Min	0.59

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.59	164	9.06	199
0.94	263	9.07	200
1.20	385	9.07	495
1.30	386	9.17	493
1.41	406	9.28	494

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	96.08
P	2	0.38	0.52
T	13	2.48	3.39
Total	383	73.09	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	135	Sum Weights	135
Mean	6.27940741	Sum Observations	847.72
Std Deviation	2.19662012	Variance	4.82513994
Skewness	-0.4932559	Kurtosis	-0.0260406
Uncorrected SS	5969.748	Corrected SS	646.568753
Coeff Variation	34.9813283	Std Error Mean	0.18905496

Basic Statistical Measures			
Location		Variability	
Mean	6.279407	Std Deviation	2.19662
Median	6.340000	Variance	4.82514
Mode	5.630000	Range	9.76000
		Interquartile Range	2.46000

Note: The mode displayed is the smallest of 2 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	33.21472	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.47
99%	10.25
95%	9.81
90%	9.04
75% Q3	7.86
50% Median	6.34
25% Q1	5.40
10%	3.29
5%	1.99

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.81
0 % Min	0.71

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.71	263	9.91	130
0.81	385	9.98	198
0.95	164	10.01	200
1.20	386	10.25	495
1.30	162	10.47	496

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	94.60
P	2	0.38	0.51
T	19	3.63	4.88
Total	389	74.24	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	151	Sum Weights	151
Mean	6.89807947	Sum Observations	1041.61
Std Deviation	2.01450001	Variance	4.05821029
Skewness	-0.4137647	Kurtosis	0.01149891
Uncorrected SS	7793.8401	Corrected SS	608.731543
Coeff Variation	29.2037808	Std Error Mean	0.16393769

Basic Statistical Measures			
Location		Variability	
Mean	6.898079	Std Deviation	2.01450
Median	7.060000	Variance	4.05821
Mode	7.400000	Range	10.20000
		Interquartile Range	2.85000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	42.07745	Pr > t	<.0001
Sign	M	75.5	Pr >= M	<.0001
Signed Rank	S	5738	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	11.00
99%	10.30
95%	10.09
90%	9.63
75% Q3	8.45
50% Median	7.06
25% Q1	5.60
10%	4.23
5%	3.52

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.50
0 % Min	0.80

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.80	385	10.2	237
1.50	386	10.2	238
1.88	405	10.3	239
2.46	406	10.3	240
2.47	371	11.0	61

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	98.66
P	2	0.38	0.54
T	3	0.57	0.80
Total	373	71.18	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	149	Sum Weights	149
Mean	5.75228188	Sum Observations	857.09
Std Deviation	1.94306498	Variance	3.77550151
Skewness	-0.4852595	Kurtosis	-0.0620568
Uncorrected SS	5488.9975	Corrected SS	558.774224
Coeff Variation	33.7790293	Std Error Mean	0.15918209

Basic Statistical Measures			
Location		Variability	
Mean	5.752282	Std Deviation	1.94306
Median	5.750000	Variance	3.77550
Mode	6.570000	Range	9.05000
		Interquartile Range	2.11000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	36.13649	Pr > t	<.0001
Sign	M	74.5	Pr >= M	<.0001
Signed Rank	S	5587.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.52
99%	9.40
95%	8.70
90%	8.10
75% Q3	7.04
50% Median	5.75
25% Q1	4.93
10%	2.93
5%	2.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.10
0 % Min	0.47

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.47	164	9.07	495
1.10	385	9.20	239
1.20	386	9.20	240
1.30	371	9.40	493
1.41	406	9.52	494

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	98.13
P	2	0.38	0.53
T	5	0.95	1.33
Total	375	71.56	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	151	Sum Weights	151
Mean	6.3189404	Sum Observations	954.16
Std Deviation	1.91774039	Variance	3.6777282
Skewness	-0.5990141	Kurtosis	0.23718582
Uncorrected SS	6580.9394	Corrected SS	551.65923
Coeff Variation	30.3490818	Std Error Mean	0.1560635

Basic Statistical Measures			
Location		Variability	
Mean	6.318940	Std Deviation	1.91774
Median	6.350000	Variance	3.67773
Mode	6.340000	Range	9.30000
		Interquartile Range	2.46000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	40.48955	Pr > t	<.0001
Sign	M	75.5	Pr >= M	<.0001
Signed Rank	S	5738	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.00
99%	10.00
95%	8.88
90%	8.76
75% Q3	7.75
50% Median	6.35
25% Q1	5.29
10%	3.76
5%	3.29

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.10
0 % Min	0.70

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.70	385	9.17	493
1.10	386	9.60	237
1.18	164	9.60	238
1.53	372	10.00	239
1.65	371	10.00	240

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	98.66
P	2	0.38	0.54
T	3	0.57	0.80
Total	373	71.18	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	137	Sum Weights	137
Mean	5.81321168	Sum Observations	796.41
Std Deviation	2.12025489	Variance	4.49548079
Skewness	-0.4553598	Kurtosis	-0.16772
Uncorrected SS	5241.0853	Corrected SS	611.385387
Coeff Variation	36.4730377	Std Error Mean	0.1811456

Basic Statistical Measures			
Location		Variability	
Mean	5.813212	Std Deviation	2.12025
Median	5.870000	Variance	4.49548
Mode	5.750000	Range	9.43000
		Interquartile Range	2.35000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	32.09138	Pr > t	<.0001
Sign	M	68.5	Pr >= M	<.0001
Signed Rank	S	4726.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.90
99%	9.65
95%	9.18
90%	8.69
75% Q3	7.28
50% Median	5.87
25% Q1	4.93
10%	2.35
5%	1.65

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.71
0 % Min	0.47

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.47	263	9.27	198
0.71	164	9.28	494
1.18	162	9.40	493
1.20	385	9.65	496
1.40	386	9.90	495

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	95.09
P	2	0.38	0.52
T	17	3.24	4.39
Total	387	73.85	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	151	Sum Weights	151
Mean	6.60278146	Sum Observations	997.02
Std Deviation	1.93078228	Variance	3.72792021
Skewness	-0.5908274	Kurtosis	0.34572008
Uncorrected SS	7142.2932	Corrected SS	559.188032
Coeff Variation	29.2419534	Std Error Mean	0.15712483

Basic Statistical Measures			
Location		Variability	
Mean	6.602781	Std Deviation	1.93078
Median	6.690000	Variance	3.72792
Mode	6.110000	Range	9.40000
		Interquartile Range	2.47000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	42.02252	Pr > t	<.0001
Sign	M	75.5	Pr >= M	<.0001
Signed Rank	S	5738	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.10
99%	10.10
95%	9.34
90%	8.92
75% Q3	7.99
50% Median	6.69
25% Q1	5.52
10%	3.99
5%	3.40

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.80
0 % Min	0.70

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.70	385	9.7	61
0.80	386	10.1	237
1.88	372	10.1	238
1.89	371	10.1	239
1.99	405	10.1	240

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	98.66
P	2	0.38	0.54
T	3	0.57	0.80
Total	373	71.18	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	151	Sum Weights	151
Mean	6.06529801	Sum Observations	915.86
Std Deviation	1.96588735	Variance	3.86471308
Skewness	-0.5256375	Kurtosis	-0.0097861
Uncorrected SS	6134.6708	Corrected SS	579.706962
Coeff Variation	32.4120488	Std Error Mean	0.15998164

Basic Statistical Measures			
Location		Variability	
Mean	6.065298	Std Deviation	1.96589
Median	5.990000	Variance	3.86471
Mode	7.280000	Range	9.09000
		Interquartile Range	2.39000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	37.91246	Pr > t	<.0001
Sign	M	75.5	Pr >= M	<.0001
Signed Rank	S	5738	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.90
99%	9.80
95%	8.94
90%	8.51
75% Q3	7.50
50% Median	5.99
25% Q1	5.11
10%	3.40
5%	2.82

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.83
0 % Min	0.81

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.81	385	9.20	238
0.83	164	9.28	493
1.00	386	9.28	494
1.18	371	9.80	239
1.53	372	9.90	240

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	98.66
P	2	0.38	0.54
T	3	0.57	0.80
Total	373	71.18	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	149	Sum Weights	149
Mean	5.88590604	Sum Observations	877
Std Deviation	1.95393574	Variance	3.81786488
Skewness	-0.4953996	Kurtosis	-0.0961518
Uncorrected SS	5726.9836	Corrected SS	565.044003
Coeff Variation	33.1968558	Std Error Mean	0.16007265

Basic Statistical Measures			
Location		Variability	
Mean	5.885906	Std Deviation	1.95394
Median	5.870000	Variance	3.81786
Mode	6.810000	Range	8.90000
		Interquartile Range	2.46000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	36.77022	Pr > t	<.0001
Sign	M	74.5	Pr >= M	<.0001
Signed Rank	S	5587.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.60
99%	9.50
95%	8.83
90%	8.10
75% Q3	7.39
50% Median	5.87
25% Q1	4.93
10%	3.05
5%	2.23

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.95
0 % Min	0.70

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.70	164	8.94	496
0.95	371	9.40	493
1.00	386	9.40	494
1.10	385	9.50	239
1.76	406	9.60	240

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	98.13
P	2	0.38	0.53
T	5	0.95	1.33
Total	375	71.56	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	154	Sum Weights	154
Mean	0.1258961	Sum Observations	19.388
Std Deviation	0.05866323	Variance	0.00344137
Skewness	1.07857678	Kurtosis	0.82748094
Uncorrected SS	2.967404	Corrected SS	0.52653034
Coeff Variation	46.5965426	Std Error Mean	0.00472722

Basic Statistical Measures			
Location		Variability	
Mean	0.125896	Std Deviation	0.05866
Median	0.114000	Variance	0.00344
Mode	0.086000	Range	0.27800
		Interquartile Range	0.06800

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	26.63218	Pr > t	<.0001
Sign	M	77	Pr >= M	<.0001
Signed Rank	S	5967.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0.308
99%	0.290
95%	0.265
90%	0.220
75% Q3	0.151
50% Median	0.114
25% Q1	0.083
10%	0.068
5%	0.057

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure****Variable: V01XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.032
0 % Min	0.030

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.030	493	0.276	163
0.032	197	0.277	164
0.039	198	0.280	252
0.041	370	0.290	261
0.047	33	0.308	386

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	99.46
P	2	0.38	0.54
Total	370	70.61	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	156	Sum Weights	156
Mean	0.11538462	Sum Observations	18
Std Deviation	0.32051447	Variance	0.10272953
Skewness	2.43115628	Kurtosis	3.96114353
Uncorrected SS	18	Corrected SS	15.9230769
Coeff Variation	277.779211	Std Error Mean	0.0256617

Basic Statistical Measures			
Location		Variability	
Mean	0.115385	Std Deviation	0.32051
Median	0.000000	Variance	0.10273
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.496375	Pr > t	<.0001
Sign	M	9	Pr >= M	<.0001
Signed Rank	S	85.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	1	284
0	501	1	451
0	498	1	452
0	497	1	467
0	496	1	478

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	156	Sum Weights	156
Mean	0.01923077	Sum Observations	3
Std Deviation	0.13777747	Variance	0.01898263
Skewness	7.06955933	Kurtosis	48.6016534
Uncorrected SS	3	Corrected SS	2.94230769
Coeff Variation	716.442826	Std Error Mean	0.01103103

Basic Statistical Measures			
Location		Variability	
Mean	0.019231	Std Deviation	0.13778
Median	0.000000	Variance	0.01898
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.743335	Pr > t	0.0833
Sign	M	1.5	Pr >= M	0.2500
Signed Rank	S	3	Pr >= S	0.2500

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	0	501
0	501	0	502
0	498	1	261
0	497	1	262
0	496	1	410

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	156	Sum Weights	156
Mean	0	Sum Observations	0
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	0	Corrected SS	0
Coeff Variation	.	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	0
Median	0	Variance	0
Mode	0	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	. Pr >= M	.
Signed Rank	S	. Pr >= S	.

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	0	496
0	501	0	497
0	498	0	498
0	497	0	501
0	496	0	502

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	156	Sum Weights	156
Mean	0.01282051	Sum Observations	2
Std Deviation	0.11286186	Variance	0.0127378
Skewness	8.74531903	Kurtosis	75.447799
Uncorrected SS	2	Corrected SS	1.97435897
Coeff Variation	880.322522	Std Error Mean	0.00903618

Basic Statistical Measures			
Location		Variability	
Mean	0.012821	Std Deviation	0.11286
Median	0.000000	Variance	0.01274
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.418798	Pr > t	0.1580
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	0	498
0	501	0	501
0	498	0	502
0	497	1	161
0	496	1	163

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	156	Sum Weights	156
Mean	0.03846154	Sum Observations	6
Std Deviation	0.19292704	Variance	0.03722084
Skewness	4.84672819	Kurtosis	21.7697309
Uncorrected SS	6	Corrected SS	5.76923077
Coeff Variation	501.61031	Std Error Mean	0.01544653

Basic Statistical Measures			
Location		Variability	
Mean	0.038462	Std Deviation	0.19293
Median	0.000000	Variance	0.03722
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.48998	Pr > t	0.0138
Sign	M	3	Pr >= M	0.0313
Signed Rank	S	10.5	Pr >= S	0.0313

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	1	200
0	501	1	493
0	498	1	494
0	497	1	495
0	484	1	496

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	156	Sum Weights	156
Mean	0.32692308	Sum Observations	51
Std Deviation	0.47059964	Variance	0.22146402
Skewness	0.74511181	Kurtosis	-1.4637413
Uncorrected SS	51	Corrected SS	34.3269231
Coeff Variation	143.948125	Std Error Mean	0.03767813

Basic Statistical Measures			
Location		Variability	
Mean	0.326923	Std Deviation	0.47060
Median	0.000000	Variance	0.22146
Mode	0.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.676734	Pr > t	<.0001
Sign	M	25.5	Pr >= M	<.0001
Signed Rank	S	663	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	1	479
0	498	1	493
0	496	1	495
0	494	1	497
0	484	1	501

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	156	Sum Weights	156
Mean	0.04487179	Sum Observations	7
Std Deviation	0.20768924	Variance	0.04313482
Skewness	4.43969993	Kurtosis	17.9407993
Uncorrected SS	7	Corrected SS	6.68589744
Coeff Variation	462.850316	Std Error Mean	0.01662845

Basic Statistical Measures			
Location		Variability	
Mean	0.044872	Std Deviation	0.20769
Median	0.000000	Variance	0.04313
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.698496	Pr > t	0.0077
Sign	M	3.5	Pr >= M	0.0156
Signed Rank	S	14	Pr >= S	0.0156

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	1	263
0	498	1	388
0	497	1	409
0	496	1	410
0	495	1	501

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	156	Sum Weights	156
Mean	0	Sum Observations	0
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	0	Corrected SS	0
Coeff Variation	.	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	0
Median	0	Variance	0
Mode	0	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	. Pr >= M	.
Signed Rank	S	. Pr >= S	.

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	0	496
0	501	0	497
0	498	0	498
0	497	0	501
0	496	0	502

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	156	Sum Weights	156
Mean	0.03205128	Sum Observations	5
Std Deviation	0.17670357	Variance	0.03122415
Skewness	5.36521101	Kurtosis	27.1332143
Uncorrected SS	5	Corrected SS	4.83974359
Coeff Variation	551.315143	Std Error Mean	0.01414761

Basic Statistical Measures			
Location		Variability	
Mean	0.032051	Std Deviation	0.17670
Median	0.000000	Variance	0.03122
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.265491	Pr > t	0.0249
Sign	M	2.5	Pr >= M	0.0625
Signed Rank	S	7.5	Pr >= S	0.0625

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	502	1	61
0	501	1	165
0	498	1	207
0	496	1	410
0	495	1	497

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01**The UNIVARIATE Procedure**

Variable: V01IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	156	Sum Weights	156
Mean	0.18215385	Sum Observations	28.416
Std Deviation	0.01051337	Variance	0.00011053
Skewness	1.12657998	Kurtosis	-0.7404771
Uncorrected SS	5.193216	Corrected SS	0.01713231
Coeff Variation	5.77169985	Std Error Mean	0.00084174

Basic Statistical Measures			
Location		Variability	
Mean	0.182154	Std Deviation	0.01051
Median	0.176000	Variance	0.0001105
Mode	0.176000	Range	0.02400
Interquartile Range			0.02400

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	216.4007	Pr > t	<.0001
Sign	M	78	Pr >= M	<.0001
Signed Rank	S	6123	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0.200
99%	0.200
95%	0.200
90%	0.200
75% Q3	0.200
50% Median	0.176
25% Q1	0.176
10%	0.176
5%	0.176

OAI 1.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea01

The UNIVARIATE Procedure

Variable: V01IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.176
0 % Min	0.176

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.176	502	0.2	348
0.176	501	0.2	385
0.176	498	0.2	386
0.176	497	0.2	387
0.176	496	0.2	388

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	368	70.23	100.00