

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 130        | Sum Weights      | 130        |
| Mean            | 82.3261462 | Sum Observations | 10702.399  |
| Std Deviation   | 6.70975373 | Variance         | 45.0207951 |
| Skewness        | 0.77697629 | Kurtosis         | 0.34189023 |
| Uncorrected SS  | 886894.947 | Corrected SS     | 5807.68256 |
| Coeff Variation | 8.15020991 | Std Error Mean   | 0.58848433 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 82.32615 | Std Deviation       | 6.70975  |
| Median                     | 81.19250 | Variance            | 45.02080 |
| Mode                       | 75.99900 | Range               | 31.38500 |
|                            |          | Interquartile Range | 10.04000 |

**Note: The mode displayed is the smallest of 4 modes with a count of 2.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 139.8952 | Pr >  t  | <.0001 |
| Sign                      | M         | 65       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 4257.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 102.5900 |
| 99%                      | 101.9300 |
| 95%                      | 94.0920  |
| 90%                      | 90.9435  |
| 75% Q3                   | 87.1960  |
| 50% Median               | 81.1925  |
| 25% Q1                   | 77.1560  |
| 10%                      | 74.8325  |
| 5%                       | 73.9280  |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 71.7940  |
| 0 % Min                  | 71.2050  |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 71.205               | 251 | 95.964  | 189 |
| 71.794               | 252 | 100.210 | 360 |
| 71.920               | 249 | 101.010 | 359 |
| 72.341               | 250 | 101.930 | 358 |
| 73.161               | 215 | 102.590 | 357 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 99.46       |
| P              | 2     | 0.40    | 0.54        |
| Total          | 370   | 74.00   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 310        | Sum Weights      | 310        |
| Mean            | 4.02144839 | Sum Observations | 1246.649   |
| Std Deviation   | 1.5155541  | Variance         | 2.29690422 |
| Skewness        | -0.4513779 | Kurtosis         | 0.10284285 |
| Uncorrected SS  | 5723.07801 | Corrected SS     | 709.743403 |
| Coeff Variation | 37.6867723 | Std Error Mean   | 0.08607769 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 4.021448 | Std Deviation       | 1.51555 |
| Median                     | 4.200000 | Variance            | 2.29690 |
| Mode                       | 0.000000 | Range               | 7.60000 |
|                            |          | Interquartile Range | 1.85700 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 46.71882 | Pr >  t  | <.0001 |
| Sign                      | M         | 153      | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23485.5  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 7.600    |
| 99%                      | 7.120    |
| 95%                      | 6.274    |
| 90%                      | 5.790    |
| 75% Q3                   | 5.020    |
| 50% Median               | 4.200    |
| 25% Q1                   | 3.163    |
| 10%                      | 1.830    |
| 5%                       | 1.051    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**


---

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.000    |
| 0 % Min                  | 0.000    |

---



---

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.0                  | 344 | 6.95    | 144 |
| 0.0                  | 188 | 7.12    | 78  |
| 0.0                  | 187 | 7.31    | 354 |
| 0.0                  | 94  | 7.50    | 298 |
| 0.3                  | 318 | 7.60    | 300 |

---



---

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 184   | 36.80   | 96.84       |
| P              | 5     | 1.00    | 2.63        |
| T              | 1     | 0.20    | 0.53        |
| Total          | 190   | 38.00   | 100.00      |

---

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 306        | Sum Weights      | 306        |
| Mean            | 4.53813725 | Sum Observations | 1388.67    |
| Std Deviation   | 1.52156826 | Variance         | 2.31516996 |
| Skewness        | -0.5634163 | Kurtosis         | 0.26520289 |
| Uncorrected SS  | 7008.1019  | Corrected SS     | 706.126838 |
| Coeff Variation | 33.5284759 | Std Error Mean   | 0.08698227 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 4.538137 | Std Deviation       | 1.52157 |
| Median                     | 4.725000 | Variance            | 2.31517 |
| Mode                       | 4.630000 | Range               | 8.10000 |
|                            |          | Interquartile Range | 1.77000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 52.17313 | Pr >  t  | <.0001 |
| Sign                      | M         | 152.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23332.5  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 8.100    |
| 99%                      | 7.200    |
| 95%                      | 6.840    |
| 90%                      | 6.310    |
| 75% Q3                   | 5.510    |
| 50% Median               | 4.725    |
| 25% Q1                   | 3.740    |
| 10%                      | 2.280    |
| 5%                       | 1.580    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**


---

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.640    |
| 0 % Min                  | 0.000    |

---



---

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.00                 | 187 | 7.20    | 103 |
| 0.29                 | 318 | 7.20    | 104 |
| 0.33                 | 94  | 7.70    | 354 |
| 0.64                 | 188 | 7.92    | 300 |
| 0.69                 | 60  | 8.10    | 298 |

---



---

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 184   | 36.80   | 94.85       |
| P              | 5     | 1.00    | 2.58        |
| T              | 5     | 1.00    | 2.58        |
| Total          | 194   | 38.80   | 100.00      |

---

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 308        | Sum Weights      | 308        |
| Mean            | 4.6924026  | Sum Observations | 1445.26    |
| Std Deviation   | 1.48582446 | Variance         | 2.20767434 |
| Skewness        | -0.5805355 | Kurtosis         | 0.37472828 |
| Uncorrected SS  | 7459.4978  | Corrected SS     | 677.756022 |
| Coeff Variation | 31.6644711 | Std Error Mean   | 0.08466271 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 4.692403 | Std Deviation       | 1.48582 |
| Median                     | 4.800000 | Variance            | 2.20767 |
| Mode                       | 4.630000 | Range               | 8.00000 |
|                            |          | Interquartile Range | 1.77000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 55.42467 | Pr >  t  | <.0001 |
| Sign                      | M         | 154      | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23793    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 8.40     |
| 99%                      | 7.50     |
| 95%                      | 6.84     |
| 90%                      | 6.43     |
| 75% Q3                   | 5.68     |
| 50% Median               | 4.80     |
| 25% Q1                   | 3.91     |
| 10%                      | 2.51     |
| 5%                       | 1.91     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**


---

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.54     |
| 0 % Min                  | 0.40     |

---



---

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.40                 | 318 | 7.36    | 192 |
| 0.43                 | 94  | 7.50    | 354 |
| 0.47                 | 410 | 7.60    | 78  |
| 0.54                 | 187 | 7.92    | 300 |
| 0.82                 | 344 | 8.40    | 298 |

---



---

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 184   | 36.80      | 95.83       |
| P              | 5     | 1.00       | 2.60        |
| T              | 3     | 0.60       | 1.56        |
| Total          | 192   | 38.40      | 100.00      |

---



**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 308        | Sum Weights      | 308        |
| Mean            | 5.21461039 | Sum Observations | 1606.1     |
| Std Deviation   | 1.49472825 | Variance         | 2.23421255 |
| Skewness        | -0.5578098 | Kurtosis         | 0.55953402 |
| Uncorrected SS  | 9061.089   | Corrected SS     | 685.903253 |
| Coeff Variation | 28.6642365 | Std Error Mean   | 0.08517005 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.214610 | Std Deviation       | 1.49473 |
| Median                     | 5.335000 | Variance            | 2.23421 |
| Mode                       | 4.420000 | Range               | 8.19000 |
|                            |          | Interquartile Range | 1.79500 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 61.22587 | Pr >  t  | <.0001 |
| Sign                      | M         | 154      | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23793    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 8.810    |
| 99%                      | 8.400    |
| 95%                      | 7.400    |
| 90%                      | 7.110    |
| 75% Q3                   | 6.215    |
| 50% Median               | 5.335    |
| 25% Q1                   | 4.420    |
| 10%                      | 3.260    |
| 5%                       | 2.530    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.910    |
| 0 % Min                  | 0.620    |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.62                 | 344 | 8.00    | 254 |
| 0.69                 | 318 | 8.40    | 298 |
| 0.80                 | 410 | 8.45    | 142 |
| 0.91                 | 60  | 8.51    | 144 |
| 0.95                 | 94  | 8.81    | 300 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 184   | 36.80      | 95.83       |
| P              | 5     | 1.00       | 2.60        |
| T              | 3     | 0.60       | 1.56        |
| Total          | 192   | 38.40      | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 307        | Sum Weights      | 307        |
| Mean            | 6.25039088 | Sum Observations | 1918.87    |
| Std Deviation   | 1.57180255 | Variance         | 2.47056325 |
| Skewness        | -0.3197994 | Kurtosis         | 0.43671575 |
| Uncorrected SS  | 12749.6799 | Corrected SS     | 755.992353 |
| Coeff Variation | 25.147268  | Std Error Mean   | 0.08970751 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 6.250391 | Std Deviation       | 1.57180 |
| Median                     | 6.390000 | Variance            | 2.47056 |
| Mode                       | 5.060000 | Range               | 9.03000 |
|                            |          | Interquartile Range | 2.09000 |

**Note: The mode displayed is the smallest of 3 modes with a count of 5.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 69.67522 | Pr >  t  | <.0001 |
| Sign                      | M         | 153.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23639    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 10.62    |
| 99%                      | 9.76     |
| 95%                      | 8.58     |
| 90%                      | 8.10     |
| 75% Q3                   | 7.35     |
| 50% Median               | 6.39     |
| 25% Q1                   | 5.26     |
| 10%                      | 4.42     |
| 5%                       | 3.45     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.90     |
| 0 % Min                  | 1.59     |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.59                 | 410 | 9.63    | 144 |
| 1.59                 | 60  | 9.76    | 212 |
| 1.86                 | 344 | 9.96    | 142 |
| 1.90                 | 84  | 10.00   | 298 |
| 2.00                 | 94  | 10.62   | 300 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 184   | 36.80   | 95.34       |
| P              | 5     | 1.00    | 2.59        |
| T              | 4     | 0.80    | 2.07        |
| Total          | 193   | 38.60   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 308        | Sum Weights      | 308        |
| Mean            | 4.92487013 | Sum Observations | 1516.86    |
| Std Deviation   | 1.46139028 | Variance         | 2.13566155 |
| Skewness        | -0.6232927 | Kurtosis         | 0.62852476 |
| Uncorrected SS  | 8125.9866  | Corrected SS     | 655.648095 |
| Coeff Variation | 29.6736815 | Std Error Mean   | 0.08327044 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 4.924870 | Std Deviation       | 1.46139 |
| Median                     | 5.115000 | Variance            | 2.13566 |
| Mode                       | 4.630000 | Range               | 7.92000 |
|                            |          | Interquartile Range | 1.74500 |

**Note: The mode displayed is the smallest of 3 modes with a count of 6.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 59.14308 | Pr >  t  | <.0001 |
| Sign                      | M         | 154      | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23793    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 8.320    |
| 99%                      | 7.680    |
| 95%                      | 7.090    |
| 90%                      | 6.610    |
| 75% Q3                   | 5.850    |
| 50% Median               | 5.115    |
| 25% Q1                   | 4.105    |
| 10%                      | 2.920    |
| 5%                       | 2.300    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.640    |
| 0 % Min                  | 0.400    |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.40                 | 318 | 7.65    | 142 |
| 0.57                 | 60  | 7.68    | 192 |
| 0.58                 | 410 | 8.01    | 144 |
| 0.64                 | 94  | 8.10    | 298 |
| 0.72                 | 344 | 8.32    | 300 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 184   | 36.80   | 95.83       |
| P              | 5     | 1.00    | 2.60        |
| T              | 3     | 0.60    | 1.56        |
| Total          | 192   | 38.40   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 126        | Sum Weights      | 126        |
| Mean            | 3.93581746 | Sum Observations | 495.913    |
| Std Deviation   | 1.59965353 | Variance         | 2.55889143 |
| Skewness        | 0.94405703 | Kurtosis         | 1.65329255 |
| Uncorrected SS  | 2271.68447 | Corrected SS     | 319.861429 |
| Coeff Variation | 40.6434889 | Std Error Mean   | 0.14250846 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 3.935817 | Std Deviation       | 1.59965 |
| Median                     | 3.606500 | Variance            | 2.55889 |
| Mode                       | 3.259000 | Range               | 9.53900 |
|                            |          | Interquartile Range | 1.71000 |

**Note: The mode displayed is the smallest of 2 modes with a count of 4.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 27.61813 | Pr >  t  | <.0001 |
| Sign                      | M         | 63       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 4000.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 10.3800  |
| 99%                      | 8.6210   |
| 95%                      | 6.8340   |
| 90%                      | 6.0670   |
| 75% Q3                   | 4.7440   |
| 50% Median               | 3.6065   |
| 25% Q1                   | 3.0340   |
| 10%                      | 2.2300   |
| 5%                       | 1.5770   |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.0510   |
| 0 % Min                  | 0.8410   |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.841                | 202 | 7.252   | 137 |
| 1.051                | 201 | 7.254   | 176 |
| 1.262                | 413 | 7.464   | 175 |
| 1.367                | 448 | 8.621   | 421 |
| 1.367                | 415 | 10.380  | 471 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 98.40       |
| P              | 2     | 0.40    | 0.53        |
| T              | 4     | 0.80    | 1.07        |
| Total          | 374   | 74.80   | 100.00      |



**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 9.70333333 | Sum Observations | 1280.84    |
| Std Deviation   | 1.43198291 | Variance         | 2.05057506 |
| Skewness        | 0.18801155 | Kurtosis         | -0.0437471 |
| Uncorrected SS  | 12697.0428 | Corrected SS     | 268.625333 |
| Coeff Variation | 14.7576391 | Std Error Mean   | 0.12463811 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 9.70333  | Std Deviation       | 1.43198 |
| Median                     | 9.71000  | Variance            | 2.05058 |
| Mode                       | 10.17000 | Range               | 6.24000 |
|                            |          | Interquartile Range | 1.62000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 77.85205 | Pr >  t  | <.0001 |
| Sign                      | M         | 66       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 4389     | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 13.01    |
| 99%                      | 13.01    |
| 95%                      | 12.72    |
| 90%                      | 11.37    |
| 75% Q3                   | 10.56    |
| 50% Median               | 9.71     |
| 25% Q1                   | 8.94     |
| 10%                      | 8.01     |
| 5%                       | 7.23     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])**

---

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 6.77     |
| 0 % Min                  | 6.77     |

---



---

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 6.77                 | 444 | 12.72   | 124 |
| 6.77                 | 443 | 13.01   | 357 |
| 6.77                 | 442 | 13.01   | 358 |
| 6.77                 | 441 | 13.01   | 359 |
| 7.23                 | 456 | 13.01   | 360 |

---



---

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 100.00      |

---

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 306        | Sum Weights      | 306        |
| Mean            | 4.44751634 | Sum Observations | 1360.94    |
| Std Deviation   | 1.56031261 | Variance         | 2.43457545 |
| Skewness        | -0.4689237 | Kurtosis         | 0.13263518 |
| Uncorrected SS  | 6795.3484  | Corrected SS     | 742.545512 |
| Coeff Variation | 35.0827854 | Std Error Mean   | 0.08919714 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 4.447516 | Std Deviation       | 1.56031 |
| Median                     | 4.585000 | Variance            | 2.43458 |
| Mode                       | 3.580000 | Range               | 7.90000 |
|                            |          | Interquartile Range | 1.84000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 49.86165 | Pr >  t  | <.0001 |
| Sign                      | M         | 152.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23332.5  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 7.900    |
| 99%                      | 7.400    |
| 95%                      | 6.820    |
| 90%                      | 6.310    |
| 75% Q3                   | 5.510    |
| 50% Median               | 4.585    |
| 25% Q1                   | 3.670    |
| 10%                      | 2.110    |
| 5%                       | 1.400    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.420    |
| 0 % Min                  | 0.000    |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.00                 | 187 | 7.30    | 432 |
| 0.24                 | 94  | 7.40    | 144 |
| 0.39                 | 318 | 7.82    | 300 |
| 0.42                 | 188 | 7.90    | 298 |
| 0.70                 | 362 | 7.90    | 354 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 184   | 36.80   | 94.85       |
| P              | 5     | 1.00    | 2.58        |
| T              | 5     | 1.00    | 2.58        |
| Total          | 194   | 38.80   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 308        | Sum Weights      | 308        |
| Mean            | 5.65077922 | Sum Observations | 1740.44    |
| Std Deviation   | 1.51001134 | Variance         | 2.28013424 |
| Skewness        | -0.4689753 | Kurtosis         | 0.58018448 |
| Uncorrected SS  | 10534.8434 | Corrected SS     | 700.001213 |
| Coeff Variation | 26.722179  | Std Error Mean   | 0.08604088 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.650779 | Std Deviation       | 1.51001 |
| Median                     | 5.765000 | Variance            | 2.28013 |
| Mode                       | 5.780000 | Range               | 8.89000 |
|                            |          | Interquartile Range | 2.05500 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 65.67552 | Pr >  t  | <.0001 |
| Sign                      | M         | 154      | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23793    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 9.910    |
| 99%                      | 9.000    |
| 95%                      | 7.840    |
| 90%                      | 7.500    |
| 75% Q3                   | 6.720    |
| 50% Median               | 5.765    |
| 25% Q1                   | 4.665    |
| 10%                      | 3.900    |
| 5%                       | 2.830    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.340    |
| 0 % Min                  | 1.020    |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.02                 | 410 | 8.71    | 254 |
| 1.25                 | 60  | 9.00    | 298 |
| 1.26                 | 318 | 9.02    | 144 |
| 1.34                 | 344 | 9.16    | 142 |
| 1.40                 | 84  | 9.91    | 300 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 184   | 36.80   | 95.83       |
| P              | 5     | 1.00    | 2.60        |
| T              | 3     | 0.60    | 1.56        |
| Total          | 192   | 38.40   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 121        | Sum Weights      | 121        |
| Mean            | 5.34       | Sum Observations | 646.14     |
| Std Deviation   | 1.87457862 | Variance         | 3.514045   |
| Skewness        | -0.5287241 | Kurtosis         | -0.1728966 |
| Uncorrected SS  | 3872.073   | Corrected SS     | 421.6854   |
| Coeff Variation | 35.1044685 | Std Error Mean   | 0.17041624 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.340000 | Std Deviation       | 1.87458 |
| Median                     | 5.570000 | Variance            | 3.51405 |
| Mode                       | 5.150000 | Range               | 8.07000 |
|                            |          | Interquartile Range | 1.80000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 31.33504 | Pr >  t  | <.0001 |
| Sign                      | M         | 60.5     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3690.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 8.81     |
| 99%                      | 8.70     |
| 95%                      | 8.10     |
| 90%                      | 7.81     |
| 75% Q3                   | 6.43     |
| 50% Median               | 5.57     |
| 25% Q1                   | 4.63     |
| 10%                      | 2.11     |
| 5%                       | 1.60     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.37     |
| 0 % Min                  | 0.74     |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.74                 | 225 | 8.21    | 424 |
| 1.37                 | 251 | 8.22    | 187 |
| 1.47                 | 378 | 8.22    | 188 |
| 1.47                 | 377 | 8.70    | 223 |
| 1.50                 | 358 | 8.81    | 224 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 97.10       |
| P              | 2     | 0.40    | 0.53        |
| T              | 9     | 1.80    | 2.37        |
| Total          | 379   | 75.80   | 100.00      |



**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 116        | Sum Weights      | 116        |
| Mean            | 5.76836207 | Sum Observations | 669.13     |
| Std Deviation   | 1.95003587 | Variance         | 3.8026399  |
| Skewness        | -0.6442876 | Kurtosis         | 0.06537878 |
| Uncorrected SS  | 4297.0877  | Corrected SS     | 437.303589 |
| Coeff Variation | 33.8057121 | Std Error Mean   | 0.18105629 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.768362 | Std Deviation       | 1.95004 |
| Median                     | 6.055000 | Variance            | 3.80264 |
| Mode                       | 5.680000 | Range               | 8.81000 |
|                            |          | Interquartile Range | 2.33000 |

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 31.8595 | Pr >  t  | <.0001 |
| Sign                      | M         | 58      | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3393    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 9.230    |
| 99%                      | 9.040    |
| 95%                      | 8.810    |
| 90%                      | 8.030    |
| 75% Q3                   | 7.065    |
| 50% Median               | 6.055    |
| 25% Q1                   | 4.735    |
| 10%                      | 2.420    |
| 5%                       | 1.790    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.160    |
| 0 % Min                  | 0.420    |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.42                 | 225 | 8.86    | 187 |
| 1.16                 | 251 | 8.91    | 223 |
| 1.40                 | 357 | 8.97    | 188 |
| 1.60                 | 358 | 9.04    | 122 |
| 1.79                 | 202 | 9.23    | 121 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 95.83       |
| P              | 2     | 0.40    | 0.52        |
| T              | 14    | 2.80    | 3.65        |
| Total          | 384   | 76.80   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 123        | Sum Weights      | 123        |
| Mean            | 6.32845528 | Sum Observations | 778.4      |
| Std Deviation   | 2.08519411 | Variance         | 4.34803448 |
| Skewness        | -0.2518562 | Kurtosis         | -0.3190168 |
| Uncorrected SS  | 5456.5298  | Corrected SS     | 530.460207 |
| Coeff Variation | 32.9494958 | Std Error Mean   | 0.18801562 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 6.328455 | Std Deviation       | 2.08519 |
| Median                     | 6.410000 | Variance            | 4.34803 |
| Mode                       | 7.470000 | Range               | 8.90000 |
|                            |          | Interquartile Range | 2.85000 |

**Note: The mode displayed is the smallest of 2 modes with a count of 4.**

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 33.6592 | Pr >  t  | <.0001 |
| Sign                      | M         | 61.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3813    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 10.50    |
| 99%                      | 10.40    |
| 95%                      | 9.47     |
| 90%                      | 8.95     |
| 75% Q3                   | 7.90     |
| 50% Median               | 6.41     |
| 25% Q1                   | 5.05     |
| 10%                      | 3.68     |
| 5%                       | 2.10     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**


---

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.60     |
| 0 % Min                  | 1.60     |

---



---

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.60                 | 358 | 9.61    | 101 |
| 1.60                 | 357 | 10.40   | 221 |
| 1.79                 | 378 | 10.40   | 222 |
| 1.90                 | 150 | 10.40   | 223 |
| 2.00                 | 226 | 10.50   | 224 |

---



---

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 97.61       |
| P              | 2     | 0.40    | 0.53        |
| T              | 7     | 1.40    | 1.86        |
| Total          | 377   | 75.40   | 100.00      |

---

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 122        | Sum Weights      | 122        |
| Mean            | 5.41196721 | Sum Observations | 660.26     |
| Std Deviation   | 1.88476214 | Variance         | 3.55232833 |
| Skewness        | -0.510134  | Kurtosis         | -0.1349495 |
| Uncorrected SS  | 4003.1372  | Corrected SS     | 429.831728 |
| Coeff Variation | 34.8258233 | Std Error Mean   | 0.17063835 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.411967 | Std Deviation       | 1.88476 |
| Median                     | 5.475000 | Variance            | 3.55233 |
| Mode                       | 5.470000 | Range               | 8.14000 |
|                            |          | Interquartile Range | 1.90000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 31.71601 | Pr >  t  | <.0001 |
| Sign                      | M         | 61       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3751.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 9.200    |
| 99%                      | 9.200    |
| 95%                      | 8.110    |
| 90%                      | 7.830    |
| 75% Q3                   | 6.640    |
| 50% Median               | 5.475    |
| 25% Q1                   | 4.740    |
| 10%                      | 2.420    |
| 5%                       | 1.590    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.200    |
| 0 % Min                  | 1.060    |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.06                 | 225 | 8.11    | 470 |
| 1.20                 | 357 | 8.52    | 185 |
| 1.40                 | 358 | 8.73    | 186 |
| 1.47                 | 378 | 9.20    | 223 |
| 1.47                 | 377 | 9.20    | 224 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 97.35       |
| P              | 2     | 0.40    | 0.53        |
| T              | 8     | 1.60    | 2.12        |
| Total          | 378   | 75.60   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 125        | Sum Weights      | 125        |
| Mean            | 5.86192    | Sum Observations | 732.74     |
| Std Deviation   | 1.92553834 | Variance         | 3.7076979  |
| Skewness        | -0.3676468 | Kurtosis         | 0.00013201 |
| Uncorrected SS  | 4755.0178  | Corrected SS     | 459.754539 |
| Coeff Variation | 32.8482535 | Std Error Mean   | 0.17222538 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.861920 | Std Deviation       | 1.92554 |
| Median                     | 6.100000 | Variance            | 3.70770 |
| Mode                       | 5.260000 | Range               | 9.20000 |
|                            |          | Interquartile Range | 2.31000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 34.03633 | Pr >  t  | <.0001 |
| Sign                      | M         | 62.5     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3937.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 10.20    |
| 99%                      | 10.20    |
| 95%                      | 8.52     |
| 90%                      | 8.02     |
| 75% Q3                   | 7.26     |
| 50% Median               | 6.10     |
| 25% Q1                   | 4.95     |
| 10%                      | 3.37     |
| 5%                       | 2.11     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.40     |
| 0 % Min                  | 1.00     |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.00                 | 357 | 8.61    | 101 |
| 1.40                 | 358 | 9.81    | 221 |
| 1.48                 | 377 | 9.91    | 222 |
| 1.70                 | 150 | 10.20   | 223 |
| 1.70                 | 149 | 10.20   | 224 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 98.13       |
| P              | 2     | 0.40    | 0.53        |
| T              | 5     | 1.00    | 1.33        |
| Total          | 375   | 75.00   | 100.00      |



**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 119        | Sum Weights      | 119        |
| Mean            | 5.44857143 | Sum Observations | 648.38     |
| Std Deviation   | 1.89662737 | Variance         | 3.5971954  |
| Skewness        | -0.597927  | Kurtosis         | -0.1204715 |
| Uncorrected SS  | 3957.2138  | Corrected SS     | 424.469057 |
| Coeff Variation | 34.8096267 | Std Error Mean   | 0.17386355 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.448571 | Std Deviation       | 1.89663 |
| Median                     | 5.680000 | Variance            | 3.59720 |
| Mode                       | 4.940000 | Range               | 7.91000 |
|                            |          | Interquartile Range | 1.91000 |

**Note: The mode displayed is the smallest of 3 modes with a count of 4.**

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 31.3382 | Pr >  t  | <.0001 |
| Sign                      | M         | 59.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3570    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 8.54     |
| 99%                      | 8.51     |
| 95%                      | 8.31     |
| 90%                      | 7.90     |
| 75% Q3                   | 6.64     |
| 50% Median               | 5.68     |
| 25% Q1                   | 4.73     |
| 10%                      | 2.00     |
| 5%                       | 1.69     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**


---

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.16     |
| 0 % Min                  | 0.63     |

---



---

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.63                 | 225 | 8.42    | 185 |
| 1.16                 | 251 | 8.43    | 188 |
| 1.58                 | 377 | 8.51    | 223 |
| 1.58                 | 180 | 8.51    | 224 |
| 1.60                 | 357 | 8.54    | 187 |

---



---

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 96.59       |
| P              | 2     | 0.40    | 0.52        |
| T              | 11    | 2.20    | 2.89        |
| Total          | 381   | 76.20   | 100.00      |

---

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 125        | Sum Weights      | 125        |
| Mean            | 6.09176    | Sum Observations | 761.47     |
| Std Deviation   | 1.96815538 | Variance         | 3.87363559 |
| Skewness        | -0.2631223 | Kurtosis         | -0.1915263 |
| Uncorrected SS  | 5119.0233  | Corrected SS     | 480.330813 |
| Coeff Variation | 32.3084852 | Std Error Mean   | 0.17603717 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 6.091760 | Std Deviation       | 1.96816 |
| Median                     | 6.110000 | Variance            | 3.87364 |
| Mode                       | 6.100000 | Range               | 8.91000 |
|                            |          | Interquartile Range | 2.43000 |

**Note: The mode displayed is the smallest of 2 modes with a count of 4.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 34.60496 | Pr >  t  | <.0001 |
| Sign                      | M         | 62.5     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3937.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 10.31    |
| 99%                      | 10.21    |
| 95%                      | 9.01     |
| 90%                      | 8.44     |
| 75% Q3                   | 7.48     |
| 50% Median               | 6.11     |
| 25% Q1                   | 5.05     |
| 10%                      | 3.58     |
| 5%                       | 2.42     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.60     |
| 0 % Min                  | 1.40     |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.40                 | 357 | 9.15    | 186 |
| 1.60                 | 358 | 10.20   | 223 |
| 1.79                 | 378 | 10.20   | 224 |
| 1.90                 | 377 | 10.21   | 221 |
| 2.01                 | 150 | 10.31   | 222 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 98.13       |
| P              | 2     | 0.40    | 0.53        |
| T              | 5     | 1.00    | 1.33        |
| Total          | 375   | 75.00   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 125        | Sum Weights      | 125        |
| Mean            | 5.69912    | Sum Observations | 712.39     |
| Std Deviation   | 1.93812264 | Variance         | 3.75631938 |
| Skewness        | -0.4270807 | Kurtosis         | -0.1166744 |
| Uncorrected SS  | 4525.7797  | Corrected SS     | 465.783603 |
| Coeff Variation | 34.0074019 | Std Error Mean   | 0.17335096 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.699120 | Std Deviation       | 1.93812 |
| Median                     | 5.900000 | Variance            | 3.75632 |
| Mode                       | 4.950000 | Range               | 8.90000 |
|                            |          | Interquartile Range | 2.30000 |

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 32.8762 | Pr >  t  | <.0001 |
| Sign                      | M         | 62.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3937.5  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 10.00    |
| 99%                      | 9.90     |
| 95%                      | 8.43     |
| 90%                      | 7.89     |
| 75% Q3                   | 7.15     |
| 50% Median               | 5.90     |
| 25% Q1                   | 4.85     |
| 10%                      | 2.85     |
| 5%                       | 1.79     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.20     |
| 0 % Min                  | 1.10     |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.10                 | 357 | 8.63    | 186 |
| 1.20                 | 358 | 9.20    | 222 |
| 1.37                 | 377 | 9.30    | 221 |
| 1.70                 | 150 | 9.90    | 223 |
| 1.70                 | 149 | 10.00   | 224 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 98.13       |
| P              | 2     | 0.40    | 0.53        |
| T              | 5     | 1.00    | 1.33        |
| Total          | 375   | 75.00   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 122        | Sum Weights      | 122        |
| Mean            | 5.54868852 | Sum Observations | 676.94     |
| Std Deviation   | 1.92722339 | Variance         | 3.71419    |
| Skewness        | -0.4325856 | Kurtosis         | -0.1558126 |
| Uncorrected SS  | 4205.5462  | Corrected SS     | 449.41699  |
| Coeff Variation | 34.7329533 | Std Error Mean   | 0.17448261 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 5.548689 | Std Deviation       | 1.92722 |
| Median                     | 5.580000 | Variance            | 3.71419 |
| Mode                       | 5.160000 | Range               | 8.50000 |
|                            |          | Interquartile Range | 2.12000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 31.80081 | Pr >  t  | <.0001 |
| Sign                      | M         | 61       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 3751.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 9.70     |
| 99%                      | 9.60     |
| 95%                      | 8.32     |
| 90%                      | 7.78     |
| 75% Q3                   | 6.85     |
| 50% Median               | 5.58     |
| 25% Q1                   | 4.73     |
| 10%                      | 2.53     |
| 5%                       | 1.79     |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 1.30     |
| 0 % Min                  | 1.20     |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 1.20                 | 357 | 8.71    | 222 |
| 1.30                 | 358 | 8.95    | 185 |
| 1.47                 | 378 | 8.95    | 186 |
| 1.47                 | 225 | 9.60    | 223 |
| 1.48                 | 377 | 9.70    | 224 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 97.35       |
| P              | 2     | 0.40    | 0.53        |
| T              | 8     | 1.60    | 2.12        |
| Total          | 378   | 75.60   | 100.00      |



**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 129        | Sum Weights      | 129        |
| Mean            | 0.13515504 | Sum Observations | 17.435     |
| Std Deviation   | 0.06347089 | Variance         | 0.00402855 |
| Skewness        | 0.87660917 | Kurtosis         | 0.13323387 |
| Uncorrected SS  | 2.872083   | Corrected SS     | 0.5156549  |
| Coeff Variation | 46.9615419 | Std Error Mean   | 0.0055883  |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 0.135155 | Std Deviation       | 0.06347 |
| Median                     | 0.117000 | Variance            | 0.00403 |
| Mode                       | 0.088000 | Range               | 0.29900 |
|                            |          | Interquartile Range | 0.08300 |

**Note: The mode displayed is the smallest of 2 modes with a count of 4.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 24.18536 | Pr >  t  | <.0001 |
| Sign                      | M         | 64.5     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 4192.5   | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 0.326    |
| 99%                      | 0.288    |
| 95%                      | 0.266    |
| 90%                      | 0.244    |
| 75% Q3                   | 0.172    |
| 50% Median               | 0.117    |
| 25% Q1                   | 0.089    |
| 10%                      | 0.075    |
| 5%                       | 0.051    |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure****Variable: V03XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.032    |
| 0 % Min                  | 0.027    |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.027                | 192 | 0.275   | 470 |
| 0.032                | 449 | 0.277   | 472 |
| 0.042                | 477 | 0.279   | 151 |
| 0.047                | 452 | 0.288   | 471 |
| 0.047                | 451 | 0.326   | 155 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 99.19       |
| P              | 2     | 0.40    | 0.54        |
| T              | 1     | 0.20    | 0.27        |
| Total          | 371   | 74.20   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.10606061 | Sum Observations | 14         |
| Std Deviation   | 0.30908819 | Variance         | 0.09553551 |
| Skewness        | 2.58825808 | Kurtosis         | 4.77114702 |
| Uncorrected SS  | 14         | Corrected SS     | 12.5151515 |
| Coeff Variation | 291.426006 | Std Error Mean   | 0.02690267 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.106061 | Std Deviation | 0.30909 |
| Median                     | 0.000000 | Variance      | 0.09554 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 3.942382 | Pr >  t  | 0.0001 |
| Sign                      | M         | 7        | Pr >=  M | 0.0001 |
| Signed Rank               | S         | 52.5     | Pr >=  S | 0.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 1        |
| 90%                      | 1        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

# OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03

## The UNIVARIATE Procedure

Variable: V03INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 1       | 424 |
| 0                    | 477 | 1       | 469 |
| 0                    | 474 | 1       | 470 |
| 0                    | 473 | 1       | 471 |
| 0                    | 460 | 1       | 472 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.02272727 | Sum Observations | 3          |
| Std Deviation   | 0.14960044 | Variance         | 0.02238029 |
| Skewness        | 6.47879627 | Kurtosis         | 40.5896354 |
| Uncorrected SS  | 3          | Corrected SS     | 2.93181818 |
| Coeff Variation | 658.241933 | Std Error Mean   | 0.01302105 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.022727 | Std Deviation | 0.14960 |
| Median                     | 0.000000 | Variance      | 0.02238 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 1.745426 | Pr >  t  | 0.0833 |
| Sign                      | M         | 1.5      | Pr >=  M | 0.2500 |
| Signed Rank               | S         | 3        | Pr >=  S | 0.2500 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

# OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03

## The UNIVARIATE Procedure

Variable: V03INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 0       | 477 |
| 0                    | 477 | 0       | 478 |
| 0                    | 474 | 1       | 249 |
| 0                    | 473 | 1       | 250 |
| 0                    | 472 | 1       | 449 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 368   | 73.60      | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.02272727 | Sum Observations | 3          |
| Std Deviation   | 0.14960044 | Variance         | 0.02238029 |
| Skewness        | 6.47879627 | Kurtosis         | 40.5896354 |
| Uncorrected SS  | 3          | Corrected SS     | 2.93181818 |
| Coeff Variation | 658.241933 | Std Error Mean   | 0.01302105 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.022727 | Std Deviation | 0.14960 |
| Median                     | 0.000000 | Variance      | 0.02238 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 1.745426 | Pr >  t  | 0.0833 |
| Sign                      | M         | 1.5      | Pr >=  M | 0.2500 |
| Signed Rank               | S         | 3        | Pr >=  S | 0.2500 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

# **OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03**

## **The UNIVARIATE Procedure**

**Variable: V03NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 0       | 477 |
| 0                    | 477 | 0       | 478 |
| 0                    | 474 | 1       | 453 |
| 0                    | 473 | 1       | 455 |
| 0                    | 472 | 1       | 456 |

| Missing Values |       |             |            |
|----------------|-------|-------------|------------|
| Percent Of     |       |             |            |
| Missing Value  | Count | Missing Obs | Percent Of |
| .              | 368   | 73.60       | 100.00     |



**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.02272727 | Sum Observations | 3          |
| Std Deviation   | 0.14960044 | Variance         | 0.02238029 |
| Skewness        | 6.47879627 | Kurtosis         | 40.5896354 |
| Uncorrected SS  | 3          | Corrected SS     | 2.93181818 |
| Coeff Variation | 658.241933 | Std Error Mean   | 0.01302105 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.022727 | Std Deviation | 0.14960 |
| Median                     | 0.000000 | Variance      | 0.02238 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 1.745426 | Pr >  t  | 0.0833 |
| Sign                      | M         | 1.5      | Pr >=  M | 0.2500 |
| Signed Rank               | S         | 3        | Pr >=  S | 0.2500 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 0       | 477 |
| 0                    | 477 | 0       | 478 |
| 0                    | 474 | 1       | 151 |
| 0                    | 473 | 1       | 152 |
| 0                    | 472 | 1       | 453 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 368   | 73.60      | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.01515152 | Sum Observations | 2          |
| Std Deviation   | 0.12262078 | Variance         | 0.01503585 |
| Skewness        | 8.02975985 | Kurtosis         | 63.4381065 |
| Uncorrected SS  | 2          | Corrected SS     | 1.96969697 |
| Coeff Variation | 809.297122 | Std Error Mean   | 0.01067277 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.015152 | Std Deviation | 0.12262 |
| Median                     | 0.000000 | Variance      | 0.01504 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 1.419642 | Pr >  t  | 0.1581 |
| Sign                      | M         | 1        | Pr >=  M | 0.5000 |
| Signed Rank               | S         | 1.5      | Pr >=  S | 0.5000 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 0       | 474 |
| 0                    | 477 | 0       | 477 |
| 0                    | 474 | 0       | 478 |
| 0                    | 473 | 1       | 187 |
| 0                    | 472 | 1       | 188 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 368   | 73.60      | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.33333333 | Sum Observations | 44         |
| Std Deviation   | 0.47320035 | Variance         | 0.22391858 |
| Skewness        | 0.71526054 | Kurtosis         | -1.5115385 |
| Uncorrected SS  | 44         | Corrected SS     | 29.3333333 |
| Coeff Variation | 141.960106 | Std Error Mean   | 0.0411868  |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 0.333333 | Std Deviation       | 0.47320 |
| Median                     | 0.000000 | Variance            | 0.22392 |
| Mode                       | 0.000000 | Range               | 1.00000 |
|                            |          | Interquartile Range | 1.00000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 8.093207 | Pr >  t  | <.0001 |
| Sign                      | M         | 22       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 495      | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 1        |
| 90%                      | 1        |
| 75% Q3                   | 1        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

# **OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03**

## **The UNIVARIATE Procedure**

**Variable: V03INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 1       | 455 |
| 0                    | 474 | 1       | 469 |
| 0                    | 472 | 1       | 471 |
| 0                    | 470 | 1       | 473 |
| 0                    | 460 | 1       | 477 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 368   | 73.60      | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.03787879 | Sum Observations | 5          |
| Std Deviation   | 0.19163033 | Variance         | 0.03672218 |
| Skewness        | 4.89724948 | Kurtosis         | 22.3210581 |
| Uncorrected SS  | 5          | Corrected SS     | 4.81060606 |
| Coeff Variation | 505.904073 | Std Error Mean   | 0.01667928 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.037879 | Std Deviation | 0.19163 |
| Median                     | 0.000000 | Variance      | 0.03672 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 2.271009 | Pr >  t  | 0.0248 |
| Sign                      | M         | 2.5      | Pr >=  M | 0.0625 |
| Signed Rank               | S         | 7.5      | Pr >=  S | 0.0625 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)**

---

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

---



---

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 1       | 251 |
| 0                    | 474 | 1       | 360 |
| 0                    | 473 | 1       | 381 |
| 0                    | 472 | 1       | 382 |
| 0                    | 471 | 1       | 477 |

---



---

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 100.00      |

---



**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.00757576 | Sum Observations | 1          |
| Std Deviation   | 0.08703883 | Variance         | 0.00757576 |
| Skewness        | 11.4891253 | Kurtosis         | 132        |
| Uncorrected SS  | 1          | Corrected SS     | 0.99242424 |
| Coeff Variation | 1148.91253 | Std Error Mean   | 0.00757576 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.007576 | Std Deviation | 0.08704 |
| Median                     | 0.000000 | Variance      | 0.00758 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |     |          |        |
|---------------------------|-----------|-----|----------|--------|
| Test                      | Statistic |     | p Value  |        |
| Student's t               | t         | 1   | Pr >  t  | 0.3192 |
| Sign                      | M         | 0.5 | Pr >=  M | 1.0000 |
| Signed Rank               | S         | 0.5 | Pr >=  S | 1.0000 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 0        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 0       | 473 |
| 0                    | 477 | 0       | 474 |
| 0                    | 474 | 0       | 477 |
| 0                    | 473 | 0       | 478 |
| 0                    | 472 | 1       | 455 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 368   | 73.60      | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.01515152 | Sum Observations | 2          |
| Std Deviation   | 0.12262078 | Variance         | 0.01503585 |
| Skewness        | 8.02975985 | Kurtosis         | 63.4381065 |
| Uncorrected SS  | 2          | Corrected SS     | 1.96969697 |
| Coeff Variation | 809.297122 | Std Error Mean   | 0.01067277 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.015152 | Std Deviation | 0.12262 |
| Median                     | 0.000000 | Variance      | 0.01504 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 1.419642 | Pr >  t  | 0.1581 |
| Sign                      | M         | 1        | Pr >=  M | 0.5000 |
| Signed Rank               | S         | 1.5      | Pr >=  S | 0.5000 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

# **OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03**

## **The UNIVARIATE Procedure**

**Variable: V03NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0                    | 478 | 0       | 474 |
| 0                    | 477 | 0       | 477 |
| 0                    | 474 | 0       | 478 |
| 0                    | 472 | 1       | 103 |
| 0                    | 471 | 1       | 473 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| .              | 368   | 73.60      | 100.00      |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 132        | Sum Weights      | 132        |
| Mean            | 0.16316509 | Sum Observations | 21.537792  |
| Std Deviation   | 0.01386778 | Variance         | 0.00019232 |
| Skewness        | 2.27301876 | Kurtosis         | 3.31699028 |
| Uncorrected SS  | 3.53940911 | Corrected SS     | 0.02519332 |
| Coeff Variation | 8.49923428 | Std Error Mean   | 0.00120704 |

| Basic Statistical Measures |          |               |           |
|----------------------------|----------|---------------|-----------|
| Location                   |          | Variability   |           |
| Mean                       | 0.163165 | Std Deviation | 0.01387   |
| Median                     | 0.157696 | Variance      | 0.0001923 |
| Mode                       | 0.157696 | Range         | 0.04230   |
| Interquartile Range        |          |               | 0         |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 135.1784 | Pr >  t  | <.0001 |
| Sign                      | M         | 66       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 4389     | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 100% Max                 | 0.200000 |
| 99%                      | 0.200000 |
| 95%                      | 0.200000 |
| 90%                      | 0.200000 |
| 75% Q3                   | 0.157696 |
| 50% Median               | 0.157696 |
| 25% Q1                   | 0.157696 |
| 10%                      | 0.157696 |
| 5%                       | 0.157696 |

**OAI 3.1 4/13/2012: Freqs/Univs for kxr\_qjsw\_rel\_duryea03****The UNIVARIATE Procedure**

**Variable: V03IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Quantile                 | Estimate |
| 1 %                      | 0.157696 |
| 0 % Min                  | 0.157696 |

| Extreme Observations |     |         |     |
|----------------------|-----|---------|-----|
| Lowest               |     | Highest |     |
| Value                | Obs | Value   | Obs |
| 0.157696             | 478 | 0.2     | 224 |
| 0.157696             | 477 | 0.2     | 357 |
| 0.157696             | 474 | 0.2     | 358 |
| 0.157696             | 473 | 0.2     | 359 |
| 0.157696             | 472 | 0.2     | 360 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| .              | 368   | 73.60   | 100.00      |