

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	140	Sum Weights	140
Mean	82.5029571	Sum Observations	11550.414
Std Deviation	6.51135193	Variance	42.397704
Skewness	0.70919464	Kurtosis	0.06647517
Uncorrected SS	958836.592	Corrected SS	5893.28085
Coeff Variation	7.8922649	Std Error Mean	0.55030968

Basic Statistical Measures			
Location		Variability	
Mean	82.50296	Std Deviation	6.51135
Median	81.80250	Variance	42.39770
Mode	82.33900	Range	29.34200
		Interquartile Range	8.07450

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	149.921	Pr > t	<.0001
Sign	M	70	Pr >= M	<.0001
Signed Rank	S	4935	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	100.7570
99%	100.4710
95%	93.7770
90%	91.5010
75% Q3	85.8975
50% Median	81.8025
25% Q1	77.8230
10%	75.0885
5%	74.2965

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	71.8360
0 % Min	71.4150

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
71.415	80	95.144	53
71.836	79	99.785	92
72.257	78	100.443	91
72.887	77	100.471	90
72.919	63	100.757	89

Missing Values			
Percent Of			
Missing Value	Count	Missing Obs	Percent Of All Obs
P	4	2.78	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	137	Sum Weights	137
Mean	3.80318248	Sum Observations	521.036
Std Deviation	1.40349521	Variance	1.9697988
Skewness	-0.6303285	Kurtosis	-0.0100102
Uncorrected SS	2249.48762	Corrected SS	267.892636
Coeff Variation	36.9031782	Std Error Mean	0.11990869

Basic Statistical Measures			
Location		Variability	
Mean	3.803182	Std Deviation	1.40350
Median	3.996000	Variance	1.96980
Mode	3.680000	Range	6.20300
		Interquartile Range	1.91000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	31.71732	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	6.203
99%	6.037
95%	5.799
90%	5.464
75% Q3	4.854
50% Median	3.996
25% Q1	2.944
10%	1.790
5%	1.156

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.000
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.000	143	5.911	66
0.000	51	5.992	83
0.421	141	6.037	55
0.536	144	6.037	87
0.566	52	6.203	88

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	57.14
T	3	2.08	42.86
Total	7	4.86	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	135	Sum Weights	135
Mean	4.42533333	Sum Observations	597.42
Std Deviation	1.48830756	Variance	2.2150594
Skewness	-0.6775483	Kurtosis	0.33094935
Uncorrected SS	2940.6006	Corrected SS	296.81796
Coeff Variation	33.6315358	Std Error Mean	0.12809312

Basic Statistical Measures			
Location		Variability	
Mean	4.425333	Std Deviation	1.48831
Median	4.630000	Variance	2.21506
Mode	3.370000	Range	6.94000
		Interquartile Range	2.01000

Note: The mode displayed is the smallest of 6 modes with a count of 4.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	34.54778	Pr > t	<.0001
Sign	M	66.5	Pr >= M	<.0001
Signed Rank	S	4455.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	6.94
99%	6.94
95%	6.52
90%	6.31
75% Q3	5.48
50% Median	4.63
25% Q1	3.47
10%	2.32
5%	1.70

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.00
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	143	6.59	12
0.00	141	6.62	36
0.32	51	6.63	56
0.84	52	6.94	87
1.27	142	6.94	88

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	44.44
T	5	3.47	55.56
Total	9	6.25	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	137	Sum Weights	137
Mean	4.59613139	Sum Observations	629.67
Std Deviation	1.43892998	Variance	2.07051948
Skewness	-0.8402048	Kurtosis	0.70771288
Uncorrected SS	3175.6367	Corrected SS	281.59065
Coeff Variation	31.3074161	Std Error Mean	0.12293608

Basic Statistical Measures			
Location		Variability	
Mean	4.596131	Std Deviation	1.43893
Median	4.850000	Variance	2.07052
Mode	5.160000	Range	6.73000
		Interquartile Range	1.80000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	37.38635	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	6.73
99%	6.73
95%	6.63
90%	6.30
75% Q3	5.59
50% Median	4.85
25% Q1	3.79
10%	2.63
5%	1.92

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1%	0.00
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	143	6.68	65
0.00	141	6.68	66
0.95	142	6.73	56
0.95	51	6.73	87
1.16	144	6.73	88

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	57.14
T	3	2.08	42.86
Total	7	4.86	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	137	Sum Weights	137
Mean	5.12306569	Sum Observations	701.86
Std Deviation	1.47872738	Variance	2.18663465
Skewness	-0.9981046	Kurtosis	1.49798638
Uncorrected SS	3893.0572	Corrected SS	297.382312
Coeff Variation	28.8641111	Std Error Mean	0.12633621

Basic Statistical Measures			
Location		Variability	
Mean	5.123066	Std Deviation	1.47873
Median	5.270000	Variance	2.18663
Mode	4.530000	Range	7.57000
		Interquartile Range	1.70000

Note: The mode displayed is the smallest of 2 modes with a count of 4.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	40.55105	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7.57
99%	7.57
95%	7.16
90%	6.73
75% Q3	6.12
50% Median	5.27
25% Q1	4.42
10%	3.37
5%	2.32

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.00
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	143	7.35	66
0.00	141	7.36	56
0.74	142	7.47	88
1.27	144	7.57	49
2.20	26	7.57	87

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	57.14
T	3	2.08	42.86
Total	7	4.86	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	137	Sum Weights	137
Mean	6.1849635	Sum Observations	847.34
Std Deviation	1.60848765	Variance	2.58723254
Skewness	-0.7132991	Kurtosis	1.79839458
Uncorrected SS	5592.6306	Corrected SS	351.863625
Coeff Variation	26.0064211	Std Error Mean	0.13742237

Basic Statistical Measures			
Location		Variability	
Mean	6.184964	Std Deviation	1.60849
Median	6.110000	Variance	2.58723
Mode	5.470000	Range	10.20000
		Interquartile Range	1.90000

Note: The mode displayed is the smallest of 2 modes with a count of 4.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	45.00696	Pr > t	<.0001
Sign	M	68	Pr >= M	<.0001
Signed Rank	S	4658	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.20
99%	9.78
95%	8.42
90%	7.93
75% Q3	7.26
50% Median	6.11
25% Q1	5.36
10%	4.58
5%	2.84

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	1.47
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	143	8.78	65
1.47	142	9.15	50
1.68	141	9.47	49
2.22	144	9.78	83
2.42	53	10.20	84

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	57.14
T	3	2.08	42.86
Total	7	4.86	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	137	Sum Weights	137
Mean	4.81350365	Sum Observations	659.45
Std Deviation	1.43680231	Variance	2.06440087
Skewness	-0.9475154	Kurtosis	1.18992339
Uncorrected SS	3455.0235	Corrected SS	280.758518
Coeff Variation	29.8494072	Std Error Mean	0.12275431

Basic Statistical Measures			
Location		Variability	
Mean	4.813504	Std Deviation	1.43680
Median	4.950000	Variance	2.06440
Mode	3.790000	Range	7.15000
		Interquartile Range	1.82000

Note: The mode displayed is the smallest of 13 modes with a count of 3.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	39.2125	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7.15
99%	7.15
95%	6.94
90%	6.49
75% Q3	5.82
50% Median	4.95
25% Q1	4.00
10%	2.95
5%	1.90

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.00
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	143	6.97	65
0.00	141	6.97	66
0.85	142	7.05	47
0.95	144	7.15	48
1.80	51	7.15	87

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	57.14
T	3	2.08	42.86
Total	7	4.86	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	136	Sum Weights	136
Mean	3.74300735	Sum Observations	509.049
Std Deviation	1.48104065	Variance	2.1934814
Skewness	0.73660781	Kurtosis	0.62717523
Uncorrected SS	2201.49414	Corrected SS	296.119989
Coeff Variation	39.5682003	Std Error Mean	0.12699819

Basic Statistical Measures			
Location		Variability	
Mean	3.743007	Std Deviation	1.48104
Median	3.505500	Variance	2.19348
Mode	2.383000	Range	8.15700
		Interquartile Range	1.95700

Note: The mode displayed is the smallest of 5 modes with a count of 3.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.47292	Pr > t	<.0001
Sign	M	68	Pr >= M	<.0001
Signed Rank	S	4658	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.5780
99%	8.2460
95%	6.4340
90%	5.8590
75% Q3	4.6120
50% Median	3.5055
25% Q1	2.6550
10%	2.1170
5%	1.7160

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.8980
0 % Min	0.4210

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.421	57	6.706	109
0.898	58	6.808	110
1.335	28	7.825	105
1.430	42	8.246	98
1.464	44	8.578	97

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
P	4	2.78	50.00	
T	4	2.78	50.00	
Total	8	5.56	100.00	

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	144	Sum Weights	144
Mean	10.1080556	Sum Observations	1455.56
Std Deviation	1.82298736	Variance	3.32328291
Skewness	1.25623805	Kurtosis	3.64958205
Uncorrected SS	15188.1108	Corrected SS	475.229456
Coeff Variation	18.0349954	Std Error Mean	0.15191561

Basic Statistical Measures			
Location		Variability	
Mean	10.10806	Std Deviation	1.82299
Median	10.00000	Variance	3.32328
Mode	8.17000	Range	10.02000
		Interquartile Range	2.25000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	66.53731	Pr > t	<.0001
Sign	M	72	Pr >= M	<.0001
Signed Rank	S	5220	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	16.94
99%	16.94
95%	13.05
90%	11.84
75% Q3	11.08
50% Median	10.00
25% Q1	8.83
10%	8.17
5%	7.39

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	6.92
0% Min	6.92

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
6.92	40	13.05	116
6.92	39	16.94	101
6.92	38	16.94	102
6.92	37	16.94	103
7.39	36	16.94	104

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	135	Sum Weights	135
Mean	4.3357037	Sum Observations	585.32
Std Deviation	1.53526678	Variance	2.35704409
Skewness	-0.4492177	Kurtosis	-0.0372058
Uncorrected SS	2853.618	Corrected SS	315.843908
Coeff Variation	35.4098639	Std Error Mean	0.13213473

Basic Statistical Measures			
Location		Variability	
Mean	4.335704	Std Deviation	1.53527
Median	4.430000	Variance	2.35704
Mode	3.790000	Range	7.36000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	32.81275	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7.57
99%	7.15
95%	6.67
90%	6.20
75% Q3	5.44
50% Median	4.43
25% Q1	3.44
10%	2.11
5%	1.37

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.32
0 % Min	0.21

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.21	143	6.68	12
0.32	51	6.83	88
0.42	141	6.94	87
0.74	52	7.15	35
1.26	144	7.57	36

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	44.44
T	5	3.47	55.56
Total	9	6.25	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	137	Sum Weights	137
Mean	5.54562044	Sum Observations	759.75
Std Deviation	1.49853745	Variance	2.2456145
Skewness	-0.9635205	Kurtosis	1.61784382
Uncorrected SS	4518.6887	Corrected SS	305.403572
Coeff Variation	27.0219982	Std Error Mean	0.12802869

Basic Statistical Measures			
Location		Variability	
Mean	5.545620	Std Deviation	1.49854
Median	5.780000	Variance	2.24561
Mode	5.160000	Range	8.52000
		Interquartile Range	1.80000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	43.31545	Pr > t	<.0001
Sign	M	68	Pr >= M	<.0001
Signed Rank	S	4658	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	8.52
99%	8.20
95%	7.63
90%	7.26
75% Q3	6.54
50% Median	5.78
25% Q1	4.74
10%	3.68
5%	2.53

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.74
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	143	7.99	84
0.74	141	7.99	88
1.37	142	8.10	87
1.48	144	8.20	50
2.21	53	8.52	49

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	57.14
T	3	2.08	42.86
Total	7	4.86	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	133	Sum Weights	133
Mean	5.52533835	Sum Observations	734.87
Std Deviation	2.01844733	Variance	4.07412962
Skewness	-0.6738226	Kurtosis	0.31437893
Uncorrected SS	4598.1905	Corrected SS	537.78511
Coeff Variation	36.5307462	Std Error Mean	0.17502158

Basic Statistical Measures			
Location		Variability	
Mean	5.525338	Std Deviation	2.01845
Median	5.890000	Variance	4.07413
Mode	6.310000	Range	9.35000
		Interquartile Range	2.19000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	31.56947	Pr > t	<.0001
Sign	M	66	Pr >= M	<.0001
Signed Rank	S	4389	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.35
99%	9.35
95%	8.52
90%	8.21
75% Q3	6.63
50% Median	5.89
25% Q1	4.44
10%	2.58
5%	1.37

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.32
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	83	8.71	25
0.32	29	8.71	26
0.33	30	8.74	141
0.63	84	9.35	67
0.84	79	9.35	68

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	36.36
T	7	4.86	63.64
Total	11	7.64	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	122	Sum Weights	122
Mean	6.02204918	Sum Observations	734.69
Std Deviation	2.1389744	Variance	4.57521147
Skewness	-0.741471	Kurtosis	0.44031821
Uncorrected SS	4977.9399	Corrected SS	553.600588
Coeff Variation	35.5190456	Std Error Mean	0.19365364

Basic Statistical Measures			
Location		Variability	
Mean	6.022049	Std Deviation	2.13897
Median	6.360000	Variance	4.57521
Mode	4.840000	Range	10.01000
		Interquartile Range	2.58000

Note: The mode displayed is the smallest of 2 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	31.09701	Pr > t	<.0001
Sign	M	60.5	Pr >= M	<.0001
Signed Rank	S	3690.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.01
99%	9.58
95%	9.06
90%	8.55
75% Q3	7.42
50% Median	6.36
25% Q1	4.84
10%	2.95
5%	1.58

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.24
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	83	9.29	26
0.24	84	9.38	25
0.42	30	9.49	18
0.74	29	9.58	17
1.27	79	10.01	97

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	18.18
T	18	12.50	81.82
Total	22	15.28	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	135	Sum Weights	135
Mean	6.56362963	Sum Observations	886.09
Std Deviation	2.03099696	Variance	4.12494867
Skewness	-0.4753734	Kurtosis	0.02986641
Uncorrected SS	6368.7097	Corrected SS	552.743121
Coeff Variation	30.9431988	Std Error Mean	0.17480039

Basic Statistical Measures			
Location		Variability	
Mean	6.563630	Std Deviation	2.03100
Median	6.740000	Variance	4.12495
Mode	6.940000	Range	10.32000
		Interquartile Range	3.04000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	37.54929	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	11.06
99%	10.30
95%	9.27
90%	8.94
75% Q3	8.30
50% Median	6.74
25% Q1	5.26
10%	3.72
5%	3.07

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.84
0 % Min	0.74

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.74	29	9.45	15
0.84	30	10.11	66
1.33	89	10.21	65
2.29	90	10.30	68
2.63	33	11.06	9

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	44.44
T	5	3.47	55.56
Total	9	6.25	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	133	Sum Weights	133
Mean	5.58172932	Sum Observations	742.37
Std Deviation	1.97452239	Variance	3.89873865
Skewness	-0.6969992	Kurtosis	0.43500453
Uncorrected SS	4658.3419	Corrected SS	514.633502
Coeff Variation	35.3747427	Std Error Mean	0.1712128

Basic Statistical Measures			
Location		Variability	
Mean	5.581729	Std Deviation	1.97452
Median	6.000000	Variance	3.89874
Mode	5.050000	Range	9.54000
		Interquartile Range	1.90000

Note: The mode displayed is the smallest of 2 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	32.60112	Pr > t	<.0001
Sign	M	66	Pr >= M	<.0001
Signed Rank	S	4389	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.54
99%	9.45
95%	8.52
90%	8.11
75% Q3	6.64
50% Median	6.00
25% Q1	4.74
10%	2.74
5%	1.79

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.11
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	83	8.61	25
0.11	29	8.74	141
0.43	30	8.74	142
0.74	84	9.45	67
1.27	79	9.54	68

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	36.36
T	7	4.86	63.64
Total	11	7.64	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	136	Sum Weights	136
Mean	6.14051471	Sum Observations	835.11
Std Deviation	1.93940897	Variance	3.76130714
Skewness	-0.591577	Kurtosis	0.13921693
Uncorrected SS	5635.7817	Corrected SS	507.776464
Coeff Variation	31.5838176	Std Error Mean	0.16630295

Basic Statistical Measures			
Location		Variability	
Mean	6.140515	Std Deviation	1.93941
Median	6.420000	Variance	3.76131
Mode	5.050000	Range	9.68000
		Interquartile Range	2.61000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	36.92367	Pr > t	<.0001
Sign	M	68	Pr >= M	<.0001
Signed Rank	S	4658	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.11
99%	10.01
95%	8.53
90%	8.23
75% Q3	7.66
50% Median	6.42
25% Q1	5.05
10%	3.07
5%	2.43

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.53
0 % Min	0.43

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.43	29	9.06	114
0.53	30	9.73	66
2.00	83	9.83	65
2.11	21	10.01	67
2.21	84	10.11	68

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	50.00
T	4	2.78	50.00
Total	8	5.56	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	128	Sum Weights	128
Mean	5.66117187	Sum Observations	724.63
Std Deviation	2.06062204	Variance	4.24616318
Skewness	-0.7570297	Kurtosis	0.41049474
Uncorrected SS	4641.5177	Corrected SS	539.262724
Coeff Variation	36.3992135	Std Error Mean	0.18213498

Basic Statistical Measures			
Location		Variability	
Mean	5.661172	Std Deviation	2.06062
Median	6.000000	Variance	4.24616
Mode	5.680000	Range	9.35000
		Interquartile Range	2.41500

Note: The mode displayed is the smallest of 2 modes with a count of 5.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	31.08229	Pr > t	<.0001
Sign	M	63.5	Pr >= M	<.0001
Signed Rank	S	4064	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.350
99%	9.260
95%	8.530
90%	8.220
75% Q3	6.995
50% Median	6.000
25% Q1	4.580
10%	2.680
5%	1.270

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.150
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	83	8.81	26
0.15	30	8.82	18
0.32	84	9.00	25
0.42	29	9.26	67
0.85	79	9.35	68

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	25.00
T	12	8.33	75.00
Total	16	11.11	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	136	Sum Weights	136
Mean	6.37080882	Sum Observations	866.43
Std Deviation	1.93001595	Variance	3.72496156
Skewness	-0.5250057	Kurtosis	0.04894869
Uncorrected SS	6022.7297	Corrected SS	502.869811
Coeff Variation	30.2946769	Std Error Mean	0.1654975

Basic Statistical Measures			
Location		Variability	
Mean	6.370809	Std Deviation	1.93002
Median	6.570000	Variance	3.72496
Mode	8.310000	Range	9.38000
		Interquartile Range	2.63000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	38.49489	Pr > t	<.0001
Sign	M	68	Pr >= M	<.0001
Signed Rank	S	4658	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.02
99%	10.02
95%	8.88
90%	8.52
75% Q3	7.94
50% Median	6.57
25% Q1	5.31
10%	3.47
5%	2.95

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.64
0 % Min	0.64

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.64	30	9.73	9
0.64	29	9.79	114
2.29	89	9.92	68
2.67	90	10.02	65
2.84	83	10.02	66

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	50.00
T	4	2.78	50.00
Total	8	5.56	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	134	Sum Weights	134
Mean	5.91686567	Sum Observations	792.86
Std Deviation	1.93982924	Variance	3.76293747
Skewness	-0.6684147	Kurtosis	0.2498594
Uncorrected SS	5191.7168	Corrected SS	500.470684
Coeff Variation	32.7847436	Std Error Mean	0.16757572

Basic Statistical Measures			
Location		Variability	
Mean	5.916866	Std Deviation	1.93983
Median	6.310000	Variance	3.76294
Mode	5.370000	Range	10.00000
		Interquartile Range	2.51000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	35.30861	Pr > t	<.0001
Sign	M	67	Pr >= M	<.0001
Signed Rank	S	4522.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	10.11
99%	9.92
95%	8.42
90%	7.90
75% Q3	7.35
50% Median	6.31
25% Q1	4.84
10%	2.95
5%	2.21

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.54
0 % Min	0.11

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.11	29	8.52	141
0.54	30	9.26	66
1.26	83	9.35	65
1.68	84	9.92	67
2.11	48	10.11	68

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	40.00
T	6	4.17	60.00
Total	10	6.94	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	133	Sum Weights	133
Mean	5.71984962	Sum Observations	760.74
Std Deviation	1.9341136	Variance	3.74079543
Skewness	-0.7079049	Kurtosis	0.35580315
Uncorrected SS	4845.1034	Corrected SS	493.784997
Coeff Variation	33.8140638	Std Error Mean	0.16770892

Basic Statistical Measures			
Location		Variability	
Mean	5.719850	Std Deviation	1.93411
Median	6.110000	Variance	3.74080
Mode	4.850000	Range	9.83000
		Interquartile Range	2.20000

Note: The mode displayed is the smallest of 2 modes with a count of 4.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	34.10582	Pr > t	<.0001
Sign	M	66	Pr >= M	<.0001
Signed Rank	S	4389	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	9.83
99%	9.73
95%	8.42
90%	7.81
75% Q3	7.04
50% Median	6.11
25% Q1	4.84
10%	2.74
5%	2.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.43
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	29	8.59	66
0.43	30	8.63	49
0.74	83	8.68	65
1.16	84	9.73	67
1.79	76	9.83	68

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	36.36
T	7	4.86	63.64
Total	11	7.64	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure****Variable: V05XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	137	Sum Weights	137
Mean	0.12118978	Sum Observations	16.603
Std Deviation	0.05740395	Variance	0.00329521
Skewness	1.37946093	Kurtosis	1.64982827
Uncorrected SS	2.460263	Corrected SS	0.44814907
Coeff Variation	47.3669905	Std Error Mean	0.00490435

Basic Statistical Measures			
Location		Variability	
Mean	0.121190	Std Deviation	0.05740
Median	0.107000	Variance	0.00330
Mode	0.074000	Range	0.29100
		Interquartile Range	0.05500

Note: The mode displayed is the smallest of 3 modes with a count of 4.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	24.71067	Pr > t	<.0001
Sign	M	68.5	Pr >= M	<.0001
Signed Rank	S	4726.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0.328
99%	0.291
95%	0.255
90%	0.219
75% Q3	0.138
50% Median	0.107
25% Q1	0.083
10%	0.067
5%	0.059

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05

The UNIVARIATE Procedure

Variable: V05XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.040
0 % Min	0.037

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.037	1	0.262	32
0.040	131	0.277	29
0.043	132	0.283	30
0.050	130	0.291	36
0.050	129	0.328	35

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	2.78	57.14
T	3	2.08	42.86
Total	7	4.86	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	144	Sum Weights	144
Mean	0.11111111	Sum Observations	16
Std Deviation	0.31536661	Variance	0.0994561
Skewness	2.50100158	Kurtosis	4.31474753
Uncorrected SS	16	Corrected SS	14.2222222
Coeff Variation	283.82995	Std Error Mean	0.02628055

Basic Statistical Measures			
Location		Variability	
Mean	0.111111	Std Deviation	0.31537
Median	0.000000	Variance	0.09946
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.227884	Pr > t	<.0001
Sign	M	8	Pr >= M	<.0001
Signed Rank	S	68	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	1	106
0	143	1	107
0	142	1	108
0	141	1	114
0	140	1	136

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	144	Sum Weights	144
Mean	0.01388889	Sum Observations	2
Std Deviation	0.11743834	Variance	0.01379176
Skewness	8.39517563	Kurtosis	69.4433644
Uncorrected SS	2	Corrected SS	1.97222222
Coeff Variation	845.556051	Std Error Mean	0.00978653

Basic Statistical Measures			
Location		Variability	
Mean	0.013889	Std Deviation	0.11744
Median	0.000000	Variance	0.01379
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.419184	Pr > t	0.1580
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	0	142
0	143	0	143
0	142	0	144
0	141	1	77
0	140	1	78

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	144	Sum Weights	144
Mean	0.02083333	Sum Observations	3
Std Deviation	0.14332466	Variance	0.02054196
Skewness	6.78062651	Kurtosis	44.5961527
Uncorrected SS	3	Corrected SS	2.9375
Coeff Variation	687.958366	Std Error Mean	0.01194372

Basic Statistical Measures			
Location		Variability	
Mean	0.020833	Std Deviation	0.14332
Median	0.000000	Variance	0.02054
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.744292	Pr > t	0.0833
Sign	M	1.5	Pr >= M	0.2500
Signed Rank	S	3	Pr >= S	0.2500

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	0	143
0	143	0	144
0	142	1	98
0	141	1	99
0	140	1	100

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	144	Sum Weights	144
Mean	0.02777778	Sum Observations	4
Std Deviation	0.16490915	Variance	0.02719503
Skewness	5.80772194	Kurtosis	32.1763774
Uncorrected SS	4	Corrected SS	3.88888889
Coeff Variation	593.672934	Std Error Mean	0.01374243

Basic Statistical Measures			
Location		Variability	
Mean	0.027778	Std Deviation	0.16491
Median	0.000000	Variance	0.02720
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.021315	Pr > t	0.0451
Sign	M	2	Pr >= M	0.1250
Signed Rank	S	5	Pr >= S	0.1250

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	0	144
0	143	1	31
0	142	1	32
0	141	1	99
0	140	1	100

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	144	Sum Weights	144
Mean	0.01388889	Sum Observations	2
Std Deviation	0.11743834	Variance	0.01379176
Skewness	8.39517563	Kurtosis	69.4433644
Uncorrected SS	2	Corrected SS	1.97222222
Coeff Variation	845.556051	Std Error Mean	0.00978653

Basic Statistical Measures			
Location		Variability	
Mean	0.013889	Std Deviation	0.11744
Median	0.000000	Variance	0.01379
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.419184	Pr > t	0.1580
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	0	141
0	142	0	142
0	141	0	144
0	140	1	51
0	139	1	143

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	144	Sum Weights	144
Mean	0.29861111	Sum Observations	43
Std Deviation	0.45924628	Variance	0.21090715
Skewness	0.8893936	Kurtosis	-1.2262056
Uncorrected SS	43	Corrected SS	30.1597222
Coeff Variation	153.794104	Std Error Mean	0.03827052

Basic Statistical Measures			
Location		Variability	
Mean	0.298611	Std Deviation	0.45925
Median	0.000000	Variance	0.21091
Mode	0.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.80264	Pr > t	<.0001
Sign	M	21.5	Pr >= M	<.0001
Signed Rank	S	473	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	1	121
0	142	1	122
0	140	1	135
0	139	1	141
0	138	1	143

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	144	Sum Weights	144
Mean	0.01388889	Sum Observations	2
Std Deviation	0.11743834	Variance	0.01379176
Skewness	8.39517563	Kurtosis	69.4433644
Uncorrected SS	2	Corrected SS	1.97222222
Coeff Variation	845.556051	Std Error Mean	0.00978653

Basic Statistical Measures			
Location		Variability	
Mean	0.013889	Std Deviation	0.11744
Median	0.000000	Variance	0.01379
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.419184	Pr > t	0.1580
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	0	142
0	143	0	143
0	142	0	144
0	141	1	79
0	140	1	92

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	144	Sum Weights	144
Mean	0.02083333	Sum Observations	3
Std Deviation	0.14332466	Variance	0.02054196
Skewness	6.78062651	Kurtosis	44.5961527
Uncorrected SS	3	Corrected SS	2.9375
Coeff Variation	687.958366	Std Error Mean	0.01194372

Basic Statistical Measures			
Location		Variability	
Mean	0.020833	Std Deviation	0.14332
Median	0.000000	Variance	0.02054
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.744292	Pr > t	0.0833
Sign	M	1.5	Pr >= M	0.2500
Signed Rank	S	3	Pr >= S	0.2500

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	0	143
0	143	0	144
0	142	1	97
0	141	1	99
0	140	1	100

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	144	Sum Weights	144
Mean	0.02083333	Sum Observations	3
Std Deviation	0.14332466	Variance	0.02054196
Skewness	6.78062651	Kurtosis	44.5961527
Uncorrected SS	3	Corrected SS	2.9375
Coeff Variation	687.958366	Std Error Mean	0.01194372

Basic Statistical Measures			
Location		Variability	
Mean	0.020833	Std Deviation	0.14332
Median	0.000000	Variance	0.02054
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.744292	Pr > t	0.0833
Sign	M	1.5	Pr >= M	0.2500
Signed Rank	S	3	Pr >= S	0.2500

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	144	0	143
0	143	0	144
0	142	1	9
0	141	1	83
0	140	1	98

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	144	Sum Weights	144
Mean	0.15431675	Sum Observations	22.221612
Std Deviation	0.00771936	Variance	0.00005959
Skewness	-1.5370225	Kurtosis	2.43958487
Uncorrected SS	3.43768811	Corrected SS	0.00852116
Coeff Variation	5.00228403	Std Error Mean	0.00064328

Basic Statistical Measures			
Location		Variability	
Mean	0.154317	Std Deviation	0.00772
Median	0.157696	Variance	0.0000596
Mode	0.157696	Range	0.04131
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	239.8904	Pr > t	<.0001
Sign	M	72	Pr >= M	<.0001
Signed Rank	S	5220	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	0.168960
99%	0.168960
95%	0.157696
90%	0.157696
75% Q3	0.157696
50% Median	0.157696
25% Q1	0.157696
10%	0.143000
5%	0.143000

OAI 5.1 4/13/2012: Freqs/Univs for kxr_qjsw_rel_duryea05**The UNIVARIATE Procedure**

Variable: V05IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.127651
0 % Min	0.127651

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.127651	76	0.157696	144
0.127651	75	0.168960	101
0.127651	74	0.168960	102
0.127651	73	0.168960	103
0.143000	92	0.168960	104