MUM ONLINE EXAM CONDUCTING SYSTEM

1. Which of the following is true about file structures?

   (A) A package statement

   (B) A source file can

   (C) If a class or interface

   (D) Two public classes in

   (E) All of the above

2. Which of the following is true about Primitives?

   (A) There are 7 primitive

   (B) Primitive data types

   (C) A boolean is 8 bits in

   (D) The order of public

   (E) main method()'s

3. Synchronized modifier can be used on

   (A) blocks of code and

   (B) primitives and

   (C) classes and methods

   (D) variables and classes

   (E) blocks of code and

4. Inheritance, Overloading, Overriding provide

   (A) flexible code

   (B) polymorphism

   (C) mulitple inheritance

   (D) class structure

   (E) support for method

5 . What are are the states of a thread?

(A) Runnable, Wait,

(B) Start, Running,

(C) Ready, Running,

(D) Executing, Sleeping,

(E) Started, Sleeping,

6 . Constructors are

(A) used for creating an

(B) inherited

(C) required for every

(D) none of the above

(E) all of the above

7 . The modulo (%) operator provides or gives

(A) the remainder after

(B) precedence to an

(C) the mode or state of a

(D) the mode or state of a

(E) a bracket for

8 . The private access modifier

(A) allows access to the

(B) allows access only

(C) can be used as a

(D) can be used on a

(E) None of the above

9 . Garbage Collection

(A) runs as a low priority

(B) requires explicit

(C) is automatic and

(D) is triggered by the

(E) runs when there are

10. The Alive() method is available in which class?

   (A) Activator

   (B) Thread

   (C) ThreadDeath

   (D) ThreadGroup

   (E) VerifyError

11. What are the uses of delegates in C#?

   (A) Callback Mechanism

   (B) Asynchronous

   (C) Abstract Encapsulate

   (D) Multicasting

   (E) All of the Above

12. Which properties are part of the Thread class in C#?

   (A) JoinThread

   (B) Resume

   (C) IsThreadPoolThread

   (D) SuspendThread

   (E) All of the Above

13. What are the states of a thread in C#?

   (A) Unstarted

   (B) Started

   (C) Sleeping

   (D) Terminated

   (E) All of the Above

14. The finally block is never executed in C# when

   (A) a return statement is

   (B) Environment.Exit is in

   (C) Application.Exit is in

   (D) the try block does not

   (E) All of the Above

15. Which of the following is true?

   (A) The Nullable

   (B) The Nullable

   (C) The Nullable

   (D) The Nullable

   (E) The Nullable

16. The pre defined attributes in C# are

   (A) AttributeUsage,

   (B) Attribute,

   (C) Attribute, Conditional,

   (D) Unrestricted,

   (E) Unrestricted,

17. Unit test case types in C# include

   (A) Additive Test cases,

   (B) Additive Test cases,

   (C) Positive Test cases,

   (D) Model Test cases,

   (E) Model Test cases,

18. Which of the following does not exist in C#?

   (A) Single-Dimensional

   (B) Mulitdimensional

   (C) Implicitly Typed

   (D) Broadcast Arrays

   (E) Jagged Arrays

19. What is the difference between value types and reference types?

   (A) Reference type

   (B) Reference types can

   (C) Value types have an

   (D) Built-in data types can

   (E) Value types are

20. Polymorphism in C# is

    (A) the ability of a

    (B) The ability of a

    (C) Different ways of

    (D) supported by

    (E) supported by

21. hhhhhhhhhhhhhhhhhh

    (A) jjjjjjjjjjjjjjjjjjjjj

    (B) kkkkkkkkkkkkkkkkkk

    (C) lllllllllllllllllll

    (D) rrrrrrrrrrrrrrrrrr

    (E) yyyyyyyyyyyyyy

22. dfdfg

    (A) fdgdfgdfg

    (B)

    (C)

    (D)

    (E)

23. Which of the following is true about file structures?

    (A) A package statement

    (B) A source file can

    (C) If a class or interface

    (D) Two public classes in

    (E) All of the above

24. Which of the following is true about Primitives?

    (A) There are 7 primitive

    (B) Primitive data types

    (C) A boolean is 8 bits in

    (D) The order of public

    (E) main method()'s

25. Synchronized modifier can be used on

   (A) blocks of code and

   (B) primitives and

   (C) classes and methods

   (D) variables and classes

   (E) blocks of code and

26. Inheritance, Overloading, Overriding provide

   (A) flexible code

   (B) polymorphism

   (C) mulitple inheritance

   (D) class structure

   (E) support for method

27. What are are the states of a thread?

   (A) Runnable, Wait,

   (B) Start, Running,

   (C) Ready, Running,

   (D) Executing, Sleeping,

   (E) Started, Sleeping,

28. Constructors are

   (A) used for creating an

   (B) inherited

   (C) required for every

   (D) none of the above

   (E) all of the above

29. The modulo (%) operator provides or gives

   (A) the remainder after

   (B) precedence to an

   (C) the mode or state of a

   (D) the mode or state of a

   (E) a bracket for

30. The private access modifier

    (A) allows access to the

    (B) allows access only

    (C) can be used as a

    (D) can be used on a

    (E) None of the above

31. Garbage Collection

    (A) runs as a low priority

    (B) requires explicit

    (C) is automatic and

    (D) is triggered by the

    (E) runs when there are

32. The Alive() method is available in which class?

    (A) Activator

    (B) Thread

    (C) ThreadDeath

    (D) ThreadGroup

    (E) VerifyError

33. The Alive() method is available in which class?

    (A) Activator

    (B) Thread

    (C) ThreadDeath

    (D) ThreadGroup

    (E) VerifyError

34. What are the uses of delegates in C#?

    (A) Callback Mechanism

    (B) Asynchronous

    (C) Abstract Encapsulate

    (D) Multicasting

    (E) All of the Above

35. Which properties are part of the Thread class in C#?

   (A) JoinThread

   (B) Resume

   (C) IsThreadPoolThread

   (D) SuspendThread

   (E) All of the Above

36. What are the states of a thread in C#?

   (A) Unstarted

   (B) Started

   (C) Sleeping

   (D) Terminated

   (E) All of the Above

37. The finally block is never executed in C# when

   (A) a return statement is

   (B) Environment.Exit is in

   (C) Application.Exit is in

   (D) the try block does not

   (E) All of the Above

38. Which of the following is true?

   (A) The Nullable

   (B) The Nullable

   (C) The Nullable

   (D) The Nullable

   (E) The Nullable

39. The pre defined attributes in C# are

   (A) AttributeUsage,

   (B) Attribute,

   (C) Attribute, Conditional,

   (D) Unrestricted,

   (E) Unrestricted,

40. Unit test case types in C# include

   (A) Additive Test cases,

   (B) Additive Test cases,

   (C) Positive Test cases,

   (D) Model Test cases,

   (E) Model Test cases,

41. Which of the following does not exist in C#?

   (A) Single-Dimensional

   (B) Mulitdimensional

   (C) Implicitly Typed

   (D) Broadcast Arrays

   (E) Jagged Arrays

42. What is the difference between value types and reference types?

   (A) Reference type

   (B) Reference types can

   (C) Value types have an

   (D) Built-in data types can

   (E) Value types are

43. Polymorphism in C# is

   (A) the ability of a

   (B) The ability of a

   (C) Different ways of

   (D) supported by

   (E) supported by

44. aaaaaaaaaaaa

   (A) aaaaa

   (B) bbbbbbb

   (C) ccccccc

   (D)

   (E)

45. Which of the following is true about file structures?

   (A) A package statement

   (B) A source file can

   (C) If a class or interface

   (D) Two public classes in

   (E) All of the above

46. Which of the following is true about Primitives?

   (A) There are 7 primitive

   (B) Primitive data types

   (C) A boolean is 8 bits in

   (D) The order of public

   (E) main method()'s

47. Synchronized modifier can be used on

   (A) blocks of code and

   (B) primitives and

   (C) classes and methods

   (D) variables and classes

   (E) blocks of code and

48. Inheritance, Overloading, Overriding provide

   (A) flexible code

   (B) polymorphism

   (C) mulitple inheritance

   (D) class structure

   (E) support for method

49. What are are the states of a thread?

   (A) Runnable, Wait,

   (B) Start, Running,

   (C) Ready, Running,

   (D) Executing, Sleeping,

   (E) Started, Sleeping,

50. Constructors are

   (A) used for creating an

   (B) inherited

   (C) required for every

   (D) none of the above

   (E) all of the above

51. The modulo (%) operator provides or gives

   (A) the remainder after

   (B) precedence to an

   (C) the mode or state of a

   (D) the mode or state of a

   (E) a bracket for

52. The private access modifier

   (A) allows access to the

   (B) allows access only

   (C) can be used as a

   (D) can be used on a

   (E) None of the above

53. Garbage Collection

   (A) runs as a low priority

   (B) requires explicit

   (C) is automatic and

   (D) is triggered by the

   (E) runs when there are

54. The Alive() method is available in which class?

   (A) Activator

   (B) Thread

   (C) ThreadDeath

   (D) ThreadGroup

   (E) VerifyError

55. The Alive() method is available in which class?

(A) Activator

(B) Thread

(C) ThreadDeath

(D) ThreadGroup

(E) VerifyError

56. What are the uses of delegates in C#?

(A) Callback Mechanism

(B) Asynchronous

(C) Abstract Encapsulate

(D) Multicasting

(E) All of the Above

57. Which properties are part of the Thread class in C#?

(A) JoinThread

(B) Resume

(C) IsThreadPoolThread

(D) SuspendThread

(E) All of the Above

58. What are the states of a thread in C#?

(A) Unstarted

(B) Started

(C) Sleeping

(D) Terminated

(E) All of the Above

59. The finally block is never executed in C# when

(A) a return statement is

(B) Environment.Exit is in

(C) Application.Exit is in

(D) the try block does not

(E) All of the Above

60. Which of the following is true?

   (A) The Nullable

   (B) The Nullable

   (C) The Nullable

   (D) The Nullable

   (E) The Nullable

61. The pre defined attributes in C# are

   (A) AttributeUsage,

   (B) Attribute,

   (C) Attribute, Conditional,

   (D) Unrestricted,

   (E) Unrestricted,

62. Unit test case types in C# include

   (A) Additive Test cases,

   (B) Additive Test cases,

   (C) Positive Test cases,

   (D) Model Test cases,

   (E) Model Test cases,

63. Which of the following does not exist in C#?

   (A) Single-Dimensional

   (B) Mulitdimensional

   (C) Implicitly Typed

   (D) Broadcast Arrays

   (E) Jagged Arrays

64. What is the difference between value types and reference types?

   (A) Reference type

   (B) Reference types can

   (C) Value types have an

   (D) Built-in data types can

   (E) Value types are

65. Polymorphism in C# is

- (A) the ability of a
- (B) The ability of a
- (C) Different ways of
- (D) supported by
- (E) supported by

66. Which of the following is true about file structures?

- (A) A package statement
- (B) A source file can
- (C) If a class or interface
- (D) Two public classes in
- (E) All of the above

67. Which of the following is true about Primitives?

- (A) There are 7 primitive
- (B) Primitive data types
- (C) A boolean is 8 bits in
- (D) The order of public
- (E) main method()'s

68. Synchronized modifier can be used on

- (A) blocks of code and
- (B) primitives and
- (C) classes and methods
- (D) variables and classes
- (E) blocks of code and

69. Inheritance, Overloading, Overriding provide

- (A) flexible code
- (B) polymorphism
- (C) mulitple inheritance
- (D) class structure
- (E) support for method

70. What are are the states of a thread?

   (A) Runnable, Wait,

   (B) Start, Running,

   (C) Ready, Running,

   (D) Executing, Sleeping,

   (E) Started, Sleeping,

71. Constructors are

   (A) used for creating an

   (B) inherited

   (C) required for every

   (D) none of the above

   (E) all of the above

72. The modulo (%) operator provides or gives

   (A) the remainder after

   (B) precedence to an

   (C) the mode or state of a

   (D) the mode or state of a

   (E) a bracket for

73. The private access modifier

   (A) allows access to the

   (B) allows access only

   (C) can be used as a

   (D) can be used on a

   (E) None of the above

74. Garbage Collection

   (A) runs as a low priority

   (B) requires explicit

   (C) is automatic and

   (D) is triggered by the

   (E) runs when there are

75. The Alive() method is available in which class?

   (A) Activator

   (B) Thread

   (C) ThreadDeath

   (D) ThreadGroup

   (E) VerifyError

76. What are the uses of delegates in C#?

   (A) Callback Mechanism

   (B) Asynchronous

   (C) Abstract Encapsulate

   (D) Multicasting

   (E) All of the Above

77. Which properties are part of the Thread class in C#?

   (A) JoinThread

   (B) Resume

   (C) IsThreadPoolThread

   (D) SuspendThread

   (E) All of the Above

78. What are the states of a thread in C#?

   (A) Unstarted

   (B) Started

   (C) Sleeping

   (D) Terminated

   (E) All of the Above

79. The finally block is never executed in C# when

   (A) a return statement is

   (B) Environment.Exit is in

   (C) Application.Exit is in

   (D) the try block does not

   (E) All of the Above

80. Which of the following is true?

   (A) The Nullable

   (B) The Nullable

   (C) The Nullable

   (D) The Nullable

   (E) The Nullable

81. The pre defined attributes in C# are

   (A) AttributeUsage,

   (B) Attribute,

   (C) Attribute, Conditional,

   (D) Unrestricted,

   (E) Unrestricted,

82. Unit test case types in C# include

   (A) Additive Test cases,

   (B) Additive Test cases,

   (C) Positive Test cases,

   (D) Model Test cases,

   (E) Model Test cases,

83. Which of the following does not exist in C#?

   (A) Single-Dimensional

   (B) Mulitdimensional

   (C) Implicitly Typed

   (D) Broadcast Arrays

   (E) Jagged Arrays

84. What is the difference between value types and reference types?

   (A) Reference type

   (B) Reference types can

   (C) Value types have an

   (D) Built-in data types can

   (E) Value types are

85. Polymorphism in C# is

    (A) the ability of a

    (B) The ability of a

    (C) Different ways of

    (D) supported by

    (E) supported by