

Stewardship Intent

SAM is private research, and all rights remain reserved. If SAM or related work ever produces commercial revenue, the originator intends for that value to carry public responsibility with it.

Any future commercial licensing, investment, acquisition, productization, or revenue-sharing discussion should treat public-benefit participation as part of the expected deal structure.

Priority causes include:

""text
homeless shelters and housing support
addiction recovery and rehabilitation
charitable medical support
education and opportunity access
community charities and public-good efforts chosen by Sean Brady
""

This stewardship statement is not marketing. It records the project's intent: if anyone profits from this work, part of that upside should help people who need help.

The work began as an idea, a question, and a long effort to turn imagination into something testable. If it becomes valuable in the world, that value should not flow only upward. It should also flow outward.

CR075a Paul Revere Field Comparison Bundle

Status: presentation bundle generated from sealed CR070a-CR074a artifacts
Campaign: PAUL_REVERE_FIELD_COMPARISON
Scope: stewardship-grade reproducible handoff, not hardware demonstration

One-page readout

The Paul Revere field comparison campaign turns the branch-12a PR letter work into a reproducible handoff surface. It does not claim a working quantum network, a partner-lab agreement, a commercial deployment, or external validation. It claims that the prediction/comparison surface is now organized enough for an outside reviewer to rerun, inspect, and try to break.

The strongest positive result is methodological: CR070a-CR074a preserve predeclared formulas, row tables, wrong controls, failures, hashes, and a rerunnable pack. The strongest technical result is narrower: the same SAM t_{fire} formula and constant apply structurally across NV-diamond and photonic rows. The load-bearing comparison against textbook $1/e$ does not pass, because the SAM PR alarm threshold and textbook $1/e$ convention live in different measurement regimes.

What the PR letter is

The Paul Revere letter is a warning payload: it fires before ledger commit when the unresolved quantum-coherence surface crosses the pre-write alarm threshold. In this campaign the active threshold is $A_{\text{side}} = 1/24$, with $A_{\text{share}} = 1/12$ as the basin/commit sibling. It

is not the same event as particle write fractions such as 1/8 or card-composition fractions such as 4/17 and 9/17.

Sealed CR map

CR	Role	Result class	Predictions	Wrong controls	Key readout
CR070a	expanded NV-diamond T2 contact	'CR070a_EXPANDED_NV_DIAMOND_T2_TABLE_SEALED__PRE			
DICTIONS_10_OF_12__WRONG_CONTROLS_7_OF_8__ROWS_22__CONSISTENT_17__BOUNDARY_1__VIOLATIONS_4'					
10/12	7/8	Provisional NV-diamond table populated with 22 rows from published-platform			
T2 literature. 4 violations of T2_grav v1.1 floor detected (expected: room-temperature Hahn-					
echo NV T...					
CR071a	photonic PR mapping framework	'CR071a_PHOTONIC_MAPPING_SEALED__PREDICTIONS_8_OF			
_8__WRONG_CONTROLS_8_OF_8__MAPPING_ROWS_10__FREE_PARAMETERS_0'	8/8	8/8	CR071a defines		
10 mapping rows from NV-diamond observables to photonic equivalents using only CR060a alphab					
et ratios. Every mapping row carries a falsifier statement. No mapping...					
CR072a	photonic empirical contact table	'CR072a_PHOTONIC_EMPIRICAL_TABLE_SEALED__PREDI			
CTIONS_11_OF_11__WRONG_CONTROLS_7_OF_8__ROWS_14__CONSISTENT_14__BOUNDARY_0__VIOLATIONS_0'					
11/11	7/8	Provisional photonic table populated with 14 rows from published-platform tau_			
ent literature. 0 violations of T2_grav v1.1 floor at photonic omega. 0 rows in boundary reg					
ion. 14...					
CR073a	cross-platform t_fire scaling	'CR073a_CROSS_PLATFORM_T_FIRE_SCALING_SEALED__PRE			
DICTIONS_11_OF_11__WRONG_CONTROLS_9_OF_9__NV_ROWS_22__PHOTONIC_ROWS_14__PHOTONIC_WITHIN_0_25					
_0_OF_14__PHOTONIC_WITHIN_0_15_0_OF_14__VERDICT_STRUCTURAL_FLOOR_BREACHED_AGAINST_TEXTBOOK_1					
_OVER_E_REFERENCE'	11/11	9/9	CR073a applied the SAM t_fire predictor (t_fire_pred = co		
herence_time * c0_SAM, c0_SAM = 0.021280) to 22 NV-diamond rows from CR070a and 14 photonic					
rows from CR072a, using the ...					
CR074a	reproducibility lock	'CR074a_REPRODUCIBILITY_PACK_SEALED__PREDICTIONS_11_OF_11__			
_WRONG_CONTROLS_9_OF_9__PACK_FILES_50__HASH_MATCHES_40_OF_40__PYTHON_3.12.10__DISCIPLINE_DRI
FT_NUMPY_AND_MATPLOTLIB_PER_CR_VS_ACTUAL_CAUGHT_AND_RESOLVED' | 11/11 | 9/9 | CR074a sealed
the reproducibility lock for the Paul Revere Field Comparison Campaign. CAMPAIGN_REPRODUCIBI
LITY_PACK.zip emitted with 50 files (44 CR artifacts + 6 pack-level fil... |

Honest failure and boundary inventory

- CR070a: 22 NV rows, 17 consistent, 1 boundary, 4 violations of the T2_grav v1.1 floor.
- CR070a: all 22 citation rows remain PROVISIONAL_AUTHOR_BEST_EFFORT pending citation verification.
- CR072a: 14 photonic rows are all consistent, but the photonic floor is far below ordinary tau_ent values, so it is not a strong stress test of the floor.
- CR073a: photonic rows within 0.25 tolerance against textbook 1/e = 0/14; the load-bearing threshold fails against that proxy.
- CR073a: the same c0_SAM applies across NV and photonic rows; formula generalization is structural, while the textbook proxy comparison exposes a data-gap/regime mismatch.
- CR074a: the reproducibility pack caught requirements drift: per-CR requirements named older numpy/matplotlib pins, while the pack pins the actual versions used.
- No row in this campaign is partner-lab verified. No hardware demonstration is claimed.

Formula surface

""text
R = 12
D = 3
alpha_H = 2
A_side = 1/24
A_share = 1/12

```

c0_SAM = -0.5 * ln(23/24)
t_fire = coherence_time * c0_SAM
textbook_proxy = coherence_time * 0.5
uniform_proxy_residual = abs(c0_SAM - 0.5) / 0.5
'''

```

CR073a reports $c0_SAM = 0.021279807209397945$ and $c0_textbook = 0.5$. The residual is uniform because both predictors are linear in coherence time; the difference is in the constants, not in row-specific fitting.

Regime map

```

| Lane | Example quantities | Use in this bundle |
|---|---|---|
| Write/source support | G(P), GR(P), 7G+G, P address | background support grammar only |
| Particle/card composition | 4/17, 9/17, card payload fields | do not use as PR thresholds |
| Pre-write quantum warning | A_side = 1/24, A_share = 1/12, t_fire | active PR letter regime |
| External comparator/proxy | textbook 1/e, published T2, tau_ent | portable comparison, not same ontology |
| Reveal/partner-lab layer | measured A_leak(t), citation verification | next external gate |

```

Cross-branch 09a connection notes

CR220-CR228 are included here as connection context only. They do not directly validate PR quantum hardware. Their use is methodological and regime-facing: they show address-first construction, formula workbooks, support/reveal separation, and vault/freeze/reveal discipline.

```

| 09a CR | Connection that may help CR075a | Boundary | |
|---|---|---|---|
| CR220 | P-centered rows generate 126 native element-family rows before cards | not a PR hardware test |
| CR221 | kappa floor resolves into G(P) support grammar | not a single global heavy-element constant |
| CR222 | constants-only generator separates construction from labels | chemistry labels remain downstream reveal |
| CR223/CR227/CR228 | workbooks make formula and reveal layers inspectable | reveal workbook is not construction input |
| CR225 | hidden/support selector can sharpen a visible boundary | candidate mechanism, not final physical proof |
| CR226 | prediction seal e436cf01bacc542bad5403d605c0eea9c964c2c645d97574f378a360fa061897 | when reveal seal | model for CR075a external posture, not quantum validation |

```

Partner-lab verification path

1. Reproduce the CR074a pack byte-for-byte using Python 3.12.10 and the pinned requirements.
2. Verify CR070a and CR072a citation rows against the actual published papers; lift rows from PROVISIONAL_AUTHOR_BEST_EFFORT to VERIFIED only after that check.
3. Measure $A_leak(t)$ on an NV-diamond setup under a declared PR-letter protocol and report actual $A_side = 1/24$ crossing time.
4. Compare measured t_fire to the predeclared SAM predictor without changing A_side , $c0_SAM$, or the tolerance after measurement.
5. Report failures as results, not as cleanup tasks.

Clear ask

The next engaged reader should do one concrete thing first: rerun the CR074a reproducibility pack and verify that the result-class strings and hashes match. After that, the lowest-cost external step is citation verification for the CR070a NV rows and CR072a photonic rows. The harder experimental step is partner-lab measurement of $A_{\text{leak}}(t)$ and actual $A_{\text{side-threshold}}$ alarm time.

Scope boundaries

- This is not a hardware demonstration.
- This is not a partner-lab agreement.
- This is not a commercial deployment.
- This is not external validation of the PR letter.
- This is not a claim that SAM must be accepted as a theory of everything before the campaign can be reviewed.
- This is a reproducible, falsification-ready handoff bundle with every known failure and provisional tag visible.

Source artifact pointers

- 'CR074a_REPRODUCIBILITY_LOCK/CAMPAIGN_REPRODUCIBILITY_PACK.zip'
- 'CR074a_REPRODUCIBILITY_LOCK/CAMPAIGN_RERUN.md'
- 'Paul_Revere_Next_Steps.md'
- 'CAMPAIGN_PAUL_REVERE_FIELD_COMPARISON.md'
- '09a_PARTICLE_MASS_CHAIN/CR220' through 'CR228' connection context

Bus factor and stewardship

Bus factor 1 remains the largest non-physics risk: every result is one author's work until an outside reviewer or partner lab reproduces, verifies, or falsifies it. Per STEWARDSHIP.md, any commercial value flowing from this work is directed toward humanitarian causes.