

NATIONAL EMERGENCY SATELLITE DISASTER INTELLIGENCE

TACTICAL INCIDENT ACTION DOSSIER — FIRST RESPONDER RAPID DISPATCH

Incident Target:	LG Polymers India Pvt Ltd, RR Venkatapuram	Date / Timestamp:	2020-05-07
GPS Coordinates:	17.7607°N, 83.2185°E	AI Classification:	Industrial Accidental Disaster / Chemical Explosion
Fire Radiative Power (FRP):	142.6 MW (+1150% vs Baseline)	Planck Flame Temp:	820 K (547 °C)

1. CHEMICAL HAZARDS & EXPOSURE PROFILES (NOAA CAMEO / NIOSH STANDARDS)

Sector & UN Classification:	Class 2.1 / Class 3 - Flammable Monomers & Polymerization Hazards UN Codes: UN2055, UN1040, UN1077, UN1086
Primary Stored Chemicals:	Styrene Monomer, Ethylene Oxide, Propylene, Vinyl Chloride, Butadiene
Major Disaster Hazard:	Uncontrolled Runaway Polymerization, Severe Pulmonary Edema, Vapor Cloud Explosion
Toxic Combustion Byproducts:	Phosgene (COCl ₂), Hydrogen Chloride (HCl), Styrene Oligomers, Carbon Monoxide
NIOSH IDLH Toxicity Limits:	Styrene: 700 ppm, Ethylene Oxide: 800 ppm, Vinyl Chloride: Carcinogen (Immediate Evacuation) ppm

2. TOXIC PLUME DISPERSION & EVACUATION ZONES (GAUSSIAN / ERG 2024)

Initial Isolation Perimeter:	1000 meters (All Directions)	Downwind Evacuation Zone:	3.0 km (3500m Night)
Live Wind Vector:	3.8 m/s @ Bearing 135°	Affected Settlements:	RR Venkatapuram, Padmapuram, SC/ST Colony, Gopalapatnam
Firefighting Protocol:	Alcohol-Resistant Foam, Water Fog for vapor suppression (do not apply direct stream into molten polymer)		

3. REGIONAL EMERGENCY CONTACTS & FIRST RESPONDER DISPATCH

District Fire Control HQ:	Visakhapatnam Regional Fire Command (+91-891-2565101)
Apex Burn & Trauma Hospital:	King George Hospital (KGH) Toxic Trauma ICU (+91-891-2564891)
NDRF Disaster Response Unit:	10th NDRF Battalion, Achyutapuram

CONFIDENTIAL DISASTER ACTION DOSSIER: Generated automatically by PyroSat-AI Platform. Synchronized with Copernicus Sentinel & NASA FIRMS NRT Constellation. Compliant with NDMA / CPCB Disaster Standard Operating Procedures.