

PNETLab | Topology

Ask Gemini

QEMU (Win1)

Local Area Connection Properties

Internet Protocol Version 4 (TCP/IPv4) Properties

General

Obtain an IP address automatically

Use the following IP address:

IP address: 50.0.0.10

Subnet mask: 255.0.0.0

Default gateway: . . .

Obtain DNS server address automatically

Use the following DNS server addresses:

Preferred DNS server: . . .

Alternate DNS server: . . .

Validate settings upon exit

OK Cancel

QEMU (Win2)

Local Area Connection Properties

Internet Protocol Version 4 (TCP/IPv4) Properties

General

Obtain an IP address automatically

Use the following IP address:

IP address: 50.0.0.20

Subnet mask: 255.0.0.0

Default gateway: . . .

Obtain DNS server address automatically

Use the following DNS server addresses:

Preferred DNS server: . . .

Alternate DNS server: . . .

Validate settings upon exit

OK Cancel

Win1

50.0.0.10

WINDOWS PASSWORD : Test123

LAB-1

Physical

01 : 00 : 00

START

33°C Mostly cloudy

Search

16:10 19-08-2026

PNETLab | Topology

Ask Gemini

QEMU (Win1)

Administrator: Command Prompt

C:\Users\user>ip config
'ip' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\user>ipconfig
Windows IP Configuration

Ethernet adapter Local Area Connection:
 Connection-specific DNS Suffix . . . :
 Link-local IPv6 Address : fe80::2ceb:cch5:788:1e35x11
 IPv4 Address. : 50.0.0.10
 Subnet Mask : 255.0.0.0
 Default Gateway :

Tunnel adapter isatap.{42a1f8b7-30a8-4ef7-81af-c694f5f3d81b}:
 Media State : Media disconnected
 Connection-specific DNS Suffix . . :

Tunnel adapter 6T04 Adapter:
 Connection-specific DNS Suffix . . :
 IPv6 Address. : 2002:3200:a::3200:a
 Default Gateway :

C:\Users\user>ping 50.0.0.20

Pinging 50.0.0.20 with 32 bytes of data:
Reply from 50.0.0.20: bytes=32 time=3ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128

Ping statistics for 50.0.0.20:
 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
 Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Users\user>_

QEMU (Win2)

Administrator: Command Prompt

Default Gateway :

Tunnel adapter isatap.{42a1f8b7-30a8-4ef7-81af-c694f5f3d81b}:
 Media State : Media disconnected
 Connection-specific DNS Suffix . . :

Tunnel adapter 6T04 Adapter:
 Connection-specific DNS Suffix . . :
 IPv6 Address. : 2002:3200:14::3200:14
 Default Gateway :

C:\Users\user>ping 50.0.0.10

Pinging 50.0.0.10 with 32 bytes of data:
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128
Reply from 50.0.0.10: bytes=32 time=1ms TTL=128

Ping statistics for 50.0.0.10:
 Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
 Approximate round trip times in milli-seconds:
 Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\user>_

Win1

50.0.0.10

WINDOWS PASSWORD : Test123

LAB-1

Physical



01 : 00 : 00

START

33°C
Mostly cloudy

Search

16:11
19-08-2026



Win1
50.0.0.10

WINDOWS PASSWORD : Test123

LAB-1

Physical

01 : 00 : 00

START


Rain coming
In about 1.5 hours



Search



16:18
19-08-2026



QEMU (Win1)

Advanced Sharing

Share this folder

Settings

Share name: sang

Limit the number of

Comments:

Permissions

Permissions for sang

Share Permissions

Group or user names:

Everyone

Permissions for Everyone

	Allow	Deny
Full Control	☒	☐
Change	☒	☐
Read	☒	☐

OK Cancel Apply

QEMU (Win2)

Computer

Cisco IP Communic...

Recycle Bin

Kiwi Syslog Server Co...

Control Panel

Cisco ASDMHD...

PuTTY

Qstinet 0.9

Win1

50.0.0.10

WINDOWS PASSWORD : Test123

LAB-1

Physical

01 : 00 : 00

START

33°C Mostly cloudy

Search

16:24 19-08-2026

