




```
SW1
SW1(config-if)#
SW1(config-if)#switchport access vlan 20
SW1(config-if)#
SW1(config-if)#
SW1(config-if)#ex
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#int e0/2
SW1(config-if)#switchport trunk encapsulation dot1q
SW1(config-if)#switchport mode trunk
SW1(config-if)#ex
SW1(config)#do sh vlan brief

VLAN Name                Status    Ports
-----
1    default                active    Et0/3
10   HR                     active    Et0/0
20   SALES                  active    Et0/1
1002 fddi-default            act/unsup
1003 token-ring-default    act/unsup
1004 fddinet-default        act/unsup
1005 trnet-default          act/unsup
SW1(config)#
```



```
SW2
SW2(config-if)#switchport mode trunk
SW2(config-if)#
SW2(config-if)#
SW2(config-if)#
SW2(config-if)#
SW2(config-if)#
SW2(config-if)#ex
SW2(config)#
SW2(config)#
SW2(config)#
SW2(config)#
SW2(config)#
SW2(config)#do sh vlan br
```

VLAN	Name	Status	Ports
1	default	active	Et0/3
10	HR	active	Et0/0
20	SALES	active	Et0/1
1002	fddi-default	act/unsup	
1003	token-ring-default	act/unsup	
1004	fddinet-default	act/unsup	
1005	trnet-default	act/unsup	

```
SW2(config)#
```

VLAN 20
20.0.0.10



