


```
R1(config)#access-list 100 permit tcp 10.0.0.20 0.0.0.0 172.50.0.20 0.0.0.0 eq$
R1(config)#int eth0/0
R1(config-if)#ip access-group 100 in
R1(config-if)#ex
R1(config)#
R1(config)#
R1(config)#do sh access-list
Extended IP access list 100
 10 permit tcp host 10.0.0.10 host 172.50.0.10 eq www
 20 permit tcp host 10.0.0.20 host 172.50.0.20 eq www
R1(config)#
```

```
R1
Enter configuration commands, one per line.  End with CNTL/Z.
R1(config)#access-list 10 pemit 10.0.0.10 0.0.0.0
      ^
% Invalid input detected at '^' marker.

R1(config)#access-list 10 permit 10.0.0.10 0.0.0.0
R1(config)#
*Sep 18 03:47:03.824: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R1(config)#int eth0/0
R1(config-if)#access-group 10 in
      ^
% Invalid input detected at '^' marker.

R1(config-if)#ip access-group 10 in
R1(config-if)#ex
R1(config)#
R1(config)#
R1(config)#
R1(config)#
R1(config)#do sh access-list
Standard IP access list 10
    10 permit 10.0.0.10
R1(config)#
```



Unable to connect

Firefox can't establish a connection to the server at 172.50.0.10.

- The site could be temporarily unavailable or too busy. Try again in a few moments.
- If you are unable to load any pages, check your computer's network connection.
- If your computer or network is protected by a firewall or proxy, make sure that Firefox is permitted to access the Web.

Try Again

 Firefox automatically sends some data to Mozilla so that we can improve your experience.

Choose What I Share

