

lab.surennetwork.com/legacy/topology

R1

```
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 10.0.0.0/8 is directly connected, Ethernet0/0
L 10.0.0.1/32 is directly connected, Ethernet0/0
L 20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 20.0.0.0/8 is directly connected, Ethernet0/1
L 20.0.0.1/32 is directly connected, Ethernet0/1
S 21.0.0.0/8 [1/0] via 20.0.0.2
S 30.0.0.0/8 [1/0] via 20.0.0.2
S 162.14.0.0/16 [1/0] via 20.0.0.2
S 192.168.168.0/24 [1/0] via 20.0.0.2
R1(config)#
*Aug 21 18:42:20.459: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R1(config)#
```

R2

```
o - ODR, P - periodic downloaded static route, H - NHRP, I - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 20.0.0.1
C 20.0.0.0/8 is variably subnetted
L 20.0.0.0/8 is directly connected
L 20.0.0.2/32 is directly connected
S 21.0.0.0/8 [1/0] via 30.0.0.2
L 30.0.0.0/8 is variably subnetted
C 30.0.0.0/8 is directly connected
L 30.0.0.1/32 is directly connected
S 162.14.0.0/16 [1/0] via 30.0.0.2
S 192.168.168.0/24 [1/0] via 30.0.0.2
R2(config)#
```

R6

```
R6(config)#do sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS
       ia - IS-IS inter area, * - candidate default, U - per-user static
       o - ODR, P - periodic downloaded static route, H - NHRP, I -
       a - application route
       + - replicated route, % - next hop override, p - overrides fr

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 192.168.168.1
S 20.0.0.0/8 [1/0] via 192.168.168.1
S 21.0.0.0/8 [1/0] via 192.168.168.1
S 30.0.0.0/8 [1/0] via 192.168.168.1
L 162.14.0.0/16 is variably subnetted, 2 subnets, 2 masks
L 162.14.0.0/16 is directly connected, Ethernet0/0
L 162.14.0.1/32 is directly connected, Ethernet0/0
L 192.168.168.0/24 is variably subnetted, 2 subnets, 2 masks
L 192.168.168.0/24 is directly connected, Ethernet0/1
L 192.168.168.2/32 is directly connected, Ethernet0/1
R6(config)#
```

R3

```
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, I - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 30.0.0.1
S 20.0.0.0/8 [1/0] via 30.0.0.1
L 21.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 21.0.0.0/8 is directly connected, Ethernet0/2
L 21.0.0.1/32 is directly connected, Ethernet0/2
L 30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 30.0.0.0/8 is directly connected, Ethernet0/0
L 30.0.0.2/32 is directly connected, Ethernet0/0
S 162.14.0.0/16 [1/0] via 21.0.0.2
S 192.168.168.0/24 [1/0] via 21.0.0.2
R3(config)#
```

R5

```
1 - IS-IS, su - IS-IS summary, L1 - S
ia - IS-IS inter area, * - candidate
o - ODR, P - periodic downloaded st
a - application route
+ - replicated route, % - next hop

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 21.0.0.1
S 20.0.0.0/8 [1/0] via 21.0.0.1
L 21.0.0.0/8 is variably subnetted, 2
L 21.0.0.2/32 is directly connected, Ethernet0/0
S 30.0.0.0/8 [1/0] via 21.0.0.1
S 162.14.0.0/16 [1/0] via 192.168.168.2
L 192.168.168.0/24 is variably subnetted, 2 subnets, 2 masks
C 192.168.168.0/24 is directly connected, Ethernet0/1
L 192.168.168.1/32 is directly connected, Ethernet0/1
R5(config)#
```

Physical

162.14.0.1 162.14.0.10

01:00:00 START

22°C Partly cloudy

Search

ENG IN

00:33 22-08-2026





