

```
CREATE TABLE user (
```

```
    user_id  INTEGER PRIMARY KEY,  
    name     TEXT NOT NULL,  
    email    TEXT UNIQUE NOT NULL,  
    password TEXT NOT NULL,  
    phone    TEXT,  
    address  TEXT,  
    created_at TEXT
```

```
);
```

```
INSERT INTO user VALUES
```

```
(1, 'Amit Sharma', 'amit@gmail.com', 'amit@123', '9876543210', 'Delhi', '2025-01-01'),  
(2, 'Neha Verma', 'neha@gmail.com', 'neha@123', '9876543211', 'Mumbai', '2025-01-02'),  
(3, 'Rohit Singh', 'rohit@gmail.com', 'rohit@123', '9876543212', 'Pune', '2025-01-03'),  
(4, 'Anjali Gupta', 'anjali@gmail.com', 'anjali@123', '9876543213', 'Bhopal', '2025-01-04'),  
(5, 'Karan Mehta', 'karan@gmail.com', 'karan@123', '9876543214', 'Jaipur', '2025-01-05');
```

```
CREATE TABLE categories (
```

```
    category_id INTEGER PRIMARY KEY,  
    category_name TEXT NOT NULL,  
    description TEXT
```

```
);
```

```
INSERT INTO categories VALUES
```

```
(1, 'Electronics', 'Electronic gadgets'),  
(2, 'Clothing', 'Men and Women Clothing'),  
(3, 'Books', 'Educational books'),  
(4, 'Footwear', 'Shoes and sandals'),  
(5, 'Accessories', 'Fashion accessories');
```

```
CREATE TABLE products (  
    product_id INTEGER PRIMARY KEY,  
    product_name TEXT NOT NULL,  
    price REAL NOT NULL,  
    stock INTEGER NOT NULL,  
    category_id INTEGER,  
    description TEXT,  
    FOREIGN KEY (category_id) REFERENCES categories(category_id)  
);
```

```
INSERT INTO products VALUES  
(101, 'Mobile Phone', 15000, 20, 1, 'Android smartphone'),  
(102, 'Laptop', 55000, 10, 1, '15 inch laptop'),  
(103, 'T-Shirt', 800, 50, 2, 'Cotton t-shirt'),  
(104, 'Java Book', 600, 30, 3, 'Programming book'),  
(105, 'Running Shoes', 2500, 25, 4, 'Sports shoes'),  
(106, 'Watch', 3000, 15, 5, 'Wrist watch');
```

```
CREATE TABLE orders (  
    order_id INTEGER PRIMARY KEY,  
    user_id INTEGER,  
    order_date TEXT,  
    total_amount REAL,  
    status TEXT,  
    FOREIGN KEY (user_id) REFERENCES users(user_id)  
);
```

```
INSERT INTO orders VALUES  
(1001, 1, '2025-02-01', 15800, 'PLACED'),  
(1002, 2, '2025-02-02', 55000, 'SHIPPED'),
```

```
(1003, 3, '2025-02-03', 1400, 'DELIVERED'),  
(1004, 4, '2025-02-04', 3000, 'PLACED'),  
(1005, 5, '2025-02-05', 2500, 'CANCELLED');
```

```
CREATE TABLE order_items (  
    order_item_id INTEGER PRIMARY KEY,  
    order_id    INTEGER,  
    product_id  INTEGER,  
    quantity    INTEGER,  
    price       REAL,  
    FOREIGN KEY (order_id) REFERENCES orders(order_id),  
    FOREIGN KEY (product_id) REFERENCES products(product_id)  
);
```

```
INSERT INTO order_items VALUES
```

```
(1, 1001, 101, 1, 15000),  
(2, 1001, 103, 1, 800),  
(3, 1002, 102, 1, 55000),  
(4, 1003, 104, 2, 1200),  
(5, 1004, 106, 1, 3000),  
(6, 1005, 105, 1, 2500);
```

```
SELECT * FROM USER;
```

```
SELECT * FROM CATEGORIES;
```

```
SELECT * FROM PRODUCTS;
```

```
SELECT * FROM ORDERS;
```

```
SELECT * FROM ORDER_ITEMS;
```

CREATE VIEW RECORD AS

SELECT

u.user_id,

u.name,

o.order_id,

o.order_date,

o.status,

p.product_name,

oi.quantity,

oi.price

FROM user u

JOIN orders o

ON u.user_id = o.user_id

JOIN order_items oi

ON o.order_id = oi.order_id

JOIN products p

ON oi.product_id = p.product_id

WHERE o.status = 'PLACED' or o.status='DELIVERED'OR o.status='SHIPPED'OR
O.status='CANCELLED';

select * from RECORD;

CREATE VIEW prod_name AS

SELECT

u.user_id,

u.name,

o.order_id,

o.order_date,

```
o.status,  
p.product_name,  
oi.quantity,  
oi.price  
FROM users u  
JOIN orders o  
    ON u.user_id = o.user_id  
JOIN order_items oi  
    ON o.order_id = oi.order_id  
JOIN products p  
    ON oi.product_id = p.product_id  
WHERE p.product_name IN (  
    'Mobile Phone',  
    'Laptop',  
    'T-Shirt',  
    'Java Book',  
    'Watch',  
    'Running Shoes'  
);  
  
SELECT * FROM prod_name;
```

