

Explore SAP Data Warehouse Cloud from A to Z

Session ID: ANA161

SAP TechED 2021

Exercises / Solutions

Ingo Hilgefort, SAP



TABLE OF CONTENTS

1	REQUIRED RESOURCES FOR EXERCISES	3
1.1	Download Required Resources.....	3
1.2	System Details after your workshop	3
2	EXERCISE OVERVIEW	4
2.1	SAP Data Warehouse Cloud – Data Builder.....	4
2.2	SAP Data Warehouse Cloud – Business Layer	4
2.3	SAP Analytics Cloud.....	4
3	INTRODUCTION TO YOUR SAP DATA WAREHOUSE CLOUD SYSTEM	5
3.1	What is SAP Data Warehouse Cloud?	5
4	SAP DATA WAREHOUSE – BUSINESS SCENARIO	6
4.1	Sample Data Model	6
4.2	Sample Data Model	6
5	SAP DATA WAREHOUSE CLOUD - EXERCISES.....	7
5.1	SAP Data Warehouse Cloud – Exercise 01: First Log On.....	7
5.2	SAP Data Warehouse Cloud – Exercise 02: Create Your first Space.....	10
5.3	SAP Data Warehouse Cloud – Exercise 03: Data Layer - Prepare Your Data.....	14
5.4	SAP Data Warehouse Cloud – Exercise 04: Data Layer - Creating the Entity Relationship Model.....	22
5.5	SAP Data Warehouse Cloud – Exercise 05: Data Layer - Importing Tables.....	28
5.6	SAP Data Warehouse Cloud – Exercise 06: Data Layer - Uploading Data.....	30
5.7	SAP Data Warehouse Cloud – Exercise 07: Data Layer - Creating the Dimension	32
5.8	SAP Data Warehouse Cloud – Exercise 08: Data Layer - Creating the View	38
5.9	SAP Data Warehouse Cloud – Exercise 09: Business Layer - Dimensions.....	46
5.10	SAP Data Warehouse Cloud – Exercise 10: Business Layer - Analytical Data Set.....	53
5.11	SAP Data Warehouse Cloud – Exercises 11: Business Layer - Consumption Layer	58
5.12	SAP Analytics Cloud – Exercises 12: Year over Year comparison	65
5.13	SAP Analytics Cloud – Exercises 13: Geographic Revenue Distribution	72
5.14	SAP Analytics Cloud – Exercises 14: Best Salesperson	78

1 Required Resources for Exercises

1.1 Download Required Resources

As part of the following set of exercises in SAP Data Warehouse Cloud as well as SAP Analytics Cloud, you will need a set of files. All relevant files can be downloaded from the GitHub site:

<https://github.com/SAP-samples/teched2021-ANA161>

Please download the file to your local machine and unzip the file into a separate folder.

1.2 System Details after your workshop

In case you are interested to follow the steps after the live online SAP TechED Sessions have finished, you can request your own SAP Data Warehouse Cloud tenant following this URL:

<https://www.sap.com/cmp/td/sap-data-warehouse-cloud-free-trial.html>

You will get a system with all components and can follow the step from the material outlined here.

Please note, that during the exercises mentioned here, you will see we talk about ANA161_XX where XX is replaced with your user number. In case you requested your own trial system, you will get your own user account and you can then create the objects based on your own accounts / naming convention.

2 Exercise Overview

In the following sections you will find exercises for SAP Data Warehouse Cloud and SAP Analytics Cloud. Some of the exercises are based on each other and some of the exercises are working on prebuilt / preconfigured materials to save you some time. Below you will find some brief outlines on the exercises and which exercises are based on each other, so that you can decide which exercises you would like to focus on.

2.1 SAP Data Warehouse Cloud – Data Builder

- SAP Data Warehouse Cloud – Exercise 01: First Log On (optional)
- SAP Data Warehouse Cloud – Exercise 02: Create Your first Space (mandatory)
- SAP Data Warehouse Cloud – Exercise 03: Prepare Your Data (optional)
- SAP Data Warehouse Cloud – Exercise 04: Creating the Entity Relationship Model (optional)
- SAP Data Warehouse Cloud – Exercise 05: Importing Tables (mandatory)
- SAP Data Warehouse Cloud – Exercise 06: Uploading Data (mandatory)
- SAP Data Warehouse Cloud – Exercise 07: Creating the Dimension (mandatory)
- SAP Data Warehouse Cloud – Exercise 08: Creating the View (mandatory)

2.2 SAP Data Warehouse Cloud – Business Layer

- SAP Data Warehouse Cloud – Exercises 09: Business Layer - Dimension
- SAP Data Warehouse Cloud – Exercises 10: Business Layer – Analytical Dataset
- SAP Data Warehouse Cloud – Exercises 11: Business Layer – Consumption Layer

2.3 SAP Analytics Cloud

- SAP Analytics Cloud – Exercise 12: Year over Year Comparison
(requires Exercise 08 to be completed)
- SAP Analytics Cloud – Exercise 13: Revenue by Geography
(requires Exercise 08 to be completed)
- SAP Analytics Cloud – Exercise 14: Best Salesperson
(requires Exercise 11 to be completed)

3 Introduction to Your SAP Data Warehouse Cloud System

3.1 What is SAP Data Warehouse Cloud?

SAP Data Warehouse Cloud is an end-to-end data warehouse in the cloud that combines data management processes with advanced analytics. It is built on the powerful SAP HANA Cloud database and is, together with SAP Analytics Cloud and SAP Data Intelligence, part of the SAP Business Technology Platform.

SAP Data Warehouse Cloud:

- Empowers more end users with data access without the dependence on IT and data scientists.
- Value of data will be understood sooner as opportunities arrive with this enterprise-ready, always available data warehouse in the cloud. Trusted insights from all data will be gained at the speed of business.
- Allows decisions to be made in real time, as the business is working.
- Provides dynamic services without committing high entry costs and a large capital.

SAP Data Warehouse Cloud is the only cloud data warehouse solution designed for both, IT and LOB (Line of Business) users. Business users are empowered to leverage enterprise data and external data independently from IT but within a centrally governed environment. Business users can get the insight they need when they need

it and make trusted decisions without delay.

As SAP Data Warehouse Cloud is an end-to-end solution so that you do not have to paste together an array of sophisticated technologies so that you get value faster out of your data. You have all that is needed to transform distributed data of any size and shape into valuable insights.

In addition to this, with SAP HANA Cloud's in-memory power, you get instant responses no matter where your data is. All you need is ready for you in the cloud with no upfront procurement and license costs.

SAP Data Warehouse Cloud is a cloud-native solution that makes you benefit from the agility of the cloud. It is elastic to scale compute and storage resources up and down on-demand, and you only pay for what you use.

Most importantly, SAP Data Warehouse Cloud works synergistically with your existing on-premises systems and provides you a simple and cost-efficient way to embrace cloud computing. You can use it to extend your existing warehouse investments to the cloud.

4 SAP Data Warehouse – Business Scenario

4.1 Sample Data Model

The sample data set for our session represents retail transactions from a number of outlet stores located in the US. Our transaction details include the store, the sold product, and the sales manager. In addition, we have the information on revenue, cost, discount, and profit for each transaction. The customer is looking for an analytics solution for their sales department.

These are the analytics they need:

Year-over-Year Sales Comparison

They want to compare the current years' company sales with the previous year.

Sales Per Region

Due to an increase in the number of sales, the customer wants to understand how the different regions are performing. Based on this visualization, the marketing team would identify the regions which are doing good as well as the regions which need attention or better marketing campaigns

Best Sales Representative

It is time for the company to reward the best Sales Representative for all the hard-work that has resulted in the sales report. For this purpose, the company needs to have a visualization that shows revenue per sales representative.

In the following exercises we will use SAP Data Warehouse Cloud and SAP Analytics Cloud using sample data model and prepare the data model, and use SAP Analytics Cloud Stories to answer those open questions.

4.2 Sample Data Model

The content mentioned in this document is based on a retail transaction scenario. The model is developed in a way that it covers the basic scenarios as well as a few advanced scenarios.


Following table displays detailed information about all the tables:

Table Name	Semantics	Modeling Information
Sales Transactions	Daily retail transactions per store.	Fact Data
Store	Details per Store Outlet	Dimension
Sales Manager	Details on all Sales Manager	Dimension
Product	Details on the products being sold.	Dimension


5 SAP Data Warehouse Cloud - Exercises

5.1 SAP Data Warehouse Cloud – Exercise 01: First Log On


1. Open Google Chrome and log on to your SAP Data Warehouse Cloud system.
2. In the top left of the start screen you will find the menu options.



3. By clicking on the menu in the top left (the icon with the three stripes), you can expand the menu to also show the menu text.



4. The bottom part of the menu shows the administrative functions.



5. Now let's clarify the different areas:


- Repository Explorer: This gives you access to the Business Catalog of SAP Data Warehouse Cloud and you can search for the different assets in your SAP Data Warehouse Cloud based on descriptions and tags or assigned teams.
- Data Builder: This is where you create all the different asset types, such as tables, views, and entity relationship models and where you do your data modeling.
- Business Builder: This is where you can establish a semantic layer for your business users.
- Data Access Control: This is where you can configure row-level security.
- Data Integration Monitor: Here you receive an overview on all tables from remote data sources, such as your SAP HANA on-premise system, and you can configure if the table should be a remote data source, or if you would like to replicate (one or regular) the information into your SAP Data Warehouse Cloud.

6. Now let's take a look at the menu items from the Administrative section:

- Space Management: Spaces are a fundamental concept of SAP Data Warehouse Cloud and we will clarify the Spaces concept later on in this section.
- Content Network: The Content Network on the one hand provides you access to Sample content and Business Content from SAP and from SAP's partner network and on the other hand the Content Network is the area where you would export / import your own content for content lifecycle purposes.
- Security: This is the area where you create Users and Roles and also monitor traced activities of your system.
- System: This is the area where you configure your Data Provisioning Agents to gain access to your on-premise data sources, as well as the IP Whitelisting entries for the same purpose.

7. When you now navigate to the top right corner, please click on the  icon to launch the Help dialog.

What can we help you with today?




8. In the Help dialog you have multiple options from some Quick Start help to reach out to our support team.


5.2 SAP Data Warehouse Cloud – Exercise 02: Create Your first Space

Spaces as part of the SAP Data Warehouse Cloud solution are virtual team environments where your administrator has the ability to assign users and roles, as well as additional resources, such as connections to data sources, and allocated space. In SAP Data Warehouse Cloud all data related workflows start with the selection of a Space, so you can see the Space is a fundamental concept and therefore we need to setup our Space as our first step.

1. Log On to your SAP Data Warehouse Cloud system.
2. In the menu on the left-hand side, select the option Space Management.



3. After you selected the menu item, you will be presented with a list of existing Spaces and you have the ability to create a new Space.



4. Use the “+” symbol to start the process to create a new Space (top right corner)

5. Enter a Space Name – for our example use the following details:

- Space Name: ANA161_XX
- Space ID: ANA161_XX

Please replace the “XX” with your assigned User Number.

6. The Space ID will be suggested based on your Space Name, but you have the option to change it as well.
7. Click Create.

The screenshot shows the 'General Settings' tab for a new Space. The Space ID and Space Name are both set to 'ANA161_XX'. The Space Status is 'Active' and the Space Type is 'SAP Data Warehouse Cloud'. The 'Storage Assignment' section shows 'Enable Space Quota' checked, with 'Disk (GB)' set to 2.0 and 'In-Memory (GB)' set to 1.0. The 'In-Memory Acceleration' is set to 50%. The 'Workload Class' section shows 'Priority' set to 5. The 'Statement Limits' section shows 'Total Statement Thread Limit' set to 8 and 'Total Statement Memory Limit' set to 8. The 'Members' section shows 'Member Assignment' with a table that has columns for Member, Role, and Active. The 'Database Access' section shows 'Data Consumption' with a note about exposing all new views in the space by default.

8. You are now being presented with the properties of your new Space and you have the ability to configure the following options:

- You can add Users to the Space.
- As part of the Storage Assignment you can decide, how much storage space overall you will allocate to the Space and how much of the assigned storage space you will assign to the In-Memory allocation.
- You can assign the Space Priority, which will become relevant when multiple Spaces are sending requests to the system and the assigned priority will then help to decide which request takes priority.

9. Ensure that you configure the Storage Assignment as shown here with 1 GB for Disk and 1 GB for in-memory.

The screenshot shows the 'Storage Assignment' section. The 'Enable Space Quota' checkbox is checked. The 'Disk (GB)' is set to 1.0 and the 'In-Memory (GB)' is set to 1.0. The 'In-Memory Acceleration' is shown as a circular gauge set to 100%.

10. Now use the “Add” option in the Members area to assign your user to the Space.



Members

Member Assignment

Name	Access
	No data

Connections

11. Select the user matching your assigned user from the list of available users.
12. Click Add.
13. In the Connections area we can later assign connections to remote data sources.
14. No Click on the tab Time Data in the top toolbar.

ANA161_XX

Overview Workload Class Members Database Access Connections Time Data Auditing

Time Tables and Dimensions

Changes in this section will be deployed immediately.

Create time tables and dimensions to use in your models and stories.

+ Create Time Tables and Dimensions

15. Click on "+ Create time Tables and Dimensions".

Create Time Tables and Dimensions

Time Table Settings

Business Name * Technical Name

Time Table SAPTIME.M.TIME_DIMENSION

From Year * To Year * Calendar Type Granularity

1900 2050 Gregorian Day

Time Dimensions

Year Dimension

Business Name * Technical Name

Time Dimension - Year SAPTIMEVIEW_DIMENSION_YEAR

Quarter Dimension

Business Name * Technical Name

Time Dimension - Quarter SAPTIMEVIEW_DIMENSION_QUARTER

Month Dimension

Business Name * Technical Name

Time Dimension - Month SAPTIMEVIEW_DIMENSION_MONTH

Day Dimension

Business Name * Technical Name

Time Dimension - Day SAPTIMEVIEW_DIMENSION_DAY

Translation Tables

Translation Table for Quarters

Business Name * Technical Name

Translation Table - Quarter SAPTIME.M.TIME_DIMENSION_TQUART...

Translation Table for Months

Business Name * Technical Name

Translation Table - Month SAPTIME.M.TIME_DIMENSION_TMONTH

Translation Table for Days

Business Name * Technical Name


Translation Table - Day SAPTIME.M.TIME_DIMENSION_TDAY

Create Cancel

16. For the From Year enter 2019.
17. For the To Year enter 2022.
18. For all other elements leave the default values.
19. Click Create.

This will create a set of Date / Time Tables which we will use as part of our model to create a date hierarchy (Year, Quarter, Month, Day).

20. In the top right, click Save.




21. In the top right, click Deploy.

You just created your first Space in SAP Data Warehouse Cloud and you can now start your next step and create your first table and model.

5.3 SAP Data Warehouse Cloud – Exercise 03: Data Layer - Prepare Your Data

Before we are going to start with our first exercise in creating a table and creating our first model, let's clarify the different asset types that you can create in SAP Data Warehouse Cloud.

When you launch the Data Builder from the menu, you will be presented with this screen:



So, let's now look at the different asset types:


- **Table:** Here you basically define a new table from scratch, and you configure each field of the table and you do have the ability then to upload data to this table later on.
- **Graphical View:** In the Graphical View you can leverage Tables and Views to create new Views using a visual interface.
- **SQL View:** In the SQL View you can leverage Tables and Views to create new Views by using SQL directly
- **Entity Relationship Model:** Here you define the relationships between Tables or Views, which then are being leveraged when you create a new View based on the Tables or Views.
- **Data Flow:** Here you can define data transformations and leverage the option to load data from a source system into SAP Data Warehouse Cloud.

In this section we will start creating the tables for our sample models and then upload the raw data to those tables. In the first part of this overall section, we will look at the sample model and which tables we will need. In the second part we will then create those tables in SAP Data Warehouse Cloud and finally in the third part, we will upload the raw data to those newly created tables, and we will also setup a hierarchy as part of the tables.

In the next steps we will setup a relatively simple data model and we will start by creating the tables first and then upload the information for each table in form of CSV Files.

In the next steps we will start to create the tables in SAP Data Warehouse Cloud.

1. Log On to your SAP Data Warehouse Cloud tenant.
2. Select the menu option Data Builder on the left-hand side.
3. In case you are being asked, select your previously created Space – ANA161_XX.



4. Select the option New Table.

5. You are being presented with the details to create a new table.
6. Enter the following details:
 - Business Name Sales Transactions
 - Technical Name Sales_Transactions
 - Type Relational Dataset
7. We also can provide already as part of the table, some business description and Tags, which then will be used as part of the Business Catalogue.
8. Enter the following details for the Business Purpose:
 - Description This is the table for the Sales Transactions
 - Tags Sales transaction, Revenue, transactions

Tags

Please note, that when entering the Tags, you have to enter each tag individually for now and you can't enter multiple tags separated by comma right now.

9. Scroll down to the area Columns (you can also use the tabs in the page header for navigation). Here you define now the structure of the table by adding the individual columns.

Sales Transactions
Sales_Transaction

General Columns (0) Associations (0) Business Purpose Table Services Dependent Objects (0)

Business Name:
Sales Transactions

Technical Name:
Sales_Transactions

Semantic Usage:
Relational Dataset

Status:
Not Deployed

Columns (0)

	Business Name	Technical Name	Data Type	Default Value	Not Null
No columns have been created yet. To add columns, please press the Add button.					

10. Use the “+” sign in the top right corner of the Columns area to start the process of creating your first table column.

Sales Transactions

General Columns (1) Associations (0) Business Purpose Table Services Dependent Objects (0)

Columns (1)

	Business Name	Technical Name	Data Type	Default Value	Not Null
<input type="checkbox"/>	Business Name				
<input type="checkbox"/>	Column 1				
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					
<input type="checkbox"/>					

11. You now need to enter a Business Name, a Technical Name, and you need to configure the Data Type.

12. For the first column, enter the following details:

- Business Name Transaction ID
- Technical Name Transaction_ID
- Data Type Integer64

Data Type

Please note, that you can change the Data Type simply by clicking on the item in the Data Type column.


13. After you entered the details for the first column, please enter the following additional columns:

Business Name	Technical Name	Data Type
Transaction ID	Transaction_ID	Integer64
Transaction Date	Transaction_Date	Date
Store ID	Store_ID	String (6)
Product ID	Product_ID	String (4)
Sales Manager ID	Sales_Manager_ID	String (4)
Profit	Profit	Decimal(15,2)
Discount	Discount	Decimal(15,2)
Revenue	Revenue	Decimal(15,2)
Cost	Cost	Decimal(15,2)

14. After you entered all columns for the table, ensure you enable the Key Column option for the column Transaction ID.

	Key	Business Name
<input checked="" type="checkbox"/>		Transaction_ID
<input type="checkbox"/>		Transaction Date
<input type="checkbox"/>		Store
<input type="checkbox"/>		Product
<input type="checkbox"/>		Sales Manager
<input type="checkbox"/>		Profit
<input type="checkbox"/>		Discount
<input type="checkbox"/>		Revenue
<input type="checkbox"/>		Cost

15. Now use the Save option in the General menu.




16. On the first time you save the table, you will be asked to confirm the name and technical name.

17. Click Save.


18. After you saved the changes, you also have to deploy the table, so that we can later on upload data to the table.

19. Use the Deploy option from the General menu.



20. We configured, saved, and deployed our first table.

21. Now use the Back option in top menu or as alternative you can click on your Space name to navigate back to the list of tables.



22. You are back at the home screen of the Data Builder and you should see your table in the list of objects.

23. Use the option New Table.

24. Enter the following details:

- Business Name Store
- Technical Name Store
- Type Dimension

25. Navigate to the Attributes area.

26. You will notice, based on the Type Dimension, we now have two additional options for each Column: Semantic Type and Label Column.

The Label Column allows you to specify a column from the table to be used as Label. For example, you could have a Product ID and a Product Description in the table and use the Product Description column as Label for the Product ID.

The Semantic Type option provides you with several option to choose from, so that you can configure an additional context for the column, such as the option to configure the column as a Currency column or a language column.

27. Use the “+” sign to create new attributes.

28. Enter the following Attributes for the table:

Business Name	Technical Name	Data Type	Semantic Type	Label Column
Store ID	Store_ID	String (6)	None	Store_Name
Store Name	Store_Name	String (30)	Text	
Store City	Store_City	String (20)		
State ID	State_ID	String (2)		
State Name	State_Name	String(30)		
Country	Country	String(30)		
Latitude	Latitude	Decimal(15,8)		
Longitude	Longitude	Decimal(15,8)		

Label Column

Please note, that you can only select the Store Name for the Label Column after you entered the details for the Product Description into the Attributes.

29. After you entered all columns for the table, ensure you enable the Key Column option for the column Store ID.
30. Click Save in the General menu.
31. You will be asked to confirm the Business Name as well as the Technical Name.
32. Click Save.
33. Click Deploy in the General Menu.
34. Use the Back option in top menu or as alternative you can click on your Space name to navigate back to the home screen of the Data Builder.
35. Use the option New Table.
36. Enter the following details:
 - Business Name Product
 - Technical Name Product
 - Type Dimension
37. Navigate to the Attributes for the table.
38. Enter the following Attributes for the table:

Business Name	Technical Name	Data Type	Semantic Type	Label Column
Product ID	Product_ID	String (4)	None	Product Name
Product Name	Product_Name	String (30)	Text	
Product Category ID	Product_Category_ID	String (4)	None	Product Category Name
Product Category Name	Product_Category_Name	String (30)	Text	

39. After you entered all columns for the table, ensure you enable the Key Column option for the column Product ID.

40. Click Save in the General menu.
41. You will be asked to confirm the Business Name as well as the Technical Name.
42. Click Save.
43. Click Deploy in the General Menu.
44. Use the Back option in top menu or as alternative you can click on your Space name to navigate back to the home screen of the Data Builder.
45. Enter the following details:
 - Business Name Sales Manager
 - Technical Name Sales_Manager
 - Type Dimension
46. Navigate to the Attributes for the table.
47. Enter the following Attributes for the table:

Business Name	Technical Name	Data Type	Semantic Type	Label Column
Sales Manager ID	Sales_Manager_ID	String (4)	None	Sales Manager Name
Sales Manager Name	Sales_Manager_Name	String (30)	Text	

48. After you entered all columns for the table, ensure you enable the Key Column option for the column Sales Manager ID.
49. Click Save in the General menu.
50. You will be asked to confirm the Business Name as well as the Technical Name.
51. Click Save.
52. Click Deploy in the General Menu.
53. Use the Back option in top menu or as alternative you can click on your Space name to navigate back to the home screen of the Data Builder.

At this point we created all tables that we need for our model and the overview in the Data Builder should look like this:

Welcome to the Data Builder

Create views and tables to prepare data for your stories, and use entity-relationship models to visualize and make associations between artifacts.

All Files

Tables

Views

E/R Models

Data Flows

New Table

New Graphical View

New SQL View

New Entity - Relationship Model

New Data Flow

Files (4)

<input type="checkbox"/>	Business Name	Technical Name	Type
<input type="checkbox"/>	Sales Manager	Sales_Manager	Local Table (Relational Dataset)
<input type="checkbox"/>	Product	Product	Local Table (Dimension)
<input type="checkbox"/>	Store	Store	Local Table (Dimension)
<input type="checkbox"/>	Sales Transactions	Sales_Transactions	Local Table (Relational Dataset)

5.4 SAP Data Warehouse Cloud – Exercise 04: Data Layer - Creating the Entity Relationship Model

In the previous exercise we created the tables in SAP Data Warehouse Cloud. So, in this exercise we will create the Entity Relationship Model. But before we start the exercise, let's clarify what an Entity Relationship model is and why we are creating it.


An Entity Relationship Model provides a variety of benefits:

- Definition of entity-relationship models
- Design physical or remote database models
- Re-use existing entities (table, view) from Data Builder
- Add new entities on-the-fly
- In-editor real time data preview
- Model Import / Export


Basically, the Entity Relationship Model is not a view that you would consume in SAP Analytics Cloud, but instead it represents the relationship between the tables or views, and it helps you to define the relationship once, so that when you create a new view, that you do not have to define those relationships each time.

In the next steps we will create the new Entity Relationship Model.


1. Log On to your SAP Data Warehouse Cloud tenant.
2. Select the menu option Data Builder on the left-hand side.



3. Select the option New Entity - Relationship Model.
4. On the left-hand side you are presented with the local Tables and Views from your Repository and you also have the option to bring in Tables from any remote Sources that you have configured.
5. Ensure to select the option Repository, so that we see the local Tables.
6. Open the list of Tables.



7. Here you should see the tables that we created previously.
8. Now drag and drop the table Sales Transactions to the canvas.




9. When you select the Sales Transactions table on the canvas, you are presented with additional options, that allow you to add a new column, create a new View, create a new table, create a join, open the table in the editor, and to preview the data.
10. Now drag and drop the table Store to the canvas next to the table Sales Transactions.
11. Select the table Sales Transaction.
12. Click on the symbol to Create a new Association.

Sales_Transactions	
22 Transaction_ID	Integer64
Transaction_Date	Date
AA Store_ID	String(6)
AA Product_ID	String(4)
AA Sales_Manager_ID	String(4)
123 Profit	Decimal(15, 2)
123 Discount	Decimal(15, 2)
123 Revenue	Decimal(15, 2)
123 Cost	Decimal(15, 2)

Store	
AA Store_ID	String(6)
AA Store_Name	String(30)
AA City	String(20)
AA State_ID	String(2)
AA State_Name	String(30)
AA Country	String(30)
123 Latitude	Decimal(15, 8)
123 Longitude	Decimal(15, 8)

13. Click on the arrow symbol and drag the icon over to the table Store. You are creating a new Association between the table Sales Transactions and the table Store.



14. In the Properties panel on the right-hand side click on the Expand icon.

Association Properties

_Store

<Sales_Transactions / _Store

General


Business Name:

Sales_Transactions to Store


Technical Name:

_Store

15. Ensure that the join between the table Sales Transactions and Store is based on column Store ID (STORE_ID). The system suggests this based on matching columns, but you can also add / remove these joins manually.




16. Click on the Expand icon in the top right corner again to reduce the size of the panel.
17. Now drag the table Product onto the canvas.
18. Select the table Sales Transactions on the canvas.
19. Select the arrow and drag and drop the arrow to table Products to create a new Association between the table Sales Transactions and table Product.



20. Ensure that the join between the Sales Transactions table and table Product is based on the Product ID (Product ID) column.
21. Now drag the table Sales Manager onto the canvas.
22. Create a new Association between table Sales Transactions and table Sales Manager.
23. Ensure that the join between the Sales Transactions table and the Sales Manager table is based on the Sales Manager ID (Sales Manager ID) column.

24. On the left hand side in the Repository panel, open the list of Views.




25. Now drag the View Time Dimension – Day to the canvas.

26. Select the table Sales Transactions on the canvas.

27. Select the arrow and drag and drop the arrow to the view Time Dimension - Day to create a new Association between the table Sales Transactions and the view Time Dimension - Day.


28. In the panel on the right-hand side now, create a join between the Transaction Date column and the Date column.



29. You can use the option to arrange all tables in the toolbar.



30. Your Entity Relationship Model should look like the image shown below.



31. Save the changes to your Entity Relationship model by using the Save option in the General menu.

32. Enter the following details:

- Business Name: My First Entity Model
- Technical Name: My_First_Entity_Model

33. Click Save.

34. Deploy the model.

We created the Entity Relationship Model and will make use of it in the next steps when we create the Views.


5.5 SAP Data Warehouse Cloud – Exercise 05: Data Layer - Importing Tables

Please note, that this exercise is only required in case you did not create the tables and the Entity Relationship Model for our sample model manually, but instead prefer to import them.

The file for this exercise is “Sales Model - Entity Relationship Model.json” and the file is part of the ZIP file you downloaded.

We will now import the table definitions in form of JSON file by importing a Entity Relationship Model.


1. Log On to your SAP Data Warehouse Cloud tenant.
2. Select the menu option Data Builder on the left-hand side.
3. Select the option New Entity – Relationship Model.
4. In the New Entity Relationship Model, navigate to the toolbar.
5. Navigate to the Edit menu.



6. Open the Import option.
7. Select the option Import from CSN File.
8. Select the file “Sales Model - Entity Relationship Model.json”
9. Click Next.

Search		Business Name	Technical Name	Type (Semantic Usage)	Status
	<input type="checkbox"/>	Product	Product	Local Table (Dimension)	Already in the current model.
	<input type="checkbox"/>	Sales Manager	Sales_Manager	Local Table	Already in the current model.
	<input type="checkbox"/>	Sales Transactions	Sales_Transactions	Local Table	Already in the current model.
	<input type="checkbox"/>	Store	Store	Local Table (Dimension)	Already in the current model.

10. Select all tables.
11. Click Import CSN File.
12. You will receive a message about the import being completed and the tables will be shown on the canvas in form of the imported Entity Relationship Model.



13. Save the changes to your Entity Relationship model using the Save option in the General menu.



14. Enter the following details:

- Business Name: Sales Model - Entity Relationship Model
- Technical Name: Sales_ER_Model

15. Click Save.

16. Deploy the model using the Deploy option in the General menu.


As part of the deployment of the Entity Relationship Model, also the underlying tables are being imported and deployed. When you navigate to the Data Builder screen, you should now see a set of 4 tables / dimensions and 1 Entity Relationship Model.

5.6 SAP Data Warehouse Cloud – Exercise 06: Data Layer - Uploading Data


The files for this exercise are part of the ZIP file you downloaded in the beginning.

We will now upload the CSV files into the corresponding tables.


1. Log On to your SAP Data Warehouse Cloud tenant.
2. Select the menu option Data Builder on the left-hand side.
3. Use a double-click on the table Sales Transactions.



4. Select the menu option Upload Data from CSV File in the toolbar.



5. Click Choose File.
6. Navigate to where you unzipped the download.
7. Select the file "Sales Transactions.csv".



8. Ensure the option Use first row as column header is enabled.
9. Ensure the CSV Delimiter option is set to Auto-Detect.
10. Ensure the option Delete Existing Data Before Upload is enabled.

11. Ensure that all columns of the table have a mapped column from the CSV File.
12. Click Import.
13. You should receive a message about the successful import of the information.
14. There is no need to save / deploy the table after you imported the data.

You can now continue and repeat the steps for the other tables. Each table does have a corresponding CSV file as part of the download.

Please upload the data for the following tables:


- Product
- Store
- Sales Manager

5.7 SAP Data Warehouse Cloud – Exercise 07: Data Layer - Creating the Dimension


In the previous exercise we created the tables, and we created the Entity Relationship model. In the next steps we will now create our first dimension. Part of the steps of defining the dimension will also be to configure the geographic enrichment, so that we can leverage the Store Location later in SAP Analytics Cloud.

In the next steps we will create the new Dimension View based on our previously created tables


1. Log On to your SAP Data Warehouse Cloud tenant.
2. Select the menu option Data Builder on the left-hand side.




3. Click New Graphical View.



4. On the left-hand side you can decide between:
 - Repository: Here you have access to the local tables (imported data) and Views.
 - Sources: Here you have access to your connections and the remote tables.
5. Ensure you select the option Repository.
6. Open the list of Tables.




7. You are presented with the list of tables, which we created previously.
8. Drag and Drop the table Store to the canvas.



9. You automatically will – in addition to the table you dragged to the canvas – receive the output view as well, in our example called View 1.

10. Now click on the table Store on the canvas.




11. When you select the table on the canvas, you have the following options (top to bottom)

- (1) You can add Filter on top of the Table.
- (2) You can Rename or Hide columns as part of a Projection.
- (3) You can add Calculated Columns.
- (4) You can add an Aggregation View.
- (5) You can add additional tables / views based on suggested joins, which are based on your Entity Relationship model.
- (6) You can open the table in the editor.
- (7) You can preview the data.

12. Now click on the output view that was added, in our example View 1.

13. Ensure the option Details (top right corner) is enabled.

14. Navigate to the Properties window.



15. Here you can configure Properties for the final output of this view:

- You can configure the Business Name as well as the Technical Name.
- You can configure the Type of Dataset
- You can decide if the View can be consumed or not.
- You can choose which of the available Columns are shown or will be hidden.
- You can define additional Associations.
- You can provide details on the Business Purpose, which then will be available as part of the Business Catalog.

16. Enter

- Dimension Store as Business Name.

17. The Technical Name will be generated based on the Business Name, but you can also change it.

18. Set the Semantic Usage to Dimension option.


19. Enable the option Expose for Consumption.

20. Now select the node for table Store on the canvas.




21. Use the option to add a new calculated column. This option also includes the ability to configure the geographic enrichment.


22. Now click on the new entry “fx” on the canvas.



23. Navigate to the properties on the right hand side.



CalculatedElements Properties

fx Calculated Columns 1  8

Name: *

Calculated Columns 1

Columns (8)

Search Columns


Calculated Column

Geo-Coordinates Column


AA Store ID

AA Store Name

24. Click on the “+” sign and select the option Geo-Coordinates Column.



Element Properties

fx Location  0

[Columns](#) / Location

Business Name:

Location

Technical Name:

Location

Data Type:

hana.ST_GEOMETRY

Spatial Reference Identifier:

4326

Latitude:

Latitude

Longitude:


Longitude

25. You are presented with the properties for the new column.

26. Configure the following details:

- Business Name: Store Location
- Technical Name: Store_Location
- Latitude: Latitude
- Longitude: Longitude


27. After you configured the details, click on the the “<Columns” option in the properties window to go back.



28. Select the final output node for the Dimension View.

29. Navigate to the properties on the right hand side.

30. Navigate to the Attributes area.



31. Use the pencil icon (top right area) to open the details for the Attributes.

Dimension Store


Business Name	Technical Name	Data Type	Semantic Type	Label Column	
<input checked="" type="checkbox"/> Store ID	Store_ID	String(6)	None		<input checked="" type="checkbox"/>
<input type="checkbox"/> Store Name	Store_Name	String(30)	Text		<input checked="" type="checkbox"/>
<input type="checkbox"/> Store City	Store_City	String(20)	None		<input checked="" type="checkbox"/>
<input type="checkbox"/> State ID	State_ID	String(2)	None		<input checked="" type="checkbox"/>
<input type="checkbox"/> State Name	State_Name	String(30)	None		<input checked="" type="checkbox"/>
<input type="checkbox"/> Country	Country	String(30)	None		<input checked="" type="checkbox"/>
<input type="checkbox"/> Latitude	Latitude	Decimal(15, 8)	None		<input checked="" type="checkbox"/>
<input type="checkbox"/> Longitude	Longitude	Decimal(15, 8)	None		<input checked="" type="checkbox"/>
<input type="checkbox"/> Location	Location	hana.ST_GEOMETRY(4326)	None		<input checked="" type="checkbox"/>

32. Ensure the Semantic Type for the line item Store Name is set to Text.

33. Set the Label Column for the line item Store ID to be the Store Name.

34. Click Close.

35. In the toolbar in the General menu, use the option to Save your changes.



36. After saving your dimension View, ensure you deploy the view.

37. In the menu on the left hand side, click on the Home icon.

5.8 SAP Data Warehouse Cloud – Exercise 08: Data Layer - Creating the View

In the previous exercise we created the tables, and we created the dimension for Store, including the geographical enrichment. In the next steps we will now create our first view, combining the tables into an asset in SAP Data Warehouse Cloud, which then can be consumed in SAP Analytics Cloud.


A View in SAP Data Warehouse Cloud provides you with several benefits:

- Graphical or script-based editor
- Define views on top of remote, replicated data sources, or tables
- Define unions and joins, rename and remove columns, add calculations and filters
- Create Analytical Datasets, Dimensions or Relational Datasets
- Create Parent-Child or Level-based hierarchies in Dimension views
- Define measures & attributes in Analytical Datasets
- In the Graphical View Builder, you can compute and display the corresponding SQL Statement.


A View in SAP Data Warehouse Cloud allows you to leverage local tables, remote tables, or views and combine those into a new View. A View can also contain additional elements, such as filters and calculated columns and a view is consumable in SAP Analytics Cloud.

In the next steps we will create the new View based on our previously created tables


1. Log On to your SAP Data Warehouse Cloud tenant.
2. Select the menu option Data Builder on the left-hand side.




3. Click New Graphical View.




4. On the left-hand side you can decide between:
 - Repository: Here you have access to the local tables (imported data) and Views.
 - Sources: Here you have access to your connections and the remote tables.
5. Ensure you select the option Repository.
6. Open the list of Tables.



7. You are presented with the list of tables, which we created previously.
8. Drag and Drop the table Sales Transactions to the canvas.





9. You automatically will – in addition to the table you dragged to the canvas – receive the output view as well, in our example called View 1.
10. Now click on the Sales Order Headers table on the canvas.






11. When you select the table on the canvas, you have the following options (top to bottom)
 - (1) You can add Filter on top of the Table.
 - (2) You can Rename or Hide columns as part of a Projection.
 - (3) You can add Calculated Columns.
 - (4) You can add an Aggregation View.
 - (5) You can add additional tables / views based on suggested joins, which are based on your Entity Relationship model.
 - (6) You can open the table in the editor.
 - (7) You can preview the data.
12. Now click on the output view that was added, in our example View 1.
13. Ensure the option Details (top right corner) is enabled.

14. Navigate to the Properties window.

 Properties



View 1

 5

Business Name:

View 1


Technical Name:

View_1


Type:

Relational Dataset


Allow Consumption:


☐ OFF 






Deployment Status:


 Not Deployed


Search





 Columns (5)





 z2 Sales_Order_Number






 AA Customer_ID

 Order_Date


 Delivery_Date

 123 Discount

 Associations (0)



No data

 Business Purpose

15. Here you can configure Properties for the final output:

- You can configure the Business Name as well as the Technical Name.
- You can configure the Type of Dataset
- You can decide if the View can be consumed or not.
- You can choose which of the available Columns are shown or will be hidden.
- You can define additional Associations.
- You can provide details on the Business Purpose, which then will be available as part of the Business Catalog.

16. Enter Sales View – Analytical Dataset as Business Name.


17. The Technical Name will be generated based on the Business Name, but you can also change it.

18. Set the semantic Usage to the Analytical Dataset option.

19. Enable the option Expose for Consumption.

20. In the panel on the right hand side, scroll down to the Attributes section.

21. Now open the context menu for the Attribute Profit.



22. Select the option Change to Measure.

23. Repeat the steps for the Attributes Discount, Revenue, and Cost.

24. Now ensure you select the final output node called Sales View – Analytical Dataset.

25. Navigate to the Details on the right-hand side.

26. Scroll down to the Associations.

Attributes (5)

Transaction_ID

Transaction_Date

AA Store_ID

AA Product_ID

AA Sales_Manager_ID

Input Parameters (0)

Persistency

Associations (0)

No data

27. Click the “+” sign to add a new Association.

28. Select the option Association.

Select Association Target

View with Input parameters cannot be selected as target which is currently not supported.

Search

Target Type All

Business Name	Technical Name	Type (Semantic Usage)	Created By
Dimension Store	Dimension_Store	View (Dimension)	Ingo Hilgefort
Product	Product	Local Table (Dimension)	Ingo Hilgefort
Sales Manager	Sales_Manager	Local Table (Dimension)	Ingo Hilgefort
Sales Transactions	Sales_Transactions	Local Table	Ingo Hilgefort
Store	Store	Local Table (Dimension)	Ingo Hilgefort

OK Cancel

29. You are being presented with the list of Tables and Views from your Space.

30. Select the entry for dimension Product.

31. Click OK.

32. Click on the icon (top right corner) to expand the Details panel.

Details

View Properties

_Product

<My_First_Analytical_Dataset / _Product

General

Business Name:

My_First_Analytical_Dataset to Product

Technical Name:

_Product

From:


My_First_Analytical_Dataset

To:


Product

43

33. Ensure the Association is based on the column Product ID in both tables. In case the Association is not suggested or is defined on another column, you can delete the join and use a simple drag and drop motion to define a new one.



34. Click on the icon (top right corner) to collapse the Details panel.
35. In the Details panel now, click on the “More” option to navigate back to the main Properties window and select the analytical Dataset option.



36. In the Properties, navigate to the area Associations.
37. Click the “+” sign to add a second Association.
38. Select the option Association.
39. You are being presented with the list of Tables and Views from your Space.
40. Select the entry for dimension Store. Ensure to use the “Dimension Store” View that we created with the geographic enrichment, and not the local Table Store.
41. Click OK.
42. Click on the icon (top right corner) to expand the Details panel.


43. Ensure the Association is based on the column Store ID in both tables. In case the Association is not suggested or is defined on another column, you can delete the join and use a simple drag and drop motion to define a new one.
44. Click on the icon (top right corner) to collapse the Details panel.
45. In the Details panel now, click on the “More” option to navigate back to the main Properties window and select the analytical Dataset option.
46. Click the “+” sign to add a third Association.
47. Select the option Association.
48. You are being presented with the list of Tables and Views from your Space.
49. Select the entry for dimension Sales Manager.
50. Click OK.
51. Click on the icon (top right corner) to expand the Details panel.
52. Ensure the Association is based on the column Sales Manager ID in both tables. In case the Association is not suggested or is defined on another column, you can delete the join and use a simple drag and drop motion to define a new one.
53. Click on the icon (top right corner) to collapse the Details panel.
54. In the Details panel now, click on the “More” option to navigate back to the main Properties window and select the analytical Dataset option.
55. In the Properties, navigate to the area Associations.
56. Click the “+” sign to add a second Association.
57. Select the option Association.
58. You are being presented with the list of Tables and Views from your Space.
59. Select the entry for the Time Dimension – Day (View) – not the local table.
60. Click OK.
61. Click on the icon (top right corner) to expand the Details panel.
62. Ensure the Association is based on the columns Transaction Date and Date.
63. Click on the icon (top right corner) to collapse the Details panel.
64. In the Details panel now, click on the “More” option to navigate back to the main Properties window and select the analytical Dataset option.
65. Save your View.
66. You will be asked to confirm the Business Name and Technical Name.
67. Click Save.
68. Deploy your View.

You just created and deployed your first Analytical Dataset, which can now be consumed with SAP Analytics Cloud.

5.9 SAP Data Warehouse Cloud – Exercise 09: Business Layer - Dimensions

In the next set of steps, we will first setup the business entities and then create the consumption model, which then will be used by SAP Analytics Cloud for our story.

1. Log On to your SAP Data Warehouse Cloud tenant.
2. Select the menu option Business Builder on the left-hand side.
3. In case you are being asked, select the Space you created previously.



4. Select the option Business Entities.
5. Select the option New Dimensions.

Create New Dimension

Data Entity:*

Search for data entity

Data Entity	Status	Already used by
Dimension Store Dimension	Deployed	
Product Dimension	Deployed	
Sales Manager Dimension	Deployed	
Sales Transactions	Deployed	
Sales View – Analytical Dataset Analytical Dataset	Deployed	
Store Dimension	Deployed	

Business Name:*

Enter a business name

Technical Name:*

Enter a unique technical name

Create Cancel

6. Select the entry for the Store dimension. Ensure to use the Dimension Store View and not the local table Store.
7. Business Name and Technical Name will be suggested.
8. Click Create.

9. You are then being asked, if you would like to leverage the existing Attributes and Key Definitions.

Select Properties to be Copied

Do you want to copy the properties of the data entity?

☒ Yes, I want to copy the following properties of the data entity

☒ Attributes (8)

☒ Key Definitions

☐ No, I want to create an empty business entity and specify properties myself

[Create](#) [Cancel](#)

10. Ensure the option “Yes” is enabled.
11. Ensure the option Attributes is enabled.
12. Ensure the option Key Definitions is enabled.
13. Click Create.

Dimension Store / ★ Version 1: Initial

General Measures (0) Attributes (8) Input Parameters (0) Key Definitions (1) Associations (0) Authorization Scenarios (0)

Name

Business Name: *
Store

Technical Name: *
EC_Store

Data Source

Data Entity: *
Store

Public Data Access

☒ Allow public data access

Version

Name: *
Initial

Description:
Initial Version

Version Technical Name: *
EC_Store_V1

Status:

In Process In Validation Ready to Use Depreciated Discontinued

The version is currently being built or changed. You might encounter inconsistencies and incomplete definitions.

Miscellaneous

[Convert this Dimension to an Analytical Dataset...](#)

14. Ensure the Business Name is set to Dimension Store.
15. Ensure the option Allow public data access is enabled.
16. Navigate to the tab Attributes.
17. You should see the following Attributes, which have been leveraged from our previous definition of the dimension Store.

Dimension Store / ★ Version 1: Initial

General Measures (0) **Attributes (9)** Input Parameters (0) Key Definitions (1) Associations (0) Authorization Scenarios (0)

Business Name	Technical Name
Country	Country
Latitude	Latitude
Longitude	Longitude
State ID	State_ID
State Name	State_Name
Store City	Store_City
Store ID	Store_ID
Store Location	Store_Location
Store Name	Store_Name

18. Navigate to the tab Key Definitions.

19. You should see the Store ID being listed as Key Definition.

Name	Key Members
Store ID	Store ID

20. Navigate back to the tab General.

21. Set the Status to Ready to Use.

Version

Name: *
Initial

Description:
Initial Version

Status:

In Process In Validation **Ready to Use** Deprecated Discontinued

✓ The version is completed and validated.

22. Click Save (top right).

23. Select the menu option Business Builder on the left-hand side.

24. In case you are being asked, select the Space you created previously.

25. Select the option Business Entities.

26. Click New Dimension.

27. Select the entry Product.

28. For the Business Name enter Product.

29. For the Technical Name use the suggested name BE_Product.

30. Click Create.

31. You are then being asked, if you would like to leverage the existing Attributes and Key Definitions.

32. Ensure the option "Yes" is enabled.

33. Ensure the option Attributes is enabled.

34. Ensure the option Key Definitions is enabled.

35. Click Create.

Product / Version 1: Initial

General Measures (0) Attributes (4) Input Parameters (0) Key Definitions (1) Associations (0) Authorization Scenarios (0)

Name

Business Name: *
Product

Technical Name: *
BE_Product

Data Source

Data Entity: *
Product

Public Data Access

☒ Allow public data access

Version

Name: *
Initial

Description:
Initial Version

Version Technical Name: *
BE_Product_V1

Status:

In Process In Validation **Ready to Use** Deprecated Discontinued

⚠ The version is currently being built or changed. You might encounter inconsistencies and incomplete definitions.

Miscellaneous

[Convert this Dimension to an Analytical Dataset...](#)

36. Ensure the Business Name is set to Product.

37. Ensure the option Allow public data access is enabled.

38. Navigate to the tab Attributes.

39. You should see the following Attributes, which have been leveraged from our previous definition of the dimension Store.

Dimension

Product / ★ Version 1: Initial ▼

General Measures (0) **Attributes (4)** Input Parameters (0)

Business Name
✚ Product Category ID
✚ Product Category Name
✚ Product ID
✚ Product Name

40. Navigate to the tab Key Definitions.

41. You should see the Product ID being listed as Key Definition.

Dimension

Product / ★ Version 1: Initial ▼

General Measures (0) Attributes (4) Input Parameters (0) **Key Definitions (1)** Associations (0) Authorization Scenarios (0)

Name
Product ID

42. Navigate back to the tab General.

43. Set the Status to Ready to Use.

Version

Name: *
Initial

Description:
Initial Version

Status:

☒ In Process
 ☐ In Validation
 ☒ **Ready to Use**
☐ Deprecated
 ☐ Discontinued

✓ The version is completed and validated.

44. Click Save (top right).

45. Select the menu option Business Builder on the left-hand side.

46. In case you are being asked, select the Space you created previously.

47. Select the option Business Entities.

48. Click New Dimension.

49. Select the entry Sales Manager.

50. For the Business Name enter Sales Manager.

- 51. For the Technical Name use the suggested name BE_Sales_Manager.
- 52. Click Create.
- 53. You are then being asked, if you would like to leverage the existing Attributes and Key Definitions.
- 54. Ensure the option “Yes” is enabled.
- 55. Ensure the option Attributes is enabled.
- 56. Ensure the option Key Definitions is enabled.
- 57. Click Create.

Dimension

Sales Manager / ★ Version 1: Initial

Data Preview

GeneralMeasures (0)Attributes (2)Input Parameters (0)Key Definitions (1)Associations (0)Authorization Scenarios (0)

Name

Business Name: Sales Manager

Technical Name: BE_Sales_Manager

Data Source

Data Entity: Sales_Manager

Public Data Access

☒ Allow public data access

Version

Name: Initial

Description: Initial Version

Version Technical Name: BE_Sales_Manager_V1

Status

In-Process

In Validation

Ready to Use

Deprecated

Discontinued

The version is currently being built or changed. You might encounter inconsistencies and incomplete definitions.

Miscellaneous

Convert this Dimension to an Analytical Dataset...

- 58. Ensure the Business Name is set to Sales Manager.
- 59. Ensure the option Allow public data access is enabled.
- 60. Navigate to the tab Attributes.

Dimension


Sales Manager / ★ Version 1: Initial

GeneralMeasures (0)Attributes (2)Input Parameters (0)Key Definitions (1)Associations (0)Authorization Scenarios (0)

Business Name	Technical Name
✎ Sales Manager ID	Sales_Manager_ID
✎ Sales Manager Name	Sales_Manager_Name

- 61. You should see the above shown Attributes.
- 62. Navigate to the tab Key Definitions.

63. You should see the Sales Manager ID being listed as Key Definition.



Dimension


Sales Manager / ★ Version 1: Initial ▼

General Measures (0) Attributes (0) Input Parameters (0) **Key Definitions (1)**

Name
Sales Manager ID

64. Navigate back to the tab General.

65. Set the Status to Ready to Use.



Version

Name: *
Initial

Description:
Initial Version

Status:

In Process » In Validation » **Ready to Use** » Deprecated » Discontinued

✓ The version is completed and validated.

66. Click Save (top right).

67. Select the menu option Business Builder on the left-hand side.

68. In case you are being asked, select the Space you created previously.

69. Select the option Business Entities.

70. Click New Dimension.

71. Select the entry Time Dimension - Day.

72. For the Business Name enter Time Dimension – Day (Business Layer).

73. For the Technical Name use the suggested name BE_SAP_TIME_VIEW_DIMENSION_DAY.

74. Click Create.

75. You are then being asked, if you would like to leverage the existing Attributes and Key Definitions.

76. Ensure the option “Yes” is enabled.

77. Ensure the option Attributes is enabled.

78. Ensure the option Key Definitions is enabled.

79. Click Create.

80. Ensure the Business Name is set to Time Dimension – Day (Business Layer).

81. Ensure the option Allow public data access is enabled.

82. Navigate to the tab Attributes.

Dimension

Time Dimension – Day (Business Layer) / ★ Version 1: Initial ▼

General Measures (0) Attributes (9) Input Parameters (0) Key Definitions (1) Associations (0) Authorization Scenarios (0)

Business Name	Technical Name
🔗 Calendar Month	CALMONTH
🔗 Calendar Quarter	CALQUARTER
🔗 Calendar Week	CALWEEK
🔗 Date	DATE_SQL
🔗 Date (String)	DATE_SAP
🔗 Day of Week	DAY_OF_WEEK
🔗 Month	MONTH
🔗 Quarter	QUARTER
🔗 Year	YEAR

83. You should see the above shown Attributes.

84. Navigate to the tab Key Definitions.

85. You should see the Date being listed as Key Definition.

86. Navigate back to the tab General.


87. Set the Status to Ready to Use.

88. Click Save

5.10 SAP Data Warehouse Cloud – Exercise 10: Business Layer - Analytical Data Set

At this point we created the dimensions and will now create the analytical data set as part of our Business Layer and then associate the dimension with the data set.

1. Select the menu option Business Builder on the left-hand side.
2. In case you are being asked, select the Space you created previously.



3. Select the option Business Entities.
4. Select the option New Analytical Dataset

Create New Analytical Dataset

Data Entity: *

Search for data entity 🔍

Data Entity	Status	Already used by
Dimension Store Dimension	Deployed	Dimension Store
Product Dimension	Deployed	Product
Sales Manager Dimension	Deployed	Sales Manager
Sales Transactions	Deployed	
Sales View – Analytical Dataset Analytical Dataset	Deployed	
Store Dimension	Deployed	

5. Select the entry Sales View - Analytical Dataset that we created previously.
6. For the Business Name enter - Sales View - Analytical Dataset (Business Layer)
7. The Technical Name will be suggested.
8. Click Create.

9. When being asked, select the option “Yes, I want to copy the following properties of the data entity”.

Select Properties to be Copied

Do you want to copy the properties of the data entity?

☒ Yes, I want to copy the following properties of the data entity

☒ Measures (4)

☒ Attributes (5)

☒ Key Definitions

☐ No, I want to create an empty business entity and specify properties myself

CreateCancel

10. Ensure the options for Measures, Attributes, and Key Definitions are enabled.

11. Click Create.

Analytical Dataset

My First BL Analytical Dataset / ★ Version 1: Initial

Data Preview

GeneralMeasures (4)Attributes (5)Input Parameters (0)Key Definitions (1)Associations (0)Authorization Scenarios (0)

Name

Business Name *

My First BL Analytical Dataset

Technical Name *

BE_My_First_BL_Analytical_Dataset

Data Source

Data Entity *

BE_My_First_BL_Analytical_Dataset

Public Data Access

☒ Allow public data access

Version

Name *

Initial

Description

Initial Version

Version Technical Name *

BE_My_First_BL_Analytical_Dataset_V1

Status

In Progress

In Revision

Ready to Use

Deprecated

Discontinued

The version is currently being built or changed. You might encounter inconsistencies and incomplete definitions.

Miscellaneous

Convert this Analytical Dataset to a Dimension...

12. Ensure the Business Name is set to Sales View - Analytical Dataset (Business Layer).

13. Ensure the option Allow public data access is enabled.


14. Navigate to the tab Measures.

15. You should see all previously configured measures based on the definition from our Analytical Dataset.

Analytical Dataset

Sales View - Analytical Dataset (Business Layer) / ★ Version 1: Initial

GeneralMeasures (4)Attributes (5)Input Parameters (0)Key Definitions (1)Associations (4)Authorization Scenarios (0)

Business Name	Technical Name
 Cost	Cost
 Discount	Discount
 Profit	Profit
 Revenue	Revenue

16. Navigate to the tab Attributes.

17. You should see the complete list of Attributes we defined previously in the Analytical Dataset.

Analytical Dataset	
Sales View - Analytical Dataset (Business Layer) / ★ Version 1: Initial ▼	
General Measures (4) Attributes (5) Input Parameters (0) Key Definitions (1) Associations (4) Authorization Scenarios (0)	
Business Name	Technical Name
✂ Product ID	Product_ID
✂ Sales Manager ID	Sales_Manager_ID
✂ Store ID	Store_ID
✂ Transaction Date	Transaction_Date
✂ Transaction ID	Transaction_ID

18. Navigate to the tab Key Definitions.

19. Click on the entry that is listed as Key Definition.

Analytical Dataset		Data Preview
Sales View - Analytical Dataset (Business Layer) / ★ Version 1: Initial ▼		
General Measures (4) Attributes (5) Key Definitions (1) Associations (4) Authorization Scenarios (0)		
< Transaction ID		Save Cancel
Key Name Business Name: * Transaction ID		Key Fields Verify +
Verify current key configuration if you want to check uniqueness of keys again		
Field Selection	Description	
Key Field: *	Key Field Name: *	
Transaction ID	Transaction ID	






20. You should see the Transaction ID being listed as Key.

21. Navigate to the tab Associations.

22. Click the “+” sign in the top right to add a new Association.

My First BL Analytical Dataset / ★ Version 1: Initial ▼	
General Measures (4) Attributes (5) Input Parameters (0) Key Definitions (1) Associations (0) Authorization Scenarios (0)	
< ↗	
Target Source	
Target Business Entity: * Select Business Entity	
<input checked="" type="checkbox"/> Referential integrity ensured	
Association Context <input type="radio"/> OFF	

23. Open the list of Target Business Entities.



ANA161_XX (4)	
	Business Name 
	Dimension Store
	Product
	Sales Manager
	Sales View - Analytical Dataset (Business Layer)


24. Select the entry Dimension Store.

25. Click Apply.

Target Key Mapping

Target key:

Store ID 	
Target Key Member	Foreign Key Field *
Store ID	Select Key Field 

 All target key fields have to be mapped to a valid field of the current business entity.

26. In the area Target Key Mapping, open the list of fields for the Foreign Key Field.

27. Select the column Store ID from your Analytical Dataset.

28. Click Save (top right).

29. Click the “+” sign to add another Association.

30. Open the list of Target Business Entities.

31. Select the entry Product.

32. Click Apply.

33. In the area Target Key Mapping, open the list of fields for the Foreign Key Field.

34. Select the column Product ID from your Analytical Dataset.

35. Click Save (top right).

36. Click the “+” sign to add another Association.

37. Open the list of Target Business Entities.

38. Select the entry Sales Manager.

39. Click Apply.

40. In the area Target Key Mapping, open the list of fields for the Foreign Key Field.

41. Select the column Sales Manager ID from your Analytical Dataset.

42. Click Save (top right).

43. Click the “+” sign to add another Association.

44. Open the list of Target Business Entities.
45. Select the entry Time Dimension – Day (Business Layer).
46. Click Apply.
47. In the area Target Key Mapping, open the list of fields for the Foreign Key Field.
48. Select the column Transaction Date from your Analytical Dataset.
49. Click Save (top right).
50. Navigate back to the tab General.
51. Set the Status to Ready to Use.
52. Click Save.
53. Select the Home menu.

5.11 SAP Data Warehouse Cloud – Exercises 11: Business Layer - Consumption Layer

In the previous steps we created the dimensions and the analytical data set in the Business Layer. In this step we will create the consumption layer for our analytical story.

1. Select the menu option Business Builder on the left-hand side.
2. In case you are being asked, select the Space you created previously.
3. Select the category Consumption Models and Perspectives.
4. Select the option New Consumption Model.
5. Enter Revenue by Store and Product as Name.

Create New Consumption Model

1 Name

2 Initial Fact Source

1. Name

Revenue by Store and Product

Step 2

6. Click Step 2.

Create New Consumption Model

1 Name

2 Initial Fact Source

2. Initial Fact Source

ANALYTICAL DATASETS


Dimensions

Fact Models


ANA161_XX (5)

Business Name	Created By	Created On	Changed By	Changed On
Dimension Store	Ingo Hilgefort	Oct 21, 2021 16:29	Ingo Hilgefort	Oct 24, 2021 15:15
Product	Ingo Hilgefort	Oct 21, 2021 16:32	Ingo Hilgefort	Oct 21, 2021 16:33
Sales Manager	Ingo Hilgefort	Oct 21, 2021 16:33	Ingo Hilgefort	Oct 21, 2021 16:34
Sales View - Analytical Dataset (Business Layer)	Ingo Hilgefort	Oct 21, 2021 16:36	Ingo Hilgefort	Oct 24, 2021 15:19
Time Dimension – Day (Business Layer)	Ingo Hilgefort	Oct 24, 2021 13:39	Ingo Hilgefort	Oct 24, 2021 13:40

7. Select the entry Sales View – Analytical Dataset (Business Layer).
8. Click Create.




9. Select the object for Dimension Store on the canvas.



10. Use the “+” icon for the option Add Source Context.

11. For the Source Alias option, enter Dimension Store.

12. Click Create.



13. On the right-hand side you should now see the dimension Store being listed under the category Dimension Sources.

14. Now select the object for dimension Product on the canvas.

15. Use the “+” icon for the option Add Source Context.

16. For the Source Alias option, enter Product.

17. Click Create.

18. On the right-hand side you should now see dimension Product being listed under the category Dimension Sources.

19. Now select the object for dimension Sales Manager on the canvas.

20. Use the “+” icon for the option Add Source Context.

21. For the Source Alias option, enter Sales Manager.

22. Click Create.

23. On the right-hand side you should now see the dimension Sales Manager being listed under the category Dimension Sources.

24. Now select the object for dimension Time Dimension – Day (Business Layer) on the canvas.

25. Use the “+” icon for the option Add Source Context.

26. For the Source Alias option, enter Time Dimension – Day (Business Layer)

27. Click Create.

28. On the right-hand side you should now see dimension Time Dimension – Day (Business Layer) being listed under the category Dimension Sources.


29. Navigate to the tab General.

30. Enable the option Allow public data access.


31. Click Save (top right).

32. Navigate to the tab Measures.

33. Select the option Add Fact Source Measures.




34. Select all measures.



35. Click Apply.

36. Navigate to the tab Attributes.

37. Select the option Add Source Attributes.



38. Select the following Attributes:

- Calendar Month

- Calendar Quarter
- Calendar Week
- Country
- Latitude
- Longitude
- Product Category Name
- Product Name
- Sales Manager Name
- State Name
- Store City
- Store Location
- Store Name
- Transaction Date

Add Source Attributes

Search	
Selected items: 13	
<input type="checkbox"/> Name	Source Object
<input checked="" type="checkbox"/> Calendar Month	Time Dimension – Day (Business Layer)
<input checked="" type="checkbox"/> Calendar Quarter	Time Dimension – Day (Business Layer)
<input checked="" type="checkbox"/> Calendar Week	Time Dimension – Day (Business Layer)
<input checked="" type="checkbox"/> Country	Dimension Store
<input type="checkbox"/> Date	Time Dimension – Day (Business Layer)
<input type="checkbox"/> Date (String)	Time Dimension – Day (Business Layer)
<input type="checkbox"/> Day of Week	Time Dimension – Day (Business Layer)
<input checked="" type="checkbox"/> Latitude	Dimension Store
<input checked="" type="checkbox"/> Longitude	Dimension Store
<input type="checkbox"/> Month	Time Dimension – Day (Business Layer)
<input type="checkbox"/> Product Category ID	Product
<input checked="" type="checkbox"/> Product Category Name	Product
<input type="checkbox"/> Product ID	Product
<input type="checkbox"/> Product ID	Sales View - Analytical Dataset (Business Layer)
<input checked="" type="checkbox"/> Product Name	Product
<input type="checkbox"/> Quarter	Time Dimension – Day (Business Layer)
<input type="checkbox"/> Sales Manager ID	Sales Manager
<input type="checkbox"/> Sales Manager ID	Sales View - Analytical Dataset (Business Layer)
<input checked="" type="checkbox"/> Sales Manager Name	Sales Manager
<input type="checkbox"/> State ID	Dimension Store
<input checked="" type="checkbox"/> State Name	Dimension Store
<input checked="" type="checkbox"/> Store City	Dimension Store
<input type="checkbox"/> Store ID	Dimension Store
<input type="checkbox"/> Store ID	Sales View - Analytical Dataset (Business Layer)
<input checked="" type="checkbox"/> Store Location	Dimension Store
<input type="checkbox"/> Store Name	Dimension Store
<input checked="" type="checkbox"/> Transaction Date	Sales View - Analytical Dataset (Business Layer)
<input type="checkbox"/> Transaction ID	Sales View - Analytical Dataset (Business Layer)

Apply Cancel

39. Click Apply.
40. Navigate to the tab Perspectives.
41. Click on the Data Preview option (top right corner).

Consumption Model
Revenue by Store and Product

Search fields

Perspective Fields (4)

- City
- Country
- Cost
- Discount

Measures (2)

- Profit
- Revenue

Dimensions


- Product (2)
 - Product_Category_Name
 - Product_Name
- Sales Manager (1)
 - Sales_Manager_Name
- Store (2)
 - State_Name
 - Store_Name

Composite Attributes (1)

Results

City	Country	Cost	Discount
New York	United States	32,955.61	67,536.93
Los Angeles	United States	28,444.87	59,804.34
Chicago	United States	32,707.00	67,081.06
Miami	United States	32,037.09	64,890.02
Dallas	United States	31,599.21	64,340.04
Philadelphia	United States	32,567.85	64,501.88
Houston	United States	32,678.63	66,408.39
Atlanta	United States	30,678.55	63,371.74
Washington	United States	31,816.12	65,091.07
Boston	United States	31,343.16	63,681.03
Phoenix	United States	17,330.72	36,057.42
Seattle	United States	31,383.53	66,299.08
San Francisco	United States	33,784.91	69,593.32
Denver	United States	31,498.41	66,588.96
San Diego	United States	30,982.54	65,967.21
Minneapolis	United States	30,290.82	63,203.25
Tampa	United States	31,873.00	66,799.85
Denver	United States	31,055.60	66,425.93

42. Open the context menu for the Perspective Fields header.



43. Select the option Remove All Fields.

44. Drag and Drop the following Dimensions to the list of Perspective Fields:


- Product Name
- Product Category Name
- Store City
- Country
- Sales Manager Name
- Store Name
- State Name

45. Open the list of entries for Composite Attributes on the left hand side.


46. Drag and drop dimension Transaction Date to the Perspective Fields.

47. Navigate to the list of Measures on the left hand side.


48. Select measure Cost and open the More menu (...).



49. Select the option Add to Perspective.
50. Repeat the step for the measures Discount, Profit, and Revenue.
51. Click Save New (top right corner).




52. Enter Revenue by Store and Product (Perspective) as Business Name.
53. Enter Revenue_by_Store_and_Product_Perspective as Technical Name




54. Click Save.

We created the first perspective and just need to deploy the perspective now and can then leverage the perspective in combination with SAP Analytics Cloud.


55. Click on the name of the Consumption Model in the top.



56. Click on Data Preview (top right) to close the Data Preview.



57. Navigate to the tab Perspectives.




58. Use the icon on the far right for to deploy the Perspective.

We created our first consumption layer and perspective, which can now be used in SAP Analytics Cloud.


5.12 SAP Analytics Cloud – Exercises 12: Year over Year comparison

In this exercise we will setup a story in SAP Analytics Cloud, which allows us to do a Year over Year comparison of our revenue information.


1. Log On to your SAP Analytics Cloud tenant.
2. Select the menu Stories in the left-hand panel.




3. Select the option Canvas to create a new Story.
4. You will be asked to select a Workspace.
5. Select the entry ANA161.



6. In the toolbar click on “Data” (top left) to add data from SAP Data Warehouse Cloud to your Story.




7. Select the option Data From Data Source.




8. Open the list Connect to Live Data.

9. Select the entry SAP Data Warehouse Cloud.




10. You will be asked to select a Live Connection to SAP Data Warehouse Cloud.



11. Please select the connection matching the SAP Data Warehouse Cloud system your selection. You can choose from the following:


- DWCEU for the SAP Data Warehouse System in Europe
- DWCUS for the SAP Data Warehouse System in US
- DWCAPJ for the SAP Data Warehouse System in APJ

- When being asked to select a SPACE, select the Space you created previously – ANA161-XX.




A dialog box titled "Select Your Space". It contains a dropdown menu labeled "Name" with the text "Select Space" and a downward arrow. At the bottom right, there are two buttons: "OK" and "Cancel".

- Click OK.



A dialog box titled "Select Your Data". It contains a dropdown menu labeled "Name" with the text "Select Analytical Data Set" and a downward arrow. Below the dropdown, there is an information icon and a message: "If you don't see your dataset, check that it is deployed, and set to allow consumption in your SAP Data Warehouse Cloud System." At the bottom right, there are two buttons: "OK" and "Cancel".

- Afterwards you will be asked to select the Analytical Data Set or the Perspective from your Space.
- For our first example, we will use the Analytical Data Set – Sales View – Analytical Dataset.
- Click OK.
- Select the option to add a Chart.
- Now select the newly created empty chart on the canvas.
- Navigate to the Builder Panel on the right hand side.




A screenshot of the "Builder" panel. The top bar shows "Builder" and a save icon. Below it, the "Data Source" is set to "Sales_View__Analytical_Dataset". The "Chart Structure" section is expanded, showing options for "Comparison", "Trend", "Distribution", "Correlation", "Indicator", and "More". The "Chart Orientation" is set to "Horizontal". The "Measures" section has a "+ Add Measure" button. The "Dimensions" section has a "+ Add Dimension" button. The "Color" section has a "+ Add Dimension/Measure" button and a color palette. The "Filters" section has a "+ Add Filters" button. The "Properties" section is expanded, showing "View Mode" and a checkbox for "Enable Explorer".

- Click Add Dimension as part of the Dimensions section.
- Select Transaction Date.
- Click Add Measure as part of the Measures section.


23. Select measure Revenue.

Revenue per Transaction Date




24. Now click on the hierarchy icon for dimension Transaction Date in the Builder Panel.

Dimensions




25. Select the option Set Hierarchy.



26. Select the entry Year, Quarter, Month, Day.


27. Click Set.

28. Now click on the hierarchy icon for dimension Transaction Date in the Builder Panel a second time.



29. Select the option Level 4 – which represents the Month level.

30. Your chart should look similar to the image shown below.



31. So instead of looking at two years of data, we want to look at the current year – 2021 – and see the variance compared to the last year data.

32. Click on the Filter icon for dimension Transaction Date.

Dimensions

Transaction Date

+ Add Dimension

33. Select the option Filter by Member.

34. Open the list of members and select the year 2021.

Set Filters for Transaction

Available Members

Show unbooked members ☐

Exclude selected members ☐


▼ ☒ (all)

> ☐ 2020

> ☒ 2021


35. Click OK.

36. Now click on the hierarchy icon for dimension Transaction Date in the Builder Panel.



37. Select the option Level 3 – which represents the Month level now as we selected a Year as entry point.


38. Open the More menu for the chart (top right corner).




39. Select the menu Compare to

40. Select the option Previous Year.

41. Your chart should look like this.



42. In the File menu select the option to save your story.



43. Select the User folder that matches your assigned user number.


44. Enter a Name and Description.

45. Click OK.


5.13 SAP Analytics Cloud – Exercises 13: Geographic Revenue Distribution

In this exercise we will setup a story in SAP Analytics Cloud, which allows us to view the measures along a geographic map.


1. Log On to your SAP Analytics Cloud tenant.
2. Select the menu Stories in the left-hand panel.




3. Select the option Canvas to create a new Story.
4. You will be asked to select a Workspace.
5. Select the entry ANA161.



6. In the toolbar click on “Data” (top left) to add data from SAP Data Warehouse Cloud to your Story.




7. Select the option Data From Data Source.




8. Open the list Connect to Live Data.

9. Select the entry SAP Data Warehouse Cloud.




10. You will be asked to select a Live Connection to SAP Data Warehouse Cloud.



11. Please select the connection matching the SAP Data Warehouse Cloud system your selection. You can choose from the following:

- DWCEU for the SAP Data Warehouse System in Europe
- DWCUS for the SAP Data Warehouse System in US
- DWCAPJ for the SAP Data Warehouse System in APJ

12. When being asked to select a SPACE, select the Space your created previously – ANA161-XX.

A dialog box titled "Select Your Space". It has a "Name" label above a dropdown menu. The dropdown menu currently shows "Select Space" with a downward arrow. At the bottom right, there are two buttons: "OK" and "Cancel".


Select Your Space

Name

Select Space

OK Cancel

13. Click OK.

A dialog box titled "Select Your Data". It has a "Name" label above a dropdown menu. The dropdown menu currently shows "Select Analytical Data Set" with a downward arrow. Below the dropdown, there is an information icon (i) and a message: "If you don't see your dataset, check that it is deployed, and set to allow consumption in your SAP Data Warehouse Cloud System." At the bottom right, there are two buttons: "OK" and "Cancel".

Select Your Data


Name

Select Analytical Data Set

If you don't see your dataset, check that it is deployed, and set to allow consumption in your SAP Data Warehouse Cloud System.

OK Cancel

14. Afterwards you will be asked to select the Analytical Data Set or the Perspective from your Space.
15. For our second example, we will use the Analytical Data Set – Sales View – Analytical Dataset.
16. Click OK.
17. Select the option to add a Geo Map.
18. Resize the map, so that it uses the complete screen.
19. In the panel on the right hand side, select the option “Add Layer” for the Content Layer option.

The Builder interface. At the top, there is a blue bar with a wrench icon and the word "Builder". Below this, there is a section titled "Map Layers" with a downward arrow. Under "Map Layers", there is a sub-section "Content Layers" with a "+ Add Layer" button. Below that is a "Base Layer" section with a dropdown menu showing "Basemap" and a downward arrow. At the bottom, there is a "Filters" section. To the right of the "Map Layers" section, there is a "Properties" section with a rightward arrow.

Builder

Map Layers

Content Layers

+ Add Layer

Base Layer

Basemap

Filters

Properties

20. As we only have one dataset right now, the data set from SAP Data Warehouse Cloud will be assigned to the new map layer.


21. Click on Add Location Dimension for the Location Dimension area.

The screenshot shows the configuration interface for a bubble chart. At the top, the 'Data Source' is set to 'Sales_View__Analytical_Dataset'. Below this, the 'Layer Type' is set to 'Bubble Layer'. The 'Location Dimension' section has a search bar with 'Search' text and a dropdown arrow. A list of dimensions is shown below the search bar, with 'Store Location' selected. The 'Bubble Size' section has a '+ Add Measure' button. The 'Filters' section has a '+ Add Filters' button.

22. Select the option Store Location. This is the store location dimension we created previously based on the longitude and latitude values for the store dimension.
23. Click on Add Measure for the Bubble Size.
24. Select measure Revenue.
25. Click Add Measure / Dimension for the Bubble Color
26. Select measure Profit.
27. Now open the details for the measure Profit as part of the Bubble Color.

The screenshot shows the 'Bubble Color' configuration dialog for the 'Profit' measure. The 'Palette' is set to a color gradient from blue to red. The 'Opacity' is set to 80%. The 'Ranges' section shows '1' ranges and a percentage icon. A vertical color bar on the left shows the gradient from blue at the bottom (0) to red at the top (100).

28. Open the list of Color Palette.




29. Select the second entry from the Diverging category going from Red to Green.

30. Now open the details for the Bubble Size definition.




31. Set the size to 35%.

32. Your map should look like this.



33. In the File menu select the option to save your story.



34. Select the User folder that matches your assigned user number.


35. Enter a Name and Description.

36. Click OK.


5.14 SAP Analytics Cloud – Exercises 14: Best Salesperson

In this exercise we will setup a story in SAP Analytics Cloud based on our Consumption Layer, and review who our best salesperson is.


1. Log On to your SAP Analytics Cloud tenant.
2. Select the menu Stories in the left-hand panel.




3. Select the option Canvas to create a new Story.
4. You will be asked to select a Workspace.
5. Select the entry ANA161.



6. In the toolbar click on “Data” (top left) to add data from SAP Data Warehouse Cloud to your Story.




7. Select the option Data From Data Source.




8. Open the list Connect to Live Data.

9. Select the entry SAP Data Warehouse Cloud.



10. You will be asked to select a Live Connection to SAP Data Warehouse Cloud.



11. Please select the connection matching the SAP Data Warehouse Cloud system your selection. You can choose from the following:

- DWCEU for the SAP Data Warehouse System in Europe
- DWCUS for the SAP Data Warehouse System in US
- DWCAPJ for the SAP Data Warehouse System in APJ

12. When being asked to select a SPACE, select the Space your created previously – ANA161-XX.

Select Your Space

Name

Select Space

OK Cancel

13. Click OK.

Select Your Data

Name

Select Analytical Data Set

If you don't see your dataset, check that it is deployed, and set to allow consumption in your SAP Data Warehouse Cloud System.

OK Cancel

14. Afterwards you will be asked to select the Analytical Data Set or the Perspective from your Space.
15. For our third example, we will use the Perspective we created previously - Revenue by Store and Product (Perspective)
16. Click OK.
17. Select the option to add a new Chart to the canvas.
18. Navigate to the Builder Panel on the right hand side.

Chart Structure

Comparison

Trend

Distribution

Correlation

Indicator

More

Chart Orientation

Horizontal

Measures

+ Add Measure

Dimensions

+ Add Dimension


Color

+ Add Dimension/Measure


Filters

+ Add Filters

19. Click the option Add Dimension as part of the Dimensions section.



20. Select the option Create Dimension Input Control.




21. Select the entries:

- Dimension Store
- Product
- Sales Manager


22. Click OK.

23. On your canvas you will then be presented with a token for the newly created Dimension Input Control.



More measures are required to build a Bar/Column chart

24. Select the token and resize the token so that you can see all entries.



25. Now use a double click on the header of the Dimension Input Control and enter: Please select a dimension.


26. Select the empty chart.

27. Navigate to the Business Builder Panel on the right hand side.

28. Click the Add Measure option for the Measures section.

29. Select measure Revenue.

30. Now open the More Actions menu for the chart.



31. Select the menu Rank.

32. Select the option Top N Options.

Top N Options

Mode

Top
▼

Value

5

Dimension

All Dimensions
▼


Measure

Revenue
▼

Apply
Cancel


33. Set the Value to 10.

34. Click Apply.



35. You should now have a chart showing the Top 10 entries based on the dimension selected with the input control and based on the Consumption Layer created in SAP Data Warehouse Cloud.

36. In the File menu select the option to save your story.



37. Select the User folder that matches your assigned user number.

38. Enter a Name and Description.

39. Click OK.

This concludes the exercises for this session.

www.sap.com/contactsap

© 2021 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. See www.sap.com/copyright for additional trademark information and notices.