



Public

## **SAP TechEd 2022**

### **IN263 - Onboard and Manage New Trading Partners Using SAP Integration Suite**

Exercise

Marco Ertel, SAP SE  
Karsten Strothmann, SAP SE

# TABLE OF CONTENTS

<b>0</b>	<b>INTRODUCTION .....</b>	<b>3</b>
<b>1</b>	<b>EXERCISE 1.....</b>	<b>3</b>
<b>1.1</b>	<b>Create new Trading Partner.....</b>	<b>4</b>
<b>1.2</b>	<b>Use Agreement Template to create an agreement.....</b>	<b>10</b>
<b>1.3</b>	<b>Prepare Simulation Flow and send a message .....</b>	<b>14</b>
<b>1.4</b>	<b>Monitor the scenario .....</b>	<b>17</b>
<b>2</b>	<b>OPTIONAL: EXERCISE 2.....</b>	<b>19</b>
<b>2.1</b>	<b>Update MIG of the Trading Partner to a new Version .....</b>	<b>19</b>
<b>2.2</b>	<b>Create a NEW MAG to fit the updated MIG.....</b>	<b>23</b>
<b>2.3</b>	<b>Simulate new MAG in IA.....</b>	<b>26</b>
<b>3</b>	<b>OPTIONAL: EXERCISE 3.....</b>	<b>26</b>
<b>3.1</b>	<b>use new MIG and MAG in TPM .....</b>	<b>26</b>
<b>3.2</b>	<b>send new test message.....</b>	<b>32</b>

[www.sap.com/contactsap](http://www.sap.com/contactsap)

© 2022 SAP SE or an SAP affiliate company. All rights reserved.  
No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors.  
National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. See [www.sap.com/trademark](http://www.sap.com/trademark) for additional trademark information and notices.

## **0 INTRODUCTION**

In this session, you will learn how to onboard a new Trading Partner by using the following capabilities of the Integration Suite:

- Integration Advisor
- Trading Partner Management
- Cloud Integration

To make this session a successful one for all attendees, we recommend a good understanding of data structures (e. g. IDoc, SOAP, X12 or EDIFACT) along with some understanding of the SAP Cloud Integration. The business process that we will simulate in this exercise depicts the transfer of an Order using Idoc as a format over Cloud Integration to a (simulated)Trading Partner as an X12 850 (Purchase Order). To minimize the additional effort for you, the Idoc order is already prepared and will be directly sent to Cloud Integration as soon as you deploy your integration flow. The output will here not send to a real Trading Partner system but to the mail address you specify during the exercise.

Usually, when onboarding business partners you need to define interfaces – for each of them. Once defined, you can proceed modelling the mappings in need and document all pieces. Afterwards, you build an integration flow where you have to doublecheck the incoming structure, implement the mapping and execute further checks on the outbound structure. This step, you are obliged to do repeatedly for each of your business partners. Last, not least, you need to configure the outbound connection for each of your integration flows in your sending system.

With the usage of the Integration Advisor, developing and documenting of the structures needed will be much easier and faster than before as the Integration Advisor is using a machine learning process on top of the knowledge base, which contains the knowledge of all already implemented integrations and many type libraries. In this first part of the exercise, the creation of the structures and mappings in the Integration Advisor is already done. In exercise 2 you also have to work on the MIG (interface) and on the MAG (mapping).

## **1 EXERCISE 1**

## 1.1 Create new Trading Partner




We have two tenants for this exercise. For the Groups 1-30 please use Tenant 1 and for the Groups 31-60 please use Tenant 2





Tenant 1: <https://teched-tpm01.integrationsuite.cfapps.us10-002.hana.ondemand.com/>




Tenant 2: <https://teched-tpm02.integrationsuite.cfapps.us10-002.hana.ondemand.com/>




For the User ID please use: UserXX (with XX the Number of your group)



As Password please use: Welcome1



Explanation	Screenshot
1. Log on to the Integration Suite tenant with your system details provided to you by the instructors.	 A screenshot of the SAP Integration Suite login page titled "SAP TECHED SAP Integration Suite - TPM02". It features a background image of the Las Vegas strip at night, with the Eiffel Tower and Bellagio fountains visible. The login form includes fields for "User ID" and "Password", a "Remember me" checkbox, and a "LOG ON" button.
2. Navigate to <i>Design</i> and select <i>B2B Scenarios</i> .	 A screenshot of the SAP Integration Suite interface showing the "Design" menu open. The "B2B Scenarios" option is highlighted with a red box.
3. As you want to onboard a new Trading Partner switch to the tab <i>Trading Partners</i> .	 A screenshot of the "Trading Partner Management" screen. The "Trading Partners" tab is highlighted with a red box. A table shows a single entry: "myCompany" under "Name" and "myCompany" under "Short Name".

Explanation	Screenshot
4. Select <i>Create</i> to create a new Trading Partner.	
5. On the following screen, you need to maintain general data for the new trading partner as follows: Company Name: <i>TradingPartnerXX</i> (with XX your group number) Company Short Name: <i>TradingPartnerXX</i> (with XX your group number) All the other fields are optional.	
Please save the newly created Trading Partner.	
6. Switch to the <i>Contacts</i> tab and select <i>Create Contact</i> .	

Explanation	Screenshot
<p>7. On the <b>Contacts</b> tab, you can optionally add names and details of persons which are responsible on the Trading Partner side.</p>	
<p>8. Navigate to the tab <b>Identifier</b> and select <b>Create Identifier</b>.</p>	
<p>9. Every Trading Partner needs at least two identifiers, one which is used in the X12 exchange and a second which is used in the S/4 System. Maintain the first identifier as follows:      Use Identification <b>123UserXX</b> (with XX your group number), select Type System <b>ASC X12</b>, and Scheme <b>Duns (Dun &amp; Bradstreet)</b>, then save the new identifier.</p>	

Explanation	Screenshot
<p>Maintain the second identifier as follows:          Use Identification S4-UserXX (with XX your group number),          select Type System SAP S/4HANA on Premise IDoc,          and Scheme N/A, then save the new identifier.</p>	
<p>10. The Business Context is at the moment optional, but we need to create a system where the supported type system and communication details have to be maintained. Navigate to the tab System and select Create System.</p>	
<p>11. Please add the following Details:          Name B2B-SystemXX (with XX your group number),          Type X12-System, Purpose Dev and save the new system.</p>	

Explanation	Screenshot
<p>12. Select the beforehand created system to create the supported Type System. On tab <i>Type System</i>, select <i>Create Type System</i>.</p>	
<p>13. Use ASC X12 and Version 004010, then save the new Type System.</p>	
<p>14. Next, you need to maintain the communication details. Switch to tab <i>Communication</i> and select <i>Create Communication</i>.</p>	

Explanation	Screenshot
<p>15. As this Trading Partner will receive (a) Purchase Order(s) with the AS2 protocol, you need to create an AS2 Receiver. As you have to authenticate at the AS2 Receiver you need here a credential (<i>SAP-Teched-Simulator</i>) and the Endpoint of that Trading Partner (if you are on TPM01 (Group 01-30) please use: <a href="https://teched-tpm01.it-cpi019-rt.cfapps.us10-002.hana.ondemand.com/as2/as2">https://teched-tpm01.it-cpi019-rt.cfapps.us10-002.hana.ondemand.com/as2/as2</a> if you are on TPM02 (Group 31-60) please use <a href="https://teched-tpm02.it-cpi019-rt.cfapps.us10-002.hana.ondemand.com/as2/as2">https://teched-tpm02.it-cpi019-rt.cfapps.us10-002.hana.ondemand.com/as2/as2</a>)</p>	
<p>16. AS2 needs additional information which you have to maintain on the Tab <i>Processing</i>. The IDs (Own and Partner) must start with <i>Teched</i>. You can of course add something after that string. For the mail address you can in this exercise use any text. For the Content-Type use <i>application/EDI-X12</i></p>	


## 1.2 Use Agreement Template to create an agreement




With the Agreement, you instantiate the agreement template where you need to fill out the details of the trading partners. TPM differentiates between Identifiers which will be used in the system of the company and Identifiers which are used in our example in the IDoc message. Let's have a look at the relevant part of our IDoc Payload:




```
<ORDERS05 xmlns="urn:sap-com:document:sap:idoc:soap:messages">
<IDOC BEGIN="1">
  <EDI_DC40 SEGMENT="1">
    <TABNAM>EDI_DC40</TABNAM>
    <DOCNUM>0000000000000002</DOCNUM>
    <DOCREL>1809_FPS02</DOCREL>
    <DIRECT>2</DIRECT>
    <OUTMOD>3</OUTMOD>
    <IDOCTYP>ORDERS05</IDOCTYP>
    <MESTYP>ORDERS</MESTYP>
    <MESCOD>EX</MESCOD>
    <MESFCT>A48</MESFCT>
    <STD></STD>
    <STDVRS>4010</STDVRS>
    <STDMES>850</STDMES>
    <SNDPOR>SUBSYSTEM</SNDPOR>
    <SNDPRT>KU</SNDPRT>
    <SNDPRN>GPR_020</SNDPRN>
    <RCVPOR>SAPMAT</RCVPOR>
    <RCVPRT>LS</RCVPRT>
    <RCVPRN>S4-UserXX</RCVPRN>
    <CREDAT>20221007</CREDAT>
    <CRETIM>071312</CRETIM>
    <REFINT>004301228</REFINT>
    <REFGRP>4301367</REFGRP>
    <REFMES>ORDERS05</REFMES>
  <S SERIAL>20221007071312</S>
```




GPR\_020 is the Identifier which you can find in the My Company Details.



S4-UserXX can be found in the Details of the Trading Partner under "Identifier as Company" (as usual the XX will then be your group number).

Explanation	Screenshot
1. Navigate back to <i>Design</i> → <i>B2B Scenarios</i> , and switch to the tab <i>Agreements</i> .	

Explanation	Screenshot
2. On the <i>Agreements</i> tab, create a new Agreement.	
3. In the upcoming dialog, select the existing Agreement Template <i>Send Purchase Order Template</i> and select OK.	
<p>4. Please start with renaming the Agreement to <i>Send Purchase Order - XX</i> and change the Description. Now you need to specify with which Trading Partner you want to communicate by entering the following details in the following order (with XX your group number):</p> <p>Maintain the Trading Partner Details with Name <i>TradingPartnerXX</i>, System <i>B2B-SystemXX</i>, Type System <i>ASC X12</i>, Type System Version <i>4010</i>, Identifier <i>123UserXX</i>, and Identifier as Company <i>S4XX</i>. Finally, select the Identifier as Trading Partner <i>987654321</i> from the drop-down.</p> <p>Hint: use the drop-down help but start with the Trading Partner Details and select the Identifier as Trading Partner as the last one.</p> <p>When done, save your settings.</p>	



Explanation	Screenshot
5. For the newly created agreement, switch to the <i>Edit Mode</i>	 <p>Send Purchase Order - XX</p> <p>Agreement</p> <p>Initiator: myCompany Status: Draft</p> <p>Overview B2B Scenarios</p>
6. Navigate to the tab <i>B2B Scenarios</i> .	 <p>Send Purchase Order - XX</p> <p>Agreement</p> <p>Initiator: myCompany Status: Draft</p> <p>Overview B2B Scenarios</p>
7. There you see the transactions for the scenario. In our exercise, it is only one transaction (one-way). In general, it could be several and those could also be two-way transactions. The first two elements within the flow (note, flow goes from left to right) Communication and Interchange are pre-filled from the Agreement Template, but the others have to be filled out now.	 <p>Send IDOC Orders</p> <p>myCompany TradingPartnerXX</p> <p>Sender: S/4HANA on-prem</p> <p>Communication Channel Name: IDOC</p> <p>Interchange Type System: SAP S/4HANA On-Premise IDOC</p> <p>Mapping MAG Name: [highlighted]</p> <p>Interchange Type System: AS2 X12</p> <p>Communication Channel Name: [highlighted]</p>
8. Please start on the right by clicking on the first <i>Communication</i> box within the flow and select AS2 for Communication.	 <p>myCompany TradingPartnerXX</p> <p>Sender: S/4HANA on-prem</p> <p>Communication Channel Name: IDOC</p> <p>Interchange Type System: SAP S/4HANA On-Premise IDOC</p> <p>Mapping MAG Name: [highlighted]</p> <p>Interchange Type System: AS2 X12</p> <p>Communication Channel Name: [highlighted]</p> <p>Communication:</p> <p>AS2</p>




Explanation	Screenshot
<p>9. Please click now on the <b>Interchange</b> box to define the Message Implementation Guideline. Select the drop-down list.</p> <p>Note: The Message Implementation Guideline have been already prepared by using the Integration Advisor capability of SAP Integration Suite.</p>	
<p>10. In the pop up select <b>TradingPartner – X12 MIG Teched</b> and select <b>Choose</b>.</p>	
<p>11. Last step for the definition of the Agreement is to select the <b>Mapping</b> box (which is also prepared by using the Integration Advisor). Select the drop-down list.</p>	
<p>12. In the pop up select <b>[SAP] Mapping myCompany IDoc MIG Teched to TradingPartner - X12 MIG Teched</b> and select <b>Choose</b>.</p>	






Explanation	Screenshot
13. Please save now the Agreement.	
14. Activate the Agreement to publish all necessary data to the Partner Directory of Cloud Integration. With this, the Status will change from Draft to Active.	




### 1.3 Prepare Simulation Flow and send a message

As we have defined that our Company will send an IDoc Order using the IDOC Protocol we need to simulate this sender. For this we have built an integration flow which you have to copy to a new package, configure and deploy. The IDoc message is sent as soon as the integration flow is deployed.

Explanation	Screenshot																				
1. Navigate to <i>Design -&gt; Integrations</i> .																					
2. If you haven't done so before, create a new Package by clicking <i>Create</i> .	 <table border="1" data-bbox="616 1516 1318 1727"> <thead> <tr> <th data-bbox="616 1516 665 1543">Mode</th> <th data-bbox="670 1516 719 1543">Ver...</th> <th data-bbox="724 1516 801 1543">Created By</th> <th data-bbox="806 1516 915 1543">Created Date</th> <th data-bbox="920 1516 1046 1543">Description</th> <th data-bbox="1051 1516 1088 1543">A...</th> </tr> </thead> <tbody> <tr> <td data-bbox="616 1550 665 1598">imulati ing Par</td> <td data-bbox="670 1550 719 1598">Editabl e Config ure- only</td> <td data-bbox="724 1550 801 1598">1.0.0 1.1.0</td> <td data-bbox="806 1550 915 1598">marco.ertel@sa p.com marco.ertel@sa p.com</td> <td data-bbox="920 1550 1046 1598">Mon, 21 Mar 2022 14:30:42 GMT Mon, 21 Mar 2022 09:39:04 GMT</td> <td data-bbox="1051 1550 1225 1598">AS2 Trading Partner Simulation to send data to Trading Partners Email Accounts Master Integration Package covering the generic flows for "Cloud Integration - Trading Partner Management".</td> <td data-bbox="1230 1550 1302 1598">&lt; &gt;</td> </tr> <tr> <td data-bbox="616 1605 665 1632">.</td> <td data-bbox="670 1605 719 1632">Editabl e</td> <td data-bbox="724 1605 801 1632">1.0.0</td> <td data-bbox="806 1605 915 1632">marco.ertel@sa p.com</td> <td data-bbox="920 1605 1046 1632">Thu, 31 Mar 2022 11:36:56 GMT</td> <td data-bbox="1051 1605 1225 1632">DSAG-Workshop</td> <td data-bbox="1230 1605 1302 1632">&lt; &gt;</td> </tr> </tbody> </table>	Mode	Ver...	Created By	Created Date	Description	A...	imulati ing Par	Editabl e Config ure- only	1.0.0 1.1.0	marco.ertel@sa p.com marco.ertel@sa p.com	Mon, 21 Mar 2022 14:30:42 GMT Mon, 21 Mar 2022 09:39:04 GMT	AS2 Trading Partner Simulation to send data to Trading Partners Email Accounts Master Integration Package covering the generic flows for "Cloud Integration - Trading Partner Management".	< >	.	Editabl e	1.0.0	marco.ertel@sa p.com	Thu, 31 Mar 2022 11:36:56 GMT	DSAG-Workshop	< >
Mode	Ver...	Created By	Created Date	Description	A...																
imulati ing Par	Editabl e Config ure- only	1.0.0 1.1.0	marco.ertel@sa p.com marco.ertel@sa p.com	Mon, 21 Mar 2022 14:30:42 GMT Mon, 21 Mar 2022 09:39:04 GMT	AS2 Trading Partner Simulation to send data to Trading Partners Email Accounts Master Integration Package covering the generic flows for "Cloud Integration - Trading Partner Management".	< >															
.	Editabl e	1.0.0	marco.ertel@sa p.com	Thu, 31 Mar 2022 11:36:56 GMT	DSAG-Workshop	< >															


Explanation	Screenshot																															
<p>3. Use <i>Workshop-UserXX</i> for Name and Short Description with XX your user Id and save the package.</p>																																
<p>4. Navigate back to the list of existing packages by clicking <i>Integrations</i>.</p>																																
<p>5. Open the package <i>Workshop-TPM-SimulationFlow</i>.</p>	 <table border="1" data-bbox="605 1163 1349 1552"> <thead> <tr> <th colspan="6">Packages (4)</th> </tr> <tr> <th>Name</th> <th>Mode</th> <th>Version</th> <th>Created By</th> <th>Created On</th> </tr> </thead> <tbody> <tr> <td>Cloud Integration - Trading Partner Management</td> <td>Configurable-only</td> <td>1.1.0</td> <td>marco.ertel@sap.com</td> <td>Mon, GMT</td> </tr> <tr> <td>Workshop-EO-Solution</td> <td>Editable</td> <td>1.0.0</td> <td>user12@techedusers.com</td> <td>Mon, GMT</td> </tr> <tr> <td>Workshop-TPM-SimulationFlow</td> <td>Editable</td> <td>1.0.0</td> <td>marco.ertel@sap.com</td> <td>Mon, GMT</td> </tr> <tr> <td>Workshop-UserXX</td> <td>Editable</td> <td>1.0.0</td> <td>user12@techedusers.com</td> <td>Mon, GMT</td> </tr> </tbody> </table>	Packages (4)						Name	Mode	Version	Created By	Created On	Cloud Integration - Trading Partner Management	Configurable-only	1.1.0	marco.ertel@sap.com	Mon, GMT	Workshop-EO-Solution	Editable	1.0.0	user12@techedusers.com	Mon, GMT	Workshop-TPM-SimulationFlow	Editable	1.0.0	marco.ertel@sap.com	Mon, GMT	Workshop-UserXX	Editable	1.0.0	user12@techedusers.com	Mon, GMT
Packages (4)																																
Name	Mode	Version	Created By	Created On																												
Cloud Integration - Trading Partner Management	Configurable-only	1.1.0	marco.ertel@sap.com	Mon, GMT																												
Workshop-EO-Solution	Editable	1.0.0	user12@techedusers.com	Mon, GMT																												
Workshop-TPM-SimulationFlow	Editable	1.0.0	marco.ertel@sap.com	Mon, GMT																												
Workshop-UserXX	Editable	1.0.0	user12@techedusers.com	Mon, GMT																												





Explanation	Screenshot
6. In the package, switch to tab <i>Artifacts</i> .	
7. Copy the integration flow <i>TPM-IDOC Simulation Sender</i> to your own package. Select <i>Copy</i> from the <i>Actions</i> menu of the <i>TPM-IDOC Simulation Sender</i> integration flow.	
8. In the popup, change the name to <i>TPM-IDOC Simulation Sender - UserXX</i> (with <i>UserXX</i> using your ID). Then select <i>Select</i> to change the target package.	
9. In the upcoming package selection screen, select your package <i>Workshop-UserXX</i> .	
10. Next, select <i>Copy</i> .	


Explanation	Screenshot
11. On the next dialog, select <i>Navigate</i> to open your package.	
12. You now have to <i>Configure</i> the integration flow. Select <i>Configure</i> from the <i>Actions</i> menu of the <i>TPM-IDOC Simulation Sender - UserXX</i> integration flow.	
13. Please configure the integration flow with your mail address and UserID <i>UserXX</i> . The transformed message will be sent to this Mailaddress. Then select <i>Save</i> and <i>Deploy</i> . Once the integration flow is successfully deployed, the message is sent and should appear in your mailbox a few seconds later.	

#### 1.4 Monitor the scenario

As the sent IDoc message is now sent to the generic integration flow and from there via the AS2 Adapter to other (already prepared) integration flow you should get an email in your inbox with the payload as an X12 850 message. To monitor B2B Scenarios let's have a look at the B2B Monitoring.

Explanation	Screenshot
1. Navigate to the B2B Monitoring by selecting <i>Monitor</i> → <i>B2B Scenarios</i> .	

Explanation	Screenshot
<p>2. On the tiles you see how many interchanges had been processed in the last 24 hours. Click on the left tile.</p>	
<p>3. Now you see all messages from the last 24 hours. You can restrict them by using the filters.</p>	
<p>4. Click on one of your <i>Completed</i> interchanges.</p>	
<p>5. On this page, you see more details like Sender Name, Adapter Type, ... and you can also jump to the technical monitoring if this is necessary.</p>	


Explanation	Screenshot
<p>6. Depending on the Event you've selected, you see here more details on a technical level to solve issues if necessary.</p>	 <p>The screenshot shows the SAP Integration Suite interface. In the center, there's a table for 'TPM_Mapping' with one row: 'Oct 17, 2022, 10:15:38'. Below the table, the 'Logs' section is visible. Under 'Attachments', there are two files: 'logOutput' and 'testplann'. The 'logOutput' file is highlighted with a red box.</p>





Congrats, you have successfully completed the first exercise.




## 2 OPTIONAL: EXERCISE 2





### 2.1 Update MIG of the Trading Partner to a new Version


Your Trading Partner now has upgraded his system and wants to get no longer a X12 850 with version 4010 but version 5010 and also expects an additional DTM field.

Explanation	Screenshot
<p>1. Log on to the Integration Suite tenant with your system details provided to you by the instructors.</p>	 <p>The screenshot shows the SAP TechEd login page titled 'SAP TECHED SAP Integration Suite - TPM02'. It has fields for 'User ID' and 'Password', and a 'LOG ON' button. The background is a night view of the Las Vegas strip with the Eiffel Tower and Bellagio fountains.</p>
<p>2. Navigate to the MIGs (Design-&gt;MIGs)</p>	 <p>The screenshot shows the SAP Integration Suite navigation bar. The 'Design' menu is open, and the 'MIGs' option is selected and highlighted with a red box. Other options in the 'Design' menu include 'Integrations', 'B2B Scenarios', 'Custom Type Systems', and 'Message Impl'. To the right, there's a search bar and a link to 'myCompany IDoc MIG Teched'.</p>

Explanation	Screenshot
<p>3. Copy the MIG <i>TradingPartner – X12 MIG Teched</i></p>	
<p>4. Switch in the copied MIG to the Edit Mode</p>	
<p>5. Navigate to the Overview Tab and rename it to <i>TradingPartner - X12 MIG Teched-XX</i> (with XX your group number) and save the MIG.</p>	
<p>6. Now you can migrate the MIG from version 4010 to version 5010. Click the Overflow button ‘...’ then <i>Migrate</i>.</p>	
<p>7. Click on Version 005010.</p>	

Explanation	Screenshot
<p>8. Change the name by deleting the <i>migrated</i> path that it will have the name <i>TradingPartner – X12 MIG Teched-XX</i> (with XX your group number). Then click on <i>Create</i>.</p>	
<p>9. Now please add a new DTM node, qualified with value 999 (Document Date). To create this, select the DTM Node and then right-click for the context menu and select there the entry <i>Duplicate Qualified Node</i>.</p>	
<p>10. Search now for 999, select the checkbox and press <i>Add</i>.</p>	

Explanation	Screenshot
<p>11. This adds another DTM node with the Qualifier value 999 which has to be modified as the Trading Partner also wants to have the time (337) in the message. Open the DTM Node and checkmark the 337.</p>	
<p>12. Save the MIG.</p>	
<p>13. Rename the 4010 MIG to make the next steps easier. For this go to the list of MIGs.</p>	
<p>14. Search your MIG by entering the group number in the search field and select the one with the version 4010. Open that MIG.</p>	
<p>15. Switch to the <i>Edit</i> Mode and navigate to the Overview</p>	







Explanation	Screenshot
<p>16. Be sure it is the one with the version 004010(!) and then rename it to  <b>Z_TradingPartner - X12 MIG Teched-XX</b>          And press Save.</p>	





## 2.2 Create a NEW MAG to fit the updated MIG


As the MIG has changed also some changes in the mapping are necessary.  
 und möchte anderes Datumsformat, sowie ein paar weitere Mappingänderungen:

- copy MAG auf eigenes MAG (und umbenennen)
  - austausch des Target MIG durch das neu erstellte MIG
  - ändern des mappings
  - löschen des Mappings von credat nach BEG 374
  - anlegen E1EDK02\_001->DATUM nach BEG373
  - anlegen E1EDK03\_002->DTM(374=002)->373
  - anlegen E1EDK03\_12 DATUM->DTM(374=999)->373
  - anlegen E1EDK03\_12 UZEIT->DTM(374=999)->374
- Datumsformat ändern

Explanation	Screenshot
<p>1. Log on to the Integration Suite tenant with your system details provided to you by the instructors.</p>	

Explanation	Screenshot
2. Navigate to the MAGs (Design->MAGs)	
3. Copy the original MAG <i>([SAP] Mapping myCompany IDoc MIG Teched to TradingPartner - X12 MIG Teched).</i> <b>Please copy only the MAG</b> (see Screenshot) as otherwise the MIGs also will be copied.	
4. In the copied MAG switch to <i>Edit</i> Mode.	
5. Navigate to the Overview Tab to rename the MAG <i>Mapping myCompany IDoc MIG Teched to TradingPartner-XX</i> (with XX your group number)	
6. Replace the Target MIG with the MIG you've created in Exercise 2.1 by clicking on the <i>Change</i> of the Target MIG.	
7. Enter your group Number in the search field. Then select the MIG with the Message Version 005010 and click on <i>Change</i> .	



Explanation	Screenshot
8. Switch back to the Tab Mapping. Search for the Mapping from EDI_DC40->CREDAT to BEG->373	
9. Acknowledge the warning.	
10. Switch to the Mapping Tab of the source MAG and search for the connection from EDI_DC40->CREDAT to BEG->373 and do a click with the right mouse button on the line to delete.	
11. Now we need to create some new mappings: search for E1EDK03[IDDAT=012]->DATUM and connect this to DTM[374=999]->373 and UZEIT to 337.	
12. Select now the line connecting the two date fields and select function in the lower part and Switch to Date Time Mapping.	
13. Select for the Source Format: DDMMCCYY and for the target format CCYYMMDD	

Explanation	Screenshot
14. Save the MAG	

## 2.3 Simulate new MAG in the Integration Advisor

Directly in the Integration Advisor you can now simulate the mapping. Either with test data coming directly from the MIG or by uploading a payload.




The needed payload can be found here in [github Teched-Test-payload.xml](#). Please download it.





Explanation	Screenshot
1. Click now on the <i>Simulate</i> Button and select <i>Simulate with Payload Data</i> .	
2. Using the <i>Browse</i> Button navigate to the downloaded <i>Teched-Test-payload.xml</i>	
3. And press <i>OK</i>	
4. Now a new column on the source and target side of the mapping is added where the values from the payload and the result of the mapping is displayed. If you need to modify the mapping, you can easily rerun the simulation with the  button	




## 3 OPTIONAL: EXERCISE 3





### 3.1 use new MIG and MAG in TPM




After you've now created a new Target MIG and adjusted the MAG this should be used also in the TPM.

Explanation	Screenshot
<p>1. Log on to the Integration Suite tenant with your system details provided to you by the instructors.</p>	
<p>2. Navigate to the B2B Scenarios (<i>Design-&gt;B2B Scenarios</i>)</p>	
<p>3. As the Trading Partner now wants a message in the version 5010 this has to be added in its systems. Select your Trading Partner (<i>TradingPartnerXX</i> with XX your group number)</p>	
<p>4. Navigate to the Systems and open the B2B-SystemXX by selecting it.</p>	
<p>5. Now the Type System has to be modified. Please click on the pencil.</p>	




Explanation	Screenshot
6. Open the drop-down Box for the versions	
7. And select version 005010 and save.	
8. Navigate to your Trading Partner Agreement by closing the System	
9. Then select the Agreements in the menu	
10. Select your Agreement ( <i>Send Purchase Order - XX with XX your group number</i> )	


Explanation	Screenshot
11. Switch to the <i>Edit Mode</i> .	
12. Change now the used Type System Version of the Trading Partner from 4010 to 5010 using the dropdown and then navigate to the <i>B2B Scenarios</i> .	
13. There you have to exchange the used MIG and MAG. Let's start with the MIG. Select the right Interchange and then use the drop down for the MIG.	

Explanation	Screenshot
<p>14. As there might be a lot of MIGs in the system you can use the <i>Filter</i> or if you know already the correct MIG (<i>TradingPartner - X12 MIG Teched-XX with XX your group number</i>) you can directly select it</p>	
<p>15. The newly created MAG has now to be assigned by clicking on the <i>Mapping</i> and then using the drop-down</p>	
<p>16. Please modify the filter.</p>	
<p>17. Reset the filter and enter the Name of the Target MIG (<i>TradingPartner - X12 MIG Teched-XX with XX your group number</i>)</p>	
<p>18. Select the MAG you've created in Exercise 2.2</p>	

Explanation	Screenshot
19. The Agreement is now changed, needs to be saved.	
20. And the necessary data in the Partner Directory needs to be updated.	
21. Check if the update was successful.	

### 3.2 send new test message

Explanation	Screenshot
<p>1. Log on to the Integration Suite tenant with your system details provided to you by the instructors.</p>	
<p>2. Navigate to Design-&gt; Integrations</p>	
<p>3. Navigate to your package <i>Workshop-UserXX</i> (with your XX your group number)</p>	
<p>4. In the Package navigate to the Artifacts</p>	

Explanation	Screenshot
<p>5. Now deploy the iflow again which sends again a test message</p>	
<p>6. You should get a new mail in your inbox and can use the monitoring features from chapter 1.4</p>	