Data Migration: Purchase Order
SAP Business One to SAP S/4HANA Cloud Public Edition Guide

For SAP Cloud Integration

Version 1.0 | January 2026

1. **Introduction**
   - 1.1. **Definition**
   - 1.2. **Intended Audience**
   - 1.3. **Structure**
   - 1.4. **System Connectivity**
   - 1.5. **Additional Documentation**

2. **Business Scenario**

3. **Prerequisites**

4. **Consumption of integration flow**
   - 4.1. **Data Extraction**
   - 4.2. **Data Preparation**
   - 4.3. **Data Transformation**
   - 4.4. **Data Upload**

5. **Customization and Enhancement of integration flow**

6. **Contact Information**

1. Introduction

In this guide you shall learn how to consume the integration flow to transform data of an object in SAP Business one into a form suitable and acceptable by SAP S/4HANA Cloud Public Edition.

1.1. Definition

This integration flow is an accelerator that transforms the standard data of 'Purchase Order' object in SAP Business One into the SAP S/4HANA Cloud Public Edition's migration template of object 'Purchase order (only open PO)'.

1.2. Intended Audience

This integration flow is intended to be used by both partners and customers who are in the data migration phase of their implementation project of moving their SAP Business One system to SAP S/4HANA Cloud Public Edition system. This integration flow shall act as an accelerator to kick start and speed up your data migration task. However, it does not cover all attributes and mappings, hence enhance it as per your requirement.

1.3. Structure

The structure of this guide follows the sequence of steps required to consume the integration flow for the purpose of data transformation using SAP Integration Suite service on SAP BTP.

1.4. System Connectivity

To use this integration flow, you don't have to connect your SAP Business One system or SAP S/4HANA Cloud system to SAP Integration Suite. The data extracted from SAP Business One is passed to SAP Integration Suite over HTTPS and the data prepared as output is a file that can be taken manually and uploaded in SAP S/4HANA Cloud Public Edition via Migration Cockpit.

1.5. Additional Documentation

You may refer to these topics via links to gain insights into various topics you need to know before using the integration flow.

SAP Integration Suite
https://help.sap.com/docs/cloud-integration/sap-cloud-integration/sap-cloud-integration?version=Cloud

SAP S/4HANA Cloud Public Edition Migration Cockpit
https://help.sap.com/docs/SAP_S4HANA_CLOUD/d5699934e7004d048c4801b552f3b013/f32db0c240484241abc53a876253e118.html?version=2408.500

Technical Data Migration to SAP S/4HANA Cloud
https://learning.sap.com/videos/overseeing-the-transition-from-sap-business-bydesign-to-sap-s-4hana-cloud-

Setting up Required systems and Users
https://learning.sap.com/videos/preparing-for-data-migration-from-sap-business-bydesign-to-sap-s-4hana-cloud

2. Business Scenario

Customers who are looking to migrate from SAP Business One ERP system to SAP S/4HANA Cloud Public Edition ERP system need an easy data migration path to save time and effort on data migration activities which is quite intensive.

With this intention SAP has delivered the mapping of data fields from SAP Business One Purchase Order object to SAP S/4HANA Cloud Public Edition equivalent object as part of this integration flow. The end result of the integration flow will provide you the 'Purchase order (only open PO)' file that is in the form of SAP S/4HANA Cloud Public Edition's product migration template. You shall upload this file via Migration Cockpit in SAP S/4HANA Cloud Public Edition. This helps you to save effort and prepare the file easily for upload.

3. Prerequisites

To consume the integration flow, you should have the following things done

a) Set up account in SAP BTP and subscribe to SAP Integration Suite service.
b) Set up required user roles and authorization in SAP BTP subaccount
c) Set up the required capabilities in SAP Integration Suite to trigger integration flow.
d) User should have authorisation to the Migration Cockpit app in SAP S/4HANA Cloud Public Edition
e) The user should have access to the Purchase Order module in SAP Business One system.
f) User should use the date format **DD.MM.YYYY** when extracting from SAP Business One system
g) User should use the Query Generator in SAP Business One to extract the data.
h) The data obtained from Query Generator should be exported in the format *.xlsx

Please refer to the links mentioned in the section Additional Documentation to complete the prerequisites.

4. Consumption of integration flow

Follow the steps below to transform your data and upload to SAP S/4HANA Cloud Public Edition.

4.1. Data Extraction

To consume the integration flow for transformation you need to extract the required Purchase Order data from SAP Business One system.

Extract the data from SAP Business One: Purchase Order data is extracted from the SAP Business One using the following approach.

Data Transformation: Purchase Order SAP Business One to SAP S/4HANA Cloud Public Edition

1. Run the below query in SAP Business One system. This query collects data from all relevant tables where the Purchase order data is stored.

Header Data :

*SELECT T0."DocNum" AS "Legacy Purchasing Document Number", T0."CardCode" AS "Supplier Account Number", (SELECT T0."Country" FROM OADM T0) AS "Purchasing Organization", T1."SlpName" AS "Purchasing Group", T0."DocDate" AS "Purchasing Document Date", T2."PymntGroup" AS "Terms of Payment Key", T2."DiscCode", T0."CdcOffset" AS "Cash Prompt Payment Discount Days 1", CASE WHEN T2."DiscCode" IS NOT NULL AND T3."ByDate" = 'Y' THEN (SELECT (T11."Day" + T11."Month" * 30) AS "Day" FROM CDC1 T11 INNER JOIN OCDC T12 ON T11."CdcCode" = T12."Code" AND T11."CdcCode" = T2."DiscCode" WHERE T11."CdcCode" = T2."DiscCode" AND T11."LineId" = '0') ELSE (SELECT T11."NumOfDays" FROM CDC1 T11 INNER JOIN OCDC T12 ON T11."CdcCode" = T12."Code" AND T11."CdcCode" = T2."DiscCode" AND T11."LineId" = '0' WHERE T11."CdcCode" = T2."DiscCode") END AS "Cash Prompt Payment Discount Days 2", CASE WHEN T2."DiscCode" IS NOT NULL AND T3."ByDate" = 'Y' THEN (SELECT (T11."Day" + T11."Month" * 30) AS "Day" FROM CDC1 T11 INNER JOIN OCDC T12 ON T11."CdcCode" = T12."Code" AND T11."CdcCode" = T2."DiscCode" AND T11."LineId" = '1' WHERE T11."CdcCode" = T2."DiscCode") ELSE (SELECT T11."NumOfDays" FROM CDC1 T11 INNER JOIN OCDC T12 ON T11."CdcCode" = T12."Code" AND T11."CdcCode" = T2."DiscCode" AND T11."LineId" = '1' WHERE T11."CdcCode" = T2."DiscCode") END AS "Cash Prompt Payment Discount Days 3", (SELECT T11."Discount" FROM "CDC1" T11 INNER JOIN "OCDC" T12 ON T11."CdcCode" = T12."Code" AND T11."CdcCode" = T2."DiscCode" AND T11."LineId" = '0' WHERE T11."CdcCode" = T2."DiscCode") AS "Cash Discount Percentage 1", (SELECT T11."Discount" FROM "CDC1" T11 INNER JOIN "OCDC" T12 ON T11."CdcCode" = T12."Code" AND T11."CdcCode" = T2."DiscCode" AND T11."LineId" = '1' WHERE T11."CdcCode" = T2."DiscCode") AS "Cash Discount Percentage 2" , T0."DocCur" AS "Currency Key", T0."DocRate" AS "Exchange Rate" , T0."FatherCard" AS "Different Invoicing Party", (SELECT T6."ISIncoterm" FROM "CRD9" T6 WHERE T6."CardCode" = T0."CardCode") AS "Incoterms" , T4."Name" AS "Sales Person", T4."Tel1" AS "Telephone", T5."firstName" AS "Our Reference First Name", T5."lastName" AS "Our Reference Last Name", T0."LicTradNum" AS "Country Region of Sales Tax ID Number"*
FROM "OPOR" T0 LEFT JOIN "OSLP" T1 ON T0."SlpCode" = T1."SlpCode" LEFT JOIN "OCTG" T2 ON T0."GroupNum" = T2."GroupNum" LEFT JOIN OCDC T3 ON T2."DiscCode" = T3."Code" LEFT JOIN "OCPR" T4 ON T0."CntctCode" = T4."CntctCode" LEFT JOIN "OHEM" T5 ON T0."OwnerCode" = T5."empID" WHERE T0."DocStatus" ='O'

Header Address:

SELECT T0."DocEntry" AS "Legacy Purchasing Document Number", T1."CityB" AS "City", T1."ZipCodeB" AS "City Postal Code", T1."StreetB" AS "Street", T1."StreetNoB" AS "House Number", T1."CountryB" AS "Country Region Key", T1."County" AS "Region", T2."Phone1" AS "First Telephone No.", T2."Fax" AS "First Fax No.", T2."CardName" AS "Name 1" FROM "OPOR" T0 INNER JOIN "POR12" T1 ON T0."DocEntry" = T1."DocEntry" INNER JOIN "OCRD" T2 ON T0."CardCode" = T2."CardCode"
WHERE T0."DocStatus" ='O'

Header Texts:

SQL Query :

SELECT T0."DocEntry" AS "Legacy Purchasing Document Number", T0."Comments" AS "Text" FROM OPOR T0 WHERE T0."DocStatus" ='O' and T0."Comments" is not null and
CONVERT(NVARCHAR(MAX), T0."Comments") <> N''

Hana Query :

SELECT T0."DocEntry" AS "Legacy Purchasing Document Number", T0."Comments" AS "Text" FROM OPOR T0 WHERE T0."DocStatus" ='O' and T0."Comments" IS NOT NULL AND LENGTH(T0."Comments") > 0

Item Data:

-

SELECT T0."DocEntry" AS "Legacy Purchasing Document Number", T1."LineNum" AS "Item Number of Purchasing Document", T0."DocType" AS "Item Category", T1."ItemCode" AS "Product Number", T1."Dscription" AS "Short Text", T1."LineType", T4."Location" AS "Storage Location", T0."Requester" AS "Requisitioner", T1."SubCatNum" AS "Product Number Used by Supplier", T1."Quantity" AS "Scheduled Quantity", T1."unitMsr" AS "Unit of Entry", T1."NumPerMsr" AS "Order Price Unit", T1."ShipDate" AS "Delivery Date", T1."PriceAfVAT" AS "Net Price", T1."VatGroup", T1."TaxCode", CASE WHEN T1."VatGroup" IS NULL OR T1."VatGroup" = '' THEN T1."TaxCode" ELSE T1."VatGroup" END AS "Tax on Sales Purchases Code", (SELECT T9."Country" FROM OADM T9) AS "Tax Reporting Country Region", T5."Name" AS "Tax Jurisdiction", T1."LineStatus" AS "Indicator Delivery Completed", T1."TargetType" AS "Target Document Type", T2."InvntItem" AS "Indicator Goods Receipt", T1."Incoterms" AS "Incoterms", T0."TaxDate" AS "Start Date for Period of Performance", T0."DocDueDate" AS "End Date for Period of Performance" FROM OPOR T0 INNER JOIN POR1 T1 ON T0."DocEntry" = T1."DocEntry" LEFT OUTER JOIN OITM T2 ON T1."ItemCode" = T2."ItemCode" LEFT OUTER JOIN OWHS T3 ON T1."WhsCode" = T3."WhsCode" LEFT OUTER JOIN OLCT T4 ON T3."Location" = T4."Code" LEFT OUTER JOIN OSTC T5 ON T1."TaxCode" = T5."Code" WHERE T0."DocStatus" = 'O'

Item Address:

SELECT T0."DocEntry" AS "Legacy Purchasing Document Number" , T3."LineNum" AS "Item Number of Purchasing Document", T1."CityS" AS "City", T1."ZipCodeS" AS "City Postal Code", T1."StreetS" AS "Street", T1."StreetNoS" AS "House Number", T1."CountryS" AS "Country Region Key", T1."CountyS" AS "Region" , T2."Phone1" AS "First Telephone No", T2."Fax" AS "First Fax No", T2."CardName" AS "Name 1"
FROM "OPOR" T0 INNER JOIN "POR12" T1 ON T0."DocEntry" = T1."DocEntry" INNER JOIN "OCRD" T2 ON T0."CardCode" = T2."CardCode" INNER JOIN "POR1" T3 ON T0."DocEntry" = T3."DocEntry"
WHERE T0."DocStatus" ='O'

Item Texts:

SQL Query :

SELECT T0."DocEntry" AS "Legacy Purchasing Document Number", T1."LineNum" AS "Item Number of Purchasing Document", T1."FreeTxt" AS "Text"
FROM "OPOR" T0 INNER JOIN "POR1" T1 ON T0."DocEntry" = T1."DocEntry"
WHERE T0."DocStatus" ='O' and T1."FreeTxt" is not null and CONVERT(NVARCHAR(MAX), T1."FreeTxt") <> N''

Hana Query:

SELECT T0."DocEntry" AS "Legacy Purchasing Document Number", T1."LineNum" AS "Item Number of Purchasing Document", T1."FreeTxt" AS "Text"
FROM "OPOR" T0 INNER JOIN "POR1" T1 ON T0."DocEntry" = T1."DocEntry"
WHERE T0."DocStatus" ='O' and T1."FreeTxt" IS NOT NULL AND LENGTH(T1."FreeTxt") > 0

2. Export the result of each query in an excel file, thereby generating multiple excel files, that contains data of Purchase orders in different views. Name each of the file as mentioned below. **Make sure that you do not use any other name**.
    a. Purchase order Header Data: *Header Data.xlsx*
    b. Purchase order Partner Data: *Header Address.xlsx*
    c. Purchase order Item Data: *Header Texts.xlsx*
    d. Purchase order Item texts: *Item Data.xlsx*
    e. Purchase order Item Conditions: *Item Address.xlsx*
    f. Purchase order Schedule lines: *Item Texts.xlsx*

4.2. Data Preparation

The data extracted is in raw form and cannot be consumed by the integration flow. Therefore, you should prepare the data in the form that integration flow can accept.

Prepare the extracted data: Formatting and merging is required to be done as part of preparation of the data for iflow.

1. The output excel file should be exactly as shown below. DO NOT CHANGE the column names (highlighted in yellow)

8	Legacy Purchasing Document	Company Code* The company	Purchasing Document Type*	Supplier Account Number* Type	Purchasing Organization* An	Purchasing Group Key for a buyer	Purchasing Document Date Date	Terms of Payment Key Key for	Cash (Prompt Payment) Discount	Cash (Prompt Payment) Discount	Cash (Prompt Payment) Discount	Cash Discount Percentage 1	
9	455.0	Enter Manually	NB	V10000	DE	Kora Adelheid	22.10.2025	Netto 30 Tage	2.0	10.	20.	2.0	1
10	444.0	Enter Manually	NB	V10000	DE	Kora Adelheid	07.09.2024	Netto 30 Tage		10.	20.	2.0	1
11	445.0	Enter Manually	NB	V1010	DE	Kora Adelheid	06.09.2024	Netto 30 Tage		10.	20.	2.0	1
12	446.0	Enter Manually	NB	V20000	DE	Kora Adelheid	07.09.2024	Netto 30 Tage		10.	20.	2.0	1
13	449.0	Enter Manually	NB	V23000	DE	Kora Adelheid	01.09.2024	Netto 30 Tage		10.	20.	2.0	1
14	450.0	Enter Manually	NB	V30000	DE	Kora Adelheid	06.09.2024	Netto 30 Tage		10.	20.	2.0	1
15	451.0	Enter Manually	NB	V50000	DE	James Chan	02.09.2024	Netto 30 Tage		10.	20.	2.0	1
16	452.0	Enter Manually	NB	V60000	DE	James Chan	02.09.2024	Netto 30 Tage		10.	20.	2.0	1
17	454.0	Enter Manually	NB	V10000	DE	Kora Adelheid	09.09.2024	Netto 30 Tage		10.	20.	2.0	1
18	443.0	Enter Manually	NB	S10000	DE	James Chan	22.08.2024	Netto 30 Tage		10.	20.	2.0	1
19	456.0	Enter Manually	NB	V10000	DE	Kora Adelheid	03.11.2025	Netto 30 Tage	10.	10.	20.	2.0	1
20	459.0	Enter Manually	NB	S10000	DE	James Chan	04.11.2025	Netto 30 Tage		10.	20.	2.0	1
21	453.0	Enter Manually	NB	V70000	DE	Vicky Schmidt	07.09.2024	Netto 30 Tage		10.	20.	2.0	1
22	460.0	Enter Manually	NB	S10000	DE	James Chan	04.11.2025	Netto 30 Tage		10.	20.	2.0	1
23	457.0	Enter Manually	NB	V70000	DE	Vicky Schmidt	03.10.2025	Netto 30 Tage	50.	10.	20.	2.0	1
24	447.0	Enter Manually	NB	V21000	DE	Vicky Schmidt	07.09.2024	Netto 30 Tage		10.	20.	2.0	1
25	448.0	Enter Manually	NB	V22000	DE	Vicky Schmidt	07.09.2024	Netto 30 Tage		10.	20.	2.0	1

2. Zip the excel file to create a *.ZIP file. Save this file.

4.3. Data Transformation

Once the data is prepared and ready in the required form, you are ready to execute the integration flow.

Make the following preparations to load the integration flow for executing data transformation.

I. Download the iflow for Purchase Order B1 (provided by SAP).
II. Upload the iflow in your SAP Integration Suite system.
III. Deploy the integration flow.
IV. After successful deployment of integration flow, make a note of the End Point URL generated.

To consume the integration flow for data transformation and create a S/4HANA migration file, follow the steps below. For details refer to the learning session.

I. Set up an application to trigger the integration flow e.g., Postman.
II. Create a POST HTTP request, provide the user credentials, and upload the ZIP file (created in Data Preparation step) in the body of the request.
III. Send the request to the end point URL of integration flow. This will trigger the integration flow and start the data transformation. As a result, you shall receive a response file back from your triggering application.
IV. Save the response ZIP file received. Extract the ZIP package and Open the XML file in Microsoft Excel. Click on *Save*.

Note: In the response XML, some records contain fields that require your attention. These instances can be identified by locating cells with the value **“<<Enter Manually>>**”.

4.4. Data Upload

Once the data is transformed and you have received the S/4HANA template file filled with the data (response file) you are ready to upload the same to S/4HANA system via Migration Cockpit.

Follow the below steps to upload the data to S/4HANA system:

a. Save the response ZIP file received.
b. Extract the ZIP package and open the XML file in Microsoft Excel. Click on save. Close the file.
c. This is the file that should be taken to SAP S/4HANA Cloud Public Edition migration project and uploaded. For details on uploading a file via migration cockpit in SAP S/4HANA Cloud Public Edition refer to this help document.

5. Customization and Enhancement of integration flow

You can customize the mapping or enhance the integration flow as per your requirement. For details on customization, you can refer to these tutorials. These tutorials are built for SAP Business ByDesign but the same concept applies to SAP Business One object iflows.

- Tutorial 1: Customizing standard integration flows for data migration from SAP Business ByDesign to SAP S/4HANA Cloud Public Edition.
- Tutorial 2: Updating data structure in integration flows for data migration from SAP Business ByDesign to SAP S/4HANA Cloud Public Edition.

6. Contact Information

Email:
DL_66604530AF3F4B0136989F8F@global.corp.sap

Support Ticket Component:
CA-S4H-B1-IFLOW