

SAP BusinessObjects Business Intelligence

Data Collection Instructions

Use these instructions to collect the HTML exports required for the SAP BusinessObjects assessment. The final deliverable is one ZIP file containing every required HTML file listed below.

Required final ZIP contents


Source	Required HTML file
BI Platform Support Tool	Content*.html
BI Platform Support Tool	License Key*.html
BI Platform Support Tool	Semantic Layer*.html
Query Builder	Users.html
Query Builder	Scheduling.html
Query Builder	Modified_Insight.html
Query Builder	Favourite.html
Query Builder	PublicFolder.html
Query Builder	Inbox.html

Filename note: An asterisk means the support tool may add date, time, or version text to that filename.


Important: Upload the completed BISupportTool ZIP directly. Do not place it inside another ZIP, and do not rename the required HTML files.

Part 1 Create the BI Platform Support Tool report

1. Download BI Platform Support Tool version 2.1 or later on a Windows computer that can reach the CMS server port. Download:
https://help.sap.com/docs/SUPPORT_CONTENT/bobjip/3354089663.html




2. Install the tool. Local administrator rights may be required. If the tool is already installed, open BuildVersion.txt in the installation directory and confirm that the version is 2.1 or later.




3. Start the tool. If it does not open automatically, run BIPSupportTool64.bat from the installation directory.

4. Select Create Report, choose Content, License Key, and Semantic Layer, and then select Submit.




5. Sign in to the CMS system using the server and port for the landscape being assessed.




The image shows the SAP BusinessObjects login window. It has a title bar 'SAP BusinessObjec'. Below the title bar, it says 'Enter your user information and click "Log". If you are unsure of your account information, contact your system administrator.' There are input fields for 'Central' (with a dropdown menu showing '8.237.6:6400'), 'name' (with 'administrator' entered), 'password' (with masked dots), 'Authentication' (with a dropdown menu showing 'Enterprise'), and 'Enable' (with a checkbox). At the bottom, there are 'Log On' and 'Cancel' buttons. To the right of the login window, there are labels 'Timeouts', 'Auditing', and 'All'.

6. Wait for the report to finish. Confirm that the results include Content, License Key, and Semantic Layer tabs.



7. Select File, Save, and Save Landscape Analysis. Save the generated BISupportTool ZIP without changing its internal files.



Before continuing, open the ZIP and verify that it contains Content*.html, License Key*.html, and Semantic Layer*.html.

Part 2 Create Users and Scheduling HTML files

1. Open Query Builder at <http://<WebApplicationServer>:<port>/AdminTools> and sign in with an account permitted to run CMS queries.

2. Run the Users query below. Replace <YYYY.MM.DD> with the date 12 months before the collection date. For example, for collection on 2026.10.07, use 2025.10.07.

```
SELECT COUNT(SI_ID)
FROM CI_SYSTEMOBJECTS
WHERE SI_KIND = 'User'
AND SI_LASTLOGONTIME > '<YYYY.MM.DD>'
```

2. Save the result as Users.html. In the Save As dialog, enter that exact filename and select Webpage, Complete (*.htm, *.html). **Note: “Please wait for the full page to load before saving the html”.**

SAP BusinessObjects Business Intelligence platform - Query Builder

Number of InfoObject(s) returned: 1

1/1

Properties

SI_AGGREGATE_COUNT	SI_ID	11

4. Run the Scheduling query below.

```
SELECT TOP 100000 SI_ID, SI_KIND,
SI_PROCESSINFO.SI_PROCESSINFO_PER_DOC,
SI_SCHEDULEINFO.SI_DESTINATIONS
FROM CI_INFOOBJECTS
WHERE SI_INSTANCE = 1
AND SI_RECURRING = 1
AND SI_SCHEDULE_STATUS = 9
```

5. Save the result as Scheduling.html using Webpage, Complete (*.htm, *.html). **Note: “Please wait for the full page to load before saving the html”**

Query Builder reference: <https://me.sap.com/notes/0001206301>

Part 3 Create the modified date HTML file

1. Run the query below.

```
SELECT TOP 200000 SI_UPDATE_TS  
FROM CI_INFOOBJECTS
```

2. Save the result as Modified_Insight.html using Webpage, Complete (*.htm, *.html). **Note: “Please wait for the full page to load before saving the html”.**

Part 4 Create the report inventory HTML files

1. Run the following query three times. Change only the SI_ANCESTOR value according to the table that follows.


```
SELECT SI_ID, SI_NAME, SI_KIND, SI_PARENTID, SI_REPORT_ENGINE_TYPE  
FROM CI_INFOOBJECTS  
WHERE SI_INSTANCE = 0  
AND SI_ANCESTOR = <VALUE>  
AND (  
    SI_KIND = 'Webi'  
    OR SI_KIND = 'CrystalReport'  
    OR SI_KIND = 'Analysis'  
    OR SI_KIND = 'OLAP'  
    OR SI_KIND = 'AnalysisView'  
    OR SI_KIND = 'DesignStudio'  
    OR SI_KIND = 'ExplorationView'  
    OR SI_KIND = 'InfoSpace'  
    OR SI_KIND = 'XL.XcelsiusEnterprise'  
    OR SI_KIND = 'Agnostic'  
)
```

SI_ANCESTOR value	Save as
18	Favourite.html
23	PublicFolder.html
49	Inbox.html

Note: “Please wait for the full page to load before saving the html”.

Package and upload the final ZIP

1. Add Users.html, Scheduling.html, Modified_Insight.html, Favourite.html, PublicFolder.html, and Inbox.html directly to the BISupportTool ZIP created in Part 1.



2. Open the completed ZIP and confirm that all nine required HTML files from the checklist on page 1 are present. Additional files created by the support tool may remain in the ZIP.
3. Upload the completed BISupportTool ZIP directly to the shared folder provided in the onboarding email. Do not create an outer customer ZIP around it.

Final verification checklist

- ☐ The final upload is one BISupportTool ZIP, not a ZIP inside another ZIP.
- ☐ Content, License Key, and Semantic Layer are present as HTML files.
- ☐ All six Query Builder files use the exact filenames shown in this document.
- ☐ Each Query Builder result was saved as Webpage, Complete.
- ☐ The ZIP opens successfully and contains all nine required HTML files.