HOTEL DATABASE MANAGEMENT SYSTEM

Prepared By –

Dhruv Bajaj
Piyush Mohan
Shubham Patil
Harshal Gupta
Mohit Patidar

Table of contents

In a nutshell, this shows what we are going to cover today in our presentation of "Hotel Database Management System".
It will be around 10 minutes presentation. We would be more than happy to answer your questions at the end of the presentation!

1. Introduction
2. ERR Diagram
3. Tables & Relationships
4. Normalization
5. Queries, Views, Triggers
6. Challenges
7. Questions

The main objective of this project is to create a database management system for a hotel.

We have build this project as a group.

The group members are:

1. Dhruv Bajaj
2. Piyush Mohan
3. Shubham Patil
4. Mohit Patidar
5. Harshal Gupta

It was fun working together, overcoming each other’s flaws together and learning from each other's strengths in respective areas of Database Design & Management.

A Hotel consists of a wide areas to manage. We tried to include the main areas for a hotel management system in this project.

Step:1

ERR-Diagram

We drew the ERR diagram on a paper, noting down all the tables required





It looks messy, right?

Yeah, we better look at the ERR diagram !


hotel_chain
hotel_chain_id INT
hotel_chain_name VARCHAR(45)
hotel_chain_contact_number VARCHAR(12)
hotel_chain_email_address VARCHAR(45)
hotel_chain_website VARCHAR(45)
hotel_chain_head_office_address_id INT
Indexes
hotel_chain_has_hotel
hotel_chains_hotel_chain_id INT
hotels_hotel_id INT
Indexes
hotel
hotel_id INT
hotel_name VARCHAR(45)
hotel_contact_number VARCHAR(12)
hotel_email_address VARCHAR(45)
hotel_website VARCHAR(45)
hotel_description VARCHAR(100)
hotel_floor_count INT
hotel_room_capacity INT
hotel_chain_id INT
addresses_address_id INT
star_ratings_star_rating INT
check_in_time TIME
check_out_time TIME
Indexes
rooms
room_id INT
room_number INT(4)
rooms_type_rooms_type_id INT
hotel_hotel_id INT
Indexes
room_type
room_type_id INT
room_type_name VARCHAR(45)
room_cost DECIMAL(10,2)
room_type_description VARCHAR(100)
smoke_friendly TINYINT(1)
pet_friendly TINYINT(1)
Indexes
star_ratings
star_rating INT
star_rating_image VARCHAR(100)
Indexes
rooms_booked
rooms_booked_id INT
bookings_booking_id I...
rooms_room_id INT
Indexes
room_rate_discount
discount_id INT
discount_rate DECIMAL(10,2)
start_month TINYINT(2)
end_month TINYINT(2)
room_type_room_type_id INT
Indexes
addresses
address_id INT
address_line1 VARCHAR(100)
address_line2 VARCHAR(100)
city VARCHAR(45)
state VARCHAR(45)
country VARCHAR(45)
zipcode VARCHAR(6)
Indexes
employees
emp_id INT
emp_first_name VARCHAR(45)
emp_last_name VARCHAR(45)
emp_designation VARCHAR(45)
emp_address_id INT
emp_contact_number VARCHAR(12)
emp_email_address VARCHAR(45)
department_department_id INT
addresses_address_id INT
hotel_hotel_id INT
Indexes
department
department_id INT
department_name VARCHAR(45)
department_description VARCHAR(100)
Indexes
bookings
booking_id INT
booking_date DATETIME
duration_of_stay VARCHAR(10)
check_in_date DATETIME
check_out_date DATETIME
booking_payment_type VARCHAR(45)
total_rooms_booked INT
hotel_hotel_id INT
guests_guest_id INT
employees_emp_id INT
total_amount DECIMAL(10,2)
Indexes
hotel_services
service_id INT
service_name VARCHAR(45)
service_description VARCHAR(100)
service_cost DECIMAL(10,2)
hotel_hotel_id INT
Indexes
guests
guest_id INT
guest_first_name VARCHAR(45)
guest_last_name VARCHAR(45)
guest_contact_number VARCHAR(12)
guest_email_address VARCHAR(45)
guest_credit_card VARCHAR(45)
guest_id_proof VARCHAR(45)
addresses_address_id INT
Indexes
hotel_services_used_by_guests
service_used_id INT
hotel_services_service_id INT
bookings_booking_id INT
Indexes


Let us begin exploring the TABLES



hotel_chain table consists of information related to a hotel chain. hotel_chain_id – This is the primary key of the table. It has Not Null constraint and Unique constraint. hotel_chain_head_office_address_id – This is a foreign key which is related to the addresses table. hotel_chain table has one-to-one relationship with the addresses table and many-to-many relationship with the hotel table. This results into a linking table hotel_chain_has_hotel.

hotel table contains information about a particular hotel.

hotel_id – This is the primary key of the table. It has Not Null constraint and Unique constraint.

Addresses_address_id – This is the foreign key which is related to the addresses table.

Star_ratings_star_rating – This is the foreign key which is related to the star_ratings table.

This table has many-to-many relationship with the hotel_chain table, one-to-one with star_rating, addresses, rooms_booked tables, one-to-many with employees, bookings, rooms, hotel_services tables.





hotel_services table consists of information for the services provided by the hotel like laundry, spa, sauna bath, gym, etc. It for service_id as the primary key and hotel_hotel_id as the foreign key which is related to the hotel table.

It holds many-to-one relationship with the hotel table.

star_ratings table consists only two columns. The star_rating column is a primary key consists of the rating of the hotel. And star_rating_image stores the image of the star_rating.
It has got one-to-one relationship with the hotels table.



Room_type table has the information about the room of each type. The primary key of the table is room_type_id.
It has got one-to-many relationship with rooms table.

rooms table contains data about the rooms of the hotel. The primary key of this table is room_id and this table has two foreign keys, rooms_type_rooms_type_id and hotel_hotel_id. This table has many-to-one relationships with the hotel and room_type tables.



Room_rate_discount is the table that contains information about the discount depending on month of the year for each room type. The primary key of the table is discount_id and it has the foreign key rooms_type_rooms_type_id. This table has many-to-one relationship with the room_type table

hotel_services_used_by_guests table contains info about the services used by the guests. Primary key is service_used_id & two foreign keys, hotel_services_service_id, which relates to hotel_services table & bookings_booking_id relates to bookings table.





department table contains the data about the different departments of the hotel. The primary key is department_id, which creates a one-to-many relationship with the employees table.

employees table consists of data related to the employees.
The primary key is employee_id. There are three foreign keys, service_id that denotes many-to-one relations with the department table.
address_id that denotes one-to-one relationship with the addresses table.
hotel_id that denotes many-to-one relationship with the hotel table.





addresses table defines the information about the address of guests, hotels, hotel chains, employees.
The primary key of the table is address_id.
It maintains one-to-one relationship with tables, hotel_chain, hotel, employees and guests.

guests table has the data about the guests that check in to the hotel. The primary key of this table is guest_id.
There is one foreign key in this table, address_id that has one-to-one relationship with the address table.



rooms_booked table has
one primary key, rooms_booked_id.
This table has 2 foreign keys,
booking_id which has many-to-one relationship with the bookings table and room_id which has one-to-one-relationship with the rooms table.

“

There were indeed a lot of tables to design and a lot of relationships to manage..

Relationships..

A tricky business, eh?

Normalization Process

We achieved the first normal form by keeping the data scalar.
Coming to the second normal form, we tried to make the relationships depend on the primary key.
On the third normal for, we made sure that all the dependencies are only on the primary key of the tables.



And the came our favourite part..
Writing queires was fun ☺
We also made two views and two triggers.

QUERIES

To execute the required tasks and fetch the data from one or more tables.

VIEWS

To view the details of employees along with their departments and also the details of the guests.

TRIGGERS

To create a Booking Audit table and store information about insert and delete bookings records.


ex
hotel_database
New
addresses
bookings
Columns
New
booking_date
booking_id
booking_payment_type
check_in_date
check_out_date
duration_of_stay
employees_emp_id
guests_guest_id
hotel_hotel_id
total_amount
total_rooms_booked
Indexes
Triggers
New
bookings_after_delete
bookings_after_insert
bookings_audit
Columns
New
action_type
audit_id
booking_date
booking_id
booking_payment_type
check_in_date
Show all
Number of rows: 25
Filter rows: Search this table
Sort by key: None
+ Options
audit_id booking_id booking_date duration_of_stay check_in_d check_out_d booking_pay total hotel guests_ emplo total_amount action_type date_updated
Delete 1 1 2018-08-08 00:00:00 5 2018-08-10 2018-08-15 2: cash 1 1 1 3 590.00 INSERTED 2018-08-14 01:53:20
Delete 2 2 2018-06-08 00:00:00 20 2018-06-08 2018-06-28 2: card 1 1 2 1 2300.00 INSERTED 2018-08-14 01:53:20
Delete 3 3 2018-06-08 00:00:00 10 2018-06-08 2018-06-18 2: card 1 1 1 3 1100.00 INSERTED 2018-08-14 01:53:20
Delete 4 4 2018-06-08 00:00:00 2 2018-06-08 2018-06-10 2: card 1 1 4 1 290.00 INSERTED 2018-08-14 01:53:20
Delete 5 5 2018-06-08 00:00:00 3 2018-06-08 2018-06-11 2: card 1 1 2 3 350.00 INSERTED 2018-08-14 01:53:20
Delete 6 6 2018-06-08 00:00:00 5 2018-06-08 2018-06-13 2: card 1 1 3 3 570.00 INSERTED 2018-08-14 01:53:20
Delete 7 7 2018-08-13 00:00:00 2 2018-06-13 2018-06-15 2: cash 2 1 5 4 280.00 INSERTED 2018-08-14 01:53:20
Delete 8 8 2018-08-10 00:00:00 3 2018-08-11 2018-08-13 2: card 1 1 3 3 350.00 INSERTED 2018-08-14 01:53:20
Delete 9 9 2018-08-10 00:00:00 5 2018-08-12 2018-08-16 2: card 1 1 4 3 570.00 INSERTED 2018-08-14 01:53:20
Delete 10 10 2018-08-14 00:00:00 2 2018-08-15 2018-08-17 2: cash 2 1 5 4 280.00 INSERTED 2018-08-14 01:53:20
Delete 11 11 2018-08-14 00:00:00 5 2018-08-16 2018-08-21 2: cash 1 1 1 3 590.00 INSERTED 2018-08-14 01:53:20
Delete 12 12 2018-08-14 00:00:00 20 2018-08-17 2018-09-07 2: card 1 1 2 1 2300.00 INSERTED 2018-08-14 01:53:20
Delete 13 13 2018-08-14 00:00:00 10 2018-08-15 2018-08-25 2: card 1 1 1 3 1100.00 INSERTED 2018-08-14 01:53:20
Delete 14 14 2018-08-14 00:00:00 2 2018-08-16 2018-08-18 2: card 2 1 4 1 290.00 INSERTED 2018-08-14 01:53:20
Delete 15 15 2018-08-14 00:00:00 3 2018-08-17 2018-08-20 2: card 3 1 2 3 350.00 INSERTED 2018-08-14 01:53:20
Delete 16 3 2018-06-08 00:00:00 10 2018-06-08 2018-06-18 2: card 1 1 1 3 1100.00 DELETED 2018-08-14 01:56:06
Check all
With selected:
Edit
Copy
Delete
Export
Show all
Number of rows: 25
Filter rows: Search this table
Sort by key: None

Challenges Faced

We faced most of the challenges in creating relationships among tables.

We need to make sure that all the relationships created among tables are logical and follow the normalization rules.

The most challenging part was creating the booking and the rooms table and its relationships with other respective tables.

“

A successful DBA

makes the data

easy to access

and

hard to lose!

That’s it!
Thank you very much for your time!

If you have any questions regarding the presentation, please feel free to ask us!

We will be more than happy to answer you ☺