

<https://chatgpt.com/share/6a006ed8-d9a8-83ea-a11b-ca33ef5c6b41>

Step 1 : npx create-react-app job-tracker

Step 2 : app. Jsx

```
import React, { useState } from "react";
import "./App.css";
```

```
function App() {
  const [company, setCompany] = useState("");
  const [role, setRole] = useState("");
  const [status, setStatus] = useState("");
  const [jobs, setJobs] = useState([]);

  const addJob = () => {
    if (company && role && status) {
      const newJob = {
        id: Date.now(),
        company,
        role,
        status,
      };

      setJobs([...jobs, newJob]);

      setCompany("");
      setRole("");
      setStatus("");
    } else {
      alert("Please fill all fields");
    }
  };

  const deleteJob = (id) => {
    setJobs(jobs.filter((job) => job.id !== id));
  };

  return (
    <div className="container">
      <h1>Job Tracker</h1>

      <input
        type="text"
        placeholder="Company Name"
        value={company}
        onChange={(e) => setCompany(e.target.value)}
      />
    </div>
  );
}
```

```

    <input
      type="text"
      placeholder="Job Role"
      value={role}
      onChange={(e) => setRole(e.target.value)}
    />

    <input
      type="text"
      placeholder="Application Status"
      value={status}
      onChange={(e) => setStatus(e.target.value)}
    />

    <button onClick={addJob}>Add Job</button>

    <h2>Applied Jobs</h2>

    {jobs.map((job) => (
      <div className="card" key={job.id}>
        <p>
          <b>Company:</b> {job.company}
        </p>

        <p>
          <b>Role:</b> {job.role}
        </p>

        <p>
          <b>Status:</b> {job.status}
        </p>

        <button onClick={() => deleteJob(job.id)}>
          Delete
        </button>
      </div>
    ))}
  </div>
);
}

export default App;

```

Step 3 : app. Css

```

body {
  background-color: #f2f2f2;
  font-family: Arial, sans-serif;
}

```

```
.container {
  width: 350px;
  margin: auto;
  text-align: center;
  margin-top: 20px;
}

h1 {
  margin-bottom: 20px;
}

input {
  width: 100%;
  padding: 12px;
  margin-bottom: 15px;
  border: 1px solid #bbb;
  outline: none;
}

button {
  background-color: purple;
  color: white;
  border: none;
  padding: 10px 20px;
  cursor: pointer;
}

button:hover {
  opacity: 0.9;
}

.card {
  border: 1px solid #999;
  padding: 20px;
  margin-top: 20px;
  background-color: white;
}
```

Step 4 : cd job-tracker

Step 5 : npm start