

```

student-app/          <- project root
├── pom.xml
├── src/
│   ├── main/
│   │   ├── java/
│   │   │   ├── com/example/
│   │   │   │   ├── Student.java
│   │   │   │   └── StudentServlet.java
│   │   ├── webapp/
│   │   │   ├── index.jsp
│   │   │   ├── display.jsp
│   │   │   ├── WEB-INF/
│   │   │   └── web.xml (optional)

```

Pom.xml

```

<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
    https://maven.apache.org/xsd/maven-4.0.0.xsd">

```

```

  <modelVersion>4.0.0</modelVersion>
  <groupId>com.example</groupId>
  <artifactId>student-app</artifactId>
  <version>1.0.0</version>
  <packaging>war</packaging>

```

```

  <dependencies>

```

```

    <dependency>
      <groupId>jakarta.servlet</groupId>
      <artifactId>jakarta.servlet-api</artifactId>
      <version>6.0.0</version>
      <scope>provided</scope>
    </dependency>

```

```

    <dependency>
      <groupId>jakarta.servlet.jsp.jstl</groupId>
      <artifactId>jakarta.servlet.jsp.jstl-api</artifactId>
      <version>3.0.0</version>
    </dependency>

```

```

    <dependency>
      <groupId>org.glassfish.web</groupId>
      <artifactId>jakarta.servlet.jsp.jstl</artifactId>
      <version>3.0.1</version>
    </dependency>

```

```
</dependencies>
```

```
</project>
```

Index.jsp

```
<%@ page import="java.util.Date" %>
<%@ taglib prefix="c" uri="jakarta.tags.core" %>
<!DOCTYPE html>
<html>
<body>
<h2>Student Registration Form</h2>
<p>Current Date & Time: <%= new Date() %></p>
<form action="StudentServlet" method="post">
    Name : <input type="text" name="name"><br><br>
    Age  : <input type="number" name="age"><br><br>
    Grade: <input type="text" name="grade"><br><br>
    <input type="submit" value="Add Student">
</form>
</body>
</html>
```

Display.jsp

```
<%@ page language="java" %>
<%@ taglib prefix="c" uri="jakarta.tags.core" %>
<!DOCTYPE html>
<html>
<body>
<h2>Student List</h2>
<table border="1" cellpadding="10">
    <tr>
        <th>#</th><th>Name</th><th>Age</th><th>Grade</th>
    </tr>
    <c:forEach var="stu" items="{students}" varStatus="s">
        <tr>
            <td>${s.index + 1}</td>
            <td>${stu.name}</td>
            <td>${stu.age}</td>
            <td>${stu.grade}</td>
        </tr>
    </c:forEach>
</table>
</body>
</html>
```

Student.java

```
package com.example;
```

```
public class Student {
```

```

private String name;
private int age;
private String grade;

public Student(String name, int age, String grade) {
    this.name = name;
    this.age = age;
    this.grade = grade;
}
public String getName() { return name; }
public int getAge() { return age; }
public String getGrade() { return grade; }
}

```

StudentServlet.java

```

package com.example;

import java.io.IOException;
import java.util.ArrayList;
import jakarta.servlet.*;
import jakarta.servlet.http.*;
import jakarta.servlet.annotation.WebServlet;

@WebServlet("/StudentServlet")
public class StudentServlet extends HttpServlet {
    ArrayList<Student> studentList = new ArrayList<>();

    protected void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {

        String name = request.getParameter("name");
        int age = Integer.parseInt(request.getParameter("age"));
        String grade = request.getParameter("grade");

        Student student = new Student(name, age, grade);
        studentList.add(student);

        request.setAttribute("students", studentList);

        RequestDispatcher rd = request.getRequestDispatcher("display.jsp");
        rd.forward(request, response);
    }
}

```