

Job Portal System Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Job Portal</title>

  <style>
    body{
      font-family: Arial;
      background:#f2f2f2;
      margin:0;
      padding:20px;
    }

    h1{
      text-align:center;
      color:#333;
    }

    .container{
      width:80%;
      margin:auto;
    }

    .form{
      background:white;
      padding:20px;
      border-radius:10px;
      margin-bottom:20px;
      box-shadow:0 0 10px gray;
    }

    input{
      width:95%;
      padding:10px;
      margin:10px 0;
    }

    button{
      padding:10px 20px;
      background:blue;
      color:white;
      border:none;
      cursor:pointer;
      border-radius:5px;
    }

    button:hover{
      background:darkblue;
    }

    .job{
      background:white;
      padding:20px;
      margin-top:20px;
      border-radius:10px;
      box-shadow:0 0 10px gray;
    }

    .apply{
      background:green;
    }

    .apply:hover{
      background:darkgreen;
    }
  </style>
</head>
```

```

<body>

<h1>Job Portal System</h1>

<div class="container">

  <div class="form">

    <h2>Search Job</h2>

    <input type="text" id="search"
    placeholder="Search by Job Title">

    <button onclick="searchJob()">Search</button>

  </div>

  <div class="form">

    <h2>Post Job</h2>

    <input type="text" id="title"
    placeholder="Job Title">

    <input type="text" id="company"
    placeholder="Company Name">

    <input type="text" id="location"
    placeholder="Location">

    <button onclick="addJob()">Post Job</button>

  </div>

  <div id="jobList"></div>

</div>

<script>

let jobs = [

  {
    id:1,
    title:"Frontend Developer",
    company:"ABC Technologies",
    location:"Chennai"
  },

  {
    id:2,
    title:"Java Developer",
    company:"XYZ Solutions",
    location:"Bangalore"
  }

];

function displayJobs(data = jobs){

  let output = "";

  data.forEach(job => {

    output += `

    <div class="job">

      <h2>${job.title}</h2>

      <p><b>Company:</b> ${job.company}</p>
      <p><b>Location:</b> ${job.location}</p>

```

```

        <input type="file">

        <br><br>

        <button class="apply"
        onclick="applyJob('${job.title}')">

        Apply Job

        </button>

    </div>

    `;
    });
    document.getElementById("jobList").innerHTML = output;
}

function addJob(){
    let title =
    document.getElementById("title").value;

    let company =
    document.getElementById("company").value;

    let location =
    document.getElementById("location").value;

    jobs.push({
        id: jobs.length + 1,
        title:title,
        company:company,
        location:location
    });

    displayJobs();
    alert("Job Posted Successfully");
}

function applyJob(title){
    alert("Applied for " + title);
}

function searchJob(){
    let text =
    document.getElementById("search").value.toLowerCase();

    let result = jobs.filter(job =>
        job.title.toLowerCase().includes(text)
    );

    displayJobs(result);
}

displayJobs();

</script>

</body>
</html>

```