Rajalakshmi Engineering College

Name: SARVESHVARAN D
Email: 240701480@rajalakshmi.edu.in
Roll no: 240701480
Phone: 8122614302
Branch: REC
Department: CSE - Section 5
Batch: 2028
Degree: B.E - CSE

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a " . " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

240701480

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.*;
class DotException extends Exception{
   DotException(String msg){
      super(msg);
   }
}
class AtTheRateException extends Exception{
   AtTheRateException(String msg){
      super(msg);
   }
}
class DomainException extends Exception{
   DomainException(String msg)
   {
      super(msg);
   }
}
public class Main{
   public static void main(String args[])
   {
      Scanner scan=new Scanner(System.in);
      String email=scan.nextLine();
      try{
         validateEmail(email);
         System.out.println("Valid email address");
         }
      catch(DotException e){
         System.out.println("DotException: "+e.getMessage());
         System.out.println("Invalid email address");
      }
      catch(AtTheRateException e){
         System.out.println("AtTheRateException: "+e.getMessage());
```

```
            System.out.println("Invalid email address");
        }
        catch(DomainException e){
            System.out.println("DomainException: "+e.getMessage());
            System.out.println("Invalid email address");
        }
    }
    public static void validateEmail(String email) throws
DotException,AtTheRateException,DomainException
    {
        int atcount=email.length()-email.replace("@","").length();
        if(atcount!=1 || email.startsWith("@") ||email.endsWith("@") ||
email.contains("@@")){
            throw new AtTheRateException("Invalid @ usage");
        }
        if(email.startsWith(".")||email.endsWith(".")||email.contains(".."))
        {
            throw new DotException("Invalid Dot Usage");
        }

        if(!(email.endsWith("in")||email.endsWith("com")||email.endsWith("net")||
email.endsWith("biz")))
        {
            throw new DomainException("Invalid Domain");
        }
    }
}
```

Status : Correct **Marks : 10/10**