

1.html

```
<!DOCTYPE html>
<html>
<head>
<title>Registration</title>
<style>
body{font-family:Arial;background:lightblue;margin:0}
h1{text-align:center;background:darkblue;color:white;padding:20px;margin:0}
.register-box{width:400px;margin:40px auto;padding:25px;background:white;border:1px solid gray}
label{display:block;margin:15px 0 5px} input{width:95%;padding:8px}
input[type=submit]{width:auto;margin-top:20px;padding:10px
30px;background:darkblue;color:white;border:0} input[type=submit]:hover{background:blue}
</style>
</head>
<body>
<h1>Student Registration</h1>
<div class="register-box">
<form action="index.html" method="get">
<label>Full Name:</label>
<input type="text" name="name" required>
<label>Email:</label>
<input type="email" name="email" required>
<label>Phone Number:</label>
<input type="text" name="phone" required>
<label>Username:</label>
<input type="text" name="username" required>
<label>Password:</label>
<input type="password" name="password" required>
<label>Confirm Password:</label>
<input type="password" name="confirmPassword" required>
<input type="submit" value="Register">
</form>
</div>
</body>
</html>
```

1.html

```
<!DOCTYPE html>
<html>
<head>
<title>HTML and CSS Online Examination</title>
<style>
```

```

body{font-family:Arial;background:lightblue;text-align:center;margin:0}
.container{width:700px;margin:30px auto;padding:25px;background:white;border:1px solid
gray;text-align:left}
h1{text-align:center;color:darkblue} h3{color:#333;margin-top:25px}
input[type=text]{width:95%;padding:8px;margin-top:5px}
input[type=radio]{margin:2px 5px 2px 0} .buttons{text-align:center;margin-top:30px}
input[type=submit],input[type=reset]{padding:10px
30px;margin:5px;border:0;borderradius:5px;color:white;cursor:pointer}
input[type=submit]{background:darkblue} input[type=submit]:hover{background:blue}
input[type=reset]{background:gray} input[type=reset]:hover{background:darkgray}
</style>
</head>
<body>
<div class="container">
<h1>HTML and CSS Online Examination</h1>
<form action="ExamServlet" method="post">

<label><b>Name:</b></label>
<input type="text" name="username" required>

<h3>1. What is the correct HTML tag for creating a paragraph?</h3>
<input type="radio" name="q1" value="p" required>&lt;p&gt;<br>
<input type="radio" name="q1" value="paragraph">&lt;paragraph&gt;<br>
<input type="radio" name="q1" value="para">&lt;para&gt;<br>
<input type="radio" name="q1" value="text">&lt;text&gt;<br>

<h3>2. Which CSS property is used to change the text color?</h3> <input
type="radio" name="q2" value="color" required>color<br>
<input type="radio" name="q2" value="text-color">text-color<br>
<input type="radio" name="q2" value="font-color">font-color<br>
<input type="radio" name="q2" value="text-style">text-style<br>

<h3>3. Which HTML tag is used to create a hyperlink?</h3>
<input type="radio" name="q3" value="a" required>&lt;a&gt;<br>
<input type="radio" name="q3" value="link">&lt;link&gt;<br>
<input type="radio" name="q3" value="href">&lt;href&gt;<br>
<input type="radio" name="q3" value="url">&lt;url&gt;<br>

<h3>4. Which HTML tag is used to display an image?</h3>
<input type="radio" name="q4" value="img" required>&lt;img&gt;<br>
<input type="radio" name="q4" value="image">&lt;image&gt;<br>
<input type="radio" name="q4" value="picture">&lt;picture&gt;<br>
<input type="radio" name="q4" value="src">&lt;src&gt;<br>

```

<h3>5. Which CSS property is used to change the background color?</h3>
<input type="radio" name="q5" value="background-color" required>background-color

<input type="radio" name="q5" value="bgcolor">bgcolor

<input type="radio" name="q5" value="background">background

<input type="radio" name="q5" value="color">color

<h3>6. Which HTML tag is used to create the largest heading?</h3>
<input type="radio" name="q6" value="h1" required><h1>

<input type="radio" name="q6" value="h6"><h6>

<input type="radio" name="q6" value="heading"><heading>

<input type="radio" name="q6" value="head"><head>

<h3>7. Which CSS property is used to change the font size?</h3>
<input type="radio" name="q7" value="font-size" required>font-size

<input type="radio" name="q7" value="text-size">text-size

<input type="radio" name="q7" value="font-style">font-style

<input type="radio" name="q7" value="size">size

<h3>8. Which HTML tag is used to create an unordered list?</h3>
<input type="radio" name="q8" value="ul" required>

<input type="radio" name="q8" value="ol">

<input type="radio" name="q8" value="list"><list>

<input type="radio" name="q8" value="li">

<h3>9. Which CSS property is used to make text bold?</h3>
<input type="radio" name="q9" value="font-weight" required>font-weight

<input type="radio" name="q9" value="text-bold">text-bold

<input type="radio" name="q9" value="font-bold">font-bold

<input type="radio" name="q9" value="bold">bold

<h3>10. Which HTML tag is used to create a line break?</h3>
<input type="radio" name="q10" value="br" required>

<input type="radio" name="q10" value="break"><break>

<input type="radio" name="q10" value="lb"><lb>

<input type="radio" name="q10" value="line"><line>

<h3>11. Which CSS property is used to align text to the center?</h3>
<input type="radio" name="q11" value="text-align" required>text-align

<input type="radio" name="q11" value="align-text">align-text

<input type="radio" name="q11" value="text-center">text-center

<input type="radio" name="q11" value="align">align

<h3>12. Which HTML tag is used to create a table?</h3>
<input type="radio" name="q12" value="table" required><table>

<input type="radio" name="q12" value="tab"><tab>

<input type="radio" name="q12" value="tbl"><tbl>

<input type="radio" name="q12" value="data"><data>

<div class="buttons">
<input type="submit" value="Submit">
<input type="reset" value="Reset">

```
</div>
</form>
</div>
</body>
</html>
Index.html
```

```
<!DOCTYPE html>
<html>
<head>
<title>HTML CSS Exam</title>
<style>
body{font-family:Arial;background:lightblue;margin:0}
h1{text-align:center;background:darkblue;color:white;padding:20px;margin:0}
.box{display:flex;justify-content:center;gap:20px;margin:40px}
.section{background:white;width:30%;padding:20px;text-align:left;border:1px solid gray}
.section h2{color:darkblue;text-align:center}
.section p{line-height:1.5}
.section li{margin:10px}
.start{text-align:center;margin:30px}
.start p{font-size:18px}
.start a{background:darkblue;color:white;padding:12px 30px;text-decoration:none;border-radius:5px}
.start a:hover{background:blue}
</style>
</head>
<body>
<h1>HTML & CSS Online Examination</h1>
<div class="box">
<div class="section">
<h2>About the Exam</h2>
<p>This exam tests your basic knowledge of HTML and CSS.</p>
<p>Total Questions: 12</p>
<p>Total Marks: 12</p>
<p>Time: 20 Minutes</p>
<p>Each Question: 1 Mark</p>
</div>
<div class="section">
<h2>Rules</h2>
<ul>
<li>Answer all questions.</li>
<li>Choose only one answer.</li>
<li>Do not refresh the page.</li>
<li>Read each question carefully.</li>
<li>Click Submit after completing the exam.</li>
```

```

</ul>
</div>
<div class="section">
<h2>Knowledge Required</h2>
<p>You should know the basics of:</p>
<ul>
<li>HTML Tags</li>
<li>HTML Forms</li>
<li>HTML Tables</li>
<li>HTML Links</li>
<li>CSS Colors</li>
<li>CSS Fonts</li>
<li>CSS Backgrounds</li>
<li>Basic CSS Properties</li>
</ul>
</div>
</div>
<div class="start">
<p>Are you ready to start the examination?</p>
<a href="1.html">START TEST</a>
</div>
</body>
</html>

```

ExamServlet.java

```

package exam;

import java.io.IOException; import
java.io.PrintWriter; import
javax.servlet.ServletException; import
javax.servlet.annotation.WebServlet; import
javax.servlet.http.HttpServlet; import
javax.servlet.http.HttpServletRequest; import
javax.servlet.http.HttpServletResponse;

@WebServlet("/ExamServlet") public class
ExamServlet extends HttpServlet {

    @Override    protected void
doPost(HttpServletRequest request,
            HttpServletResponse response)
        throws ServletException, IOException {

```

```

String username = request.getParameter("username");

String[] correct = {
    "p","color","a","img","background-color","h1",
    "font-size","ul","font-weight","br","text-align","table"
};

int marks = 0;

for (int i = 1; i <= 12; i++) {
    String answer = request.getParameter("q" + i);
    if (answer != null && answer.equals(correct[i - 1]))
        marks++;
}

double percentage = marks * 100.0 / 12;

response.setContentType("text/html;charset=UTF-8");
PrintWriter out = response.getWriter();

    out.println("<html><head><title>Exam Result</title>");
out.println("<style>");
    out.println("body{font-family:Arial;background:lightblue;text-align:center;margin:0}");
out.println("h1{background:darkblue;color:white;padding:20px;margin:0}");
    out.println(".result-box{width:500px;margin:50px auto;padding:30px;background:white;border:1px solid gray}");
    out.println(".marks{font-size:30px;font-weight:bold;color:darkblue}");
out.println(".pass{color:green;font-size:25px;font-weight:bold}");
    out.println(".fail{color:red;font-size:25px;font-weight:bold}");
    out.println("</style></head><body>");
    out.println("<h1>HTML & CSS Online Examination</h1>");
    out.println("<div class='result-box'>");
out.println("<h2>Exam Result</h2>");
    out.println("<p>Student Name: <b>" + username + "</b></p>");
    out.println("<p class='marks'>Marks: " + marks + " / 12</p>");
    out.println("<p>Percentage: " + String.format("%.2f", percentage) + "%</p>");
    if (marks >= 6)
        out.println("<p class='pass'>Result: PASS</p>");
    else
        out.println("<p class='fail'>Result: FAIL</p>");

    out.println("</div></body></html>");
}
}

```

