



PROJECT COMPLETION REPORT

DEWA Protection Panel 001

DEWA Project 001 · DEWA

OVERALL STATUS UNDER REVIEW

100%

OVERALL COMPLETION

1

PANELS

1 of 1 completed

175

CABLES

175 done

0m

WIRING TIME

total recorded

Document No.	DWES-PCR-DEWAPROJECT001-20260704
Client	DEWA
Project State	Report Generated Report Generated
Overall Completion	100%
Generated (UTC)	2026-07-04 07:00 UTC
Prepared By	Production Supervisor

Revision 1.0 · Issue Date 04 Jul 2026 · Status: Issued for Review



SUMMARY

1. Executive Summary

1

TOTAL PANELS

100%

COMPLETION %

0

PASS COUNT

0

PENDING / REJECTED

Across 1 panel, 175 cables were scheduled; overall completion is 100%.



PANEL BREAKDOWN

#	PANEL	TECHNICIAN	CABLES	SRC	DST	KPI	STATUS	REVIEW
1	DEWA Protection Panel 001	Viju Vijayan	175	175/175	175/175	100%	COMPLETED	REVIEW
TOTALS			175	175	175	100%		



Project Completion Report

DWES-PCR-DEWAPROJECT001-20260704

Digital Wiring Execution System · Ingenious Network FZC

2.1 DEWA Protection Panel 001

Technician: Viju Vijayan

COMPLETED

REVIEW

TECHNICIAN

Viju Vijayan

ASSIGNED

03 Jul 2026

STATUS

COMPLETED

REVIEW

REVIEW

TERMINATIONS

Src 175/175 · Dst 175/175

WIRING TIME

0m

CABLE SCHEDULE (175 CABLES)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
1	F30.1R:1	F30.1Y:1	1.5SQ.mm	GREY	DONE
2	XKL1:2	F30.1R:1	1.5SQ.mm	GREY	DONE
3	F30.1R:3	F30.1Y:3	1.5SQ.mm	GREY	DONE
4	M1BCP:X31:13	F30.1R:3	1.5SQ.mm	GREY	DONE
5	XK1:14	F30.1R:13	2.5SQ.mm	GREY	DONE
6	F30.1R:14	R2:1	2.5SQ.mm	GREY	DONE
7	R1:2	F30.1R:21	2.5SQ.mm	GREY	DONE
8	M1BCP:X42:1	F30.1R:22	2.5SQ.mm	GREY	DONE
9	F30.1R:27	F30.1Y:27	1.5SQ.mm	GREY	DONE
10	LK100:2	F30.1R:27	1.5SQ.mm	GREY	DONE
11	R3:2	F30.1R:28	1.5SQ.mm	GREY	DONE
12	F30.1R:E	GND:E	2.5SQ.mm	YELLOW/ GREEN	DONE
13	F30.1Y:1	F30.1B:1	1.5SQ.mm	GREY	DONE
14	F30.1Y:3	F30.1B:3	1.5SQ.mm	GREY	DONE
15	XK1:17	F30.1Y:13	2.5SQ.mm	GREY	DONE
16	F30.1Y:14	R5:1	2.5SQ.mm	GREY	DONE
17	R4:2	F30.1Y:21	2.5SQ.mm	GREY	DONE
18	M1BCP:X42:4	F30.1Y:22	2.5SQ.mm	GREY	DONE
19	F30.1Y:27	F30.1B:27	1.5SQ.mm	GREY	DONE
20	R6:2	F30.1Y:28	1.5SQ.mm	GREY	DONE
21	F30.1Y:E	GND:E	2.5SQ.mm	YELLOW/ GREEN	DONE
22	F30.1B:1	K101X:6	1.5SQ.mm	GREY	DONE
23	XK1:20	F30.1B:13	2.5SQ.mm	GREY	DONE
24	F30.1B:14	R8:1	2.5SQ.mm	GREY	DONE
25	R7:2	F30.1B:21	2.5SQ.mm	GREY	DONE
26	M1BCP:X42:7	F30.1B:22	2.5SQ.mm	GREY	DONE
27	F30.1B:27	M1BCP:X31:08	1.5SQ.mm	GREY	DONE
28	R9:2	F30.1B:28	1.5SQ.mm	GREY	DONE
29	F30.1B:E	GND:E	2.5SQ.mm	YELLOW/ GREEN	DONE
30	K101X:1	K101X:2	2.5SQ.mm	GREY	DONE
31	XK1:23	K101X:1	2.5SQ.mm	GREY	DONE
32	K101X:2	K101X:5	2.5SQ.mm	GREY	DONE
33	K101X:3	XM1BCP:2:7	2.5SQ.mm	GREY	DONE
34	XK1:4	K101X:3	2.5SQ.mm	GREY	DONE
35	K101X:4	XM1BCP:2:9	2.5SQ.mm	GREY	DONE
36	XK1:6	K101X:4	2.5SQ.mm	GREY	DONE
37	K101X:5	LK1.1:1	2.5SQ.mm	GREY	DONE
38	K101X:6	XKL1:7	1.5SQ.mm	GREY	DONE
39	K101X:7	XM1BCP:2:11	2.5SQ.mm	GREY	DONE

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
40	XK1:8	K101X:7	2.5SQ.mm	GREY	DONE
41	K101X:8	M1BCP:X31:11	1.5SQ.mm	GREY	DONE
42	XKL3:1	K101X:27	1.5SQ.mm	GREY	DONE
43	K101X:28	XKL3:2	1.5SQ.mm	GREY	DONE
44	XKL3:3	K101X:28	1.5SQ.mm	GREY	DONE
45	K101X:E	GND:E	2.5SQ.mm	YELLOW/ GREEN	DONE
46	M1BCP:E	GND:E	2.5SQ.mm	YELLOW/ GREEN	DONE
47	XKL1:10	M1BCP:X11:1	1.5SQ.mm	GREY	DONE
48	XKL1:9	M1BCP:X11:2	1.5SQ.mm	GREY	DONE
49	FS102:2	M1BCP:X11:4	1.5SQ.mm	GREY	DONE
50	LK102:2	M1BCP:X11:5	1.5SQ.mm	GREY	DONE
51	XM1BCP:2:16	M1BCP:X31:01	1.5SQ.mm	GREY	DONE
52	M1BCP:X31:02	M1BCP:X31:04	1.5SQ.mm	GREY	DONE
53	M1BCP:X31:08	M1BCP:X31:02	1.5SQ.mm	GREY	DONE
54	XM1BCP:2:18	M1BCP:X31:03	1.5SQ.mm	GREY	DONE
55	M1BCP:X31:04	M1BCP:X31:06	1.5SQ.mm	GREY	DONE
56	XM1BCP:2:20	M1BCP:X31:05	1.5SQ.mm	GREY	DONE
57	M1BCP:X31:06	M1BCP:X31:14	1.5SQ.mm	GREY	DONE
58	XM1BCP:2:14	M1BCP:X31:07	1.5SQ.mm	GREY	DONE
59	M1BCP:X31:12	M1BCP:X32:14	1.5SQ.mm	GREY	DONE
60	M1BCP:X31:14	M1BCP:X31:12	1.5SQ.mm	GREY	DONE
61	XK1:11	M1BCP:X32:01	2.5SQ.mm	GREY	DONE
62	M1BCP:X32:02	XK1:21	2.5SQ.mm	GREY	DONE
63	XK1:24	M1BCP:X32:02	2.5SQ.mm	GREY	DONE
64	XKL1:8	M1BCP:X32:13	1.5SQ.mm	GREY	DONE
65	M1BCP:X32:14	K105X:1	1.5SQ.mm	GREY	DONE
66	M1BCP:X41:5	M1BCP:X32:15	1.5SQ.mm	GREY	DONE
67	K105X:1	M1BCP:X32:16	1.5SQ.mm	GREY	DONE
68	XM1BCP:1:22	M1BCP:X401:1	2.5SQ.mm	RED	DONE
69	M1BCP:X401:4	M1BCP:X401:2	2.5SQ.mm	BLACK	DONE
70	XM1BCP:1:24	M1BCP:X401:3	2.5SQ.mm	YELLOW	DONE
71	M1BCP:X401:6	M1BCP:X401:4	2.5SQ.mm	BLACK	DONE
72	XM1BCP:1:26	M1BCP:X401:5	2.5SQ.mm	BLUE	DONE
73	M1BCP:X401:7	M1BCP:X401:6	2.5SQ.mm	BLACK	DONE
74	XM1BCP:1:28	M1BCP:X401:8	2.5SQ.mm	BLACK	DONE
75	XU1:2	M1BCP:X41:1	1.5SQ.mm	GREY	DONE
76	XS1:2	M1BCP:X41:10	1.5SQ.mm	GREY	DONE
77	XS1:1	M1BCP:X41:11	1.5SQ.mm	GREY	DONE
78	M1BCP:X41:13	XM1BCP:1:18	1.5SQ.mm	GREY	DONE
79	M1BCP:X41:14	XP1:2	1.5SQ.mm	GREY	DONE
80	XP1:1	M1BCP:X41:14	1.5SQ.mm	GREY	DONE
81	M1BCP:X41:16	XM1BCP:1:20	1.5SQ.mm	GREY	DONE
82	M1BCP:X41:17	XP1:5	1.5SQ.mm	GREY	DONE
83	XP1:4	M1BCP:X41:17	1.5SQ.mm	GREY	DONE
84	XU1:1	M1BCP:X41:2	1.5SQ.mm	GREY	DONE

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
85	M1BCP:X41:4	K105X:2	1.5SQ.mm	GREY	DONE
86	XKL1:7	M1BCP:X41:5	1.5SQ.mm	GREY	DONE
87	XU1:4	M1BCP:X41:7	1.5SQ.mm	GREY	DONE
88	XU1:3	M1BCP:X41:8	1.5SQ.mm	GREY	DONE
89	XM1BCP:2:8	M1BCP:X42:1	2.5SQ.mm	GREY	DONE
90	M1BCP:X42:13	XM1BCP:1:8	1.5SQ.mm	GREY	DONE
91	M1BCP:X42:14	XP1:8	1.5SQ.mm	GREY	DONE
92	XP1:7	M1BCP:X42:14	1.5SQ.mm	GREY	DONE
93	M1BCP:X42:2	M1BCP:X42:5	2.5SQ.mm	GREY	DONE
94	XM1BCP:2:6	M1BCP:X42:2	2.5SQ.mm	GREY	DONE
95	XM1BCP:2:10	M1BCP:X42:4	2.5SQ.mm	GREY	DONE
96	M1BCP:X42:5	M1BCP:X42:8	2.5SQ.mm	GREY	DONE
97	XM1BCP:2:12	M1BCP:X42:7	2.5SQ.mm	GREY	DONE
98	M1BCP:X42:8	XK1:9	2.5SQ.mm	GREY	DONE
99	XM1BCP:1:7	LK1.4:1	1.5SQ.mm	GREY	DONE
100	XM1BCP:1:17	LK1.2:1	1.5SQ.mm	GREY	DONE
101	XM1BCP:1:19	LK1.3:1	1.5SQ.mm	GREY	DONE
102	XA1:1	XM1BCP:1:21	2.5SQ.mm	RED	DONE
103	XA1:2	XM1BCP:1:23	2.5SQ.mm	YELLOW	DONE
104	XA1:3	XM1BCP:1:25	2.5SQ.mm	BLUE	DONE
105	XA1:4	XM1BCP:1:27	2.5SQ.mm	BLACK	DONE
106	XM1BCP:1:E	GND:E	2.5SQ.mm	YELLOW/ GREEN	DONE
107	LK1.1:2	XM1BCP:2:5	2.5SQ.mm	GREY	DONE
108	XKL1:3	XM1BCP:2:13	1.5SQ.mm	GREY	DONE
109	XKL1:4	XM1BCP:2:15	1.5SQ.mm	GREY	DONE
110	XKL1:5	XM1BCP:2:17	1.5SQ.mm	GREY	DONE
111	XKL1:6	XM1BCP:2:19	1.5SQ.mm	GREY	DONE
112	XM1BCP:2:E	GND:E	2.5SQ.mm	YELLOW/ GREEN	DONE
113	XP1:3	LK1.2:2	1.5SQ.mm	GREY	DONE
114	XP1:6	LK1.3:2	1.5SQ.mm	GREY	DONE
115	XP1:9	LK1.4:2	1.5SQ.mm	GREY	DONE
116	S266.1:3	PB3.1:3	1.5SQ.mm	BLACK	DONE
117	F110.1:2	S266.1:3	1.5SQ.mm	BLACK	DONE
118	S266.1:4	T23	1.5SQ.mm	BLACK	DONE
119	XHT:2	PB3.1:1	1.5SQ.mm	BLACK	DONE
120	PB3.1:2	H266.1:X1	1.5SQ.mm	BLACK	DONE
121	PB3.1:4	PB3.1:2	1.5SQ.mm	BLACK	DONE
122	H266.1:X2	XHT:4	1.5SQ.mm	BLACK	DONE
123	F110.1:4	H266.1:X2	1.5SQ.mm	BLACK	DONE
124	XHT:5	E:1	2.5SQ.mm	YELLOW/ GREEN	DONE
125	XA1L:2	E:2	2.5SQ.mm	YELLOW/ GREEN	DONE
126	XHT:2	E1.1:1	1.5SQ.mm	BLACK	DONE
127	XHT:4	E1.1:2	1.5SQ.mm	BLACK	DONE
128	XHT:5	E1.1:PE	2.5SQ.mm	YELLOW/ GREEN	DONE
129	S100.1:NC	E100.1:X1	1.5SQ.mm	BLACK	DONE

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
130	XHT:3	E100.1:X2	1.5SQ.mm	BLACK	DONE
131	XHBW:1	F110.1:1	2.5SQ.mm	RED	DONE
132	S100.1:COM	F110.1:2	1.5SQ.mm	BLACK	DONE
133	XHBW:7	F110.1:3	2.5SQ.mm	BLACK	DONE
134	F110.1:11	XX2:2	1.5SQ.mm	GREY	DONE
135	XX1:2	F110.1:11	1.5SQ.mm	GREY	DONE
136	F110.1:12	XX2:1	1.5SQ.mm	GREY	DONE
137	XX1:1	F110.1:12	1.5SQ.mm	GREY	DONE
138	FS100:1	FS101:1	1.5SQ.mm	GREY	DONE
139	XDC1:1	FS100:1	1.5SQ.mm	GREY	DONE
140	FS100:2	R3:1	1.5SQ.mm	GREY	DONE
141	FS101:1	FS102:1	1.5SQ.mm	GREY	DONE
142	XK1:1	FS101:2	2.5SQ.mm	GREY	DONE
143	XCBIL1:3	K105X:3	1.5SQ.mm	GREY	DONE
144	XX2:4	K105X:4	1.5SQ.mm	GREY	DONE
145	K105X:8	XX2:3	1.5SQ.mm	GREY	DONE
146	XX2:1	K105X:8	1.5SQ.mm	GREY	DONE
147	XCBIL1:1	K105X:11	1.5SQ.mm	GREY	DONE
148	LK100:1	LK101:1	1.5SQ.mm	GREY	DONE
149	XDC1:2	LK100:1	1.5SQ.mm	GREY	DONE
150	LK101:1	LK102:1	1.5SQ.mm	GREY	DONE
151	LK101:2	XK1:24	2.5SQ.mm	GREY	DONE
152	R1:1	R4:1	2.5SQ.mm	GREY	DONE
153	XK1:10	R1:1	2.5SQ.mm	GREY	DONE
154	XK1:13	R2:2	2.5SQ.mm	GREY	DONE
155	R3:1	R6:1	1.5SQ.mm	GREY	DONE
156	R4:1	R7:1	2.5SQ.mm	GREY	DONE
157	XK1:16	R5:2	2.5SQ.mm	GREY	DONE
158	R6:1	R9:1	1.5SQ.mm	GREY	DONE
159	XK1:19	R8:2	2.5SQ.mm	GREY	DONE
160	R9:1	XKL1:1	1.5SQ.mm	GREY	DONE
161	XHT:3	T23	1.5SQ.mm	BLACK	DONE
162	T23	H23.1:2	1.5SQ.mm	BLACK	DONE
163	XHT:1	T23	1.5SQ.mm	BLACK	DONE
164	XA1:4	XA1L:1	2.5SQ.mm	BLACK	DONE
165	XHBW:1	XHBW:2	2.5SQ.mm	RED	DONE
166	XHBW:4	XHBW:3	2.5SQ.mm	YELLOW	DONE
167	XHBW:5	XHBW:6	2.5SQ.mm	BLUE	DONE
168	XHBW:8	XHBW:7	2.5SQ.mm	BLACK	DONE
169	XK1:2	XK1:22	2.5SQ.mm	GREY	DONE
170	XK1:3	XK1:12	2.5SQ.mm	GREY	DONE
171	XK1:5	XK1:15	2.5SQ.mm	GREY	DONE
172	XK1:7	XK1:18	2.5SQ.mm	GREY	DONE
173	XX1:3	XX2:4	1.5SQ.mm	GREY	DONE
174	XHT:1	XHT:2	1.5SQ.mm	BLACK	DONE



Project Completion Report

DWES-PCR-DEWAPROJECT001-20260704

Digital Wiring Execution System · Ingenious Network FZC

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
175	XHT:3	XHT:4	1.5SQ.mm	 BLACK	DONE



AUTHORISATION

3. Approval & Sign-off

By signing below, the named parties confirm the wiring execution recorded in this report has been performed, reviewed, and approved in accordance with project requirements.

TECHNICIAN SIGNATURE

Assigned Technician

Production Supervisor

Name: Production Supervisor

Date: 04 Jul 2026

SUPERVISOR SIGNATURE

Production Supervisor

Name:

Date:

CLIENT SIGNATURE

Client Representative

Name:

Date:

REV	DATE	DESCRIPTION	BY
1.0	04 Jul 2026	Initial issue for client review	Production Supervisor

This report was generated by the Digital Wiring Execution System (DWES) as a read-only export and reflects recorded execution data at the time of generation.