



PROJECT COMPLETION REPORT

SEWA Distribution Panel 001

SEWA Project 001 · SEWA

OVERALL STATUS UNDER REVIEW

50%

OVERALL COMPLETION

2

PANELS

1 of 2 completed

1314

CABLES

657 done

0m

WIRING TIME

total recorded

Document No.	DWES-PCR-SEWAPROJECT001-20260704
Client	SEWA
Project State	Not StartedASSIGNED
Overall Completion	50%
Generated (UTC)	2026-07-04 05:56 UTC
Prepared By	Production Supervisor

Revision 1.0 · Issue Date 04 Jul 2026 · Status: Issued for Review

SUMMARY

1. Executive Summary

2

TOTAL PANELS

50%

COMPLETION %


0

PASS COUNT

0

PENDING / REJECTED

Across 2 panels, 1314 cables were scheduled; overall completion is 50%.



PANEL BREAKDOWN

#	PANEL	TECHNICIAN	CABLES	SRC	DST	KPI	STATUS	REVIEW
1	SEWA Distribution Panel 001	Viju Vijayan	657	0/657	0/657	0%	IN PROGRESS	REVIEW
2	SEWA Distribution Panel 001	Subin Rajendran	657	657/657	657/657	100%	COMPLETED	REVIEW
TOTALS			1314	657	657	50%		

2.1 SEWA Distribution Panel 001

Technician: Viju Vijayan

IN PROGRESS

REVIEW

TECHNICIAN
Viju Vijayan
ASSIGNED
03 Jul 2026

STATUS
IN PROGRESS
REVIEW
REVIEW

TERMINATIONS
Src 0/657 · Dst 0/657
WIRING TIME
0m

CABLE SCHEDULE (657 CABLES)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
1	74R2:3	QDC1:11	1.5SQ.mm	BLUE	PENDING
2	2X6A-A:1	74R2:3	1.5SQ.mm	BLUE	PENDING
3	74R2:4	2X7:9	1.5SQ.mm	BLUE	PENDING
4	QDC1:21	74R2:4	1.5SQ.mm	BLUE	PENDING
5	74R2:11	2X6A-A:2	1.5SQ.mm	BLUE	PENDING
6	QDC1:22	74R2:12	1.5SQ.mm	BLUE	PENDING
7	94T2:d	74R2:1(-)	1.5SQ.mm	GREY	PENDING
8	87T2:D3	74R2:2(+)	1.5SQ.mm	GREY	PENDING
9	74R2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
10	74IO-2:3	QDC2:11	1.5SQ.mm	GREY	PENDING
11	K02:2	74IO-2:3	1.5SQ.mm	GREY	PENDING
12	74IO-2:11	QDC2:12	1.5SQ.mm	GREY	PENDING
13	87T2:I5	74IO-2:11	1.5SQ.mm	GREY	PENDING
14	K02:c	74IO-2:1(-)	1.5SQ.mm	GREY	PENDING
15	2X5A-C:59	74IO-2:2(+)	1.5SQ.mm	GREY	PENDING
16	74IO-2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
17	74INDC:3	TS1C:2B	1.5SQ.mm	GREY	PENDING
18	QDC6:11	74INDC:3	1.5SQ.mm	GREY	PENDING
19	2X9B:51	74INDC:4	1.5SQ.mm	GREY	PENDING
20	2X9B:52	74INDC:8	1.5SQ.mm	GREY	PENDING
21	QDC6:12	74INDC:11	1.5SQ.mm	GREY	PENDING
22	H01C:X2	74INDC:1(-)	1.5SQ.mm	GREY	PENDING
23	LTC:3	74INDC:2(+)	1.5SQ.mm	GREY	PENDING
24	74INDC:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
25	74IND2:3	QDC3:11	1.5SQ.mm	GREY	PENDING
26	QDC2:11	74IND2:3	1.5SQ.mm	GREY	PENDING
27	74IND2:11	QDC3:12	1.5SQ.mm	GREY	PENDING
28	87T2:I6	74IND2:11	1.5SQ.mm	GREY	PENDING
29	H01:X2	74IND2:1(-)	1.5SQ.mm	GREY	PENDING
30	K02:5	74IND2:2(+)	1.5SQ.mm	GREY	PENDING
31	74IND2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
32	2X2-VT:1	TS1:1	1.5SQ.mm	RED	PENDING
33	TS1:2	87T2:A1	1.5SQ.mm	RED	PENDING
34	2X2-VT:2	TS1:3	1.5SQ.mm	YELLOW	PENDING
35	TS1:4	87T2:A3	1.5SQ.mm	YELLOW	PENDING
36	2X2-VT:3	TS1:5	1.5SQ.mm	BLUE	PENDING
37	TS1:6	87T2:A5	1.5SQ.mm	BLUE	PENDING
38	2X2-VT:4	TS1:7	1.5SQ.mm	BLACK	PENDING
39	87T2:A6	TS1:8	1.5SQ.mm	BLACK	PENDING

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
40	TS1:15	K02:3	1.5SQ.mm	GREY	PENDING
41	TS1:16	87T2:C2	1.5SQ.mm	GREY	PENDING
42	TS1:17	K02:4	1.5SQ.mm	GREY	PENDING
43	TS1:18	87T2:C10	1.5SQ.mm	GREY	PENDING
44	TS1:19	2X5A-C:1	1.5SQ.mm	GREY	PENDING
45	86T2:A1	TS1:19	1.5SQ.mm	GREY	PENDING
46	TS1:20	87T2:I1	1.5SQ.mm	GREY	PENDING
47	2X1A-CT:1	TS1:21	2.5SQ.mm	RED	PENDING
48	TS1:22	87T2:A9	2.5SQ.mm	RED	PENDING
49	2X1A-CT:3	TS1:23	2.5SQ.mm	YELLOW	PENDING
50	TS1:24	87T2:B1	2.5SQ.mm	YELLOW	PENDING
51	2X1A-CT:5	TS1:25	2.5SQ.mm	BLUE	PENDING
52	TS1:26	87T2:B3	2.5SQ.mm	BLUE	PENDING
53	2X1A-CT:7	TS1:27	2.5SQ.mm	BLACK	PENDING
54	87T2:B4	TS1:28	2.5SQ.mm	BLACK	PENDING
55	TS1:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
56	2X1B-CT:1	TS2:1	2.5SQ.mm	BLACK	PENDING
57	TS2:2	87T2:E7	2.5SQ.mm	BLACK	PENDING
58	2X1B-CT:3	TS2:3	2.5SQ.mm	BLACK	PENDING
59	TS2:4	87T2:E8	2.5SQ.mm	BLACK	PENDING
60	2X1D-CT:1	TS2:5	2.5SQ.mm	BLACK	PENDING
61	TS2:6	87T2:E1	2.5SQ.mm	BLACK	PENDING
62	2X1D-CT:3	TS2:7	2.5SQ.mm	BLACK	PENDING
63	TS2:8	87T2:E2	2.5SQ.mm	BLACK	PENDING
64	2X9A:41	TS2:9	1.5SQ.mm	GREY	PENDING
65	87T2:H2	TS2:10	1.5SQ.mm	GREY	PENDING
66	TS2:11	2XTA-2:4	2.5SQ.mm	GREY	PENDING
67	TS1C:18A	TS2:11	2.5SQ.mm	GREY	PENDING
68	86T2:B81	TS2:12	2.5SQ.mm	GREY	PENDING
69	2X1E-CT:1	TS2:17	2.5SQ.mm	BLACK	PENDING
70	TS2:18	87T2:E3	2.5SQ.mm	BLACK	PENDING
71	2X1E-CT:3	TS2:19	2.5SQ.mm	BLACK	PENDING
72	TS2:20	87T2:E4	2.5SQ.mm	BLACK	PENDING
73	2X1C-CT:1	TS2:21	2.5SQ.mm	RED	PENDING
74	TS2:22	87T2:B5	2.5SQ.mm	RED	PENDING
75	2X1C-CT:3	TS2:23	2.5SQ.mm	YELLOW	PENDING
76	TS2:24	87T2:B7	2.5SQ.mm	YELLOW	PENDING
77	2X1C-CT:5	TS2:25	2.5SQ.mm	BLUE	PENDING
78	TS2:26	87T2:B9	2.5SQ.mm	BLUE	PENDING
79	2X1C-CT:7	TS2:27	2.5SQ.mm	BLACK	PENDING
80	87T2:B10	TS2:28	2.5SQ.mm	BLACK	PENDING
81	TS2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
82	2X5A-C:14	TS3:1	1.5SQ.mm	GREY	PENDING
83	TS3:2	87T2:K4	1.5SQ.mm	GREY	PENDING
84	TS3:3	94T2:A21	1.5SQ.mm	GREY	PENDING

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
85	TS3:4	87T2:K5	1.5SQ.mm	GREY	PENDING
86	2X5A-C:27	TS3:5	1.5SQ.mm	GREY	PENDING
87	TS3:6	87T2:K8	1.5SQ.mm	GREY	PENDING
88	2X5A-C:29	TS3:7	1.5SQ.mm	GREY	PENDING
89	TS3:8	87T2:K9	1.5SQ.mm	GREY	PENDING
90	2X9A:52	TS3:9	1.5SQ.mm	GREY	PENDING
91	94T2:A41	TS3:10	1.5SQ.mm	GREY	PENDING
92	TS3:11	K02:6	2.5SQ.mm	GREY	PENDING
93	87T2:J8	TS3:12	2.5SQ.mm	GREY	PENDING
94	2X5A-C:64	TS3:17	1.5SQ.mm	GREY	PENDING
95	K02:81	TS3:18	1.5SQ.mm	GREY	PENDING
96	TS3:19	2X5A-C:62	1.5SQ.mm	GREY	PENDING
97	K02:71	TS3:20	1.5SQ.mm	GREY	PENDING
98	TS3:21	K02:1	2.5SQ.mm	GREY	PENDING
99	87T2:K2	TS3:22	2.5SQ.mm	GREY	PENDING
100	TS3:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
101	94T2:A11	TS4:1	1.5SQ.mm	GREY	PENDING
102	TS4:2	87T2:H7	1.5SQ.mm	GREY	PENDING
103	86T2:A11	TS4:3	1.5SQ.mm	GREY	PENDING
104	TS4:4	87T2:H10	1.5SQ.mm	GREY	PENDING
105	94T2:B11	TS4:5	1.5SQ.mm	GREY	PENDING
106	2X9A:2	TS4:6	1.5SQ.mm	GREY	PENDING
107	94T2:B21	TS4:7	1.5SQ.mm	GREY	PENDING
108	2X9A:4	TS4:8	1.5SQ.mm	GREY	PENDING
109	2X9A:20	TS4:9	1.5SQ.mm	GREY	PENDING
110	87T2:G6	TS4:10	1.5SQ.mm	GREY	PENDING
111	2X9A:22	TS4:11	1.5SQ.mm	GREY	PENDING
112	87T2:G8	TS4:12	1.5SQ.mm	GREY	PENDING
113	TS4:13	2X5B-C:33	1.5SQ.mm	GREY	PENDING
114	TS1C:11A	TS4:13	1.5SQ.mm	GREY	PENDING
115	86T2:A31	TS4:14	1.5SQ.mm	GREY	PENDING
116	TS4:15	TS4:17	2.5SQ.mm	GREY	PENDING
117	TS1C:15A	TS4:15	2.5SQ.mm	GREY	PENDING
118	86T2:B21	TS4:16	2.5SQ.mm	GREY	PENDING
119	TS4:17	K02:11	2.5SQ.mm	GREY	PENDING
120	94T2:A51	TS4:18	2.5SQ.mm	GREY	PENDING
121	TS4:19	TS4:21	1.5SQ.mm	GREY	PENDING
122	TS1C:16A	TS4:19	1.5SQ.mm	GREY	PENDING
123	86T2:B31	TS4:20	1.5SQ.mm	GREY	PENDING
124	94T2:A61	TS4:22	1.5SQ.mm	GREY	PENDING
125	TS4:23	86CABLE:A71	1.5SQ.mm	GREY	PENDING
126	2X5B-C:35	TS4:23	1.5SQ.mm	GREY	PENDING
127	86T2:A41	TS4:24	1.5SQ.mm	GREY	PENDING
128	TS4:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	PENDING
129	87T2:A10	87T2:B2	2.5SQ.mm	BLACK	PENDING

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
130	87T2:A2	87T2:A4	1.5SQ.mm	■ BLACK	PENDING
131	87T2:A4	87T2:A6	1.5SQ.mm	■ BLACK	PENDING
132	87T2:B8	87T2:B10	2.5SQ.mm	■ BLACK	PENDING
133	87T2:B2	87T2:B4	2.5SQ.mm	■ BLACK	PENDING
134	87T2:B6	87T2:B8	2.5SQ.mm	■ BLACK	PENDING
135	87T2:C1	87T2:C3	1.5SQ.mm	■ GREY	PENDING
136	2X5A-C:48	87T2:C1	1.5SQ.mm	■ GREY	PENDING
137	87T2:C10	87T2:D2	1.5SQ.mm	■ GREY	PENDING
138	87T2:C2	87T2:C4	1.5SQ.mm	■ GREY	PENDING
139	87T2:C3	87T2:C5	1.5SQ.mm	■ GREY	PENDING
140	87T2:C4	87T2:C6	1.5SQ.mm	■ GREY	PENDING
141	87T2:C5	87T2:C7	1.5SQ.mm	■ GREY	PENDING
142	87T2:C6	87T2:C8	1.5SQ.mm	■ GREY	PENDING
143	87T2:C7	2X5A-C:50	1.5SQ.mm	■ GREY	PENDING
144	87T2:C9	87T2:D1	1.5SQ.mm	■ GREY	PENDING
145	2X5A-C:55	87T2:C9	1.5SQ.mm	■ GREY	PENDING
146	87T2:D1	87T2:D3	1.5SQ.mm	■ GREY	PENDING
147	2X5A-C:49	87T2:D10	1.5SQ.mm	■ GREY	PENDING
148	87T2:D2	87T2:D4	1.5SQ.mm	■ GREY	PENDING
149	2X9A:25	87T2:D5	1.5SQ.mm	■ GREY	PENDING
150	2X9A:26	87T2:D6	1.5SQ.mm	■ GREY	PENDING
151	87T2:D7	86T2:a	1.5SQ.mm	■ GREY	PENDING
152	87T2:L8	87T2:D7	1.5SQ.mm	■ GREY	PENDING
153	2X5A-C:46	87T2:D8	1.5SQ.mm	■ GREY	PENDING
154	2X5A-C:47	87T2:D9	1.5SQ.mm	■ GREY	PENDING
155	87T2:E	GND:E	2.5SQ.mm	■ GREEN/ YELLOW	PENDING
156	2X9A:36	87T2:F10	1.5SQ.mm	■ GREY	PENDING
157	87T2:F2	87T2:H8	1.5SQ.mm	■ GREY	PENDING
158	QDC1:2	87T2:F2	1.5SQ.mm	■ GREY	PENDING
159	87T2:F3	94T2:A1	1.5SQ.mm	■ GREY	PENDING
160	QDC1:4	87T2:F3	1.5SQ.mm	■ GREY	PENDING
161	87T2:F4	QDC1:21	1.5SQ.mm	■ BLUE	PENDING
162	86CABLE:A6	87T2:F4	1.5SQ.mm	■ BLUE	PENDING
163	2X7:7	87T2:F6	1.5SQ.mm	■ BLUE	PENDING
164	2X9A:33	87T2:F7	1.5SQ.mm	■ GREY	PENDING
165	2X9A:34	87T2:F8	1.5SQ.mm	■ GREY	PENDING
166	2X9A:35	87T2:F9	1.5SQ.mm	■ GREY	PENDING
167	2X9A:37	87T2:G1	1.5SQ.mm	■ GREY	PENDING
168	2X9A:28	87T2:G10	1.5SQ.mm	■ GREY	PENDING
169	2X9A:38	87T2:G2	1.5SQ.mm	■ GREY	PENDING
170	2X9A:39	87T2:G3	1.5SQ.mm	■ GREY	PENDING
171	2X9A:40	87T2:G4	1.5SQ.mm	■ GREY	PENDING
172	2X9A:19	87T2:G5	1.5SQ.mm	■ GREY	PENDING
173	2X9A:21	87T2:G7	1.5SQ.mm	■ GREY	PENDING
174	2X9A:27	87T2:G9	1.5SQ.mm	■ GREY	PENDING

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
175	87T2:H1	87T2:H3	1.5SQ.mm	 GREY	PENDING
176	87T2:H4	87T2:H2	1.5SQ.mm	 GREY	PENDING
177	87T2:H3	2X9A:42	1.5SQ.mm	 GREY	PENDING
178	2X9A:29	87T2:H5	1.5SQ.mm	 GREY	PENDING
179	2X9A:30	87T2:H6	1.5SQ.mm	 GREY	PENDING
180	87T2:H8	87T2:H9	1.5SQ.mm	 GREY	PENDING
181	87T2:H9	87T2:I3	1.5SQ.mm	 GREY	PENDING
182	2X5A-C:6	87T2:I10	1.5SQ.mm	 GREY	PENDING
183	2X5A-C:2	87T2:I2	1.5SQ.mm	 GREY	PENDING
184	87T2:I3	87T2:I7	1.5SQ.mm	 GREY	PENDING
185	K02:20	87T2:I4	1.5SQ.mm	 GREY	PENDING
186	87T2:I7	87T2:K3	1.5SQ.mm	 GREY	PENDING
187	87T2:I8	QFAC2:12	1.5SQ.mm	 GREY	PENDING
188	2X5A-C:4	87T2:I9	1.5SQ.mm	 GREY	PENDING
189	2X5A-C:63	87T2:J1	1.5SQ.mm	 GREY	PENDING
190	2X9A:32	87T2:J10	1.5SQ.mm	 GREY	PENDING
191	87T2:J2	K02:8	1.5SQ.mm	 GREY	PENDING
192	2X9A:23	87T2:J3	1.5SQ.mm	 GREY	PENDING
193	2X9A:24	87T2:J4	1.5SQ.mm	 GREY	PENDING
194	87T2:J5	2X5A-C:65	1.5SQ.mm	 GREY	PENDING
195	2X5A-C:61	87T2:J5	1.5SQ.mm	 GREY	PENDING
196	87T2:J6	K02:7	1.5SQ.mm	 GREY	PENDING
197	87T2:J7	2XTB-1:4	2.5SQ.mm	 GREY	PENDING
198	86CABLE:A8	87T2:J7	2.5SQ.mm	 GREY	PENDING
199	2X9A:31	87T2:J9	1.5SQ.mm	 GREY	PENDING
200	87T2:K1	2XTB-2:4	2.5SQ.mm	 GREY	PENDING
201	94T2:A5	87T2:K1	2.5SQ.mm	 GREY	PENDING
202	2X5A-C:30	87T2:K10	1.5SQ.mm	 GREY	PENDING
203	87T2:K3	87T2:K7	1.5SQ.mm	 GREY	PENDING
204	2X5A-C:16	87T2:K6	1.5SQ.mm	 GREY	PENDING
205	87T2:K7	87T2:L1	1.5SQ.mm	 GREY	PENDING
206	87T2:L1	87T2:L5	1.5SQ.mm	 GREY	PENDING
207	2X5A-C:44	87T2:L10	1.5SQ.mm	 GREY	PENDING
208	2X5A-C:32	87T2:L2	1.5SQ.mm	 GREY	PENDING
209	2X5A-C:34	87T2:L3	1.5SQ.mm	 GREY	PENDING
210	2X5A-C:36	87T2:L4	1.5SQ.mm	 GREY	PENDING
211	87T2:L5	87T2:L8	1.5SQ.mm	 GREY	PENDING
212	2X5A-C:38	87T2:L6	1.5SQ.mm	 GREY	PENDING
213	2X5A-C:40	87T2:L7	1.5SQ.mm	 GREY	PENDING
214	2X5A-C:43	87T2:L9	1.5SQ.mm	 GREY	PENDING
215	2X5A-C:70	87T2:M10	1.5SQ.mm	 GREY	PENDING
216	2X5A-C:67	87T2:M7	1.5SQ.mm	 GREY	PENDING
217	2X5A-C:68	87T2:M8	1.5SQ.mm	 GREY	PENDING
218	2X5A-C:69	87T2:M9	1.5SQ.mm	 GREY	PENDING
219	86T2:a	86T2:c	1.5SQ.mm	 GREY	PENDING

2.1.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
220	94T2:A1	86T2:A1	1.5SQ.mm	 GREY	PENDING
221	86T2:A2	2X5A-C:7	1.5SQ.mm	 GREY	PENDING
222	86CABLE:B6	86T2:A2	1.5SQ.mm	 GREY	PENDING
223	86T2:A21	2X5A-C:8	1.5SQ.mm	 GREY	PENDING
224	86CABLE:B61	86T2:A21	1.5SQ.mm	 GREY	PENDING
225	86CABLE:A5	86T2:A3	1.5SQ.mm	 GREY	PENDING
226	86T2:A4	86CABLE:A7	1.5SQ.mm	 GREY	PENDING
227	2X5B-C:34	86T2:A4	1.5SQ.mm	 GREY	PENDING
228	2X9A:43	86T2:A5	1.5SQ.mm	 GREY	PENDING
229	2X9A:44	86T2:A51	1.5SQ.mm	 GREY	PENDING
230	2X9A:45	86T2:A6	1.5SQ.mm	 GREY	PENDING
231	2X9A:46	86T2:A61	1.5SQ.mm	 GREY	PENDING
232	2X9A:47	86T2:A7	1.5SQ.mm	 GREY	PENDING
233	2X9A:48	86T2:A71	1.5SQ.mm	 GREY	PENDING
234	2X9A:49	86T2:A8	1.5SQ.mm	 GREY	PENDING
235	2X9A:50	86T2:A81	1.5SQ.mm	 GREY	PENDING
236	86T2:b	K02:31	1.5SQ.mm	 GREY	PENDING
237	86T2:B1	86CABLE:B8	1.5SQ.mm	 GREY	PENDING
238	2X5A-C:25	86T2:B1	1.5SQ.mm	 GREY	PENDING
239	86T2:B11	86CABLE:B81	1.5SQ.mm	 GREY	PENDING
240	2X5A-C:24	86T2:B11	1.5SQ.mm	 GREY	PENDING
241	86T2:B2	94T2:A5	2.5SQ.mm	 GREY	PENDING
242	86CABLE:B1	86T2:B2	2.5SQ.mm	 GREY	PENDING
243	86T2:B3	94T2:A6	1.5SQ.mm	 GREY	PENDING
244	86CABLE:B2	86T2:B3	1.5SQ.mm	 GREY	PENDING
245	86CABLE:B40	86T2:B4	1.5SQ.mm	 GREY	PENDING
246	2X5B-C:44	86T2:B40	1.5SQ.mm	 GREY	PENDING
247	86T2:B5	94T2:A7	1.5SQ.mm	 BLUE	PENDING
248	74RC:3	86T2:B5	1.5SQ.mm	 BLUE	PENDING
249	2X7:4	86T2:B51	1.5SQ.mm	 BLUE	PENDING
250	86T2:B6	2X6B-A:5	1.5SQ.mm	 BLUE	PENDING

... and 407 more cables (schedule truncated for print; full data in the Excel export).

2.2 SEWA Distribution Panel 001

Technician: Subin Rajendran

COMPLETED

REVIEW

TECHNICIAN
Subin Rajendran
ASSIGNED
03 Jul 2026

STATUS
COMPLETED
REVIEW
REVIEW

TERMINATIONS
Src 657/657 · Dst 657/657
WIRING TIME
0m

CABLE SCHEDULE (657 CABLES)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
1	74R2:3	QDC1:11	1.5SQ.mm	BLUE	DONE
2	2X6A-A:1	74R2:3	1.5SQ.mm	BLUE	DONE
3	74R2:4	2X7:9	1.5SQ.mm	BLUE	DONE
4	QDC1:21	74R2:4	1.5SQ.mm	BLUE	DONE
5	74R2:11	2X6A-A:2	1.5SQ.mm	BLUE	DONE
6	QDC1:22	74R2:12	1.5SQ.mm	BLUE	DONE
7	94T2:d	74R2:1(-)	1.5SQ.mm	GREY	DONE
8	87T2:D3	74R2:2(+)	1.5SQ.mm	GREY	DONE
9	74R2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
10	74IO-2:3	QDC2:11	1.5SQ.mm	GREY	DONE
11	K02:2	74IO-2:3	1.5SQ.mm	GREY	DONE
12	74IO-2:11	QDC2:12	1.5SQ.mm	GREY	DONE
13	87T2:I5	74IO-2:11	1.5SQ.mm	GREY	DONE
14	K02:c	74IO-2:1(-)	1.5SQ.mm	GREY	DONE
15	2X5A-C:59	74IO-2:2(+)	1.5SQ.mm	GREY	DONE
16	74IO-2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
17	74INDC:3	TS1C:2B	1.5SQ.mm	GREY	DONE
18	QDC6:11	74INDC:3	1.5SQ.mm	GREY	DONE
19	2X9B:51	74INDC:4	1.5SQ.mm	GREY	DONE
20	2X9B:52	74INDC:8	1.5SQ.mm	GREY	DONE
21	QDC6:12	74INDC:11	1.5SQ.mm	GREY	DONE
22	H01C:X2	74INDC:1(-)	1.5SQ.mm	GREY	DONE
23	LTC:3	74INDC:2(+)	1.5SQ.mm	GREY	DONE
24	74INDC:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
25	74IND2:3	QDC3:11	1.5SQ.mm	GREY	DONE
26	QDC2:11	74IND2:3	1.5SQ.mm	GREY	DONE
27	74IND2:11	QDC3:12	1.5SQ.mm	GREY	DONE
28	87T2:I6	74IND2:11	1.5SQ.mm	GREY	DONE
29	H01:X2	74IND2:1(-)	1.5SQ.mm	GREY	DONE
30	K02:5	74IND2:2(+)	1.5SQ.mm	GREY	DONE
31	74IND2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
32	2X2-VT:1	TS1:1	1.5SQ.mm	RED	DONE
33	TS1:2	87T2:A1	1.5SQ.mm	RED	DONE
34	2X2-VT:2	TS1:3	1.5SQ.mm	YELLOW	DONE
35	TS1:4	87T2:A3	1.5SQ.mm	YELLOW	DONE
36	2X2-VT:3	TS1:5	1.5SQ.mm	BLUE	DONE
37	TS1:6	87T2:A5	1.5SQ.mm	BLUE	DONE
38	2X2-VT:4	TS1:7	1.5SQ.mm	BLACK	DONE
39	87T2:A6	TS1:8	1.5SQ.mm	BLACK	DONE

2.2.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
40	TS1:15	K02:3	1.5SQ.mm	GREY	DONE
41	TS1:16	87T2:C2	1.5SQ.mm	GREY	DONE
42	TS1:17	K02:4	1.5SQ.mm	GREY	DONE
43	TS1:18	87T2:C10	1.5SQ.mm	GREY	DONE
44	TS1:19	2X5A-C:1	1.5SQ.mm	GREY	DONE
45	86T2:A1	TS1:19	1.5SQ.mm	GREY	DONE
46	TS1:20	87T2:I1	1.5SQ.mm	GREY	DONE
47	2X1A-CT:1	TS1:21	2.5SQ.mm	RED	DONE
48	TS1:22	87T2:A9	2.5SQ.mm	RED	DONE
49	2X1A-CT:3	TS1:23	2.5SQ.mm	YELLOW	DONE
50	TS1:24	87T2:B1	2.5SQ.mm	YELLOW	DONE
51	2X1A-CT:5	TS1:25	2.5SQ.mm	BLUE	DONE
52	TS1:26	87T2:B3	2.5SQ.mm	BLUE	DONE
53	2X1A-CT:7	TS1:27	2.5SQ.mm	BLACK	DONE
54	87T2:B4	TS1:28	2.5SQ.mm	BLACK	DONE
55	TS1:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
56	2X1B-CT:1	TS2:1	2.5SQ.mm	BLACK	DONE
57	TS2:2	87T2:E7	2.5SQ.mm	BLACK	DONE
58	2X1B-CT:3	TS2:3	2.5SQ.mm	BLACK	DONE
59	TS2:4	87T2:E8	2.5SQ.mm	BLACK	DONE
60	2X1D-CT:1	TS2:5	2.5SQ.mm	BLACK	DONE
61	TS2:6	87T2:E1	2.5SQ.mm	BLACK	DONE
62	2X1D-CT:3	TS2:7	2.5SQ.mm	BLACK	DONE
63	TS2:8	87T2:E2	2.5SQ.mm	BLACK	DONE
64	2X9A:41	TS2:9	1.5SQ.mm	GREY	DONE
65	87T2:H2	TS2:10	1.5SQ.mm	GREY	DONE
66	TS2:11	2XTA-2:4	2.5SQ.mm	GREY	DONE
67	TS1C:18A	TS2:11	2.5SQ.mm	GREY	DONE
68	86T2:B81	TS2:12	2.5SQ.mm	GREY	DONE
69	2X1E-CT:1	TS2:17	2.5SQ.mm	BLACK	DONE
70	TS2:18	87T2:E3	2.5SQ.mm	BLACK	DONE
71	2X1E-CT:3	TS2:19	2.5SQ.mm	BLACK	DONE
72	TS2:20	87T2:E4	2.5SQ.mm	BLACK	DONE
73	2X1C-CT:1	TS2:21	2.5SQ.mm	RED	DONE
74	TS2:22	87T2:B5	2.5SQ.mm	RED	DONE
75	2X1C-CT:3	TS2:23	2.5SQ.mm	YELLOW	DONE
76	TS2:24	87T2:B7	2.5SQ.mm	YELLOW	DONE
77	2X1C-CT:5	TS2:25	2.5SQ.mm	BLUE	DONE
78	TS2:26	87T2:B9	2.5SQ.mm	BLUE	DONE
79	2X1C-CT:7	TS2:27	2.5SQ.mm	BLACK	DONE
80	87T2:B10	TS2:28	2.5SQ.mm	BLACK	DONE
81	TS2:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
82	2X5A-C:14	TS3:1	1.5SQ.mm	GREY	DONE
83	TS3:2	87T2:K4	1.5SQ.mm	GREY	DONE
84	TS3:3	94T2:A21	1.5SQ.mm	GREY	DONE

2.2.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
85	TS3:4	87T2:K5	1.5SQ.mm	GREY	DONE
86	2X5A-C:27	TS3:5	1.5SQ.mm	GREY	DONE
87	TS3:6	87T2:K8	1.5SQ.mm	GREY	DONE
88	2X5A-C:29	TS3:7	1.5SQ.mm	GREY	DONE
89	TS3:8	87T2:K9	1.5SQ.mm	GREY	DONE
90	2X9A:52	TS3:9	1.5SQ.mm	GREY	DONE
91	94T2:A41	TS3:10	1.5SQ.mm	GREY	DONE
92	TS3:11	K02:6	2.5SQ.mm	GREY	DONE
93	87T2:J8	TS3:12	2.5SQ.mm	GREY	DONE
94	2X5A-C:64	TS3:17	1.5SQ.mm	GREY	DONE
95	K02:81	TS3:18	1.5SQ.mm	GREY	DONE
96	TS3:19	2X5A-C:62	1.5SQ.mm	GREY	DONE
97	K02:71	TS3:20	1.5SQ.mm	GREY	DONE
98	TS3:21	K02:1	2.5SQ.mm	GREY	DONE
99	87T2:K2	TS3:22	2.5SQ.mm	GREY	DONE
100	TS3:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
101	94T2:A11	TS4:1	1.5SQ.mm	GREY	DONE
102	TS4:2	87T2:H7	1.5SQ.mm	GREY	DONE
103	86T2:A11	TS4:3	1.5SQ.mm	GREY	DONE
104	TS4:4	87T2:H10	1.5SQ.mm	GREY	DONE
105	94T2:B11	TS4:5	1.5SQ.mm	GREY	DONE
106	2X9A:2	TS4:6	1.5SQ.mm	GREY	DONE
107	94T2:B21	TS4:7	1.5SQ.mm	GREY	DONE
108	2X9A:4	TS4:8	1.5SQ.mm	GREY	DONE
109	2X9A:20	TS4:9	1.5SQ.mm	GREY	DONE
110	87T2:G6	TS4:10	1.5SQ.mm	GREY	DONE
111	2X9A:22	TS4:11	1.5SQ.mm	GREY	DONE
112	87T2:G8	TS4:12	1.5SQ.mm	GREY	DONE
113	TS4:13	2X5B-C:33	1.5SQ.mm	GREY	DONE
114	TS1C:11A	TS4:13	1.5SQ.mm	GREY	DONE
115	86T2:A31	TS4:14	1.5SQ.mm	GREY	DONE
116	TS4:15	TS4:17	2.5SQ.mm	GREY	DONE
117	TS1C:15A	TS4:15	2.5SQ.mm	GREY	DONE
118	86T2:B21	TS4:16	2.5SQ.mm	GREY	DONE
119	TS4:17	K02:11	2.5SQ.mm	GREY	DONE
120	94T2:A51	TS4:18	2.5SQ.mm	GREY	DONE
121	TS4:19	TS4:21	1.5SQ.mm	GREY	DONE
122	TS1C:16A	TS4:19	1.5SQ.mm	GREY	DONE
123	86T2:B31	TS4:20	1.5SQ.mm	GREY	DONE
124	94T2:A61	TS4:22	1.5SQ.mm	GREY	DONE
125	TS4:23	86CABLE:A71	1.5SQ.mm	GREY	DONE
126	2X5B-C:35	TS4:23	1.5SQ.mm	GREY	DONE
127	86T2:A41	TS4:24	1.5SQ.mm	GREY	DONE
128	TS4:E	GND:E	2.5SQ.mm	GREEN/ YELLOW	DONE
129	87T2:A10	87T2:B2	2.5SQ.mm	BLACK	DONE

2.2.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
130	87T2:A2	87T2:A4	1.5SQ.mm	■ BLACK	DONE
131	87T2:A4	87T2:A6	1.5SQ.mm	■ BLACK	DONE
132	87T2:B8	87T2:B10	2.5SQ.mm	■ BLACK	DONE
133	87T2:B2	87T2:B4	2.5SQ.mm	■ BLACK	DONE
134	87T2:B6	87T2:B8	2.5SQ.mm	■ BLACK	DONE
135	87T2:C1	87T2:C3	1.5SQ.mm	■ GREY	DONE
136	2X5A-C:48	87T2:C1	1.5SQ.mm	■ GREY	DONE
137	87T2:C10	87T2:D2	1.5SQ.mm	■ GREY	DONE
138	87T2:C2	87T2:C4	1.5SQ.mm	■ GREY	DONE
139	87T2:C3	87T2:C5	1.5SQ.mm	■ GREY	DONE
140	87T2:C4	87T2:C6	1.5SQ.mm	■ GREY	DONE
141	87T2:C5	87T2:C7	1.5SQ.mm	■ GREY	DONE
142	87T2:C6	87T2:C8	1.5SQ.mm	■ GREY	DONE
143	87T2:C7	2X5A-C:50	1.5SQ.mm	■ GREY	DONE
144	87T2:C9	87T2:D1	1.5SQ.mm	■ GREY	DONE
145	2X5A-C:55	87T2:C9	1.5SQ.mm	■ GREY	DONE
146	87T2:D1	87T2:D3	1.5SQ.mm	■ GREY	DONE
147	2X5A-C:49	87T2:D10	1.5SQ.mm	■ GREY	DONE
148	87T2:D2	87T2:D4	1.5SQ.mm	■ GREY	DONE
149	2X9A:25	87T2:D5	1.5SQ.mm	■ GREY	DONE
150	2X9A:26	87T2:D6	1.5SQ.mm	■ GREY	DONE
151	87T2:D7	86T2:a	1.5SQ.mm	■ GREY	DONE
152	87T2:L8	87T2:D7	1.5SQ.mm	■ GREY	DONE
153	2X5A-C:46	87T2:D8	1.5SQ.mm	■ GREY	DONE
154	2X5A-C:47	87T2:D9	1.5SQ.mm	■ GREY	DONE
155	87T2:E	GND:E	2.5SQ.mm	■ GREEN/ YELLOW	DONE
156	2X9A:36	87T2:F10	1.5SQ.mm	■ GREY	DONE
157	87T2:F2	87T2:H8	1.5SQ.mm	■ GREY	DONE
158	QDC1:2	87T2:F2	1.5SQ.mm	■ GREY	DONE
159	87T2:F3	94T2:A1	1.5SQ.mm	■ GREY	DONE
160	QDC1:4	87T2:F3	1.5SQ.mm	■ GREY	DONE
161	87T2:F4	QDC1:21	1.5SQ.mm	■ BLUE	DONE
162	86CABLE:A6	87T2:F4	1.5SQ.mm	■ BLUE	DONE
163	2X7:7	87T2:F6	1.5SQ.mm	■ BLUE	DONE
164	2X9A:33	87T2:F7	1.5SQ.mm	■ GREY	DONE
165	2X9A:34	87T2:F8	1.5SQ.mm	■ GREY	DONE
166	2X9A:35	87T2:F9	1.5SQ.mm	■ GREY	DONE
167	2X9A:37	87T2:G1	1.5SQ.mm	■ GREY	DONE
168	2X9A:28	87T2:G10	1.5SQ.mm	■ GREY	DONE
169	2X9A:38	87T2:G2	1.5SQ.mm	■ GREY	DONE
170	2X9A:39	87T2:G3	1.5SQ.mm	■ GREY	DONE
171	2X9A:40	87T2:G4	1.5SQ.mm	■ GREY	DONE
172	2X9A:19	87T2:G5	1.5SQ.mm	■ GREY	DONE
173	2X9A:21	87T2:G7	1.5SQ.mm	■ GREY	DONE
174	2X9A:27	87T2:G9	1.5SQ.mm	■ GREY	DONE

2.2.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
175	87T2:H1	87T2:H3	1.5SQ.mm	 GREY	DONE
176	87T2:H4	87T2:H2	1.5SQ.mm	 GREY	DONE
177	87T2:H3	2X9A:42	1.5SQ.mm	 GREY	DONE
178	2X9A:29	87T2:H5	1.5SQ.mm	 GREY	DONE
179	2X9A:30	87T2:H6	1.5SQ.mm	 GREY	DONE
180	87T2:H8	87T2:H9	1.5SQ.mm	 GREY	DONE
181	87T2:H9	87T2:I3	1.5SQ.mm	 GREY	DONE
182	2X5A-C:6	87T2:I10	1.5SQ.mm	 GREY	DONE
183	2X5A-C:2	87T2:I2	1.5SQ.mm	 GREY	DONE
184	87T2:I3	87T2:I7	1.5SQ.mm	 GREY	DONE
185	K02:20	87T2:I4	1.5SQ.mm	 GREY	DONE
186	87T2:I7	87T2:K3	1.5SQ.mm	 GREY	DONE
187	87T2:I8	QFAC2:12	1.5SQ.mm	 GREY	DONE
188	2X5A-C:4	87T2:I9	1.5SQ.mm	 GREY	DONE
189	2X5A-C:63	87T2:J1	1.5SQ.mm	 GREY	DONE
190	2X9A:32	87T2:J10	1.5SQ.mm	 GREY	DONE
191	87T2:J2	K02:8	1.5SQ.mm	 GREY	DONE
192	2X9A:23	87T2:J3	1.5SQ.mm	 GREY	DONE
193	2X9A:24	87T2:J4	1.5SQ.mm	 GREY	DONE
194	87T2:J5	2X5A-C:65	1.5SQ.mm	 GREY	DONE
195	2X5A-C:61	87T2:J5	1.5SQ.mm	 GREY	DONE
196	87T2:J6	K02:7	1.5SQ.mm	 GREY	DONE
197	87T2:J7	2XTB-1:4	2.5SQ.mm	 GREY	DONE
198	86CABLE:A8	87T2:J7	2.5SQ.mm	 GREY	DONE
199	2X9A:31	87T2:J9	1.5SQ.mm	 GREY	DONE
200	87T2:K1	2XTB-2:4	2.5SQ.mm	 GREY	DONE
201	94T2:A5	87T2:K1	2.5SQ.mm	 GREY	DONE
202	2X5A-C:30	87T2:K10	1.5SQ.mm	 GREY	DONE
203	87T2:K3	87T2:K7	1.5SQ.mm	 GREY	DONE
204	2X5A-C:16	87T2:K6	1.5SQ.mm	 GREY	DONE
205	87T2:K7	87T2:L1	1.5SQ.mm	 GREY	DONE
206	87T2:L1	87T2:L5	1.5SQ.mm	 GREY	DONE
207	2X5A-C:44	87T2:L10	1.5SQ.mm	 GREY	DONE
208	2X5A-C:32	87T2:L2	1.5SQ.mm	 GREY	DONE
209	2X5A-C:34	87T2:L3	1.5SQ.mm	 GREY	DONE
210	2X5A-C:36	87T2:L4	1.5SQ.mm	 GREY	DONE
211	87T2:L5	87T2:L8	1.5SQ.mm	 GREY	DONE
212	2X5A-C:38	87T2:L6	1.5SQ.mm	 GREY	DONE
213	2X5A-C:40	87T2:L7	1.5SQ.mm	 GREY	DONE
214	2X5A-C:43	87T2:L9	1.5SQ.mm	 GREY	DONE
215	2X5A-C:70	87T2:M10	1.5SQ.mm	 GREY	DONE
216	2X5A-C:67	87T2:M7	1.5SQ.mm	 GREY	DONE
217	2X5A-C:68	87T2:M8	1.5SQ.mm	 GREY	DONE
218	2X5A-C:69	87T2:M9	1.5SQ.mm	 GREY	DONE
219	86T2:a	86T2:c	1.5SQ.mm	 GREY	DONE

2.2.1 Cable Schedule (continued)

#	SOURCE	DESTINATION	SIZE	COLOUR	STATUS
220	94T2:A1	86T2:A1	1.5SQ.mm	 GREY	DONE
221	86T2:A2	2X5A-C:7	1.5SQ.mm	 GREY	DONE
222	86CABLE:B6	86T2:A2	1.5SQ.mm	 GREY	DONE
223	86T2:A21	2X5A-C:8	1.5SQ.mm	 GREY	DONE
224	86CABLE:B61	86T2:A21	1.5SQ.mm	 GREY	DONE
225	86CABLE:A5	86T2:A3	1.5SQ.mm	 GREY	DONE
226	86T2:A4	86CABLE:A7	1.5SQ.mm	 GREY	DONE
227	2X5B-C:34	86T2:A4	1.5SQ.mm	 GREY	DONE
228	2X9A:43	86T2:A5	1.5SQ.mm	 GREY	DONE
229	2X9A:44	86T2:A51	1.5SQ.mm	 GREY	DONE
230	2X9A:45	86T2:A6	1.5SQ.mm	 GREY	DONE
231	2X9A:46	86T2:A61	1.5SQ.mm	 GREY	DONE
232	2X9A:47	86T2:A7	1.5SQ.mm	 GREY	DONE
233	2X9A:48	86T2:A71	1.5SQ.mm	 GREY	DONE
234	2X9A:49	86T2:A8	1.5SQ.mm	 GREY	DONE
235	2X9A:50	86T2:A81	1.5SQ.mm	 GREY	DONE
236	86T2:b	K02:31	1.5SQ.mm	 GREY	DONE
237	86T2:B1	86CABLE:B8	1.5SQ.mm	 GREY	DONE
238	2X5A-C:25	86T2:B1	1.5SQ.mm	 GREY	DONE
239	86T2:B11	86CABLE:B81	1.5SQ.mm	 GREY	DONE
240	2X5A-C:24	86T2:B11	1.5SQ.mm	 GREY	DONE
241	86T2:B2	94T2:A5	2.5SQ.mm	 GREY	DONE
242	86CABLE:B1	86T2:B2	2.5SQ.mm	 GREY	DONE
243	86T2:B3	94T2:A6	1.5SQ.mm	 GREY	DONE
244	86CABLE:B2	86T2:B3	1.5SQ.mm	 GREY	DONE
245	86CABLE:B40	86T2:B4	1.5SQ.mm	 GREY	DONE
246	2X5B-C:44	86T2:B40	1.5SQ.mm	 GREY	DONE
247	86T2:B5	94T2:A7	1.5SQ.mm	 BLUE	DONE
248	74RC:3	86T2:B5	1.5SQ.mm	 BLUE	DONE
249	2X7:4	86T2:B51	1.5SQ.mm	 BLUE	DONE
250	86T2:B6	2X6B-A:5	1.5SQ.mm	 BLUE	DONE

... and 407 more cables (schedule truncated for print; full data in the Excel export).

AUTHORISATION

3. Approval & Sign-off

By signing below, the named parties confirm the wiring execution recorded in this report has been performed, reviewed, and approved in accordance with project requirements.

TECHNICIAN SIGNATURE

Assigned Technician

Production Supervisor

Name: Production Supervisor

Date: 04 Jul 2026

SUPERVISOR SIGNATURE

Production Supervisor

Name:

Date:

CLIENT SIGNATURE

Client Representative

Name:

Date:

REV	DATE	DESCRIPTION	BY
1.0	04 Jul 2026	Initial issue for client review	Production Supervisor

This report was generated by the Digital Wiring Execution System (DWES) as a read-only export and reflects recorded execution data at the time of generation.