
## **WPT Practice Test 1**

Total points 15/20 ?



20 ques 20 min



✓ In HTML, which attribute is used to create a link that opens in a new window tab?	1/1
a) src="_blank"	
b) alt="_blank"	
c) target="_self"	
d) target="_blank"	<b>✓</b>
✓ Which HTML element is used for YouTube videos?	1/1
a) <samp></samp>	
b) <small></small>	
C) <frame/>	
(a) <iframe></iframe>	<b>✓</b>
✓ The correct sequence of HTML tags for starting a webpage is -	1/1
Head, Title, HTML, body	
HTML, Body, Title, Head	
body, Head, Title, HTML	
HTML, Head, Title, Body	<b>✓</b>

★ Are the negative values allowed in padding property?	0/1
Yes	×
O No	
Can't say	
May be	
Correct answer	
No	
✓ Which of the following is the correct syntax to select all paragraph elements in a div element?	1/1
o div p	<b>~</b>
Ор	
O div#p	
◯ div ~ p	

×	Choose the correct option.	0/1
•	A. HTML form elements are used for taking user input.	×
0	B. HTML form elements are defined inside <for> tag.</for>	
0	C. HTML form elements can be of different types.	
0	D. All of these.	
Corre	ect answer	
•	D. All of these.	
<b>~</b>	Which one of the following is a form element?	1/1
0	A. text box.	
0	B. radio button.	
0	C. submit button.	
•	D. All of these.	<b>✓</b>
<b>~</b>	Which one of the following is incorrect?	1/1
0	A. <label> tag in HTML is used for creating a tag for form elements.</label>	
0	B. <label> can be used to increase the clickable area of buttons</label>	
•	C. id attribute is used with <label> to increase the clickable area of form elements</label>	<b>✓</b>
0	D. None of the above	

Choose the incorrect option.	1/1
<ul> <li>A. radio button allows to choose only one option from the given options.</li> <li>B. default option can be chosen using attribute "selected" in radio button</li> <li>C. default option can be chosen using attribute "checked" in radio button</li> <li>D. checkbox allows to choose one or more than one options from the given</li> </ul>	✓ options.
✓ Which of the following tag is used for drop down list?	1/1
<ul><li>A. <select></select></li><li>B. <text></text></li><li>C. <textarea>&lt;/li&gt;&lt;li&gt;D. &lt;dropdown&gt;&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;b&gt;✓&lt;/b&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;✓ The tag offers a way to structure your text into different paragraphs.&lt;/td&gt;&lt;td&gt;1/1&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt; &lt;li&gt;A. h&lt;/li&gt; &lt;li&gt;B. p&lt;/li&gt; &lt;li&gt;C. p2&lt;/li&gt; &lt;li&gt;D. h5&lt;/li&gt; &lt;/ul&gt;&lt;/td&gt;&lt;td&gt;&lt;b&gt;✓&lt;/b&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</textarea></li></ul>	

	<b>✓</b>	You can usetag to put any content in the center of the page or any table cell.	1/1
	0	A. title	
	0	B. head	
		C. center	<b>✓</b>
	0	D. meta	
	×	tag is an example of the empty element.	0/1
	•	A. img	×
	0	B. div	
	0	C. p	
	0	D. hr	
	Corr	rect answer	
	•	D. hr	
	<b>✓</b>	Which of the following defines a relative measurement for the height of a font in em spaces?	1/1
	0	A - %	
	0	B - cm	
		C - em	<b>✓</b>
	0	D - ex	
!			

✓ Which of the following property is used to make a font italic or obl	ique? 1/1
A - font-family	
B - font-style	<b>✓</b>
C - font-variant	
D - font-weight	
✓ Which of the following property specifies whether a border should dashed line, double line, or one of the other possible values?	be solid, 1/1
A - :border-color	
B - :border-style	<b>✓</b>
C - :border-width	
D - :border-bottom-color	
✓ Which of the following property specifies the bottom margin of an element?	1/1
A - :margin	
B - :margin-bottom	<b>✓</b>
C - :margin-top	
D - :margin-left	

~	Which of the following property specifies the top padding of an element?	1/1
0	A - padding-bottom	
•	B - padding-top	<b>✓</b>
0	C - padding-left	
0	D - padding-right	

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

## Google Forms