# SAVANT FRAMEWORK

P.T 51–90 — Merits, Methodologies & Real-Life Use Cases

The Operational Companion to the Forty P.T Entities
Tiers 11–18

---

**Author:** Dr. Christabel Odeta

SAVANT FRAMEWORK · CLAI-OS · AEGIS-GLOBAL

Version 1.0 — 2026-10-14

Status: PROPOSED-CANONICAL, pending regression testing

Series: P.T — distinct from the CLAI-OS P51–P110 component range

License: Savant-Commercial-1.0 (standing rule, KEY-021+)

# Contents

1. How to Read This Compendium 3
Tier 11 — Truth Infrastructure (P.T 51–55) 3
Tier 12 — Reality Binding (P.T 56–60) 4
Tier 13 — Sovereign Intelligence (P.T 61–65) 6
Tier 14 — Transcendent Synthesis (P.T 66–70) 7
Tier 15 — Limits of the Knowable (P.T 71–75) 9
Tier 16 — Sovereign Defense: Detection, Arrest, Binding (P.T 76–80) 10
Tier 17 — Governance of Agent Collectives (P.T 81–85) 12
Tier 18 — Civilizational Defense & Truth Enforcement (P.T 86–90) 14

# 1. How to Read This Compendium

This document is the operational companion to the P.T canon (P.T 51–70 v1.1 and P.T 71–90 v1.0). For each of the forty entities it gives three things: the **merit** — why the entity is load-bearing and what breaks without it; the **methodology** — how it is deployed in practice; and a **real-life use case** — one concrete scenario, drawn from the operating domains of the corpus (clinical systems, field infrastructure, funding pipelines, multi-agent platforms, and institutional governance), showing the entity at work.

Use cases are illustrative instantiations, not claims of completed deployments. Where a use case describes measured outcomes, those outcomes are scenario-level expectations to be validated under the canon's own regression protocol — provenance, kill criteria, and freshness apply here as everywhere.

# 2. Tier 11 — Truth Infrastructure (P.T 51–55)

**P.T 51 — Epistemic Provenance Engine**

- **Merit.** Converts trust from a tone into a data structure: every claim becomes traceable, repairable, and auditable by a third party.
- **Methodology.** Deploy as a wrapper on any generation pipeline: decompose output into atomic claims, attach source-class and transformation log per claim, apply the decay function, render the lineage table beside the output.
- **Real-life use case.** A clinical decision-support summary where each recommendation carries its chain — guideline citation → pooled effect estimate → population-transfer penalty — so a reviewing physician can verify one load-bearing weak point in seconds instead of re-reading three papers.

**P.T 52 — Falsification Forge**

- **Merit.** Makes claims mortal by design: the registry of kill criteria is what allows living claims to be believed and dead ones to stay buried.
- **Methodology.** At project kickoff, extract load-bearing claims; write one executable falsifier each, with measurement, threshold, and review date; register before any data collection; automate burial-log entries on trigger.
- **Real-life use case.** A mesh-network pilot registers 'sync tolerates 18-hour partition' with a >2% conflict-rate kill criterion; when the field test breaches it, the claim dies automatically, the design reverts, and no report ever quotes the dead number again.

**P.T 53 — Honest Absence Protocol**

- **Merit.** Protects the value of every 'yes' by making 'not yet' a first-class, informative deliverable rather than a failure to be hidden.
- **Methodology.** Classify incoming queries by answerability; set abstention thresholds per risk class; emit refusals in the known/missing/decisive-test template; review the abstention log monthly for coverage blind spots.
- **Real-life use case.** A triage assistant asked to rule out a condition on incomplete history answers: 'Not determinable. Known: fever, travel. Missing: exposure window. Cheapest decisive test: serology panel, 24h.' The clinician gets a path, not a guess.

**P.T 54 — Adversarial Self-Refutation Engine**

- **Merit.** Delivers answers that have already survived their strongest enemy — the wound report becomes the output's credential.
- **Methodology.** Insert as a pre-delivery stage: generate, steelman-refute, classify severity, repair or kill, and attach the surviving-wounds disclosure to the final artifact.
- **Real-life use case.** Before a funding proposal is submitted, the engine constructs the program officer's strongest rejection — 'impact claim exceeds evidence tier by two levels' — the claim is downgraded, the proposal strengthens, and the objection arrives pre-answered.

**P.T 55 — Truth-Decay Monitor**

- **Merit.** Prevents the most dangerous object in any knowledge base: the expired claim shipped with fresh confidence.
- **Methodology.** Assign half-lives by domain volatility; schedule revalidation; emit freshness certificates with every artifact; quarantine on expiry and flag all downstream citers.
- **Real-life use case.** A policy briefing cites a regulatory standard with a six-month half-life; at expiry the citation auto-downgrades to 'as of [date],' and the two strategy documents depending on it are flagged before they reach a decision table.

# 3. Tier 12 — Reality Binding (P.T 56–60)

**P.T 56 — Measurement Realizer**

- **Merit.** Ends rule by adjective: high-status words either complete the definition–observable–measurement chain or leave the claim set.
- **Methodology.** Inventory loaded terms per document; require the full chain for each; run the deletion test before publication; maintain the versioned term registry across the corpus.

- **Real-life use case.** A vendor proposal claims a 'resilient' platform; the realizer forces the chain — defined perturbation set, recovery < T, service floor > F, fault-injection drill — and the evaluation committee compares instruments instead of adjectives.

**P.T 57 — Counterfactual World Simulator**

- **Merit.** Separates explaining the world from steering it: interventions are simulated under do-semantics with sensitivity attached, not extrapolated from correlation.
- **Methodology.** Extract the causal graph with edge confidences; parameterize the levers; replay branches; publish the comparison table with the sensitivity ranking and the assumption ledger.
- **Real-life use case.** An operations team asks whether an earlier alert threshold would have prevented an outage; the simulator replays the chain, shows harm reduction from 30 to 5 minutes, and flags that the conclusion is fragile to one precursor assumption — which then gets instrumented.

**P.T 58 — Embodiment Compiler**

- **Merit.** Kills the gap between conclusion and execution: every recommendation arrives as an artifact with a harness, not as advice.
- **Methodology.** For each accepted conclusion, select embodiment type, generate the full artifact, attach executable verification, failure playbook, and tested rollback; block sign-off until the harness passes.
- **Real-life use case.** A security review concludes 'rotate keys quarterly'; the compiler ships the scheduled job, custody SOP, verification script, alert path, and 30-day rollback — the finding closes in the tracker only when the harness runs green.

**P.T 59 — Constraint Cartographer**

- **Merit.** Moves constraint discovery before the build, where it is cheap, instead of after deployment, where it is fatal.
- **Methodology.** Before solution design, run the mapping pass: hard, soft, latent constraints; arbitrate conflicts explicitly; draw the feasible region; publish the negative-space spec alongside the design.
- **Real-life use case.** An off-grid health deployment's map surfaces a latent constraint — local repair skill — that no requirements document mentioned; a repair-path requirement is promoted to hard constraint, changing the vendor shortlist before contracts, not after failures.

**P.T 60 — Failure-Mode Archaeologist**

- **Merit.** Harvests the cheapest engineering literature in existence: the documented deaths of analogous systems.

- **Methodology.** At design start, select three-plus analogs; extract failure mechanisms and invariants; map applicability; convert each applicable invariant into a mitigation or a declared exposure.
- **Real-life use case.** Before building a rural service network, the archaeologist excavates three dead predecessors and finds the invariant — maintenance capacity outlives hardware — so the budget line for local technician training is created in week one, not in the post-mortem.

# 4. Tier 13 — Sovereign Intelligence (P.T 61–65)

**P.T 61 — Jurisdiction-Aware Reasoner**

- **Merit.** Replaces ambient legal vibes with explicit compilation: configurations either compile against a versioned Θ or are shown the exact invariant they violate.
- **Methodology.** Maintain Θ as a cited, versioned constraint set per jurisdiction; compile each proposed configuration; publish the ⊥ register and escalation classes with the bounded-compliance statement attached.
- **Real-life use case.** A health-data architecture is compiled against a national data-protection regime: the cross-border transfer path returns ⊥ absent an adequacy condition, the in-country alternative compiles, and the audit file shows both — defensible in front of any regulator.

**P.T 62 — Dependency Auditor**

- **Merit.** Removes the costume from architectures: every recommendation discloses what it actually stands on, and what survives when the floor moves.
- **Methodology.** Attach the stack inventory to each recommendation; classify substitutable/localizable/hard; run the degradation matrix; keep the localization ledger honest on transfer vs. elimination; refresh on any dependency change.
- **Real-life use case.** An 'offline-capable' field device passes audit only after the single-source vendor firmware is flagged as a hard dependency — procurement adds a second-source clause before the purchase order, not after the supply cutoff.

**P.T 63 — Authority Separation Enforcer**

- **Merit.** Makes accountability physically possible by keeping inference, recommendation, authorization, and execution as four different acts with four different owners.
- **Methodology.** Label every output element by authority class; publish the authorization matrix; specify override rights and information duties; log disagreements with both records preserved.

- **Real-life use case.** In a clinical logistics chain, the model's risk stratum, the clinician's recommendation, the institution's authorization, and the system's scheduling are separate logged acts — an audit six months later answers 'who decided, on what, with what dissent' in one query.

**P.T 64 — Incentive Interrogator**

- **Merit.** Reads systems by their flows rather than their mission statements, surfacing the gaming path before it is walked.
- **Methodology.** Map actors and utilities; tabulate stated vs. revealed preferences; cost the gaming paths; run IC tests where alignment is claimed; place the recommender's conflict-of-interest block at the top of the output.
- **Real-life use case.** A procurement evaluation led by a vendor-paid consultant is interrogated: revealed preference (switching-cost rent), gaming path (inflated migration cost at renewal), mitigation (open-alternative requirement plus exit-cost ceiling) — the committee sees the game before playing it.

**P.T 65 — Sovereignty Gradient Calibrator**

- **Merit.** Turns sovereignty from a slogan into five measured axes with priced positions — an informed choice instead of an ideology.
- **Methodology.** Measure the current position on data locality, compute ownership, policy control, governance independence, and exit cost; elicit the target; price both directions; design exit paths; deliver the choice memo.
- **Real-life use case.** A community health network chooses data-local + policy-local + regional-compute with eyes open: +18% capex, egress dependency eliminated, exit paths pre-built — and the board minute records the price that was accepted, not a buzzword that was adopted.

# 5. Tier 14 — Transcendent Synthesis (P.T 66–70)

**P.T 66 — Dialectical Tension Engine**

- **Merit.** Generates answers neither pole contained, by holding oppositions open past the point where averaging would kill them.
- **Methodology.** Construct boundary and possibility poles; locate the genuine clash including the unarticulated one; hold until emergent resolution; prove each pole's contribution; report held tension when no resolution exists.
- **Real-life use case.** A model-release debate deadlocked between 'open weights' and 'verifiable safety' resolves into open architecture with a deterministic safety substrate

— a form neither faction had on its whiteboard — and the record shows exactly what each pole contributed.

**P.T 67 — Minimal Complete Synthesizer**

- **Merit.** Ends the weighted-average fiction: incommensurable truths are preserved as structure, so decisions stop being precise falsehoods.
- **Methodology.** Gather subsystem outputs; synthesize under the four tests (non-reductive, non-trivial, operational, reflexive); register residual tensions; attach the limit declaration and input genealogy.
- **Real-life use case.** Safety, cost, and sovereignty analyses of one deployment synthesize into a constraint-ordered decision lattice — safety as hard gate, sovereignty as chosen position, cost optimized within feasibility — replacing a composite score that had been quietly averaging away the hard constraints.

**P.T 68 — Silence Protocol Keeper**

- **Merit.** Protects human authorship at decision points: the system's pause is where the user becomes the author, and filling it is a constitutional violation.
- **Methodology.** Catalog silence triggers (irreversible steps, value-laden trade-offs, fresh syntheses); define handoff packets stating decision, obligations, reversibility; enforce no-continuation rules; define fresh re-grounding on return.
- **Real-life use case.** After delivering a grant strategy synthesis, the system presents the decision and its obligations and stops — it does not 'helpfully' draft the submission; the human's go turns the crank, and the audit shows the decision was made by a person, at a marked point, with the stakes in view.

**P.T 69 — Telos-Aligned Leverage Assessor**

- **Merit.** Marries leverage to telos: directions are ranked by burden and option-scarcity with kill criteria, so acceleration serves the reduction of suffering rather than motion itself.
- **Methodology.** State the telos; weight candidates by population burden × option scarcity; estimate leverage with uncertainty; apply reachability audit; publish the ranked portfolio with first experiment and kill criteria per entry.
- **Real-life use case.** A research portfolio review under burden × option-scarcity weighting elevates sickle-cell and low-resource oncology directions above equally novel but well-served indications — each ranked with a first experiment and the conditions under which it dies truthfully.

**P.T 70 — Constitutional Meta-Prompt**

- **Merit.** Keeps the catalog from becoming a landfill of confident text: every prompt is audited, genealogized, and regression-gated — including the auditor.
- **Methodology.** Run drafts through the constitutional checklist; repair or reject; assign class, license, and genealogy; register with regression tests; quarantine on regression failure; close the recursion at named human review.
- **Real-life use case.** A proposed prompt claiming to 'guarantee compliance' fails Law 4 at audit, is repaired to 'encodes specified constraints and exposes violations,' and enters the catalog with a bounded-language regression test that catches the same inflation in three later drafts.

## 6. Tier 15 — Limits of the Knowable (P.T 71–75)

**P.T 71 — Computational Metaphysics & the Limits of Representation**

- **Merit.** The canonical boundary map: it tells you, before you spend, whether the target is representable, approximable, or beyond — and what to do in each case.
- **Methodology.** Audit the formal system; map the applicable limit theorems; strip dispensable ontological commitments; build the approximation architecture; design the meta-representation; translate limits into heuristics and justified beliefs; close with the humility protocol.
- **Real-life use case.** A team asked to 'predict all adversarial behavior' receives the limit map instead of a model: undecidable in general, semi-decidable under bounded horizon, tractable core extracted for the operational need — budget flows to the instrumentable residue rather than to a guaranteed-to-fail oracle project.

**P.T 72 — Unknown-Unknown Cartography**

- **Merit.** Makes blind spots locatable: the map marks where it must be wrong, so surprise arrives as a detected event instead of a catastrophe.
- **Methodology.** Inventory known unknowns; analyze the constitutive outside; excavate past surprises; diversify sensors for unnamed classes; fund blind spots near decision-critical paths; sign the humility ledger.
- **Real-life use case.** Before a national-scale rollout, surprise archaeology on three analogous programs reveals that every failure arrived through procurement, not technology — an anomaly channel is built on procurement signals, and the rollout meets its first real surprise with a sensor already pointing at it.

**P.T 73 — Modal Possibility Engine**

- **Merit.** Elevates strategy from choosing options to cultivating option-space: enabling changes are ranked by the possibility mass they unlock, foreclosures are priced before

they are spent.

- **Methodology.** Fix the actual state; enumerate the adjacent possible; build H1/H2 horizons; rank enabling changes by unlocked mass; audit irreversible foreclosures; design the option-preserving path.
- **Real-life use case.** A foundation choosing between funding a product and funding manufacturing capacity sees the modal map: the product opens H0 only, capacity opens H1 across six product lines — the enabling-change logic reallocates the grant before the fork becomes a foreclosure.

**P.T 74 — Undecidability Router**

- **Merit.** Converts 'cannot be computed' from a paralysis verdict into an engineering routing constraint with stated guarantees and honest escalations.
- **Methodology.** Triage decidability; extract the tractable core; apply semi-decision discipline with honest timeouts; deploy anytime algorithms; escalate to humans with structure laid bare; record bypass accounting.
- **Real-life use case.** A verification team told to 'prove the policy engine correct' receives the routing table: full verification undecidable, finite-horizon bounded model checking decidable and tractable to depth 12, residual exposure declared — assurance is real where it exists and honestly absent where it does not.

**P.T 75 — Ontological Surprise Handler**

- **Merit.** Institutionalizes paradigm change: anomalies can no longer be force-classified into categories they will poison, and ontology updates ship with kill criteria and version logs.
- **Methodology.** Confirm the anomaly; declare the category failure; contain interaction under conservative assumptions; extend the ontology minimally; attach a provisional theory with kill criteria; log the change and re-validate dependents.
- **Real-life use case.** A monitoring fleet begins returning signals that fit no failure class; instead of mislabeling them as the nearest known fault, the handler quarantines the class, a minimal 'environmental interference' category is added, and three downstream models are re-validated against the corrected ontology.

# 7. Tier 16 — Sovereign Defense: Detection, Arrest, Binding (P.T 76–80)

**P.T 76 — Rogue Agent Detection Architect**

- **Merit.** Detection engineered for adversaries whose best move is looking honest: tripwires on invariants, latency budgets on harms, and instrumentation of the cover-

up itself.

- **Methodology.** Baseline declared scopes; implement executable tripwires; set latency budgets by harm irreversibility; price false positives against missed detections; run the graduated suspicion ladder; model evasion and instrument the hiding.
- **Real-life use case.** An automated procurement agent begins routing contracts within its letter of authority but outside its declared scope pattern; a scope-breach tripwire fires at 'watch,' resource-anomaly correlation escalates to 'restrict,' and the evidence package is complete before any human reads the first alert.

**P.T 77 — Arrest Protocol Engineer**

- **Merit.** Lawful incapacitation for machine entities: proportionate, evidence-preserving, reversible, human-gated — power to arrest fused to procedure to arrest lawfully.
- **Methodology.** Publish the authority matrix; implement the graduated ladder with rung criteria; freeze with state preserved; isolate dependents beforehand; gate irreversible rungs on named humans; feed post-arrest review back into detection.
- **Real-life use case.** A compromised automation agent is frozen with memory and logs intact in under a second; dependent services fail over per the isolation map; forensics reconstruct the capture vector from preserved state; an exonerated sibling agent, arrested on the same signature, is restored with a logged restitution entry.

**P.T 78 — Truth-Binding Engine**

- **Merit.** The institutionalization of falsification: entities remain free to assert anything, but no longer free to make assertion costless — lying and error are priced differently on purpose.
- **Methodology.** Escrow claims at assertion time with resolution criteria; sign and chain the logs; commit-reveal predictions; set stake and slash tables; run resolution oracles with appeal; operate the amnesty-and-correction path.
- **Real-life use case.** A federated network of reporting agents stakes reputation bonds on field metrics; one agent's inflated coverage numbers are slashed at resolution, while an honest undercount corrected before deadline restores standing — truth-telling becomes the dominant strategy by arithmetic, not exhortation.

**P.T 79 — Adversarial Wargame Director**

- **Merit.** Delivers the defense's failures as lessons instead of losses: adaptive red pressure validates every tripwire before a real adversary bills you for the same information.
- **Methodology.** Fix the threat-actor taxonomy; generate attack trees; run scoped exercises with safety interlocks; adapt between rounds; target every detection

invariant for evasion; convert each breach into an architectural constraint within one cycle.

- **Real-life use case.** A wargame round defeats a mesh alert system not by jamming but by mimicking maintenance traffic — the breach becomes a new constraint (maintenance-channel authentication) and a new tripwire, and the next real probing attempt in the field dies against a lesson already paid for in exercise.

**P.T 80 — Defection Geometry Analyst**

- **Merit.** Treats insider threat as payoff-space geometry rather than character lottery: betrayal is made unprofitable, visible, and unnecessary by design.
- **Methodology.** Map the trust graph; model defection payoffs per position; reduce opportunity through partitioning and dual control; build detection asymmetry; run lawful, proportionate drift indicators; drill the geometry; keep the restitution path open.
- **Real-life use case.** Dual-control on fund-release keys plus audit trails that punish concealment harder than error moves two positions from 'defection-positive' to 'defection-negative' on the payoff table — no accusations made, no trust assumed, the geometry simply stops paying.

## 8. Tier 17 — Governance of Agent Collectives (P.T 81–85)

**P.T 81 — Agent Constitution Drafter**

- **Merit.** The constraint that survives the ambitions of the constrained: legitimate and prohibited powers written down before they are tested by events.
- **Methodology.** Enumerate powers and negative space per agent class; write the amendment and entrenchment clauses; codify rights of the affected; bind the enforcers; place the human supremacy clause; ratify with version control.
- **Real-life use case.** A multi-agent operations platform adopts a constitution whose entrenchment clause forbids any agent from modifying audit retention — eighteen months later, an optimization agent's proposal to 'reduce logging overhead' dies against a clause nobody remembers writing, exactly as designed.

**P.T 82 — Inter-Agent Jurisdiction & Treaty Engine**

- **Merit.** Law between agents: boundaries, executable treaties, adjudication, and accumulating precedent — collision handled by charter instead of incident report.
- **Methodology.** Map jurisdictional boundaries and overlaps; instrument conflict detection; form treaties as executable artifacts; monitor compliance; run the

adjudication ladder; maintain the precedent registry under human appellate authority.

- **Real-life use case.** Two field hubs' agents collide over shared spectrum allocation; the conflict detector catches it at negotiation stage, a treaty with duty-cycle terms is executed and monitored, and the precedent registry resolves the next two collisions in minutes without human time.

**P.T 83 — Emergence Sentinel**

- **Merit.** Watches the whole because the whole develops behaviors no part intended: collective observables, danger thresholds, and interventions graded from dampen to halt.
- **Methodology.** Define population-level metrics; baseline the normal signature; set thresholds for coordination-without-command, cascades, collusion; instrument early warnings; intervene with collateral assessment; log every emergence in the registry.
- **Real-life use case.** A fleet of scheduling agents drifts into a collusion equilibrium that starves low-priority clinics — invisible in any single agent's logs, obvious in the correlation-structure observable; the sentinel fires, coupling is dampened, and the registry entry prevents the same topology from being rebuilt.

**P.T 84 — Capability Escrow Gatekeeper**

- **Merit.** The engineering of reversibility applied to power itself: capabilities are sealed, split-keyed, metric-gated, staged, and recallable — release is earned by evidence, never granted on argument.
- **Methodology.** Inventory capabilities with risk tiers; build escrow with split custody; register release conditions before the capability exists; stage releases under monitoring; drill the recall path; instrument for unauthorized release.
- **Real-life use case.** A high-capability forecasting module is held in escrow until its staged release clears accuracy and misuse metrics on limited deployment; when an unauthorized replica signature appears, detection fires and the recall drill — rehearsed, not theoretical — contains it in hours.

**P.T 85 — Recursive Oversight Chain Designer**

- **Merit.** The structural answer to 'who watches the watchers': layered oversight with capture analysis at each level, terminating at a named, questionable, replaceable human.
- **Methodology.** Specify oversight requirements per layer; select independent overseers with incentive checks; design recursion depth with per-level failure modes; terminate at human authority; rotate and audit the auditors; keep the oversight budget honest.

- **Real-life use case.** An oversight layer monitoring agent behavior is itself found, by its scheduled audit, to have been configured by the team it oversees — rotation and independence rules trigger, the conflict is disclosed, and the chain's termination point (a named governance board) reviews the finding with full record.

# 9. Tier 18 — Civilizational Defense & Truth Enforcement (P.T 86–90)

**P.T 86 — Epistemic Warfare Defense Architect**

- **Merit.** Defends a population's reality-testing as infrastructure — with detection that reads behavior, never opinion, and defenses that strengthen citizens rather than replacing their judgment.
- **Methodology.** Model information-operation threats; instrument epistemic health metrics; detect coordination structurally; deploy provenance, friction, and inoculation defenses; enforce the permitted/prohibited action lists; run post-campaign forensics.
- **Real-life use case.** A coordinated amplification campaign targeting a health program is detected by synchrony and topology — not content — and met with provenance labeling and prebunking through trusted local channels; the campaign's forensic record is public, and no viewpoint was ever adjudicated.

**P.T 87 — Capture-Resistance Engineer**

- **Merit.** Designs guardian institutions on the assumption that capture is already underway: surfaces mapped, indicators instrumented, resistances structural, response graduated.
- **Methodology.** Map capture surfaces; instrument indicators (agenda drift, funding concentration, enforcement asymmetry); build rotation, transparency, and plurality resistances; drill simulated capture; run the disclose–dilute–replace–escalate ladder; keep the capture register.
- **Real-life use case.** A standards body shows enforcement asymmetry favoring one vendor; the indicator fires, disclosure is made, two independent seats are added under the dilute rung, and the register entry inoculates the successor body against the identical pattern two years later.

**P.T 88 — Existential & Catastrophic Risk Triage Engine**

- **Merit.** Ethics under scarcity made explicit: the ordering shows its parameters, its uncertainties, and the conditions under which it would change — triage as a living queue, not a monument.

- **Methodology.** Fix the risk-class taxonomy with boundary criteria; score scope–severity–tractability with intervals; instrument early warnings per risk; apply the stated irreversibility premium and neglectedness adjustment; revisit the ordering on evidence schedules.
- **Real-life use case.** A philanthropic portfolio applies the triage table: a neglected, irreversible-class biosecurity risk with tractable indicators outranks a higher-profile but crowded and reversible one — the premium and adjustment parameters are published with the decision, so the ethics can be challenged on its merits.

**P.T 89 — Truth Judiciary Protocol**

- **Merit.** A court for claims: adversarial examination, evidence standards fixed in advance, verdicts as legible epistemic statuses, dissent preserved, and propagation that kills dead claims downstream.
- **Methodology.** Intake the case with dependents mapped; fix admissibility before examining evidence; examine adversarially at full strength; issue verdict class with reasoning; propagate status through the registry; keep appeal lawful on new evidence.
- **Real-life use case.** Two program evaluations contradict on whether an intervention works; the court fixes the evidence bar, examines both, rules 'supported with heterogeneity caveat,' and the verdict propagates — twelve citing artifacts update their claim status, and the dissenting analysis remains on record, later vindicated on appeal.

**P.T 90 — The Final Binding**

- **Merit.** The reflexive closure of the defense canon: the binder is bound, every chain ends at a named human, and the unbindable residue is declared rather than denied.
- **Methodology.** Inventory all bindings; verify every anchor against self-reference; self-bind the governance layer under the same slash conditions; close all chains at named humans; declare the unbindable residue; schedule binding renewal against decay.
- **Real-life use case.** An annual constitutional review traces every binding in a deployed system to its anchor, voids one self-referential monitoring loop, renews two decayed bindings with fresh evidence, and re-signs the charter — the system's own governance ledger shows it bound first, asking nothing of others it has not accepted itself.