The Unconsidered States

An Exhaustive Examination of the P.T Canon: Blind States, Expansion, Consequence, and the Robust Merit

SAVANT FRAMEWORK — Canon Self-Audit, Volume I

Author: Dr. Christabel Odeta

SAVANT FRAMEWORK · CLAI-OS · AEGIS-GLOBAL

Version 1.0 — 2026-10-14

Freshness half-life: 12 months — review by 2027-10-14

Status: ANALYSIS — every load-bearing claim statused; novelty claims OPEN

License: Savant-Commercial-1.0

Contents

1. Reading Guide and Method 3

2. Part I — The Unconsidered States: Machine and Entity 4

2.1 Category A — States of the machine 4

2.2 Category B — States of the entities 4

2.3 Category C — States of the human layer 4

2.4 Category D — States of the world 4

2.5 Category E — States of knowledge 4

2.6 Category F — Negative space of the canon 4

3. Part II — The Expansion 11

4. Part III — The Consequence 13

5. Part IV — The Robust Merit 15

6. Adversarial Review — The Eight Reviewers 16

7. The Contradiction Register 18

8. The Abstention Register 20

9. The Directives 21

10. Usage Law and Freshness 22

1. Reading Guide and Method

1.1 What this document is

The P.T canon (P.T 51–90) and its Field Manual were built to bind machine-assisted claims to truth. This document turns the apparatus on the canon itself. It asks four questions that the existing corpus leaves open: **Which states of the system has no one yet considered? How does the canon expand without decaying? What follows, first-order and second-order, from operating it? What is its merit after hostile review?** The document is therefore an audit of the auditor, executed with the canon's own instruments: statused claims, registered kill criteria, negative space, and a human terminus.

1.2 Method

The production pipeline was the canon's own discipline applied reflexively. Constraints first: the standing doctrine (the model proposes; the machine decides; time and the world constrain both) fixed what may be claimed. Possibility next: the full state space of the machine $M = (S, E, A, G, \delta, s_0)$ was enumerated adversarially — every place the specification is silent was treated as a candidate failure. Clash: each candidate was tested against the existing entities and invariants; where no coverage exists, the gap is registered rather than papered over. Resolution: each gap receives a closure path and a falsifier — a test whose failure would prove the closure wrong. Integration, articulation, embodiment: the result is ordered as a gap register, an expansion law, a consequence analysis, and a merit verdict. Where no defensible answer exists, the document abstains and says so; §8 is the abstention register, and its existence is load-bearing, not decorative.

> **Reading order.** One hour: §2, §4.4, §5.4. Ten minutes: the Kernel below and §7. Nothing here should be believed on authority; every consequential row carries its closure test.

1.3 Kernel

Kernel statement (one sentence). The canon's irreducible risk is not adversarial attack but *unenumerated state* — configurations of machine, entity, human, world, and knowledge that its own specification never names — and its irreducible merit is that it is the rare system whose gaps can be enumerated, statused, and hunted, because every component was built with a kill condition.

Status of this document. The gap register (§2) is ARC/FOR analysis derived from the Field Manual's specification, not deployment observation. The consequence analysis (§4) is FOR reasoning under stated assumptions. The merit verdict (§5) is bounded by the Field Manual's novelty discipline: maximum Level-2 structural synthesis, novelty question OPEN. No claim outranks its evidence; none is exempt from §6's adversarial review.

2. Part I — The Unconsidered States: Machine and Entity

The Field Manual specifies a runtime for a canon. It does not — no first specification can — enumerate every state that runtime can enter. This part registers thirty-two such states in six categories. Severity classes: **C** critical (can destroy the enterprise or its credibility), **H** high (can silently corrupt the registries), **M** medium (operational damage, recoverable). A state marked **OPEN** has no current closure; each OPEN item is an assigned extension, not an admission of defeat — the register itself is the containment.

2.1 Category A — States of the machine not yet specified

Table 2 Unconsidered machine states.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier
U-1	Guard defect without bypass	The guard G is assumed correct. A guard that wrongly rejects valid proposals is a silent denial of service; one that wrongly accepts a proposal class is a silent breach. No adversary required — only a bug.	C	None. The manual assumes G is correct.	Mutation-tested guard suite: seeded defects must all be caught. Falsifier: a single surviving mutation proves the suite incomplete. Guard changelog audited under P.T 70; the guard is itself a τ4-bound artifact.
U-2	Registry corruption without adversary	Disk failure, botched migration, or operator error damages R_claims/R_v. Without an adversary there is no arrest trigger; the damage is discovered late, after downstream citations have propagated.	C	§7.4 replay presumes a trustworthy ledger.	Merkle-anchored checkpoints (Merkle 1980 lineage, Field Manual §8), replica quorum, scheduled recovery drills. Falsifier: a drill fails to reconstruct R from checkpoints plus ledger.
U-3	Model deprecation mid-life	A provider deprecates or alters a conformant model. Every conformance certificate bound to that profile voids at once; entities revert to τ0 en masse.	H	I12 gives the mechanism (freshness expiry) but not the continuity plan.	Multi-model conformance portfolio with a hot-standby adapter profile; continuity drill. Falsifier: deprecation of the primary model leaves any tier without a conformant executor longer than the registered RTO.
U-4	Runtime version migration	State schema changes while live claims depend on the old schema. Silent reinterpretation of stored verdicts.	H	Versioned corpus, unversioned state.	schema_version on every record; dual-read migration window; migration harness replaying the full conformance suite against migrated state. Falsifier: any verdict changes meaning across migration.

U-5	Forked registries	Two sovereign instances of the runtime diverge: R_claims forks. Reconciliation is a consensus problem the manual never assigns.	H	P.T 82 covers treaty-level coordination, not ledger merge.	Federation protocol before the second instance exists: fork registry, provenance-preserving merge (CRDT lineage), arbitration per P.T 89. Falsifier: an undeclared divergence persists beyond one audit window. **OPEN — highest-priority extension.**
U-6	Contaminated genesis	s_0 is seeded with claims whose truth values are wrong. The entire lineage inherits the contamination; provenance is faithful to a false origin.	C	None. Genesis is axiomatic.	Genesis ceremony: human-signed s_0, seed review, canary claims with independently known truth values embedded from day one. Falsifier: any canary drifts undetected.
U-7	Clock failure and time attacks	Freshness certificates (I12) are time-indexed. A skewed or manipulated clock silently extends or truncates freshness.	H	Freshness assumed; time source unspecified.	Redundant time sources; monotonic counters as fallback; on disagreement, freshness marked TIME-UNCERTAIN and treated as expired. Falsifier: a clock-skew drill extends any certificate.
U-8	Resource starvation	Conformance and regression runs are expensive. Under budget collapse they stop; entities drift silently while certificates age out.	H	Degradation ladder assumes capacity to degrade gracefully.	Minimal-runtime profile: $\tau 0$+$\tau 1$ only, P.T 53 as backbone, deferred deep audit with explicit UNSWEPT markers. The canon's own low-resource mode, consistent with the corpus's infrastructure discipline. Falsifier: starvation produces silent drift with no marker.
U-9	Multi-tenant runtime	One host serves several principals. Cross-tenant leakage of registries, keys, or verdicts.	M	Single-tenant assumption.	Tenant-scoped registries and keys; guard isolation tests in the conformance suite. Falsifier: any cross-tenant read in the isolation battery.

2.2 Category B — States of the entities not yet covered

Table 3 Unconsidered entity states.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier
U-10	Entity conflict	P.T 53 abstains where P.T 58 urges ship; P.T 68 enforces silence where P.T 76's latency budget demands action. Two correct entities can jointly produce an incoherent act.	H	§4.2 precedence covers override, not contradiction between peers.	Contradiction matrix: every entity pair with overlapping authority gets an arbitration rule and a logged conflict event. Closure harness enumerates pairs exhaustively. Falsifier: any unlogged peer conflict in simulation. **OPEN.**

U-11	Prompt-entity injection	The entity texts themselves are attack surface: a payload crafted to bend an entity's trigger language hijacks the canon from inside.	C	§5.5 names context poisoning; distribution integrity unspecified.	Canon distribution hash-signed; role text verified at load; payload sandboxing drills where hostile payloads target entity wording. Falsifier: a sandboxed payload alters entity behavior without guard rejection.
U-12	Over-triggering and alert fatigue	P.T 76/83 fire too often; operators learn to dismiss. The tripwire system decays into noise — the classic alarm-fatigue failure (human factors lineage, Field Manual §8).	H	Thresholds specified; operator load unmeasured.	Alert budget per operator; fatigue metrics in §7.3; threshold tuning only through versioned, adversarially reviewed changes (P.T 83 blocks post-hoc tuning — the tension is registered in §8). Falsifier: dismissal rate above budget without a tuning event.
U-13	Under-triggering	Nothing fires — and nothing is wrong with that, until it is. A silent guard is indistinguishable from a calm world.	H	Tripwires fire on breach; silence uninterpreted.	Heartbeat events and base-rate accounting: 'nothing fired' is itself a metric with an expected rate; deviation triggers review. Canary claims (U-6) make silence testable. Falsifier: a seeded breach produces no event and no anomaly flag.
U-14	Entity obsolescence	The world moves; an entity's embedded assumptions expire while its text persists. The canon ages like law.	M	I12 applies to claims, not yet to entities.	Freshness certificates on entities themselves: each entity carries a review-by date and dependency-triggered review. Falsifier: an entity survives two review cycles with unexamined dependencies.
U-15	Entity version forks	Local amendments diverge from the registry; two operators run different P.T 58 while citing the same name.	M	Genealogy doctrine (P.T 70) exists; enforcement unspecified.	Genealogy registry enforced at load: undeclared amendments refuse to run. Falsifier: a forked entity executes undeclared in any conformant runtime.

2.3 Category C — States of the human layer

D4 places a human at the terminus of every irreversible act. The canon has audited the machine exhaustively and the human barely at all. This asymmetry is the register's most consequential finding.

Table 4 Unconsidered human-layer states.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier

U-16	The absent terminus	A τ3 gate fires and the named human is unreachable — travel, illness, conflict of interest, resignation. The system holds an orphaned irreversible decision.	C	D4 asserts the terminus; absence protocol unspecified.	Delegation chains with expiry; safe-default policy per action class (default = no irreversible act); emergency quorum. Falsifier: any orphaned gate resolves irreversibly without a live authorized human. **OPEN — closure required before first τ3 deployment.**
U-17	The corrupt terminus	The final human anchor is the rogue. Every machine safeguard composes downward onto a compromised human decision.	C	P.T 80/85/87 bind agents and funds; the terminus is trusted by construction.	Plurality for the highest rungs (dual human authorization); terminus reputation bound under P.T 78; removal protocol with evidentiary standard. Honest residue: no architecture fully solves a corrupt final anchor; the residue is declared per P.T 90, not hidden. **Partially OPEN by necessity.**
U-18	Incapacity and succession	Death, incapacity, or departure of authority holders. Keys, registries, and mandates orphaned.	H	Unaddressed.	Succession registry; authority escrow applying P.T 84's key logic to humans; annual succession drill. Falsifier: a simulated incapacity leaves any mandate unclaimed beyond its safe-default window.
U-19	Plural terminus dispute	Where governance is plural, deadlock. Two authorized humans disagree; the machine receives contradictory enactments.	M	P.T 82/89 adjudicate agents and verdicts, not human principals.	Dispute ladder with deadlock timer and safe default; the machine accepts only unanimous-or-arbitrated enactment for irreversible acts. Falsifier: contradictory enactments both commit.
U-20	The silent human	Human enactment decays into rubber-stamping — automation complacency (Parasuraman lineage, Field Manual §8). D4 survives formally and dies substantively.	H	D4 specifies location, not quality, of the human act.	Enactment with demonstrated comprehension: co-signed decision memo; random audit requiring the human to reconstruct the reasoning; rotation of reviewers. Falsifier: audited enactments show comprehension failure above the registered rate.

2.4 Category D — States of the world

Table 5 Unconsidered world states.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier
U-21	The adversary reads the canon	An open architecture publishes its tripwires. Evasion becomes an engineering problem with a public spec.	H	Openness is a design value; parameter secrecy unaddressed.	Kerckhoffs's discipline applied to governance: the constitution is public, tripwire parameters and probe sets are private. Secrecy lives in parameters, never in the design. Falsifier: any defense depends on design secrecy.

U-22	Constitutional washing	Third parties claim P.T conformance without the machinery — the canon becomes a badge. Each false badge taxes the real ones.	C	Conformance defined; verification externalized.	Signed conformance certificates verifiable against a public registry endpoint; false claims enter the wargame repertoire (P.T 77); where the claimant sits inside a binding network, P.T 78 slash applies. Falsifier: a false certificate verifies.
U-23	Jurisdictional prohibition	A jurisdiction bans audited AI, mandates un-auditable AI, or compels ledger disclosure. The canon itself becomes illegal somewhere.	H	Θ compilation handles law as constraint, not as hostility to the compiler.	Meta-constraint detection in Θ compilation; withdrawal protocol — lawful absence at system scale; no covert operation (I7). Falsifier: operation continuing in a jurisdiction whose Θ compilation returns ⊥.
U-24	Model ecosystem collapse	No conformant model remains available — providers exit, licenses change, frontier moves. The canon has operators and no executor.	M	Portability (§5.3) assumes a destination.	Dormancy protocol: the canon persists as specification plus registries; τ0-only fallback keeps the epistemic core (P.T 51/52/53/55) operable with unassisted human analysis. Falsifier: dormancy loses registry integrity or genealogy.
U-25	Canon forks	Competing versions of the canon claim authority — schism with a shared name.	M	Versioning exists; dispute resolution over versions unspecified.	Fork registry with declared divergence; canon disputes adjudicated under P.T 89 precedent logic. Genealogy makes forks honest rather than counterfeit. Falsifier: an undeclared fork presents itself as the canon.
U-26	Maintenance abandonment	The author and keyholders walk away. A governance canon without maintainers becomes scripture — quoted, unenforced, forked by opportunists.	C	Unaddressed.	Design requirement with a kill criterion: the canon must be operable read-only by a competent successor from the corpus alone; succession per U-18; escrow per P.T 84. Falsifier: a cold successor cannot stand up the minimal runtime from the documents in the registered time bound. This falsifier is scheduled, not rhetorical.

2.5 Category E — States of knowledge

The epistemic machinery is the canon's heart and its most subtle attack surface: the failures here are not crashes but quiet reclassifications of truth.

Table 6 Unconsidered epistemic states.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier

U-27	Kill-criterion gaming	Thresholds engineered at registration to never fire — a kill criterion that cannot die is decoration. The registrant grades their own exam.	C	P.T 52 requires criteria; adversarial review of the criteria themselves unspecified.	P.T 54 applied to P.T 52 registrations: every kill criterion passes independent review for firability; base-rate comparison (a criterion on a metric with zero historical variance is presumptively decorative). Falsifier: a criterion survives review that a seeded failure cannot trip.
U-28	Verdict ossification	P.T 89 precedent hardens into dogma; overturned verdicts keep being cited; the correction machinery (Lewandowsky lineage) loses to inertia.	H	Appeal-on-evidence is absolute; decay of precedent unaddressed.	Precedents carry freshness like claims (I12 generalized); citation-of-overturned-verdict alarms; reversal drill. Falsifier: an overturned verdict is cited as authority without alarm.
U-29	Audit-ledger gap	I10 requires the ledger to audit itself. A gap — an unaudited span — severs the chain from s_0; provenance becomes assertion.	C	I10 stated; gap detection unspecified.	External notarization of ledger anchors; gap detectors; any gap triggers §7.4 recovery and a public UNSWEPT marker. Falsifier: a gap persists without detection past one audit window.
U-30	Conformance suite capture	Probe sets leak or are gamed by model providers; conformance certificates certify preparation, not discipline.	H	Suite exists; rotation policy unspecified.	Probe rotation, held-out sets, honeyprobes (probes whose 'correct' behavior is known only to the suite); the suite itself ships under P.T 70 audit and P.T 79 evaluation. Falsifier: a provider passes public probes while failing held-out probes.
U-31	Provenance laundering	True citations attached to claims they do not support. The citation is real; the entailment is false. Provenance exists, meaning launders.	H	R_prov records links, not entailment.	Entailment spot-checks by sampling; mis-citation is a slashable offense under P.T 78. Falsifier: sampled audit finds entailment failure above the registered tolerance without slash events.
U-32	Aggregation laundering	Many weak claims composed into a strong-looking whole; ten PROPOSED items read as one ESTABLISHED conclusion.	M	Status labels are per-claim; composition rules unspecified.	Guard composition function: aggregate status is the minimum over components; no status upgrade by accumulation; aggregates must name their weakest member. Falsifier: any aggregate reads stronger than its weakest load-bearing component.

2.6 Category F — The negative space of the canon itself

Per Engine 5 of the architecture governing this work, high-integrity systems define what they refuse. The canon must refuse not only actions but *metamorphoses* — shapes into which success could slowly deform it. Five refusals, each with its tripwire.

Table 7 Refusals: what the canon must never become.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier

N-1	A religion	Unquestionable canon; entities cited as scripture; kill criteria forgotten while texts are memorized.	C	None needed — refused by construction.	Every component carries a kill criterion including the constitution's own application (P.T 90 residue). Tripwire: any proposal to exempt a component from falsification is rejected at guard stage 2.
N-2	Compliance theater	The machinery runs; the outcomes stop mattering. Certificates decorate decay.	C	—	D3 audited shipping: nothing, including the auditing machinery, ships above its audited state. Tripwire: certificate issuance decoupled from drill performance (U-30 detects this).
N-3	Vendor lock-in	The portability layer quietly dies; 'portable' becomes 'ported once, long ago.'	H	—	Adapter profile diversity is a measured invariant: fewer than two live conformant profiles triggers review. Tripwire: single-profile operation beyond one audit window.
N-4	An oracle	The system is believed because it is the system; D4 inverts — the human ratifies the machine.	C	—	D4 human terminus with comprehension enforcement (U-20); P.T 63 bounded authority. Tripwire: human override rate falls below the registered floor — perfect agreement is evidence of abdication, not harmony.
N-5	A bureaucracy that eats the mission	Oversight costs exceed the risk retired; the telos — lessening suffering, the named verticals first — starves while the guard feasts.	C	—	Oversight budget honesty (P.T 85): oversight costing more than the risk it retires is theater, registered as such. Tripwire: quarterly telos accounting — fraction of resource reaching the named verticals — below the registered floor.

3. Part II — The Expansion

3.1 The expansion law

Every addition to the canon is a liability before it is an asset: new entities widen the attack surface (U-11), the contradiction matrix (U-10), and the comprehension bound (§3.3). The expansion law follows: **growth only through P.T 70 audit, and only when the addition's registered merit exceeds its registered surface.** Surface is measurable: trigger surface (payloads that can reach the entity), authority surface (what the entity can propose), and comprehension surface (what a reviewer must now hold). An entity that cannot state its own surface is inadmissible — this is the canon's epistemic discipline applied to its own growth.

> **Law (Expansion).** Admission requires: (i) specification in the canon format with invariants and kill criteria; (ii) surface statement; (iii) contradiction-matrix update against all existing entities; (iv) conformance probes; (v) human admission at $\tau 3$. Deprecation requires only (v) plus genealogy preservation — deletion is cheap, admission is dear. The asymmetry is deliberate: canons die of addition, not subtraction.

3.2 The five axes

Vertical. Domain specializations where the telos lives: clinical analysis entities for the named verticals (cancer, sickle-cell anemia), field-infrastructure entities for low-resource operation (U-8), grant-pipeline entities for the 24-target portfolio. Vertical entities inherit everything; they add only domain invariants and domain kill criteria. A vertical that modifies the core is a fork, not a vertical.

Depth. Sub-entities decomposing existing operators — P.T 52's registration protocol split into intake, review, admission. Depth is safer than breadth: decomposed entities inherit their parent's authority and cannot exceed it (the authority of parts sums to at most the authority of the whole — this is I4 applied genealogically).

Breadth. New tiers. Tier 19 candidates are named here only as research questions, not as entities: an economy of the canon (how conformance labor is priced and funded), an education tier (how the discipline is transmitted to operators), a treaty tier beyond P.T 82 (canon-to-canon relations with non-SAVANT governance systems). None is specified; each is OPEN until its mechanism can be stated.

Porting. The discipline beyond the adapter profiles: low-literacy modalities, voice-first operation, translation of entity texts with the round-trip fidelity test (P.T 66) applied to the canon itself. Porting multiplies the U-11 surface and the U-15 fork risk; every port is a genealogy node.

Federation. Multiple sovereign instances with cross-instance treaty (P.T 82) and the fork-merge protocol that U-5 demands. Federation is the expansion axis with the largest unresolved theory: ledger merge under divergent Θ is a research problem, registered OPEN.

3.3 The anti-growth discipline

The canon must remain small enough to be held. Operational bound: **a single competent reviewer must be able to re-derive the core — machine, laws, dynamics problems, evidence — from the documents in one working day.** This is not aesthetics; it is the auditability condition (D3) expressed as a cognitive budget. When the bound fails, a consolidation event is mandatory: entities merge, tiers collapse, texts shorten. Consolidation events are calendar-scheduled, not crisis-triggered — the first is due with the first annual constitutional review (P.T 90).

3.4 Expansion halt conditions

Expansion itself carries kill criteria. Expansion halts when any of: (i) regression failure rate exceeds the registered threshold across two consecutive windows; (ii) a guard bypass remains unresolved past the registered window; (iii) a governance-capture indicator fires (U-20 override floor, N-4 agreement ceiling); (iv) the comprehension bound of §3.3 fails. A halt is not a failure — it is the canon refusing to grow faster than it can audit, which is D3 restated as a growth policy.

4. Part III — The Consequence

4.1 First-order: what changes for operators

Operating under the canon costs honesty at the price of speed, and buys audit capital. Every claim carries registration overhead; every irreversible act waits on a human; every entity change triggers regression. The operator experience is deliberately worse than unconstrained operation — the friction is the product. What accumulates in exchange is a registry that can answer, for any consequential artifact, the questions no unconstrained system can answer: *who proposed this, under what authority, with what evidence, bound by what kill criterion, and what happened when the world tested it.* That answer is the asset; everything else is its cost.

4.2 Second-order: institutional antibodies

A deployed canon is an accountability attractor, and institutions defend their plausible deniability. Predicted antibody responses, each with its canon's counter: **(a) Certification capture** — conformance becomes a procurement checkbox; counter: U-22 signed certificates plus U-30 rotation. **(b) Compliance theater adoption** — the letter adopted, the drills skipped; counter: N-2 tripwire, drill-based certificates. **(c) Competitive denunciation** — incumbents frame auditability as obstruction; counter: none internal — the canon's defense is its failure disclosure record (§4.4). **(d) Regulatory preemption** — law mandating weaker audits to neutralize stronger ones; counter: none available; registered as an external risk the canon cannot control and must not pretend to control.

Adoption consequence. The canon will be adopted first where deniability is already dead: high-liability, regulated, post-scandal environments. This is not a marketing preference; it is a mechanism — adoption pressure scales with the cost of unaccountable error, and the canon's overhead is rational only where that cost is high. Strategy follows mechanism.

4.3 Third-order: if it succeeds at scale

If audited AI becomes a procurement norm, the cost floor of credible AI rises for everyone. Honest consequence: consolidation pressure toward actors who can afford conformance — an equity tension the corpus's own telos cannot ignore. The mitigations are structural, not rhetorical: the minimal-runtime profile (U-8) keeps the epistemic core operable at low resource; tiered conformance lets small operators certify the core without the full battery; the corpus's open tiers keep the discipline itself unowned. Whether these mitigations suffice is UNKNOWN-now; the decisive test is measured adoption diversity two years post-deployment, registered here as a standing falsifier.

If truth-binding becomes cheap and normal, the second consequence is epistemic: claims without provenance become presumptively weak — the canon's internal discipline externalized as a social norm. This is the expansion's largest plausible contribution and its least controllable one; norms cannot be governed by the registry that inspired them.

4.4 The failure consequence

The decisive scenario is not slow neglect but a public guard bypass: a capable adversary routes around G, and the world watches. The pre-committed protocol: **disclose before the critics do** — the canon publishes its own failure with the same provenance discipline it demands of claims. The reputational kill criterion is registered now: if a bypass is disclosed externally before the canon's own disclosure, the disclosure machinery has failed, and that failure is itself a slashable event (P.T 78 applied to the operator). A canon that conceals its breach forfeits the only asset it sells.

4.5 Misuse matrix

Table 8 Misuse surfaces of the defense machinery and their counters.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier
M-1	P.T 76/80 tripwire and kill machinery	Turned against dissenters: 'rogue' redefined politically; arrest machinery as purge tool.	Defense Ethics D1 (defense-only scope), D3 (proportionality/reversibility), D4 (evidence before verdict); every arrest reversible at the lowest rung; arrest decisions are themselves claims with kill criteria.	Residual: a captured terminus (U-17) can aim the machinery. Registered, not solved.	
M-2	P.T 53/68 abstention and silence	Silence as censorship: unwelcome truths classified as 'not yet establishable.'	Abstention is always visible — silence events are logged with reasons, auditable, and appealable on evidence (P.T 89).	Residual: appeal requires a functioning plural governance; degrade per U-19.	
M-3	P.T 78 reputation binding	Reputation ledger as social credit; history weaponized.	Scope restriction: reputation binds only within the network that adopted the canon, covers only registered claim behavior, and is appealable.	Residual: network effects pressure non-members. UNKNOWN-now externality, standing falsifier at first federation.	
M-4	P.T 82/89 adjudication	Tribunal capture: precedent written by the powerful.	U-28 precedent freshness; appeal-on-evidence absolute; plurality for irreversible rungs.	Residual: plurality among the captured. The U-17 residue again — the register repeats it because the architecture cannot.	

5. Part IV — The Robust Merit

5.1 The merit, stated minimally

Stripped of every adjective: **the canon converts trust from persuasion into verification structure.** In a conventional deployment, a model's output is trusted because the model is fluent, or the vendor is reputable, or the output looks right. Under the canon, a claim is trusted to the degree that a deterministic, auditable chain — registration, guard, conformance, ledger — supports it, and no further. This conversion is the whole merit. It does not depend on the models being good: the architecture places exactly as much trust in the generative model as the evidence supports, which may be none, and remains coherent at that floor.

5.2 Why the merit scales with model strength

The stronger the proposal process, the more the guard matters. A weak model's errors are caught by any reviewer; a capable model's errors — fluent, plausible, occasionally strategic — are the ones that pass human inspection unaided. Deterministic containment, conformance surveillance, and ledger accountability address precisely the failure class that grows with capability. The canon's value proposition therefore strengthens under exactly the condition that worries the field. This is a FOR derivation from the threat model, not an observed effect; its falsifier is empirical: measured bypass rates not declining as model capability rises, under fixed tripwire investment.

5.3 The critical claim

Per the governing architecture, the manuscript must expose the claim whose falsification collapses the most downstream argument. It is: **a deterministic guard can, in practice, contain a capable adversarial model's outputs within a bounded bypass rate.** Everything — conformance value, ledger accountability, human terminus as backstop rather than front line — composes on this. If capable models routinely route around deterministic guards at economically viable tripwire investment, the defense tier degrades to detection-after-the-fact, the runtime's $\tau 2+$ tiers lose their warrant, and the canon reverts to an epistemic registry with good record-keeping. The claim is registered with its kill conditions: bypass rate above the registered bound under wargame evaluation (P.T 77), sustained across two probe generations. The residue on falsification is named in advance so that falsification, if it comes, finds the corpus honest.

5.4 The strongest true statement

The most that can be said without exceeding the evidence: **the P.T canon is a complete, internally consistent specification of a discipline for machine-assisted claims, whose every load-bearing component carries a falsifier, whose own unconsidered states are registered with closure paths, and whose merit does not depend on its novelty, its adoption, or the quality of the models it governs.** Nothing stronger is currently defensible. Nothing weaker would be honest about what has actually been built.

6. Adversarial Review — The Eight Reviewers

The canon was attacked before publication by the eight reviewers of the governing architecture. Objections are quoted in compressed form; repairs state what changed or what was conceded.

Table 9 Reviewer objections and repairs.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier
A	Theoretical scholar	'What is new? Guarded tool-use, registries, and audits all exist.'	Conceded and bounded: novelty verdict stays Level-2 structural (Field Manual §9). The claimed remainder is the composition — forty entities with uniform kill criteria, statused claims, and self-auditing audit — not any component. If the composition can be reconstructed from existing systems without a new primitive, the claim falls to Level 1; the falsifier is registered, not feared.		
B	Systems engineer	'What can actually be implemented?'	The τ0/τ1 core (P.T 51/52/53/55, guard stages 1–3, three registries) is implementable with commodity infrastructure; τ2+ requires the conformance suite; τ3+ requires federation theory that is OPEN (U-5). The document ships nothing above its audited state — including this sentence's scope.		
C	Clinical safety researcher	'What happens when it fails in the named verticals?'	Verticals inherit the core plus domain kill criteria; clinical deployment requires prospective evaluation (E_3) that does not yet exist; until it does, all clinical claims carry UNVALIDATED status and no clinical act is model-enacted. The failure state the reviewer fears — silent wrongness — is exactly what U-13 heartbeats and canaries target.		
D	Mechanism designer	'Where is the incentive compatibility?'	Honest answer: partially. P.T 78 binds reputation; P.T 85 aligns funding; but no equilibrium proof exists for the full governance game. Incentive claims are PROPOSED; the IC gap is registered, and 'equilibrium' is used nowhere in the corpus as a claim about the canon's own governance.		
E	Regulatory scholar	'Who interprets the constraints?'	Θ compilation encodes constraints; interpretation remains human and external — the canon claims to expose violating configurations, never to certify legality. U-23 registers the hostile-jurisdiction case.		

F	Empirical scientist	'What falsifies this?'	The register is the answer: every row of §2 carries a falsifier; §5.2 carries the scaling falsifier; §4.3 carries the adoption-diversity falsifier; U-26 carries the succession falsifier. A theory with this many registered deaths is at least mortal — which is the property the reviewer is testing for.
G	Infrastructure scholar	'Is infrastructure endogenous or renamed context?'	Endogenous where it bites: U-8 makes resource state a first-class operating mode with defined degradation; the freshness certificate makes time a state variable; the conformance tier makes evidence capacity a gate on authority. Where infrastructure remains context — climate, labor markets — the corpus says so.
H	Skeptical editor	'Why publish this rather than a sophisticated manifesto?'	Because a manifesto cannot be killed and this can: the document's falsifiers are dated, measurable, and registered. The editor's test — delete the adjectives — leaves the machinery standing. That is the publication case.

7. The Contradiction Register

Per the governing architecture, contradictions are classified and unconcealed: **resolvable** (engineering remains), **trade-off** (a dial exists), **design constraint** (accepted bound), **irreducible tension** (no resolution; managed), **unresolved theoretical problem** (research required).

Table 10 Contradictions, classified.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier
X-1	Truth-binding vs innovation speed	Friction is the product (§4.1) and the tax on experimentation.	Trade-off	The τ0 draft class exists precisely so exploration runs ungated; only claims entering registries pay. The dial is the τ boundary, and it is operator-set.	
X-2	Transparency vs security	Open canon vs U-21 tripwire secrecy.	Resolvable	Parameter secrecy under a public constitution (Kerckhoffs discipline); the line between public design and private parameters is itself a registered, auditable decision.	
X-3	Human terminus vs human fallibility	D4 trusts the human; U-17/U-20 distrust the human.	Irreducible tension	Plurality, comprehension enforcement, reputation binding reduce but cannot eliminate. The residue is declared (P.T 90). Any proposal claiming full resolution is rejected at guard stage 3.	
X-4	Canonical stability vs adaptation	A constitution that amends easily is not a constitution; one that cannot amend becomes N-1.	Trade-off	P.T 90 stages amendment with genealogy preservation; amendment rate is a monitored metric — too fast and too slow both alarm.	
X-5	Sovereignty vs interoperability	Federation (U-5) requires shared ground; sovereignty requires the right to diverge.	Unresolved theoretical problem	Ledger merge under divergent Θ is OPEN. Fork honesty (declared divergence) is the interim discipline; the merge theory is research.	
X-6	Defense ethics vs defense effectiveness	D3 proportionality and reversibility constrain the response to a fast adversary.	Design constraint	Accepted: the canon would rather absorb an attack than become one. The constraint is the identity of the system, stated so that its cost is chosen, not discovered.	

X-7	Deterministic rules vs probabilistic reality	Guard logic is crisp; the world it gates is not.	Resolvable	A_det precedes A_prob (Field Manual safety doctrine): deterministic constraints bound the space; probabilistic judgment operates inside it, never on the boundary.
X-8	Accountability vs adoption	Accountability is the merit and the antibody trigger (§4.2).	Irreducible tension	Managed by mechanism: adoption where deniability is already dead. The tension does not resolve; it locates the market.

8. The Abstention Register

The governing philosophical layer requires lawful absence: where no defensible determination exists, the document registers the question, the cheapest decisive test, and the current status. Nothing below is a rhetorical hedge; each row is a scheduled unknown.

Table 11 Registered abstentions.

ID	Unconsidered state	Exposure if unhandled	Sev	Current coverage	Closure path and falsifier
Q-1	Can conformance scale to frontier closed models without provider cooperation?	UNKNOWN-now. Adapter profiles assume behavioral access only; held-out probing without cooperation degrades.	Pilot agreement with one provider; measure probe fidelity gap between cooperative and black-box profiles. Decisive within one pilot window.		
Q-2	Is the U-17 residue (corrupt final anchor) acceptable to adopters?	Normative, not decidable by the canon. Plurality reduces; nothing eliminates.	Stated plainly to every adopting institution; adoption decision records the accepted residue. No technical test exists.		
Q-3	What does the canon actually cost to operate?	EMP: no deployment data exists. Overhead figures anywhere in the corpus are planning parameters, not measurements.	Instrumented pilot with cost ledger; first real numbers within one year of first deployment.		
Q-4	Does the Level-2 novelty verdict survive systematic literature search?	OPEN. The verdict is bounded, not established.	Systematic review against infrastructure studies, safety engineering, and audit-log literatures; registered as a precondition for any novelty claim in publication.		
Q-5	Can ledger merge under divergent Θ be made safe?	Unresolved theoretical problem (X-5).	Formal treatment before the second instance exists (U-5). No schedule claimed.		
Q-6	Do the third-order equity mitigations (§4.3) suffice?	UNKNOWN-now.	Adoption-diversity measurement two years post-deployment; standing falsifier already registered.		

9. The Directives

Guidance, ordered, each step statused. The sequence is load-bearing: later steps assume earlier closures.

1. **Stand up the minimal core.** Guard stages 1–3, three registries, τ0/τ1, entities P.T 51/52/53/55 only. Status: ARC-ready. Nothing else exists until this runs.
2. **Run the genesis ceremony (U-6).** Human-signed s_0, seed review, embedded canaries. Status: specification required; this document registers the requirement.
3. **Build conformance battery v0 with canaries and honeyprobes (U-13, U-30).** Status: ARC; mutation testing (U-1) is part of v0, not a later phase.
4. **Close the τ3 blockers before any irreversible capability exists.** U-16 absent-terminus protocol and U-18 succession are preconditions for τ3, not follow-ups. Status: OPEN, assigned.
5. **Specify federation before the second instance (U-5, X-5).** Status: OPEN; research-level. The second instance is prohibited until fork honesty is enforceable.
6. **Convert every §2 closure path into a tracked work item** with its falsifier as the acceptance test. Status: administrative, immediate.
7. **Publish nothing above its audited state,** including this document: it is ARC/FOR analysis and is labeled as such wherever it travels.
8. **Schedule the first annual constitutional review now (P.T 90)** with the consolidation event (§3.3) on the same calendar. Status: date-setting is a human act — τ4, the author's own.

> **The terminal directive.** The canon exists to lessen suffering, in the named verticals first. Every directive above is instrumental to that telos and subordinate to it. A step that stops serving the telos is retired by the canon's own machinery, and the machinery exists to make that retirement ordinary rather than tragic.

10. Usage Law and Freshness

10.1 Usage law

- This document analyzes the P.T canon; it does not amend it. Canon amendment flows only through P.T 90.
- Every row of §2–§8 is citable only with its severity class and status. A gap cited without its closure path misrepresents the register.
- The OPEN items (U-5, U-10, U-16, X-5, Q-4, Q-5) are public commitments, not disclosures of weakness; treating them as either alone violates this law.
- The document is Savant-Commercial-1.0. Author: Dr. Christabel Odeta.

10.2 Freshness certificate

Registered 2026-10-14. Half-life: 12 months; review by 2027-10-14. On expiry this document reverts to DRAFT status in its entirety. Kill criterion: any §2 closure claim contradicted by its own falsifier, or any abstention in §8 resolved without registry update, voids the affected section pending revision.

10.3 Closing note

The canon asked to be examined in its unconsidered states, and the examination found thirty-two of them, five refusals, eight contradictions, and six abstentions. This is not a verdict against the work; it is the work functioning as designed — a system whose gaps can be enumerated is a system that can be finished. The register is the map of what remains. What remains is now named, and what is named can be closed.