

**INTERNATIONAL INSTITUTE OF MEDICAL
SCIENCE AND TECHNOLOGY COUNCIL
KARNATAKA, INDIA**



A MINI PROJECT REPORT ON

“Nutritional Accessibility Classification”
SDG 2 (ZERO HUNGER INITIATIVE)

Submitted in partial fulfilment of the requirements of the
Internship Program

COHORT 1
ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING

Under the Guidance of

Mr. SUHAS GAJANANA
INTERNSHIP MENTOR

SUBMITTED BY:
ANANYA H V
JASHWANTH P
PRAJWAL J B
PAVITRA NARAYAN BHAT
DEEPTHI Y
SYED MOHAMMED ADAN
SANIYA NAAZ
PUNIT MURALI
CHANDAN D U
RAKSHITHA S
S ABHINAV
PERANA RAO
SHIFA FIRDOSE
KAVIYA S
SANJITKUMAR SS
MOHAMMADIYA RISALDAR

INTERNATIONAL INSTITUTE OF MEDICAL SCIENCE AND TECHNOLOGY COUNCIL



CERTIFICATE

This is to certify that the mini project entitled “Nutritional Accessibility classification” has been successfully carried out by the internship students during the internship on “Artificial Intelligence, Machine Learning, and Generative AI” conducted by the International Institute of Medical Science & Technology Council (IIMSTC), Bangalore, in partial fulfillment of the requirements for the completion of the internship program.

This project is a bonafide record of the work done by the interns under the guidance and supervision of the IIMSTC coordinators and mentors, and has been completed in accordance with the prescribed procedures, rules, and regulations of the internship program. It is further certified that this project report represents the practical implementation of the knowledge gained during the internship and has been successfully completed.

Signature of Guide

DECLARATION

We hereby declare that the internship mini project report entitled “Nutritional accessibility classification” is a bonafide work carried out by us during the internship at the International Institute of Medical Science & Technology Council (IIMSTC), Bangalore, in partial fulfillment of the requirements for the completion of the internship in Artificial Intelligence, Machine Learning, and Generative AI.

We further declare that this work has not been submitted to any other institution, university, or organization for the award of any degree, diploma, or certificate. We also declare that this project was carried out in accordance with the guidelines, rules, and regulations provided by IIMSTC, under the guidance of the coordinators and mentors during the internship period.

Place: Bengaluru

Date:

ABSTRACT

The mini project titled “**Nutritional Accessibility Classification**”, carried out during the Artificial Intelligence and Machine Learning internship organized by the **International Institute of Medical Science & Technology Council (IIMSTC)** in association with the **Engineers Council of India (ECI)**, focused on applying machine learning techniques to analyze and classify food items based on their nutritional value and affordability. The primary objective of this project was to develop an intelligent system that can categorize food items into different nutritional accessibility groups by analyzing attributes such as price, calories, protein, carbohydrates, fat content, and an overall nutrition score.

The project involved collecting and preprocessing a dataset containing multiple food items with their respective nutritional information. Data preprocessing techniques such as data inspection, removal of duplicate entries, outlier handling, and correlation analysis were performed to ensure data quality and reliability. Irrelevant attributes such as food names and course types were removed so that the machine learning models could focus on meaningful numerical features. The dataset was then divided into feature variables and target labels, where the target variable represented the meal category, indicating different levels of nutritional accessibility.

Machine learning algorithms were applied to build predictive models capable of classifying food items into appropriate categories. Two different approaches were explored in this project. The first approach involved implementing the **K-Nearest Neighbors (KNN)** algorithm using Euclidean distance to measure similarity between food items. The second approach used a **Random Forest classifier**, an ensemble learning technique that combines multiple decision trees to improve prediction accuracy and robustness. Python libraries such as Pandas, NumPy, Scikit-learn, Matplotlib, and Seaborn were used to perform data processing, model training, and visualization.

To evaluate the performance of the models, various evaluation metrics including accuracy, precision, recall, and F1-score were calculated. Confusion matrices and visualization techniques were also used to analyze the model's classification performance and understand prediction errors. These evaluation methods helped determine how effectively the models could classify food items based on their nutritional and affordability characteristics.

Overall, this mini project enhanced our understanding of machine learning workflows, strengthened my programming and analytical skills, and provided hands-on experience in applying Artificial Intelligence to solve real-world problems related to nutrition and food accessibility. Practical knowledge was gained in data analysis, model development, and performance evaluation. It also helped in understanding how Artificial Intelligence and Machine Learning can be applied in the agricultural sector to solve real-world problems. The Agricultural Yield Optimizer demonstrates the potential of intelligent technologies in supporting smart farming and improving efficiency in food production.

ACKNOWLEDGEMENT

The satisfaction and euphoria that accompany the successful completion of this internship mini project would be incomplete without the mention of the people who made it possible. Success is the result of continuous effort, dedication, and proper guidance. So, with deep gratitude, we acknowledge all those whose guidance and encouragement served as a source of inspiration and helped us accomplish this project successfully. We express our sincere thanks to the International Institute of Medical Science & Technology Council Bangalore , for providing us with the opportunity to undergo this valuable internship on Artificial Intelligence , Machine learning , and Generative AI and for allowing us to carry out our mini project titled “Nutritional Accessibility Classification.”

We would like to express our heartfelt gratitude to the IIMSTC coordinators and mentors for their continuous support and valuable guidance throughout the internship and project duration. Their guidance helped us complete the project by following proper procedures, methodologies, and best practices, and they provided us with the necessary technical knowledge and instructions required for the successful completion of this project.

We are highly thankful to IIMSTC for organizing this internship program and providing us with practical exposure to real-world applications of Artificial Intelligence and Machine Learning. We also express our sincere thanks to all the trainers, mentors, and support staff of IIMSTC for their cooperation, encouragement, and constructive suggestions, which helped us enhance our knowledge and successfully complete this mini project.


TABLE OF CONTENTS

CHAPTER	TITLE	PAGE NO
	DECLARATION	i
	ABSTRACT	ii
	ACKNOWLEDGEMENT	iii
	DAY-WISE WORK SUMMARY	iv
1.	INTRODUCTION	1
2.	PROBLEM STATEMENT AND OBJECTIVE	
	2.1 PROBLEM STATEMENT.....	2
	2.2 OBJECTIVES.....	2
3.	DATASET AND METHODOLOGY	
	3.1 DATA DESCRIPTION.....	3
	3.2 DATA PREPROCESSING.....	4
	3.3 MODEL SELECTION AND EVALUATION.....	5
4.	IMPLEMENTATION AND RESULTS	
	4.1 IMPLEMENTATION.....	6
	4.2 RESULTS AND PERFORMANCE ANALYSIS.....	9
5.	CHALLENGES FACED	11
6.	CONCLUSION AND FUTURE SCOPE	
	6.1 CONCLUSION.....	12
	6.2 FUTURE SCOPE.....	12
	REFERENCES	13

DAY-WISE WORK SUMMARY

An online team meeting was conducted for the project “Nutritional Accessibility Classification.” The discussion included dataset analysis, synthetic data generation, evaluation metrics, model comparison, training progress, and documentation planning.

The screenshot below represents the meeting conducted with team members



DAY 1 - INITIAL DISCUSSION

The team discussed:

- Discussed the objective and scope of the project “**Nutritional Accessibility Classification.**”
- Understood the dataset structure and key features such as price, calories, protein, carbs, fat, and nutrition score.
- Identified the target variable (**meal category**) for classification.
- Discussed possible machine learning approaches such as **KNN and Random Forest**.
- Planned evaluation metrics and documentation strategy for the project.

DAY 2 - DATA PROCESSING AND MODEL RESEARCH

The team:

- Performed dataset inspection and exploratory data analysis.
- Handled duplicate records and analyzed feature distributions using visualization.
- Applied preprocessing techniques such as outlier handling and feature selection.
- Studied evaluation metrics including **accuracy, precision, recall, and F1-score**.
- Documented preprocessing steps and prepared the dataset for model training.

DAY 3 - MODEL TRAINING PROGRESS

The team:

- Completed all preprocessing steps and finalized the cleaned dataset.
- Split the dataset into **training and testing sets**.
- Started training machine learning models (**KNN and Random Forest**).
- Monitored model training progress and checked intermediate results.
- Documented the training process and observations.

DAY 4 - MODEL EVALUATION AND DATASET EXPANSION

The team:

- Evaluated the trained models using test data.
- Calculated performance metrics such as **accuracy, precision, recall, and F1-score**.
- Generated confusion matrices and analyzed classification results.
- Compared the performance of **KNN and Random Forest models**.
- Documented evaluation results and model comparison.

DAY 5 - FINAL SUBMISSION AND CONCLUSION

The team:

- Reviewed the complete project pipeline including preprocessing, training, and evaluation.
- Generated final prediction outputs and evaluation reports.
- Prepared visualizations and documentation for the project report.
- Summarized the findings and discussed model performance.
- Finalized and submitted the mini project with complete documentation.

CHAPTER

1

INTRODUCTION

Introduction

In recent years, the growing availability of diverse food options has made it increasingly important to evaluate food not only based on taste and convenience but also on its nutritional value and affordability. Many individuals struggle to make informed dietary choices because nutritional information is often complex and difficult to interpret. Additionally, the affordability of healthy food options plays a significant role in determining accessibility to nutritious meals. As a result, there is a growing need for intelligent systems that can analyze food data and classify food items based on both their nutritional composition and cost.

The **Nutritional Accessibility Classification** project aims to develop a machine learning-based system capable of categorizing food items based on key nutritional attributes and affordability. The dataset used in this project contains various food items along with attributes such as price, calories, protein, carbohydrates, fat content, and an overall nutrition score. These attributes provide a detailed representation of the nutritional composition of each food item and serve as important indicators for determining the accessibility and quality of the food.

To build the classification system, data preprocessing techniques are first applied to ensure the quality and reliability of the dataset. This includes inspecting the dataset, handling duplicate entries, analyzing feature distributions, and removing irrelevant attributes that do not contribute to the prediction process. Once the dataset is cleaned and prepared, machine learning algorithms are applied to train predictive models capable of identifying patterns between nutritional attributes and food accessibility categories.

In this project, two machine learning approaches are explored: **K-Nearest Neighbors (KNN)** and **Random Forest**. The KNN algorithm classifies food items by comparing them with similar items in the dataset based on their feature values, while the Random Forest algorithm uses an ensemble of decision trees to improve prediction accuracy and robustness. These models are trained using labeled data and evaluated using performance metrics such as accuracy, precision, recall, and F1-score to determine their effectiveness.

CHAPTER 2

PROBLEM STATEMENTS AND OBJECTIVE

2.1 PROBLEM STATEMENT

Access to nutritious and affordable food is essential for maintaining public health and balanced diets. However, with the wide variety of food options available, it can be difficult to determine whether a food item is both nutritionally beneficial and economically accessible. Food items differ in nutritional composition, including calories, protein, carbohydrates, fat content, and overall nutrition quality, while price also plays a key role in determining accessibility.

Food datasets often contain challenges such as inconsistencies, duplicate entries, and extreme values that can affect machine learning model performance. Nutritional attributes also vary in scale, which can lead to inaccurate predictions if proper preprocessing techniques like data cleaning, outlier handling, and feature analysis are not applied.

This project aims to develop a machine learning classification model that predicts the nutritional accessibility category of food items using features such as price, calories, protein, carbohydrates, fat content, and nutrition score, while applying appropriate preprocessing methods to ensure reliable results.

Objectives of the Project

The main objectives of this project are:

- To develop a machine learning model that classifies food items based on nutritional attributes and affordability.
- To preprocess the dataset by removing duplicates, handling outliers, and analyzing feature relationships.
- To apply machine learning algorithms such as **K-Nearest Neighbors (KNN)** and **Random Forest** for classification.
- To evaluate model performance using **accuracy, precision, recall, and F1-score**.
- To analyze how nutritional attributes influence food accessibility categories.
- To demonstrate how Artificial Intelligence and Machine Learning can support data-driven analysis in nutrition and food accessibility.

CHAPTER 3

DATASET AND METHODOLOGY

3.1 DATASET DESCRIPTION

The dataset used for this project is obtained from the official repository provided for the **Nutritional Accessibility Classification** project. This dataset is designed to analyze the relationship between the nutritional composition of food items and their affordability in order to classify food into meaningful nutritional accessibility categories. The dataset contains structured food-related data that enables the implementation of machine learning techniques for classification and predictive analysis.

The input features in the dataset include key nutritional attributes and price information that influence the accessibility and quality of food. The primary features considered in this project are:

Price: Represents the cost of the food item, which directly influences its affordability and accessibility.

Calories: Indicates the total energy provided by the food item and is an important factor in evaluating dietary value.

Protein: An essential nutrient responsible for body growth, repair of tissues, and muscle development.

Carbohydrates (Carbs): Provide energy for the body and form a major component of many food items.

Fat: Contributes to energy storage and various metabolic processes but must be balanced for healthy nutrition.

Nutrition Score: A calculated metric representing the overall health quality of the food item based on its nutritional composition.

The target variable in the dataset is:

Meal Category: The classification label that represents the nutritional accessibility of the food item. Examples of categories include combinations such as affordable and nutritious foods or other accessibility groups determined by nutritional value and price.

The dataset may contain duplicate entries or extreme values due to variations in food data sources and nutritional measurements. These issues must be handled carefully during preprocessing to prevent

inaccuracies in model training. Additionally, the range of numerical values across features varies significantly. For example, calorie values may be much higher than protein or fat values, which could introduce imbalance during model learning if not properly analyzed.

Before applying machine learning algorithms, the dataset undergoes preprocessing steps including duplicate removal, outlier handling, feature analysis, and correlation analysis to understand relationships between variables. These preprocessing techniques ensure that the dataset becomes suitable for classification modeling and improves overall model performance.

The dataset structure supports **supervised learning**, where the model learns the relationship between input features (price, calories, protein, carbohydrates, fat, and nutrition score) and the output variable (meal category). By analyzing this dataset, the project aims to develop a machine learning model that accurately classifies food items based on their nutritional accessibility and supports data-driven analysis in the field of nutrition and food awareness.

3.2 DATA PREPROSSEING

Data preprocessing is an essential step in developing an accurate and reliable machine learning model. Raw datasets collected from real-world sources often contain inconsistencies such as duplicate entries, extreme values, and variations in feature scales. If these issues are not addressed properly, they can negatively affect the performance and stability of machine learning algorithms. Therefore, before applying classification models in this project, the food dataset was carefully examined and preprocessed to ensure data quality and reliability.

One of the first preprocessing steps involved inspecting the dataset to identify duplicate records and unnecessary attributes. Duplicate entries can introduce bias in model training and lead to misleading results. These duplicate records were removed to maintain data consistency. Additionally, certain columns such as food item names and course types were removed because they do not contribute meaningful numerical information for the classification task.

Another important step in preprocessing was **outlier handling**. In real-world datasets, some feature values may be extremely high or low compared to the majority of observations. Such extreme values can distort the learning process of machine learning models. To address this issue, percentile-based clipping was applied to certain numerical features such as price, ensuring that values outside the normal range were limited to reasonable bounds while preserving the overall distribution of the dataset.

Exploratory data analysis was also performed to understand the relationships among nutritional attributes. Visualization techniques such as box plots and correlation heatmaps were used to examine feature distributions and identify patterns between variables like calories, protein, carbohydrates, fat, and nutrition score. This analysis helped in understanding how different nutritional attributes relate to each other and how they may influence food classification.

After cleaning and analyzing the dataset, the data was divided into **input features and target labels**. The input features included attributes such as price, calories, protein, carbohydrates, fat, and nutrition score, while the target variable represented the **meal category**, which indicates the nutritional accessibility classification of each food item. The dataset was then split into training and testing sets. The training dataset was used to train the machine learning models, while the testing dataset was used to evaluate how well the models perform on unseen data. Through these preprocessing steps—including duplicate removal, outlier handling, exploratory data analysis, and dataset splitting—the data was transformed into a structured and reliable format suitable for machine learning classification. Proper preprocessing helped improve model performance and ensured that the classification results were both accurate and consistent.

3.3 MODEL SELECTION AND EVALUATION

Selecting an appropriate machine learning model is an important step in developing an accurate food classification system. In this project, the target variable is the **meal category**, which represents different nutritional accessibility groups of food items. Since the goal of the system is to categorize food items into predefined classes based on their nutritional attributes and price, a **classification-based machine learning approach** was selected.

In this project, two classification algorithms were implemented to analyze the relationship between nutritional attributes and food accessibility categories. The first approach used the **K-Nearest Neighbors (KNN)** algorithm. KNN is a similarity-based algorithm that classifies a new data point by comparing it with the closest data points in the training dataset using a distance metric such as Euclidean distance. By identifying the nearest neighbors, the algorithm determines the most likely category for a given food item.

The second approach used the **Random Forest classifier**, an ensemble learning technique that builds multiple decision trees and combines their predictions to improve overall accuracy and robustness. Random Forest models are particularly effective for classification tasks because they reduce the risk of overfitting and can capture complex relationships between input features.

Before training the models, the dataset was divided into **training and testing sets**. The training dataset was used to train the machine learning models so that they could learn patterns and relationships between the input features and the target variable. The testing dataset was then used to evaluate the performance of the trained models and determine how well they generalize to unseen data. This separation ensures that the models learn meaningful patterns instead of simply memorizing the training data.

To measure the performance of the models, several evaluation metrics were used. The primary metric considered was **accuracy**, which measures the proportion of correctly classified instances out of the total number of predictions. In addition to accuracy, other important evaluation metrics such as **precision, recall, and F1-score** were calculated to provide a more detailed understanding of the model's performance across different classes.

Furthermore, a **confusion matrix** was generated to visualize the classification results and identify how often the model correctly or incorrectly classified food items into their respective categories. This analysis helps in understanding the strengths and weaknesses of each model and provides insights into potential areas for improvement.

CHAPTER 4

IMPLEMENTATION AND RESULTS

4.1 IMPLEMENTATION

The implementation of the **Nutritional Accessibility Classification** system was carried out using the Python programming language. The project followed a structured machine learning pipeline consisting of data loading, preprocessing, model training, prediction, and evaluation. Python libraries such as **Pandas**, **NumPy**, **Scikit-learn**, **Matplotlib**, and **Seaborn** were used to perform data analysis, model training, and visualization tasks.

The first step in the implementation process involved loading the food dataset containing nutritional information and price details for different food items. The dataset was imported using the **Pandas** library, which provides efficient tools for handling structured data stored in CSV format. After loading the dataset, an initial inspection was performed to examine the data structure, feature names, and check for duplicate entries or irregular values. This step helped in understanding the dataset and identifying necessary preprocessing actions before applying machine learning techniques.

The input features used for classification included **Price**, **Calories**, **Protein**, **Carbohydrates**, **Fat**, and **Nutrition Score**. These attributes represent the nutritional composition and affordability of each food item. The target variable used for prediction was **Meal Category**, which represents the nutritional accessibility classification of each food item. The input features were stored in a feature matrix (**X**), while the target variable was stored separately as the target vector (**y**).

Since real-world datasets may contain inconsistencies such as duplicate records or extreme values, preprocessing techniques were applied to improve data quality. Duplicate entries were identified and removed to ensure that the dataset remained consistent and unbiased. Additionally, outlier handling techniques were applied to certain numerical features, such as price, using percentile-based clipping to limit extreme values within a reasonable range. These preprocessing steps helped maintain the stability of the machine learning models.

After preprocessing, the dataset was divided into **training and testing sets**. The training set was used to train the machine learning models, allowing them to learn patterns between nutritional attributes and meal categories. The testing set was used to evaluate the performance of the trained models and assess how well

they generalize to new, unseen data.

Two machine learning algorithms were implemented in this project. The first was the **K-Nearest Neighbors (KNN)** algorithm, which classifies food items by measuring similarity between data points using Euclidean distance. The second algorithm used was the **Random Forest classifier**, which builds multiple decision trees and combines their predictions to improve classification accuracy and robustness. These models were trained using the prepared dataset and later used to generate predictions for the test data.

Through this structured implementation process, the system was able to analyze nutritional attributes and price information to classify food items into different accessibility categories. The implementation demonstrates how machine learning techniques can be applied effectively to analyze nutritional data and support better understanding of food accessibility and dietary choices.



Fig 4.1 Workflow of Nutritional accessibility classification

After preprocessing, the dataset was divided into **training and testing sets using an 80:20 split ratio**. The training dataset was used to train the machine learning models, while the testing dataset was used to evaluate their classification performance. This separation ensures that the model is validated on unseen data, preventing overfitting and improving its ability to generalize to new food items.

In this project, the **K-Nearest Neighbors (KNN)** algorithm was implemented as the primary classification model to analyze the relationship between nutritional attributes and food accessibility categories. KNN is a similarity-based algorithm that classifies a new data point by comparing it with the closest data points in the training dataset. The similarity between data points is measured using the **Euclidean distance formula**, which calculates the distance between feature vectors.

The Euclidean distance between two food items can be expressed as:

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

Where:

- (x) and (y) represent two data points
- (n) represents the number of features

In this project, each food item is represented by a set of nutritional attributes including **price, calories, protein, carbohydrates, fat, and nutrition score**. When a new food item is introduced, the algorithm calculates its distance from all food items in the training dataset and identifies the **K nearest neighbors**. The final classification is determined by **majority voting among the nearest neighbors**, assigning the food item to the category most frequently appearing among those neighbors.

Once the model was trained, predictions were generated for the testing dataset. These predicted categories were then compared with the actual **meal category** labels to measure model performance. During the implementation process, debugging and validation were performed to ensure correct execution of preprocessing, model training, and prediction stages.

The structured implementation demonstrates how machine learning techniques such as KNN can effectively analyze nutritional attributes and affordability factors to classify food items into accessibility categories. By examining similarities between food items, the system provides a practical approach for identifying patterns in nutritional data.

Furthermore, the modular design of the implementation improves the scalability and maintainability of the system. Each stage of the pipeline—including data preprocessing, model training, and evaluation—was implemented independently. This design allows future improvements without affecting the entire system. For example, additional classification algorithms such as **Random Forest** or **Support Vector Machines** can be integrated and compared with KNN to further improve classification performance. This flexible architecture ensures that the system can be extended to larger datasets, additional nutritional attributes, or real-world applications such as food recommendation systems and nutritional analysis platforms.

4.2 RESULTS AND PERFORMANCE ANALYSIS

The performance of the **Nutritional Accessibility Classification** system was evaluated using standard classification performance metrics. After training the machine learning models on the training dataset, predictions were generated for the testing dataset. The predicted meal categories were then compared with the actual labels in the testing data to assess the accuracy and reliability of the models.

Unlike regression problems that predict continuous numerical values, this project focuses on **classification**, where food items are categorized into predefined nutritional accessibility classes. Therefore, evaluation metrics such as **accuracy, precision, recall, and F1-score** were used to measure model performance.

Accuracy is one of the primary metrics used in this project. It measures the proportion of correctly classified instances out of the total number of predictions made by the model. A higher accuracy value indicates better classification performance.

In addition to accuracy, **precision** and **recall** were also considered. Precision measures how many of the predicted positive instances actually belong to the correct class, while recall measures how many of the actual positive instances were correctly identified by the model. The **F1-score**, which is the harmonic mean of precision and recall, provides a balanced measure of model performance, especially when class distributions are uneven.


To further analyze model performance, a **confusion matrix** was generated. The confusion matrix provides a detailed view of classification results by displaying the number of correct and incorrect predictions for each category. This helps identify which classes are predicted accurately and which ones may require improvement.


Two machine learning models were evaluated in this project: **K-Nearest Neighbors (KNN)** and **Random Forest**. The results showed that the **KNN model performed effectively in identifying similar food items based on nutritional attributes and price**, making it suitable for classification tasks where similarity between data points plays an important role. The Random Forest model also provided reliable results by learning decision rules from multiple decision trees.

Overall, the evaluation results indicate that machine learning models can successfully capture the relationship between nutritional features and food accessibility categories. The comparison between KNN and Random Forest models demonstrates that classification techniques can effectively analyze nutritional datasets and generate meaningful predictions.

Graphical analysis using confusion matrix visualizations further validated the effectiveness of the models. Although minor misclassifications occurred due to similarities between certain food categories, the overall results demonstrate that the developed system can reliably classify food items based on their nutritional attributes and affordability.

The evaluation confirms that proper data preprocessing, feature analysis, and model selection significantly contribute to improving classification performance. These results highlight the potential of machine learning techniques in supporting data-driven insights for nutrition analysis and food accessibility studies.





CHAPTER 5

CHALLENGES FACED

During the development of the **Nutritional Accessibility Classification** project, several technical and practical challenges were encountered. These challenges provided valuable learning opportunities and helped improve both analytical thinking and problem-solving skills throughout the implementation process. One of the primary challenges involved **data quality and preprocessing**. Real-world datasets often contain duplicate entries, irrelevant attributes, or extreme values that can negatively affect model performance. In this project, certain columns such as food names and course types did not contribute useful numerical information for machine learning models and needed to be removed. Additionally, duplicate records had to be identified and eliminated to maintain data consistency and prevent bias during model training.

Another challenge involved **handling outliers in numerical features**. Some attributes, such as price or nutritional values, contained extreme values that could distort the learning process of machine learning algorithms. If these values were not handled properly, the model could produce inaccurate classifications. To address this issue, outlier handling techniques such as percentile-based clipping were applied to limit extreme values while preserving the overall distribution of the dataset.

A further challenge was related to **understanding relationships between different nutritional attributes**. Features such as calories, protein, carbohydrates, fat, and nutrition score vary in scale and may have correlations with each other. Proper exploratory data analysis using visualization tools like box plots and correlation heatmaps was necessary to understand these relationships and ensure that meaningful features were used for classification.

Implementing the **K-Nearest Neighbors (KNN)** algorithm also required careful attention. Since KNN relies on distance calculations between data points, ensuring that the feature values were properly structured and consistent across the dataset was important for accurate similarity measurement. Additionally, selecting an appropriate value of **K** required experimentation, as very small or very large values could affect classification accuracy. Another practical challenge involved **debugging and implementation issues** during coding. Errors related to dataset loading, feature selection, and prediction steps were encountered during development. These issues were resolved through systematic debugging, testing each stage of the pipeline, and validating intermediate outputs to ensure that the preprocessing and model training steps were functioning correctly. The structured machine learning workflow and systematic problem-solving approach led to the successful implementation of the project. Overcoming these difficulties strengthened technical understanding and highlighted the importance of data preprocessing, model experimentation, and evaluation in real-world machine learning applications.

CHAPTER 6

CONCLUSION AND FUTURE SCOPE

6.1 CONCLUSION

The **Nutritional Accessibility Classification** project successfully demonstrates the application of machine learning techniques in analyzing and classifying food items based on their nutritional value and affordability. By applying structured data preprocessing methods such as duplicate removal, outlier handling, and exploratory data analysis, the dataset was prepared to ensure reliable and consistent model performance.

Multiple classification models were implemented to determine the most suitable approach for predicting the nutritional accessibility category of food items. Among the evaluated models, the **K-Nearest Neighbors (KNN)** algorithm effectively classified food items by identifying similarities between nutritional attributes such as price, calories, protein, carbohydrates, fat, and nutrition score. The evaluation metrics, including accuracy, precision, recall, and F1-score, confirmed that the model was able to capture meaningful patterns within the dataset and generate reliable predictions.

6.2 FUTURE SCOPE

Although the developed system provides reliable classification results, several improvements can further enhance its performance and applicability. One potential improvement is incorporating additional nutritional attributes such as **vitamins, minerals, fiber content, and portion size**, which may provide a more comprehensive representation of food quality and improve classification accuracy.

Advanced machine learning algorithms such as **Support Vector Machines (SVM), Gradient Boosting, or Neural Networks** can also be explored to further improve model performance. In addition, applying **hyperparameter tuning and cross-validation techniques** could help optimize the classification models and improve their generalization capability.

Another possible enhancement is the development of an **interactive application or web-based interface** that allows users to input nutritional values and receive classification results in real time. Such a system could be integrated into nutrition awareness platforms, food recommendation systems, or dietary planning tools.

REFERENCES

1. Python Software Foundation, “Python Documentation,” Available: <https://docs.python.org/3/>
2. Scikit-learn Developers, “Scikit-learn: Machine Learning in Python,” Available: <https://scikit-learn.org/stable/>
3. NumPy Developers, “NumPy Documentation,” Available: <https://numpy.org/doc/>
4. Pandas Development Team, “Pandas Documentation,” Available: <https://pandas.pydata.org/docs/>
5. GitHub Repository: SDG2 – Agricultural Yield Optimizer, Available: https://github.com/SAbhinav04/nutritional_accessibility_classification