MDE

Labwork2 – Class 2

Introduction to Prolog

Installation and First Exercises

2024 - 2025

Objectives and Scheduling

- **Class 1:** Introduction to Prolog: Installation and Exercises
- **Class 2:** Presentation of Lab work Assignment, Problem Modelling, Dynamic Change
- **Class 3:** Lab work implementation - Graphs in Prolog
- **Class 4:** Lab work implementation - MQTT inside Prolog, Prolog HTTP Server and Integration with Java App
- **Class 5:** Lab work Finalization

Delivery date: 2025/05/26

Lab2 (Class 1)

- Swi-Prolog installation

- Examples with:
  - Representation of facts and rules
  - Queries
  - Recursion

Swi-Prolog installation

SWI Prolog

https://www.swi-prolog.org/Download.html



New Stable Version: 9.2.9-1

Swi-prolog installation – ALERT!!



Since the downloader package is an executable file, it is recommended to check it with **VirusTotal before downloading**. This tool scans the file using around 70 antivirus engines to detect any malware or suspicious content.

Swi-prolog installation – Options…



Using Swi-Prolog



- Execute “swipl-win.exe”
- Create new .pl file
  - File->new

Representation of Facts

Example 1: Model the structure of a robot [Done in THORETICAL class]





SWI Prolog

Representation of Rules

FROM THEORETICAL CLASSES...

Rules:

Conclusion if Condition: conclusion :- condition.

if → **:-** *and* → **,** *or* → **;** *not* → **not**(…)

includes(O,P) :- part(O,P). /* O includes P if O has a part P */

includes(O, P) :- part(O,Z), part(Z,P). /* O includes P if O has a part Z and Z has a part P*/



mde_tp_prolog.pl [modified]

```
part(robot,griper).
part(robot,controler).

part(griper,wrist).
part(griper,fingers).
part(griper,sensor).

includes(O,P):-part(O,P). /* O includes P if O has a part P */
includes(O,P):-part(O,Z), part(Z,P). /* O includes P if O has a part Z and Z has a part P*/
```

SWI Prolog

Queries

FROM THEORETICAL CLASSES...

SWI-Prolog (AMD64, Multi-threaded, version 9.2.2)

File Edit Settings Run Debug Help

```
?- part(robot,base).
true.

?- part(robot,X).
X = base .

?- part(robot,X).
X = base ;
X = arm ;
X = griper ;
X = controler.

?- part(X,arm).
X = robot.
```

Examples "?-"




```
?- part(O,P).
O = robot,
P = base ;
O = robot,
P = arm ;
O = robot,
P = griper ;
O = robot,
P = controler ;
O = griper,
P = wrist ;
O = griper,
P = fingers ;
O = griper,
P = sensor.

?- part(robot,sensor).
false.

?- includes(robot,sensor).
true .
```

Answer obtained from the first rule:
includes(robot, arm) :- part(robot, arm)

```
?- includes(robot,arm).
true .

?- includes(robot,fingers).
true .
```

Answer obtained from the second rule:
includes(robot, fingers) :- part(Z,fingers),part(robot,Z).

SWI Prolog

Queries

FROM THEORETICAL CLASSES...

SWI-Prolog (AMD64, Multi-threaded, version 9.2.2)

File Edit Settings Run Debug Help

```
?- part(robot,base).
true.

?- part(robot,X).
X = base ;

?- part(robot,X).
X = base ;
X = arm ;
X = griper ;
X = controler.

?- part(X,arm).
X = robot.
```

Multiple results




```
?- part(O,P).
O = robot,
P = base ;
O = robot,
P = arm ;
O = robot,
P = griper ;
O = robot,
P = controler ;
O = griper,
P = wrist ;
O = griper,
P = fingers ;
O = griper,
P = sensor.

?- part(robot,sensor).
false.

?- includes(robot,sensor).
true .
```

Answer obtained from the first rule:
includes(robot, arm) :- part(robot, arm)

```
?- includes(robot,arm).
true .

?- includes(robot,fingers).
true .
```

Answer obtained from the second rule:
includes(robot, fingers) :- part(Z,fingers),part(robot,Z).

SWI Prolog

Some Notes

- Facts

```
part(robot,base).
```

- Rules

```
includes(O,P):-part(O,P). /* O includes P if O has a part P */
includes(O,P):-part(O,Z), part(Z,P). /* O includes P if O has a part Z and Z has a part P*/
```

- Variables

```
?- part(robot,X).
X = base ;
X = base ;
X = arm ;
X = griper ;
X = controller.
```

Capital letter

Lower case -> Constants

Another Example (i)

Example 2: Robot components [Done in THORETICAL class]

example2.pl

File Edit Browse Compile Prolog Pce Help

example1.pl | example2.pl

```
/* name, load, opening, power form */
griper(g1,2,5,electric).
griper(g2,1.5,4,pneumatic).
griper(g3,2,6,pneumatic).
%...

/* name, weight, width */
component(p1,1.5,4).
component(p2,2,6).
%...

find_griper(C,G):-
    component(C,P,Lc),
    griper(G,P,Lg,_),
    Lc=<Lg.
```

Buffer saved in file `example2.pl' Line: 3

SWI-Prolog (AMD64, Multi-threaded, version 8.0.3)

File Edit Settings Run Debug Help

```
?- find_griper(P,g1).
false.

?- find_griper(P,g2).
P = p1 .

?- find_griper(P,g3).
P = p2.

?- find_griper(p1,G).
G = g2.

?- find_griper(p2,G).
G = g3.

?-
```

get suitable component

get suitable griper

Exercises

Exercise 1:

Consider the following predicates:

```
% student_name, unit, shift, grade
student_unit(manuel, mde, p1, 13).
student_unit(alexandra, mde, p1, 16).
student_unit(joana, mde, p3, 12).
student_unit(maria, mde, p3, 17).
student_unit(diogo, mde, p2, 9).
student_unit(jose, mde, p5, 18).
student_unit(rodrigo, mde, p5, 12).
student_unit(manuel,pr, p1, 11).
student_unit(anabela, pr, p1, 13).
student_unit(joana, cee, p2, 18).
student_unit(maria, cee, p2, 8).
student_unit(diogo, cee, p2, 11).

% professor_name, unit, shift
teaches(andre, mde, p4).
teaches(andre, mde, p3).
teaches(filipa, mde, p2).
teaches(filipa, mde, p5).
teaches(anabela, cee, p2).
teaches(anabela, cee, p1).
teaches(joao, pr, p1).
teaches(joao, pr, p2).
```

Write the corresponding rules that would answer the following queries:

a) Which students are enrolled in shift p3?

b) Which students from p5 have a grade > 14?

c) Which units is diogo enrolled in?

d) Who are the students of professor andre?

e) What are the professors of student joana?

Exercises

Exercise 2:

Given the following facts:

- Maria is fatter than Ana
- Ana is fatter than Luisa
- Luisa is fatter than Diana
- Diana is fatter than Sara

Write the corresponding facts and rules (using recursion) that determine that Maria is heavier that Sara.

Exercises

Exercise 3:

Consider the following road tree that connects several cities in Portugal (one direction)



Write the corresponding facts and rules (using recursion) that would answer the following queries:

a) Can I travel from Lisbon to Viseu?
b) Can I travel from Faro to Braga?
c) How many cities I cross between Lisbon and Aveiro?

Exercises

Exercise 4:



Use the predicates **father/2** and **mother/2** to represent the genealogic tree (in this example we use the Adam and Eve's genealogic tree, but you can use yours!):

```
father(adam,abel).
father(adam,caim).
father(adam,seth).
%...

mother(eve,seth).
%...
```

Create rules to capture the following relationships:

- **son**(Father, Mother)
- **grandfather**(Grandfather, Grandson)
- **brother**(Brother1, Brother2)
- **uncle**(Uncle, Nephew)
- **cousin**(Cousin1, Cousin2)
- **ascendant**(Ascendant, Descendant)
- **descendant**(Descendant, Ascendant)

To Those Who Think Prolog is Dead… THINK AGAIN…

AI Services | Article | 12 Min Read

10 Best AI Programming Languages To Know in 2025

Explore top languages for machine learning, deep learning, and AI development, plus their key features and use cases.



The Upwork Team
Published | Apr 03, 2025

Share:

Table of Contents

Artificial intelligence (AI) is transforming numerous sectors, leading to improved decision-making, cost reduction, and enhanced productivity.

AI can autonomously perform repetitive and time-consuming tasks, allowing individuals to focus on other core activities. It can also analyze vast amounts of data quickly and provide stakeholders with valuable insights.

However, AI isn't made from magic, although generative AI might have us believe so.

https://www.upwork.com/resources/best-ai-programming-language



To Those Who Think Prolog is Dead… THINK AGAIN…

Introduction to Prolog: A Programming Language for AI

Prolog is a logic programming language that is well-suited for developing logic-based artificial intelligence applications.

Written by Charles Calapini

Image: Shutterstock / Built In

UPDATED BY
Brennan Whitfield | Apr 02, 2025

Is Prolog still used in AI?

Yes, Prolog is still used in AI research and development, specifically for areas such as expert systems and natural language processing.

https://builtin.com/software-engineering-perspectives/prolog

What is Prolog Programming Language: An Overview

Mar 04, 2024

By Editorial Desk

If we analyze the current world of technology, there are several kinds of programming languages that have been empowering professionals to bring intelligent systems to life. Python and Java are the two most dominating programming languages in the world currently that are used in data science, artificial intelligence, cybersecurity, software development, and all kinds of technical industries. But Prolog stands out from all other programming languages as a unique tool specially designed for **AI applications** and **AI programming**.

In this article, let us understand the essence of Prolog, and explore its core concepts, applications, and its potential value for AI professionals.

Most popular

- What is Meta Learning and How Does it Work?
- Is Artificial Intelligence Acting as a Foe or an Ally?
- From Fraud Detection to Personalization: AI's Role in Payments
- Comprehending AI-Powered Product Specification Document Assistant
- A New Player in the League of LLMs – Mistral Le Chat | Infographic

https://www.usaii.org/ai-insights/what-is-prolog-programming-language-an-overview

Keep Up the Good Work!

"In Prolog, you don't tell the computer how to do it — you tell it *what* you know, and let logic do the rest."

- Logic is power.
- Keep thinking declaratively.
- Stay curious. Stay logical.

Image generated with the assistance of ChatGPT (OpenAI), 2025.