



from Preschool-Tetris to ... „Timebox Planning“ view



“being a project leader is a tough job ...

**... therefore, planning should be as
intuitive as playing TETRIS”**

how to transform the Backlog to the „Timebox Planning“ view




the Timebox Planning view ...

... is like playing TETRIS


... helps master complex plans

... is implemented as native RTC widget

from single scrum-team and single project to multi team and multi project setup




children of a System Feature as highlighted Stories




the „Timebox Planning Widget“ on the RTC Dashboard

the “show siblings” function highlights all children of a System Feature




„Timebox Planning Widget“ Features



Timebox Planning Widget


„Timebox Planning Widget“ Feature drag & drop



Page 11

„Timebox Planning Widget“ Feature

clone a Story (copy of all fields and the parent-link)



„Timebox Planning Widget“ Feature powerful **SEARCH** utility

MP-UL2.1 STORYs (highly dependent STORYs only)

Presentation Mode: ☐

Search: Filter

Not:


Version: 1.5.3

- ☒ De/Select all
- ☒ Summary
- ☒ Id
- ☒ Status
- ☒ Parent
- ☒ Filed Against
- ☒ Team
- ☒ Projekt
- ☒ Tags
- ☒ Priority
- ☒ Owner

VSA: Support bypass 195740	Accept P2 wiring 193894	Voice Control state 195435		
VSD: Support walktest 191742	BTQ00053262 : P2 167421	Voice Interface - VR 151669		
INV - JUnit introduction (Embedded_SK) 190536	Display additional 167433 Incremental 67249	Integration of new P2 input/output modules (PeriConn) 151571		
COV JUnit introduction 189745	Resource download to 193571	P2_LiApp Refactoring 154580		
Chinese language support - font (Viewers) 147968	DA: Configuration HCA: Replace single P2 device without DPU (FireApps) 193893	SimSyrah support for 183310 Support of Arabic Configuration which 167428		
Chinese language support - viewer layouts (Viewers) 198794	151893	Handling of new P2 167436		
Event Details Dialog - 152680	RDA: Display additional event information (FireApps) 193910	Replace single P2 Support of Chinese 181801		
Event Details Dialog - impl dialog in INV (Embedded_SK) 168100	BTQ00053262 : P2 183054	176445		
Event Details Dialog - 189462	RDA: Layout and 181152	IDiag - Infrastructure, logger and metadata browser		
Handling of new P2 devices on circuit - COV analyze 189460	Arabic language 189737	152221		
Handling of new P2 189470	Chinese language support - PAL printer layouts 189755	Temperature and sensitivity report enhancements (FireApps) 187871		
Handling of new P2 devices on circuit - ViewUtil ElementText	Ethernet printer (ViewApps) 168099	Util: Single customer text for device or device channel Event Details Dialog	180162	193600
			IDiag - Visualizer, FW update & Threads statistic	Bug fixing during 195443
				CP Data Process 195437

„Timebox Planning Widget“ Feature


Presentation Mode – disables the (sometimes annoying) rich-hovers



„Timebox Planning Widget“ Feature

double-click a Story to **highlight the Siblings** (children of a System Feature)

25 -		VSA: Support bypass	Accept P2 wiring	Voice Control state						
		195740	193894	195435						
24 -		VSD: Support walktest	BTQ00053262 : P2	Voice Interface - VR						
		191742	167421	151669						
23 -		INV - JUnit introduction (Embedded_SK)	Display additional	Integration of new P2 input/output modules (PeriConn)						
		167433	167433							
22 -		Incremental	Incremental							
		190536	67249	151571						
21 -		COV JUnit introduction	Resource download to P2_LIApp Refactoring							
		189745	193571	154580						
20 -		Chinese language support - font (Viewers)	DA: Configuration	SimSyrah support for						
		147968	147968	183310						
19 -		HCA: Replace single P2 device without DPU (FireApps)	HCA: Replace single P2 device without DPU (FireApps)	Support of Arabic						
		189738	189738	193893						
18 -		Chinese language support - viewer layouts (Viewers)	Configuration which	Configuration which						
		167428	167428	167428						
17 -		Handling of new P2	Handling of new P2	Handling of new P2						
		167436	167436	167436						
16 -		Replace single P2	Replace single P2	Replace single P2						
		193910	193910	193910						
15 -		Support of Chinese	Support of Chinese	Support of Chinese						
		181801	181801	181801						
14 -		BTQ00053262 : P2	BTQ00053262 : P2	BTQ00053262 : P2						
		176445	176445	176445						
13 -		Idiag - Infrastructure, logger and metadata browser	Idiag - Infrastructure, logger and metadata browser	Idiag - Infrastructure, logger and metadata browser						
		195898	195898	195898						
12 -		Support of Arabic	Support of Arabic	Support of Arabic						
		152221	152221	152221						
11 -		Temperature and sensitivity report enhancements (FireApps)	Temperature and sensitivity report enhancements (FireApps)	Temperature and sensitivity report enhancements (FireApps)						
		195494	195494	195494						
10 -		Review and Rework	Review and Rework	Review and Rework						
		195494	195494	195494						
9 -		Bug fixing during	Bug fixing during	Bug fixing during						
		195443	195443	195443						
8 -		CP Data Processor -	CP Data Processor -	CP Data Processor -						
		195437	195437	195437						
7 -		Fire Addon Interface -	Fire Addon Interface -	Fire Addon Interface -						
		195438	195438	195438						
6 -		Fire Addon Interface -	Fire Addon Interface -	Fire Addon Interface -						
		195445	195445	195445						
5 -		SCAudio Interface -	SCAudio Interface -	SCAudio Interface -						
		195446	195446	195446						
4 -		ScConfig Interface -	ScConfig Interface -	ScConfig Interface -						
		195447	195447	195447						
3 -		ScConfig Interface -	ScConfig Interface -	ScConfig Interface -						
		167420	167420	167420						
2 -		Display additional	Display additional	Display additional						
		193908	193908	193908						
1 -		Temperature and	Temperature and	Temperature and						
		178686	178686	178686						
		Arabic: bugfix for	Arabic: bugfix for	Arabic: bugfix for						
		M240	M240	M240						
		Hebrew language	Hebrew language	Hebrew language						
		189736	189736	189736						
		156551	156551	156551						
		Time format (12h/24h)	Time format (12h/24h)	Time format (12h/24h)						
		189748	189748	189748						
		Handling of new P2 devices on circuit - LPT layouts	Handling of new P2 devices on circuit - LPT layouts	Handling of new P2 devices on circuit - LPT layouts						
		189465	189465	189465						
		COV impl. test (Embedded_SK)	COV impl. test (Embedded_SK)	COV impl. test (Embedded_SK)						
		183190	183190	183190						
		PDC LED refactoring -	PDC LED refactoring -	PDC LED refactoring -						
		189536	189536	189536						
		Ability to disable one	Ability to disable one	Ability to disable one						
		169335	169335	169335						
		ViewUtil ElementText support (Embedded_SK)	ViewUtil ElementText support (Embedded_SK)	ViewUtil ElementText support (Embedded_SK)						
		168101	168101	168101						
		Event Details Dialog -	Event Details Dialog -	Event Details Dialog -						
		168103	168103	168103						
		Event Details Dialog -	Event Details Dialog -	Event Details Dialog -						
		168103	168103	168103						
		Fire Addon Interface -	Fire Addon Interface -	Fire Addon Interface -						
		195438	195438	195438						
		Target Testing	Target Testing	Target Testing						
		195495	195495	195495						
		General gas alarm	General gas alarm	General gas alarm						
		193906	193906	193906						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		193907	193907	193907						
		Operation (IntTest)	Operation (IntTest)	Operation (IntTest)						
		193892	193892	193892						
		Annunciator:	Annunciator:	Annunciator:						
		193905	193905	193905						
		NAC deactivation	NAC deactivation	NAC deactivation						
		193912	193912	193912						
		Support of Hebrew	Support of Hebrew	Support of Hebrew						
		189751	189751	189751						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		189752	189752	189752						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		118552	118552	118552						
		M300	M300	M300						
		Hebrew: bugfix for	Hebrew: bugfix for	Hebrew: bugfix for						
		158764	158764	158764						
		M250	M250	M250						
		Arabic: bugfix for	Arabic: bugfix for	Arabic: bugfix for						
		178686	178686	178686						
		Temperature and	Temperature and	Temperature and						
		193908	193908	193908						
		Support of Arabic	Support of Arabic	Support of Arabic						
		193911	193911	193911						
		Ability to disable one	Ability to disable one	Ability to disable one						
		189336	189336	189336						
		General gas alarm	General gas alarm	General gas alarm						
		193907	193907	193907						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		193905	193905	193905						
		NAC deactivation	NAC deactivation	NAC deactivation						
		193912	193912	193912						
		Support of Hebrew	Support of Hebrew	Support of Hebrew						
		189751	189751	189751						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		189752	189752	189752						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		118552	118552	118552						
		M300	M300	M300						
		Hebrew: bugfix for	Hebrew: bugfix for	Hebrew: bugfix for						
		158764	158764	158764						
		M250	M250	M250						
		Arabic: bugfix for	Arabic: bugfix for	Arabic: bugfix for						
		178686	178686	178686						
		Temperature and	Temperature and	Temperature and						
		193908	193908	193908						
		Support of Arabic	Support of Arabic	Support of Arabic						
		193911	193911	193911						
		Ability to disable one	Ability to disable one	Ability to disable one						
		189336	189336	189336						
		General gas alarm	General gas alarm	General gas alarm						
		193907	193907	193907						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		193905	193905	193905						
		NAC deactivation	NAC deactivation	NAC deactivation						
		193912	193912	193912						
		Support of Hebrew	Support of Hebrew	Support of Hebrew						
		189751	189751	189751						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		189752	189752	189752						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		118552	118552	118552						
		M300	M300	M300						
		Hebrew: bugfix for	Hebrew: bugfix for	Hebrew: bugfix for						
		158764	158764	158764						
		M250	M250	M250						
		Arabic: bugfix for	Arabic: bugfix for	Arabic: bugfix for						
		178686	178686	178686						
		Temperature and	Temperature and	Temperature and						
		193908	193908	193908						
		Support of Arabic	Support of Arabic	Support of Arabic						
		193911	193911	193911						
		Ability to disable one	Ability to disable one	Ability to disable one						
		189336	189336	189336						
		General gas alarm	General gas alarm	General gas alarm						
		193907	193907	193907						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		193905	193905	193905						
		NAC deactivation	NAC deactivation	NAC deactivation						
		193912	193912	193912						
		Support of Hebrew	Support of Hebrew	Support of Hebrew						
		189751	189751	189751						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		189752	189752	189752						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		118552	118552	118552						
		M300	M300	M300						
		Hebrew: bugfix for	Hebrew: bugfix for	Hebrew: bugfix for						
		158764	158764	158764						
		M250	M250	M250						
		Arabic: bugfix for	Arabic: bugfix for	Arabic: bugfix for						
		178686	178686	178686						
		Temperature and	Temperature and	Temperature and						
		193908	193908	193908						
		Support of Arabic	Support of Arabic	Support of Arabic						
		193911	193911	193911						
		Ability to disable one	Ability to disable one	Ability to disable one						
		189336	189336	189336						
		General gas alarm	General gas alarm	General gas alarm						
		193907	193907	193907						
		Indicate mismatch	Indicate mismatch	Indicate mismatch						
		193905	193905	19						



**Markus Giacomuzzi**

Scrum Master and Team Leader

Siemens Schweiz AG

Building Technologies Division

International Headquarters

Control Products & Systems

Gubelstrasse 22

6300 Zug, Switzerland

E-mail:

markus.giacomuzzi (a) siemens.com

#ibminterconnect

Timebox Planning

Session #2920

Howto download the Software?

Guido Schneider
Lead Global DevOps Infrastructure



InterConnect2015

The Premier Cloud & Mobile Conference

February 22 – 26

MGM Grand & Mandalay Bay | Las Vegas, Nevada




Content


- The DevOps Services Project Area
- License
- The project area
- Installation
- Use it!
- Feedback



schneidg | TimeBox



- We publish the Timebox Widget on [IBM Bluemix DevOps Services](https://ibm.com/devops/services) in binary form on the public project „Timebox“
- <https://hub.jazz.net/explore/searchPage?text=timebox&scope=public>



License




Copyright (c) 2015, Guido Schneider/Markus Giacomuzzi
All rights reserved.


Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.


THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The project area



 IBM Bluemix DevOps Services

EXPLOREFEATURESHelp▼BLOGFORUMSIGN UPLog In


 IBM Bluemix DevOps Services has a new look and feel! [Learn more.](#)

[schneidg](#) | Timebox

EDIT CODETRACK & PLAN▼BUILD & DEPLOY





OVERVIEW

MEMBERS (7)




Timebox










Owner: [schneidg](#)

 (0)  Like  Share  0 [FORK PROJECT](#)

Stream: [schneidg | TimeBox Stream](#) ▼ Component: [schneidg | TimeBox Default Comp...](#) ▼ [Eclipse-Client konfigurieren](#)

[schneidg | Timebox](#)

 **Last Delivery by Guido Schneider.**
[129: Create initial Project Sturucture](#)

-  bin
-  docs
-  src
-  .cfignore
-  .jazzignore
-  CONTRIBUTING.md
-  LICENSE.md
-  project.json
-  README.md

README.md


[schneidg | Timebox](#)

Timebox - RTC Timebox Planning Widget

[Guido Schneider, 8.Feb.2015]

Idea and goal

Members (6 of 7)



About this project


This is a new widget for RTC to allow iteration planning of work items in a "Tetris-Like" way. We call it "Timebox Planning View".

Do you want to work locally?

[Learn how to configure Eclipse for a Jazz SCM project.](#)

Installation

- Download and unpack the timebox zip file




1. Copy as new update_site into your CCM conf directory.
2. Run `/ccm/admin/cmd/requestReset`
3. Restart `ccm.war`

Name	Typ	Größe
timebox-viewlet-site	Dateiordner	
LICENSE.md	MD-Datei	2 KB
timebox-update-site.ini	Konfigurationseinstellungen	1 KB
Viewlet_InstallGuide.txt	Textdokument	2 KB


Use It!

- The Widget will be available in the Widget Catalog of the CCM, you deployed the site into.



The screenshot shows the JAM Team interface. At the top, there's a header with 'JAM Team' and a search bar. Below the header, there are tabs for 'General', 'Demo', 'Live', 'Architecture', and 'Development'. The 'General' tab is selected. In the top right corner, there's an 'Add Widget' button circled in red. Below the tabs, there's a 'Select Catalog' dropdown menu set to 'Change and Configuration Management (/ccm)'. A search bar contains the text 'time'. On the left side, there's a 'Select Category' list with 'BT AddOns' circled in red. The main content area displays a bar chart and the 'Timebox Planning Tool' widget. The 'Add Widget' button for this widget is circled in red.

Feedback




For Questions, Defects and Enhancement requests, please use the DevOps Services Project Area [„schneidg|Timebox“](https://ibm.team.dashboard.viewDashboard)


Simply write workitems in Tracks @ Plan or in the Dashboard.

For latests News and updates have a look on our project dashboard:

<https://hub.jazz.net/ccm10/web/projects/schneidg%20%7C%20Timebox#action=com.ibm.team.dashboard.viewDashboard>



(And don't forget to like and share us)



- **Guido Schneider**
Lead Global DevOps Infrastructure
and Tools
- Siemens Switzerland Corp.
Building Technologies Division
International Headquarters
Control Products & Systems
- Gubelstrasse 22
6300 Zug, Switzerland
- E-mail:
guido.schneider@siemens.com

#ibminterconnect

Thank You

Your Feedback is Important!

Access the InterConnect 2015
Conference CONNECT Attendee Portal
to complete your session surveys from
your smartphone, laptop or conference
kiosk.



InterConnect2015

The Premier Cloud & Mobile Conference

