

SUNA2094

Version: V2

Operator: ericrehm

Reference Update Time: 2023-04-14T11:42:57Z

Comment: Initial Polled-mode setup for CMS

Ancillary	Value	Setting	Value
Firmware Revision	2.5.1	SerialBaudRate	57600
Total Disk Space (byte)	3954802688	OperationMode	Polled
Free Disk Space (byte)	3950936064	FixedDuration	60
Used Lamp Time (sec)	153460	FrameTransfer	FULL_ASCII
Clock Time	2024-04-19T17:17:04Z	FrameLogging	FULL_ASCII
		OperationControl	Samples
		CycleLightFrames	1
		CycleDarkFrames	10
		CycleLightDuration	58
		CycleDarkDuration	2
		Baseline	Linear
		Adaptive Integration	On
		Concentrations Fitted	N03_SW_TSW
		Concentrations Available	3
		Bromide Trace	false
		IntegPeriod (ms)	250
		WavelenMin (nm)	217.0
		WavelenMax (nm)	240.0
		NO3DacMin ( $\mu$ M)	-5.0
		NO3DacMax ( $\mu$ M)	100.0
		SpectralInLightAvg	1
		SpectralInDarkAvg	1
		PeriodicInterval	1 min
		PeriodicOffset	0
		PeriodicDuration	5
		PeriodicSamples	5
		LogFileType	Daily
		LogFileMaxSz	5