

SUNA 2093
Version: V2
Operator: ericrehm

Reference Update Time: 2023-04-17T12:23:38Z

Comment: Initial polled-mode setup for CMS

Ancillary	Value	Setting	Value
Firmware Revision	2.5.1	SerialBaudRate	57600
Total Disk Space (byte)	3954802688	OperationMode	Polled
Free Disk Space (byte)	3952181248	FixedDuration	60
Used Lamp Time (sec)	148310	FrameTransfer	FULL_ASCII
Clock Time	2024-04-19T21:36:23Z	FrameLogging	FULL_ASCII
		OperationControl	Samples
		CycleLightFrames	1
		CycleDarkFrames	100
		CycleLightDuration	58
		CycleDarkDuration	2
		Baseline	Linear
		Adaptive Integration	On
		Concentrations Fitted	N03_SW_TSW
		Concentrations Available	3
		Bromide Trace	false
		IntegPeriod (ms)	175
		WavelenMin (nm)	217.0
		WavelenMax (nm)	240.0
		NO3DacMin (μ M)	-5.0
		NO3DacMax (μ M)	100.0
		SpectralInLightAvg	1
		SpectralInDarkAvg	1
		PeriodicInterval	1 min
		PeriodicOffset	0
		PeriodicDuration	5
		PeriodicSamples	1
		LogFileType	Daily
		LogFileMaxSz	5