

# Bootstrap Tables

Jogesh K. Muppala



THE DEPARTMENT OF  
**COMPUTER SCIENCE & ENGINEERING**  
計算機科學及工程學系



香港科技大學  
THE HONG KONG UNIVERSITY OF  
SCIENCE AND TECHNOLOGY

# Tables

- Tables are meant to display tabular data in a web page
- Tables have been hijacked by website designers to design and position web content
- Here we discuss tables as they are originally meant to be used

# Example Table

## Facts & Figures

	2013	2014	2015
Employees	15	30	40
Guests Served	15000	45000	100,000
Special Events	3	20	45
Annual Turnover	\$251,325	\$1,250,375	~\$3,000,000

# Bootstrap Tables

- Always start by assigning the table class to tables:

```
<table class="table">
```

```
</table>
```

# Bootstrap Tables

- *table-striped* for zebra striped rows
- *table-bordered* for borders to table cells
- *table-hover* for highlighting rows when you hover over a row
- *table-sm* for cutting the cell padding in half
- *table-responsive* for making the tables responsive. Can horizontally scroll tables on screen sizes less than 768px.

# Bootstrap Table Contextual Classes

- Individual rows or cells can be colored using the following classes: *active*, *success*, *info*, *warning* and *danger*

```
<tr class="bg-success"> ... </tr>
```

```
<td class="bg-danger"> ... </td>
```