

INFT-1205 – Data Communications & Networking II

Capstone Project

Rogers Router Configuration

Institution: Durham College

By: Group 1

Suhaan Bhanwer, Anointing Iyawe, Hossein Abdolzahraei

Document Overview

This document serves as a brief documentation of the Rogers ISP router. It includes an overview of the Rogers Router, along with its configuration.

Device Overview

The RogersRouter acts as the Rogers Communications ISP router. It is the Primary ISP of Datacore Solutions and is linked to the Datacore Router on the 101.1.1.0/30 network. It contains a default static route to the Datacore router, allowing traffic to return.

Configuration

Building configuration...

Current configuration : 1637 bytes

!

! Last configuration change at 05:34:51 UTC Thu Apr 9 2026

!

version 17.6

service timestamps debug datetime msec

service timestamps log datetime msec

platform qfp utilization monitor load 80

platform punt-keepalive disable-kernel-core

platform hardware throughput crypto 15M

!

hostname RogersRouter

!

boot-start-marker

boot-end-marker

!

!

!

no aaa new-model

!

!

!

!

!

!

!

!

!

!

login on-success log

!

!

!

!

!

!

!

subscriber templating

!

!

!

!

!

!

multilink bundle-name authenticated

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

license udi pid C8200L-1N-4T sn FJC27291GAP

license boot level network-advantage addon dna-advantage

memory free low-watermark processor 67482

!

diagnostic bootup level minimal

!

spanning-tree extend system-id

!

!

redundancy

mode none

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

interface GigabitEthernet0/0/0

no ip address

negotiation auto

!

interface GigabitEthernet0/0/1

no ip address

negotiation auto

!

interface GigabitEthernet0/0/2

no ip address

negotiation auto

!

interface GigabitEthernet0/0/3

no ip address

negotiation auto

!

interface Serial0/1/0

no ip address

!

interface Serial0/1/1

ip address 101.1.1.2 255.255.255.252

!

no ip http server

ip http secure-server

ip forward-protocol nd

```
ip route 0.0.0.0 0.0.0.0 101.1.1.1
```

```
!
```

```
!
```

```
!
```

```
!
```

```
!
```

```
!
```

```
!
```

```
control-plane
```

```
!
```

```
!
```

```
mgcp behavior rsip-range tgcp-only
```

```
mgcp behavior comedia-role none
```

```
mgcp behavior comedia-check-media-src disable
```

```
mgcp behavior comedia-sdp-force disable
```

```
!
```

```
mgcp profile default
```

```
!
```

```
!
```

```
!
```

```
!
```

```
!
```

```
!
```

```
line con 0
```

```
stopbits 1
```

```
line aux 0
```



```
line vty 0 4
login
transport input ssh
line vty 5 14
login
transport input ssh
!
!
!
!
!
!
!
end
```