

Now assessing with 24 hours pre-post-transfusion windows

1481319

Now assessing with 24 hours pre-post-transfusion windows

1435684

Now assessing with 24 hours pre-post-transfusion windows

1435684

Now assessing with 24 hours pre-post-transfusion windows

1435684

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

wdy_donation	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	1290	0.01	1290	0.01
2	2088390	20.33	2089680	20.34
3	2539992	24.72	4629672	45.06
4	2328118	22.66	6957790	67.72
5	2224490	21.65	9182280	89.37
6	881289	8.58	10063569	97.95
7	125765	1.22	10189334	99.18
9	84667	0.82	10274001	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	2945023	28.90	2945023	28.90
0.0166666667	20	0.00	2945043	28.90
0.0333333333	11	0.00	2945054	28.90
0.05	11	0.00	2945065	28.90
0.0666666667	12	0.00	2945077	28.90
0.0833333333	13	0.00	2945090	28.90
0.1	25	0.00	2945115	28.90
0.1166666667	25	0.00	2945140	28.90
0.1333333333	20	0.00	2945160	28.90
0.15	22	0.00	2945182	28.90
0.1666666667	51	0.00	2945233	28.91
0.1833333333	14	0.00	2945247	28.91
0.2	13	0.00	2945260	28.91
0.2166666667	21	0.00	2945281	28.91
0.2333333333	20	0.00	2945301	28.91
0.25	20	0.00	2945321	28.91
0.2666666667	18	0.00	2945339	28.91
0.2833333333	15	0.00	2945354	28.91
0.3	17	0.00	2945371	28.91
0.3166666667	18	0.00	2945389	28.91
0.3333333333	13	0.00	2945402	28.91
0.35	13	0.00	2945415	28.91
0.3666666667	16	0.00	2945431	28.91
0.3833333333	11	0.00	2945442	28.91
0.4	21	0.00	2945463	28.91
0.4166666667	13	0.00	2945476	28.91
0.4333333333	13	0.00	2945489	28.91
0.45	20	0.00	2945509	28.91
0.4666666667	23	0.00	2945532	28.91
0.4833333333	18	0.00	2945550	28.91
0.5	21	0.00	2945571	28.91
0.5166666667	18	0.00	2945589	28.91
0.5333333333	23	0.00	2945612	28.91
0.55	12	0.00	2945624	28.91
0.5666666667	16	0.00	2945640	28.91
0.5833333333	16	0.00	2945656	28.91
0.6	11	0.00	2945667	28.91
0.6166666667	12	0.00	2945679	28.91
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.6333333333	11	0.00	2945690	28.91
0.65	17	0.00	2945707	28.91
0.6666666667	17	0.00	2945724	28.91
0.6833333333	16	0.00	2945740	28.91
0.7	15	0.00	2945755	28.91
0.7166666667	25	0.00	2945780	28.91
0.7333333333	20	0.00	2945800	28.91
0.75	13	0.00	2945813	28.91
0.7666666667	21	0.00	2945834	28.91
0.7833333333	12	0.00	2945846	28.91
0.8	20	0.00	2945866	28.91
0.8166666667	22	0.00	2945888	28.91
0.8333333333	16	0.00	2945904	28.91
0.85	16	0.00	2945920	28.91
0.8666666667	19	0.00	2945939	28.91
0.8833333333	19	0.00	2945958	28.91
0.9	20	0.00	2945978	28.91
0.9166666667	20	0.00	2945998	28.91
0.9333333333	16	0.00	2946014	28.91
0.95	18	0.00	2946032	28.91
0.9666666667	18	0.00	2946050	28.91
0.9833333333	21	0.00	2946071	28.91
1	16	0.00	2946087	28.91
1.0166666667	17	0.00	2946104	28.91
1.0333333333	21	0.00	2946125	28.91
1.05	19	0.00	2946144	28.91
1.0666666667	14	0.00	2946158	28.91
1.0833333333	13	0.00	2946171	28.91
1.1	14	0.00	2946185	28.91
1.1166666667	25	0.00	2946210	28.91
1.1333333333	21	0.00	2946231	28.91
1.15	15	0.00	2946246	28.92
1.1666666667	26	0.00	2946272	28.92
1.1833333333	26	0.00	2946298	28.92
1.2	22	0.00	2946320	28.92
1.2166666667	19	0.00	2946339	28.92
1.2333333333	28	0.00	2946367	28.92
1.25	26	0.00	2946393	28.92
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.266666667	17	0.00	2946410	28.92
1.283333333	26	0.00	2946436	28.92
1.3	23	0.00	2946459	28.92
1.316666667	25	0.00	2946484	28.92
1.333333333	17	0.00	2946501	28.92
1.35	22	0.00	2946523	28.92
1.366666667	19	0.00	2946542	28.92
1.383333333	17	0.00	2946559	28.92
1.4	17	0.00	2946576	28.92
1.416666667	28	0.00	2946604	28.92
1.433333333	21	0.00	2946625	28.92
1.45	21	0.00	2946646	28.92
1.466666667	22	0.00	2946668	28.92
1.483333333	19	0.00	2946687	28.92
1.5	23	0.00	2946710	28.92
1.516666667	21	0.00	2946731	28.92
1.533333333	24	0.00	2946755	28.92
1.55	24	0.00	2946779	28.92
1.566666667	27	0.00	2946806	28.92
1.583333333	18	0.00	2946824	28.92
1.6	25	0.00	2946849	28.92
1.616666667	26	0.00	2946875	28.92
1.633333333	31	0.00	2946906	28.92
1.65	26	0.00	2946932	28.92
1.666666667	19	0.00	2946951	28.92
1.683333333	28	0.00	2946979	28.92
1.7	16	0.00	2946995	28.92
1.716666667	32	0.00	2947027	28.92
1.733333333	27	0.00	2947054	28.92
1.75	20	0.00	2947074	28.92
1.766666667	21	0.00	2947095	28.92
1.783333333	24	0.00	2947119	28.92
1.8	22	0.00	2947141	28.92
1.816666667	30	0.00	2947171	28.92
1.833333333	21	0.00	2947192	28.92
1.85	26	0.00	2947218	28.92
1.866666667	27	0.00	2947245	28.92
1.883333333	17	0.00	2947262	28.92
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.9	27	0.00	2947289	28.93
1.916666667	30	0.00	2947319	28.93
1.933333333	27	0.00	2947346	28.93
1.95	23	0.00	2947369	28.93
1.966666667	19	0.00	2947388	28.93
1.983333333	18	0.00	2947406	28.93
2	28	0.00	2947434	28.93
2.016666667	24	0.00	2947458	28.93
2.033333333	29	0.00	2947487	28.93
2.05	30	0.00	2947517	28.93
2.066666667	25	0.00	2947542	28.93
2.083333333	20	0.00	2947562	28.93
2.1	24	0.00	2947586	28.93
2.116666667	29	0.00	2947615	28.93
2.133333333	20	0.00	2947635	28.93
2.15	29	0.00	2947664	28.93
2.166666667	34	0.00	2947698	28.93
2.183333333	22	0.00	2947720	28.93
2.2	21	0.00	2947741	28.93
2.216666667	30	0.00	2947771	28.93
2.233333333	26	0.00	2947797	28.93
2.25	23	0.00	2947820	28.93
2.266666667	29	0.00	2947849	28.93
2.283333333	16	0.00	2947865	28.93
2.3	34	0.00	2947899	28.93
2.316666667	29	0.00	2947928	28.93
2.333333333	24	0.00	2947952	28.93
2.35	30	0.00	2947982	28.93
2.366666667	21	0.00	2948003	28.93
2.383333333	26	0.00	2948029	28.93
2.4	33	0.00	2948062	28.93
2.416666667	36	0.00	2948098	28.93
2.433333333	18	0.00	2948116	28.93
2.45	21	0.00	2948137	28.93
2.466666667	20	0.00	2948157	28.93
2.483333333	21	0.00	2948178	28.93
2.5	24	0.00	2948202	28.93
2.516666667	31	0.00	2948233	28.93
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5333333333	22	0.00	2948255	28.93
2.55	26	0.00	2948281	28.93
2.5666666667	31	0.00	2948312	28.94
2.5833333333	24	0.00	2948336	28.94
2.6	25	0.00	2948361	28.94
2.6166666667	23	0.00	2948384	28.94
2.6333333333	24	0.00	2948408	28.94
2.65	25	0.00	2948433	28.94
2.6666666667	28	0.00	2948461	28.94
2.6833333333	34	0.00	2948495	28.94
2.7	27	0.00	2948522	28.94
2.7166666667	19	0.00	2948541	28.94
2.7333333333	28	0.00	2948569	28.94
2.75	18	0.00	2948587	28.94
2.7666666667	22	0.00	2948609	28.94
2.7833333333	30	0.00	2948639	28.94
2.8	28	0.00	2948667	28.94
2.8166666667	30	0.00	2948697	28.94
2.8333333333	30	0.00	2948727	28.94
2.85	26	0.00	2948753	28.94
2.8666666667	23	0.00	2948776	28.94
2.8833333333	18	0.00	2948794	28.94
2.9	14	0.00	2948808	28.94
2.9166666667	19	0.00	2948827	28.94
2.9333333333	22	0.00	2948849	28.94
2.95	24	0.00	2948873	28.94
2.9666666667	26	0.00	2948899	28.94
2.9833333333	28	0.00	2948927	28.94
3	28	0.00	2948955	28.94
3.0166666667	31	0.00	2948986	28.94
3.0333333333	27	0.00	2949013	28.94
3.05	24	0.00	2949037	28.94
3.0666666667	29	0.00	2949066	28.94
3.0833333333	39	0.00	2949105	28.94
3.1	34	0.00	2949139	28.94
3.1166666667	29	0.00	2949168	28.94
3.1333333333	26	0.00	2949194	28.94
3.15	22	0.00	2949216	28.94
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.166666667	19	0.00	2949235	28.94
3.183333333	17	0.00	2949252	28.94
3.2	21	0.00	2949273	28.94
3.216666667	31	0.00	2949304	28.95
3.233333333	27	0.00	2949331	28.95
3.25	23	0.00	2949354	28.95
3.266666667	28	0.00	2949382	28.95
3.283333333	31	0.00	2949413	28.95
3.3	16	0.00	2949429	28.95
3.316666667	28	0.00	2949457	28.95
3.333333333	28	0.00	2949485	28.95
3.35	24	0.00	2949509	28.95
3.366666667	18	0.00	2949527	28.95
3.383333333	27	0.00	2949554	28.95
3.4	28	0.00	2949582	28.95
3.416666667	28	0.00	2949610	28.95
3.433333333	18	0.00	2949628	28.95
3.45	21	0.00	2949649	28.95
3.466666667	28	0.00	2949677	28.95
3.483333333	25	0.00	2949702	28.95
3.5	25	0.00	2949727	28.95
3.516666667	19	0.00	2949746	28.95
3.533333333	24	0.00	2949770	28.95
3.55	33	0.00	2949803	28.95
3.566666667	29	0.00	2949832	28.95
3.583333333	29	0.00	2949861	28.95
3.6	44	0.00	2949905	28.95
3.616666667	18	0.00	2949923	28.95
3.633333333	28	0.00	2949951	28.95
3.65	25	0.00	2949976	28.95
3.666666667	34	0.00	2950010	28.95
3.683333333	36	0.00	2950046	28.95
3.7	26	0.00	2950072	28.95
3.716666667	33	0.00	2950105	28.95
3.733333333	34	0.00	2950139	28.95
3.75	23	0.00	2950162	28.95
3.766666667	26	0.00	2950188	28.95
3.783333333	26	0.00	2950214	28.95
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.8	26	0.00	2950240	28.95
3.816666667	36	0.00	2950276	28.95
3.833333333	19	0.00	2950295	28.95
3.85	26	0.00	2950321	28.95
3.866666667	21	0.00	2950342	28.96
3.883333333	36	0.00	2950378	28.96
3.9	23	0.00	2950401	28.96
3.916666667	25	0.00	2950426	28.96
3.933333333	31	0.00	2950457	28.96
3.95	35	0.00	2950492	28.96
3.966666667	34	0.00	2950526	28.96
3.983333333	36	0.00	2950562	28.96
4	29	0.00	2950591	28.96
4.016666667	35	0.00	2950626	28.96
4.033333333	33	0.00	2950659	28.96
4.05	37	0.00	2950696	28.96
4.066666667	32	0.00	2950728	28.96
4.083333333	31	0.00	2950759	28.96
4.1	35	0.00	2950794	28.96
4.116666667	31	0.00	2950825	28.96
4.133333333	31	0.00	2950856	28.96
4.15	28	0.00	2950884	28.96
4.166666667	31	0.00	2950915	28.96
4.183333333	26	0.00	2950941	28.96
4.2	33	0.00	2950974	28.96
4.216666667	34	0.00	2951008	28.96
4.233333333	35	0.00	2951043	28.96
4.25	34	0.00	2951077	28.96
4.266666667	37	0.00	2951114	28.96
4.283333333	45	0.00	2951159	28.96
4.3	30	0.00	2951189	28.96
4.316666667	33	0.00	2951222	28.96
4.333333333	34	0.00	2951256	28.96
4.35	44	0.00	2951300	28.96
4.366666667	29	0.00	2951329	28.96
4.383333333	31	0.00	2951360	28.97
4.4	27	0.00	2951387	28.97
4.416666667	30	0.00	2951417	28.97
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4.4333333333	31	0.00	2951448	28.97
4.45	28	0.00	2951476	28.97
4.4666666667	39	0.00	2951515	28.97
4.4833333333	38	0.00	2951553	28.97
4.5	31	0.00	2951584	28.97
4.5166666667	38	0.00	2951622	28.97
4.5333333333	36	0.00	2951658	28.97
4.55	29	0.00	2951687	28.97
4.5666666667	41	0.00	2951728	28.97
4.5833333333	32	0.00	2951760	28.97
4.6	35	0.00	2951795	28.97
4.6166666667	34	0.00	2951829	28.97
4.6333333333	35	0.00	2951864	28.97
4.65	40	0.00	2951904	28.97
4.6666666667	40	0.00	2951944	28.97
4.6833333333	51	0.00	2951995	28.97
4.7	72	0.00	2952067	28.97
4.7166666667	55	0.00	2952122	28.97
4.7333333333	49	0.00	2952171	28.97
4.75	46	0.00	2952217	28.97
4.7666666667	33	0.00	2952250	28.97
4.7833333333	49	0.00	2952299	28.97
4.8	44	0.00	2952343	28.97
4.8166666667	41	0.00	2952384	28.98
4.8333333333	47	0.00	2952431	28.98
4.85	35	0.00	2952466	28.98
4.8666666667	44	0.00	2952510	28.98
4.8833333333	68	0.00	2952578	28.98
4.9	91	0.00	2952669	28.98
4.9166666667	85	0.00	2952754	28.98
4.9333333333	77	0.00	2952831	28.98
4.95	80	0.00	2952911	28.98
4.9666666667	84	0.00	2952995	28.98
4.9833333333	69	0.00	2953064	28.98
5	44	0.00	2953108	28.98
5.0166666667	51	0.00	2953159	28.98
5.0333333333	30	0.00	2953189	28.98
5.05	24	0.00	2953213	28.98
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.066666667	34	0.00	2953247	28.98
5.083333333	31	0.00	2953278	28.98
5.1	38	0.00	2953316	28.98
5.116666667	40	0.00	2953356	28.98
5.133333333	41	0.00	2953397	28.99
5.15	38	0.00	2953435	28.99
5.166666667	38	0.00	2953473	28.99
5.183333333	42	0.00	2953515	28.99
5.2	34	0.00	2953549	28.99
5.216666667	45	0.00	2953594	28.99
5.233333333	43	0.00	2953637	28.99
5.25	36	0.00	2953673	28.99
5.266666667	39	0.00	2953712	28.99
5.283333333	47	0.00	2953759	28.99
5.3	35	0.00	2953794	28.99
5.316666667	54	0.00	2953848	28.99
5.333333333	54	0.00	2953902	28.99
5.35	49	0.00	2953951	28.99
5.366666667	45	0.00	2953996	28.99
5.383333333	45	0.00	2954041	28.99
5.4	43	0.00	2954084	28.99
5.416666667	38	0.00	2954122	28.99
5.433333333	50	0.00	2954172	28.99
5.45	38	0.00	2954210	28.99
5.466666667	55	0.00	2954265	28.99
5.483333333	42	0.00	2954307	28.99
5.5	55	0.00	2954362	28.99
5.516666667	51	0.00	2954413	29.00
5.533333333	53	0.00	2954466	29.00
5.55	53	0.00	2954519	29.00
5.566666667	51	0.00	2954570	29.00
5.583333333	49	0.00	2954619	29.00
5.6	34	0.00	2954653	29.00
5.616666667	48	0.00	2954701	29.00
5.633333333	44	0.00	2954745	29.00
5.65	63	0.00	2954808	29.00
5.666666667	73	0.00	2954881	29.00
5.683333333	62	0.00	2954943	29.00
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.7	57	0.00	2955000	29.00
5.716666667	62	0.00	2955062	29.00
5.733333333	66	0.00	2955128	29.00
5.75	67	0.00	2955195	29.00
5.766666667	73	0.00	2955268	29.00
5.783333333	67	0.00	2955335	29.00
5.8	90	0.00	2955425	29.01
5.816666667	82	0.00	2955507	29.01
5.833333333	72	0.00	2955579	29.01
5.85	85	0.00	2955664	29.01
5.866666667	60	0.00	2955724	29.01
5.883333333	96	0.00	2955820	29.01
5.9	95	0.00	2955915	29.01
5.916666667	93	0.00	2956008	29.01
5.933333333	116	0.00	2956124	29.01
5.95	112	0.00	2956236	29.01
5.966666667	92	0.00	2956328	29.01
5.983333333	113	0.00	2956441	29.02
6	106	0.00	2956547	29.02
6.016666667	126	0.00	2956673	29.02
6.033333333	113	0.00	2956786	29.02
6.05	153	0.00	2956939	29.02
6.066666667	168	0.00	2957107	29.02
6.083333333	173	0.00	2957280	29.02
6.1	198	0.00	2957478	29.03
6.116666667	212	0.00	2957690	29.03
6.133333333	178	0.00	2957868	29.03
6.15	207	0.00	2958075	29.03
6.166666667	217	0.00	2958292	29.03
6.183333333	217	0.00	2958509	29.04
6.2	229	0.00	2958738	29.04
6.216666667	237	0.00	2958975	29.04
6.233333333	286	0.00	2959261	29.04
6.25	256	0.00	2959517	29.05
6.266666667	266	0.00	2959783	29.05
6.283333333	303	0.00	2960086	29.05
6.3	319	0.00	2960405	29.05
6.316666667	288	0.00	2960693	29.06
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.3333333333	385	0.00	2961078	29.06
6.35	314	0.00	2961392	29.06
6.3666666667	325	0.00	2961717	29.07
6.3833333333	330	0.00	2962047	29.07
6.4	357	0.00	2962404	29.07
6.4166666667	364	0.00	2962768	29.08
6.4333333333	382	0.00	2963150	29.08
6.45	413	0.00	2963563	29.08
6.4666666667	408	0.00	2963971	29.09
6.4833333333	452	0.00	2964423	29.09
6.5	475	0.00	2964898	29.10
6.5166666667	489	0.00	2965387	29.10
6.5333333333	496	0.00	2965883	29.11
6.55	446	0.00	2966329	29.11
6.5666666667	560	0.01	2966889	29.12
6.5833333333	615	0.01	2967504	29.12
6.6	647	0.01	2968151	29.13
6.6166666667	676	0.01	2968827	29.14
6.6333333333	624	0.01	2969451	29.14
6.65	694	0.01	2970145	29.15
6.6666666667	726	0.01	2970871	29.16
6.6833333333	680	0.01	2971551	29.16
6.7	706	0.01	2972257	29.17
6.7166666667	734	0.01	2972991	29.18
6.7333333333	721	0.01	2973712	29.18
6.75	767	0.01	2974479	29.19
6.7666666667	731	0.01	2975210	29.20
6.7833333333	765	0.01	2975975	29.21
6.8	762	0.01	2976737	29.21
6.8166666667	900	0.01	2977637	29.22
6.8333333333	871	0.01	2978508	29.23
6.85	973	0.01	2979481	29.24
6.8666666667	920	0.01	2980401	29.25
6.8833333333	949	0.01	2981350	29.26
6.9	1008	0.01	2982358	29.27
6.9166666667	968	0.01	2983326	29.28
6.9333333333	948	0.01	2984274	29.29
6.95	963	0.01	2985237	29.30
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.966666667	956	0.01	2986193	29.31
6.983333333	1003	0.01	2987196	29.32
7	992	0.01	2988188	29.33
7.016666667	981	0.01	2989169	29.34
7.033333333	979	0.01	2990148	29.35
7.05	1047	0.01	2991195	29.36
7.066666667	1131	0.01	2992326	29.37
7.083333333	1157	0.01	2993483	29.38
7.1	1347	0.01	2994830	29.39
7.116666667	1306	0.01	2996136	29.40
7.133333333	1423	0.01	2997559	29.42
7.15	1510	0.01	2999069	29.43
7.166666667	1592	0.02	3000661	29.45
7.183333333	1635	0.02	3002296	29.47
7.2	1739	0.02	3004035	29.48
7.216666667	1941	0.02	3005976	29.50
7.233333333	2087	0.02	3008063	29.52
7.25	2191	0.02	3010254	29.54
7.266666667	2370	0.02	3012624	29.57
7.283333333	2526	0.02	3015150	29.59
7.3	2524	0.02	3017674	29.62
7.316666667	2692	0.03	3020366	29.64
7.333333333	2937	0.03	3023303	29.67
7.35	3034	0.03	3026337	29.70
7.366666667	3196	0.03	3029533	29.73
7.383333333	3196	0.03	3032729	29.76
7.4	3541	0.03	3036270	29.80
7.416666667	3898	0.04	3040168	29.84
7.433333333	4059	0.04	3044227	29.88
7.45	4230	0.04	3048457	29.92
7.466666667	4465	0.04	3052922	29.96
7.483333333	4718	0.05	3057640	30.01
7.5	4813	0.05	3062453	30.06
7.516666667	5291	0.05	3067744	30.11
7.533333333	5330	0.05	3073074	30.16
7.55	5640	0.06	3078714	30.22
7.566666667	6064	0.06	3084778	30.27
7.583333333	6049	0.06	3090827	30.33
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7.6	6455	0.06	3097282	30.40
7.616666667	6739	0.07	3104021	30.46
7.633333333	7014	0.07	3111035	30.53
7.65	7408	0.07	3118443	30.60
7.666666667	7750	0.08	3126193	30.68
7.683333333	8239	0.08	3134432	30.76
7.7	8734	0.09	3143166	30.85
7.716666667	8915	0.09	3152081	30.94
7.733333333	9311	0.09	3161392	31.03
7.75	9723	0.10	3171115	31.12
7.766666667	9924	0.10	3181039	31.22
7.783333333	10281	0.10	3191320	31.32
7.8	10437	0.10	3201757	31.42
7.816666667	10563	0.10	3212320	31.53
7.833333333	10660	0.10	3222980	31.63
7.85	10632	0.10	3233612	31.74
7.866666667	10763	0.11	3244375	31.84
7.883333333	11096	0.11	3255471	31.95
7.9	10999	0.11	3266470	32.06
7.916666667	11159	0.11	3277629	32.17
7.933333333	11190	0.11	3288819	32.28
7.95	11153	0.11	3299972	32.39
7.966666667	11423	0.11	3311395	32.50
7.983333333	11362	0.11	3322757	32.61
8	11450	0.11	3334207	32.72
8.016666667	11475	0.11	3345682	32.84
8.033333333	11616	0.11	3357298	32.95
8.05	11696	0.11	3368994	33.06
8.066666667	11807	0.12	3380801	33.18
8.083333333	11781	0.12	3392582	33.30
8.1	11848	0.12	3404430	33.41
8.116666667	12067	0.12	3416497	33.53
8.133333333	12563	0.12	3429060	33.65
8.15	12946	0.13	3442006	33.78
8.166666667	12916	0.13	3454922	33.91
8.183333333	13069	0.13	3467991	34.04
8.2	13521	0.13	3481512	34.17
8.216666667	13744	0.13	3495256	34.30
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.2333333333	13948	0.14	3509204	34.44
8.25	14246	0.14	3523450	34.58
8.2666666667	14910	0.15	3538360	34.73
8.2833333333	15010	0.15	3553370	34.87
8.3	15305	0.15	3568675	35.02
8.3166666667	14838	0.15	3583513	35.17
8.3333333333	15050	0.15	3598563	35.32
8.35	15367	0.15	3613930	35.47
8.3666666667	14992	0.15	3628922	35.61
8.3833333333	15173	0.15	3644095	35.76
8.4	15106	0.15	3659201	35.91
8.4166666667	15331	0.15	3674532	36.06
8.4333333333	15503	0.15	3690035	36.21
8.45	15126	0.15	3705161	36.36
8.4666666667	15078	0.15	3720239	36.51
8.4833333333	14781	0.15	3735020	36.66
8.5	15059	0.15	3750079	36.80
8.5166666667	14902	0.15	3764981	36.95
8.5333333333	14996	0.15	3779977	37.10
8.55	14948	0.15	3794925	37.24
8.5666666667	15137	0.15	3810062	37.39
8.5833333333	14801	0.15	3824863	37.54
8.6	14920	0.15	3839783	37.68
8.6166666667	14960	0.15	3854743	37.83
8.6333333333	15261	0.15	3870004	37.98
8.65	15249	0.15	3885253	38.13
8.6666666667	15351	0.15	3900604	38.28
8.6833333333	15139	0.15	3915743	38.43
8.7	15155	0.15	3930898	38.58
8.7166666667	15253	0.15	3946151	38.73
8.7333333333	15358	0.15	3961509	38.88
8.75	15223	0.15	3976732	39.03
8.7666666667	15105	0.15	3991837	39.18
8.7833333333	15119	0.15	4006956	39.33
8.8	15133	0.15	4022089	39.47
8.8166666667	15058	0.15	4037147	39.62
8.8333333333	15174	0.15	4052321	39.77
8.85	14742	0.14	4067063	39.91
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.866666667	15020	0.15	4082083	40.06
8.883333333	14600	0.14	4096683	40.21
8.9	14689	0.14	4111372	40.35
8.916666667	14608	0.14	4125980	40.49
8.933333333	14766	0.14	4140746	40.64
8.95	14997	0.15	4155743	40.79
8.966666667	14976	0.15	4170719	40.93
8.983333333	14701	0.14	4185420	41.08
9	14659	0.14	4200079	41.22
9.016666667	14622	0.14	4214701	41.36
9.033333333	14620	0.14	4229321	41.51
9.05	14682	0.14	4244003	41.65
9.066666667	14379	0.14	4258382	41.79
9.083333333	14371	0.14	4272753	41.93
9.1	14355	0.14	4287108	42.07
9.116666667	14027	0.14	4301135	42.21
9.133333333	14001	0.14	4315136	42.35
9.15	14047	0.14	4329183	42.49
9.166666667	13849	0.14	4343032	42.62
9.183333333	13643	0.13	4356675	42.76
9.2	13833	0.14	4370508	42.89
9.216666667	13681	0.13	4384189	43.03
9.233333333	13622	0.13	4397811	43.16
9.25	13538	0.13	4411349	43.29
9.266666667	13439	0.13	4424788	43.43
9.283333333	13494	0.13	4438282	43.56
9.3	13364	0.13	4451646	43.69
9.316666667	13220	0.13	4464866	43.82
9.333333333	12852	0.13	4477718	43.95
9.35	12822	0.13	4490540	44.07
9.366666667	12575	0.12	4503115	44.19
9.383333333	12470	0.12	4515585	44.32
9.4	12230	0.12	4527815	44.44
9.416666667	12000	0.12	4539815	44.55
9.433333333	12214	0.12	4552029	44.67
9.45	12099	0.12	4564128	44.79
9.466666667	11925	0.12	4576053	44.91
9.483333333	11807	0.12	4587860	45.03
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9.5	11727	0.12	4599587	45.14
9.516666667	11843	0.12	4611430	45.26
9.533333333	11649	0.11	4623079	45.37
9.55	11631	0.11	4634710	45.49
9.566666667	11304	0.11	4646014	45.60
9.583333333	11318	0.11	4657332	45.71
9.6	11449	0.11	4668781	45.82
9.616666667	11267	0.11	4680048	45.93
9.633333333	11159	0.11	4691207	46.04
9.65	11629	0.11	4702836	46.15
9.666666667	11463	0.11	4714299	46.27
9.683333333	11378	0.11	4725677	46.38
9.7	11569	0.11	4737246	46.49
9.716666667	11721	0.12	4748967	46.61
9.733333333	11952	0.12	4760919	46.72
9.75	12014	0.12	4772933	46.84
9.766666667	12135	0.12	4785068	46.96
9.783333333	11990	0.12	4797058	47.08
9.8	12041	0.12	4809099	47.20
9.816666667	11863	0.12	4820962	47.31
9.833333333	12062	0.12	4833024	47.43
9.85	12087	0.12	4845111	47.55
9.866666667	12021	0.12	4857132	47.67
9.883333333	11905	0.12	4869037	47.79
9.9	12221	0.12	4881258	47.91
9.916666667	11932	0.12	4893190	48.02
9.933333333	12161	0.12	4905351	48.14
9.95	12359	0.12	4917710	48.26
9.966666667	12493	0.12	4930203	48.39
9.983333333	12672	0.12	4942875	48.51
10	12334	0.12	4955209	48.63
10.016666667	12522	0.12	4967731	48.75
10.033333333	12599	0.12	4980330	48.88
10.05	12771	0.13	4993101	49.00
10.066666667	12975	0.13	5006076	49.13
10.083333333	12860	0.13	5018936	49.26
10.1	12907	0.13	5031843	49.38
10.116666667	13327	0.13	5045170	49.51
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.133333333	13348	0.13	5058518	49.65
10.15	13761	0.14	5072279	49.78
10.166666667	13827	0.14	5086106	49.92
10.183333333	14058	0.14	5100164	50.05
10.2	14548	0.14	5114712	50.20
10.216666667	14695	0.14	5129407	50.34
10.233333333	15003	0.15	5144410	50.49
10.25	15212	0.15	5159622	50.64
10.266666667	15420	0.15	5175042	50.79
10.283333333	15404	0.15	5190446	50.94
10.3	15550	0.15	5205996	51.09
10.316666667	15348	0.15	5221344	51.24
10.333333333	15418	0.15	5236762	51.39
10.35	15580	0.15	5252342	51.55
10.366666667	15233	0.15	5267575	51.70
10.383333333	15360	0.15	5282935	51.85
10.4	15235	0.15	5298170	52.00
10.416666667	15515	0.15	5313685	52.15
10.433333333	15229	0.15	5328914	52.30
10.45	15241	0.15	5344155	52.45
10.466666667	15333	0.15	5359488	52.60
10.483333333	15100	0.15	5374588	52.75
10.5	15040	0.15	5389628	52.89
10.516666667	14852	0.15	5404480	53.04
10.533333333	15025	0.15	5419505	53.19
10.55	14964	0.15	5434469	53.33
10.566666667	15000	0.15	5449469	53.48
10.583333333	14905	0.15	5464374	53.63
10.6	14970	0.15	5479344	53.78
10.616666667	15110	0.15	5494454	53.92
10.633333333	15069	0.15	5509523	54.07
10.65	15150	0.15	5524673	54.22
10.666666667	15225	0.15	5539898	54.37
10.683333333	14931	0.15	5554829	54.52
10.7	15147	0.15	5569976	54.66
10.716666667	15058	0.15	5585034	54.81
10.733333333	15134	0.15	5600168	54.96
10.75	15148	0.15	5615316	55.11
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.76666667	15082	0.15	5630398	55.26
10.78333333	15115	0.15	5645513	55.41
10.8	14972	0.15	5660485	55.55
10.81666667	14917	0.15	5675402	55.70
10.83333333	14849	0.15	5690251	55.85
10.85	14808	0.15	5705059	55.99
10.86666667	14951	0.15	5720010	56.14
10.88333333	14807	0.15	5734817	56.28
10.9	14900	0.15	5749717	56.43
10.91666667	14764	0.14	5764481	56.57
10.93333333	14810	0.15	5779291	56.72
10.95	14820	0.15	5794111	56.86
10.96666667	14908	0.15	5809019	57.01
10.98333333	14754	0.14	5823773	57.16
11	14836	0.15	5838609	57.30
11.01666667	14668	0.14	5853277	57.45
11.03333333	15011	0.15	5868288	57.59
11.05	14979	0.15	5883267	57.74
11.06666667	14902	0.15	5898169	57.89
11.08333333	15100	0.15	5913269	58.03
11.1	14992	0.15	5928261	58.18
11.11666667	15292	0.15	5943553	58.33
11.13333333	15066	0.15	5958619	58.48
11.15	15269	0.15	5973888	58.63
11.16666667	15288	0.15	5989176	58.78
11.18333333	15529	0.15	6004705	58.93
11.2	15733	0.15	6020438	59.09
11.21666667	15747	0.15	6036185	59.24
11.23333333	15955	0.16	6052140	59.40
11.25	15852	0.16	6067992	59.55
11.26666667	15715	0.15	6083707	59.71
11.28333333	16072	0.16	6099779	59.86
11.3	16012	0.16	6115791	60.02
11.31666667	15805	0.16	6131596	60.18
11.33333333	15877	0.16	6147473	60.33
11.35	15386	0.15	6162859	60.48
11.36666667	15465	0.15	6178324	60.64
11.38333333	15245	0.15	6193569	60.78
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11.4	15101	0.15	6208670	60.93
11.416666667	15041	0.15	6223711	61.08
11.433333333	14797	0.15	6238508	61.23
11.45	14845	0.15	6253353	61.37
11.466666667	14453	0.14	6267806	61.51
11.483333333	14305	0.14	6282111	61.65
11.5	14406	0.14	6296517	61.80
11.516666667	14181	0.14	6310698	61.93
11.533333333	14049	0.14	6324747	62.07
11.55	13876	0.14	6338623	62.21
11.566666667	13689	0.13	6352312	62.34
11.583333333	13746	0.13	6366058	62.48
11.6	13331	0.13	6379389	62.61
11.616666667	13304	0.13	6392693	62.74
11.633333333	13786	0.14	6406479	62.87
11.65	13296	0.13	6419775	63.00
11.666666667	13232	0.13	6433007	63.13
11.683333333	13091	0.13	6446098	63.26
11.7	13003	0.13	6459101	63.39
11.716666667	12895	0.13	6471996	63.52
11.733333333	12745	0.13	6484741	63.64
11.75	12615	0.12	6497356	63.77
11.766666667	12626	0.12	6509982	63.89
11.783333333	12529	0.12	6522511	64.01
11.8	12300	0.12	6534811	64.13
11.816666667	12393	0.12	6547204	64.26
11.833333333	12190	0.12	6559394	64.38
11.85	12089	0.12	6571483	64.49
11.866666667	11747	0.12	6583230	64.61
11.883333333	11617	0.11	6594847	64.72
11.9	11808	0.12	6606655	64.84
11.916666667	11667	0.11	6618322	64.95
11.933333333	11342	0.11	6629664	65.06
11.95	11258	0.11	6640922	65.18
11.966666667	11579	0.11	6652501	65.29
11.983333333	11188	0.11	6663689	65.40
12	11371	0.11	6675060	65.51
12.016666667	11089	0.11	6686149	65.62
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.033333333	10939	0.11	6697088	65.73
12.05	10814	0.11	6707902	65.83
12.066666667	10711	0.11	6718613	65.94
12.083333333	10735	0.11	6729348	66.04
12.1	10770	0.11	6740118	66.15
12.116666667	10217	0.10	6750335	66.25
12.133333333	10393	0.10	6760728	66.35
12.15	10448	0.10	6771176	66.45
12.166666667	9997	0.10	6781173	66.55
12.183333333	9928	0.10	6791101	66.65
12.2	9789	0.10	6800890	66.75
12.216666667	9859	0.10	6810749	66.84
12.233333333	9692	0.10	6820441	66.94
12.25	9591	0.09	6830032	67.03
12.266666667	9580	0.09	6839612	67.13
12.283333333	9407	0.09	6849019	67.22
12.3	9567	0.09	6858586	67.31
12.316666667	9271	0.09	6867857	67.40
12.333333333	9457	0.09	6877314	67.50
12.35	9348	0.09	6886662	67.59
12.366666667	9078	0.09	6895740	67.68
12.383333333	9041	0.09	6904781	67.76
12.4	9114	0.09	6913895	67.85
12.416666667	9023	0.09	6922918	67.94
12.433333333	8624	0.08	6931542	68.03
12.45	8884	0.09	6940426	68.11
12.466666667	8785	0.09	6949211	68.20
12.483333333	8779	0.09	6957990	68.29
12.5	8606	0.08	6966596	68.37
12.516666667	8589	0.08	6975185	68.46
12.533333333	8713	0.09	6983898	68.54
12.55	8487	0.08	6992385	68.62
12.566666667	9013	0.09	7001398	68.71
12.583333333	8914	0.09	7010312	68.80
12.6	8842	0.09	7019154	68.89
12.616666667	9030	0.09	7028184	68.98
12.633333333	8990	0.09	7037174	69.06
12.65	9014	0.09	7046188	69.15
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.66666667	9004	0.09	7055192	69.24
12.68333333	9246	0.09	7064438	69.33
12.7	9080	0.09	7073518	69.42
12.71666667	9263	0.09	7082781	69.51
12.73333333	9383	0.09	7092164	69.60
12.75	9269	0.09	7101433	69.69
12.76666667	9357	0.09	7110790	69.79
12.78333333	9270	0.09	7120060	69.88
12.8	9354	0.09	7129414	69.97
12.81666667	9556	0.09	7138970	70.06
12.83333333	9639	0.09	7148609	70.16
12.85	9843	0.10	7158452	70.25
12.86666667	9702	0.10	7168154	70.35
12.88333333	9718	0.10	7177872	70.44
12.9	9810	0.10	7187682	70.54
12.91666667	9653	0.09	7197335	70.64
12.93333333	9900	0.10	7207235	70.73
12.95	10003	0.10	7217238	70.83
12.96666667	9934	0.10	7227172	70.93
12.98333333	9961	0.10	7237133	71.03
13	9806	0.10	7246939	71.12
13.01666667	9831	0.10	7256770	71.22
13.03333333	10378	0.10	7267148	71.32
13.05	10377	0.10	7277525	71.42
13.06666667	10421	0.10	7287946	71.53
13.08333333	10318	0.10	7298264	71.63
13.1	10484	0.10	7308748	71.73
13.11666667	10504	0.10	7319252	71.83
13.13333333	10797	0.11	7330049	71.94
13.15	10967	0.11	7341016	72.05
13.16666667	10686	0.10	7351702	72.15
13.18333333	11101	0.11	7362803	72.26
13.2	11367	0.11	7374170	72.37
13.21666667	11288	0.11	7385458	72.48
13.23333333	11180	0.11	7396638	72.59
13.25	11426	0.11	7408064	72.70
13.26666667	11779	0.12	7419843	72.82
13.28333333	11628	0.11	7431471	72.93
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.3	11661	0.11	7443132	73.05
13.316666667	11782	0.12	7454914	73.16
13.333333333	11537	0.11	7466451	73.28
13.35	11553	0.11	7478004	73.39
13.366666667	11517	0.11	7489521	73.50
13.383333333	11330	0.11	7500851	73.61
13.4	11303	0.11	7512154	73.73
13.416666667	11093	0.11	7523247	73.83
13.433333333	11251	0.11	7534498	73.94
13.45	11176	0.11	7545674	74.05
13.466666667	11246	0.11	7556920	74.17
13.483333333	11232	0.11	7568152	74.28
13.5	11036	0.11	7579188	74.38
13.516666667	11050	0.11	7590238	74.49
13.533333333	10958	0.11	7601196	74.60
13.55	10901	0.11	7612097	74.71
13.566666667	11026	0.11	7623123	74.81
13.583333333	11155	0.11	7634278	74.92
13.6	10988	0.11	7645266	75.03
13.616666667	11024	0.11	7656290	75.14
13.633333333	11005	0.11	7667295	75.25
13.65	10965	0.11	7678260	75.36
13.666666667	10927	0.11	7689187	75.46
13.683333333	11143	0.11	7700330	75.57
13.7	10875	0.11	7711205	75.68
13.716666667	10838	0.11	7722043	75.79
13.733333333	10832	0.11	7732875	75.89
13.75	10448	0.10	7743323	75.99
13.766666667	10697	0.10	7754020	76.10
13.783333333	10608	0.10	7764628	76.20
13.8	10807	0.11	7775435	76.31
13.816666667	10459	0.10	7785894	76.41
13.833333333	10467	0.10	7796361	76.51
13.85	10480	0.10	7806841	76.62
13.866666667	9962	0.10	7816803	76.72
13.883333333	10167	0.10	7826970	76.82
13.9	10382	0.10	7837352	76.92
13.916666667	9972	0.10	7847324	77.02
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.933333333	10089	0.10	7857413	77.11
13.95	10035	0.10	7867448	77.21
13.966666667	10088	0.10	7877536	77.31
13.983333333	9957	0.10	7887493	77.41
14	9868	0.10	7897361	77.51
14.016666667	9951	0.10	7907312	77.60
14.033333333	10004	0.10	7917316	77.70
14.05	10036	0.10	7927352	77.80
14.066666667	9754	0.10	7937106	77.90
14.083333333	9972	0.10	7947078	77.99
14.1	9742	0.10	7956820	78.09
14.116666667	9805	0.10	7966625	78.19
14.133333333	9795	0.10	7976420	78.28
14.15	9736	0.10	7986156	78.38
14.166666667	9698	0.10	7995854	78.47
14.183333333	9740	0.10	8005594	78.57
14.2	9794	0.10	8015388	78.66
14.216666667	9645	0.09	8025033	78.76
14.233333333	9668	0.09	8034701	78.85
14.25	9806	0.10	8044507	78.95
14.266666667	9811	0.10	8054318	79.05
14.283333333	9659	0.09	8063977	79.14
14.3	9719	0.10	8073696	79.24
14.316666667	9645	0.09	8083341	79.33
14.333333333	9600	0.09	8092941	79.43
14.35	9731	0.10	8102672	79.52
14.366666667	9711	0.10	8112383	79.62
14.383333333	9506	0.09	8121889	79.71
14.4	9370	0.09	8131259	79.80
14.416666667	9456	0.09	8140715	79.89
14.433333333	9524	0.09	8150239	79.99
14.45	9377	0.09	8159616	80.08
14.466666667	9167	0.09	8168783	80.17
14.483333333	9182	0.09	8177965	80.26
14.5	9308	0.09	8187273	80.35
14.516666667	9246	0.09	8196519	80.44
14.533333333	9005	0.09	8205524	80.53
14.55	8949	0.09	8214473	80.62
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14.566666667	8877	0.09	8223350	80.71
14.583333333	8870	0.09	8232220	80.79
14.6	8891	0.09	8241111	80.88
14.616666667	8990	0.09	8250101	80.97
14.633333333	8966	0.09	8259067	81.06
14.65	8817	0.09	8267884	81.14
14.666666667	8680	0.09	8276564	81.23
14.683333333	9046	0.09	8285610	81.32
14.7	8907	0.09	8294517	81.40
14.716666667	8765	0.09	8303282	81.49
14.733333333	8824	0.09	8312106	81.58
14.75	8744	0.09	8320850	81.66
14.766666667	8813	0.09	8329663	81.75
14.783333333	8696	0.09	8338359	81.83
14.8	8722	0.09	8347081	81.92
14.816666667	8458	0.08	8355539	82.00
14.833333333	8485	0.08	8364024	82.09
14.85	8493	0.08	8372517	82.17
14.866666667	8378	0.08	8380895	82.25
14.883333333	8270	0.08	8389165	82.33
14.9	8326	0.08	8397491	82.41
14.916666667	8456	0.08	8405947	82.50
14.933333333	8166	0.08	8414113	82.58
14.95	8013	0.08	8422126	82.66
14.966666667	8041	0.08	8430167	82.74
14.983333333	7987	0.08	8438154	82.81
15	8016	0.08	8446170	82.89
15.016666667	7825	0.08	8453995	82.97
15.033333333	7920	0.08	8461915	83.05
15.05	7934	0.08	8469849	83.12
15.066666667	7773	0.08	8477622	83.20
15.083333333	7804	0.08	8485426	83.28
15.1	8084	0.08	8493510	83.36
15.116666667	7847	0.08	8501357	83.43
15.133333333	7832	0.08	8509189	83.51
15.15	7885	0.08	8517074	83.59
15.166666667	7876	0.08	8524950	83.67
15.183333333	7937	0.08	8532887	83.74
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.2	7800	0.08	8540687	83.82
15.216666667	8242	0.08	8548929	83.90
15.233333333	8116	0.08	8557045	83.98
15.25	8065	0.08	8565110	84.06
15.266666667	8091	0.08	8573201	84.14
15.283333333	7966	0.08	8581167	84.22
15.3	7941	0.08	8589108	84.30
15.316666667	7974	0.08	8597082	84.37
15.333333333	7866	0.08	8604948	84.45
15.35	7847	0.08	8612795	84.53
15.366666667	7789	0.08	8620584	84.60
15.383333333	7847	0.08	8628431	84.68
15.4	7696	0.08	8636127	84.76
15.416666667	7674	0.08	8643801	84.83
15.433333333	7571	0.07	8651372	84.91
15.45	7510	0.07	8658882	84.98
15.466666667	7481	0.07	8666363	85.05
15.483333333	7527	0.07	8673890	85.13
15.5	7670	0.08	8681560	85.20
15.516666667	7473	0.07	8689033	85.28
15.533333333	7430	0.07	8696463	85.35
15.55	7668	0.08	8704131	85.42
15.566666667	7655	0.08	8711786	85.50
15.583333333	7456	0.07	8719242	85.57
15.6	7482	0.07	8726724	85.65
15.616666667	7634	0.07	8734358	85.72
15.633333333	7567	0.07	8741925	85.79
15.65	7438	0.07	8749363	85.87
15.666666667	7690	0.08	8757053	85.94
15.683333333	7501	0.07	8764554	86.02
15.7	7527	0.07	8772081	86.09
15.716666667	7578	0.07	8779659	86.17
15.733333333	7628	0.07	8787287	86.24
15.75	7746	0.08	8795033	86.32
15.766666667	7610	0.07	8802643	86.39
15.783333333	7638	0.07	8810281	86.47
15.8	7606	0.07	8817887	86.54
15.816666667	7501	0.07	8825388	86.61
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.833333333	7590	0.07	8832978	86.69
15.85	7552	0.07	8840530	86.76
15.866666667	7493	0.07	8848023	86.84
15.883333333	7471	0.07	8855494	86.91
15.9	7229	0.07	8862723	86.98
15.916666667	7370	0.07	8870093	87.05
15.933333333	7274	0.07	8877367	87.12
15.95	7355	0.07	8884722	87.20
15.966666667	7265	0.07	8891987	87.27
15.983333333	7422	0.07	8899409	87.34
16	7361	0.07	8906770	87.41
16.016666667	7303	0.07	8914073	87.48
16.033333333	7482	0.07	8921555	87.56
16.05	7216	0.07	8928771	87.63
16.066666667	7407	0.07	8936178	87.70
16.083333333	7355	0.07	8943533	87.77
16.1	7280	0.07	8950813	87.84
16.116666667	7403	0.07	8958216	87.92
16.133333333	7587	0.07	8965803	87.99
16.15	7550	0.07	8973353	88.07
16.166666667	7280	0.07	8980633	88.14
16.183333333	7435	0.07	8988068	88.21
16.2	7452	0.07	8995520	88.28
16.216666667	7626	0.07	9003146	88.36
16.233333333	7706	0.08	9010852	88.43
16.25	7649	0.08	9018501	88.51
16.266666667	7685	0.08	9026186	88.58
16.283333333	7581	0.07	9033767	88.66
16.3	7474	0.07	9041241	88.73
16.316666667	7684	0.08	9048925	88.81
16.333333333	7628	0.07	9056553	88.88
16.35	7716	0.08	9064269	88.96
16.366666667	7508	0.07	9071777	89.03
16.383333333	7802	0.08	9079579	89.11
16.4	7808	0.08	9087387	89.19
16.416666667	7895	0.08	9095282	89.26
16.433333333	7731	0.08	9103013	89.34
16.45	7783	0.08	9110796	89.42
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
16.466666667	7834	0.08	9118630	89.49
16.483333333	7964	0.08	9126594	89.57
16.5	8007	0.08	9134601	89.65
16.516666667	7839	0.08	9142440	89.73
16.533333333	7907	0.08	9150347	89.80
16.55	7969	0.08	9158316	89.88
16.566666667	7844	0.08	9166160	89.96
16.583333333	7833	0.08	9173993	90.04
16.6	7757	0.08	9181750	90.11
16.616666667	7787	0.08	9189537	90.19
16.633333333	7898	0.08	9197435	90.27
16.65	7869	0.08	9205304	90.34
16.666666667	7969	0.08	9213273	90.42
16.683333333	7988	0.08	9221261	90.50
16.7	7720	0.08	9228981	90.57
16.716666667	7969	0.08	9236950	90.65
16.733333333	7939	0.08	9244889	90.73
16.75	8164	0.08	9253053	90.81
16.766666667	8035	0.08	9261088	90.89
16.783333333	7826	0.08	9268914	90.97
16.8	8075	0.08	9276989	91.05
16.816666667	7858	0.08	9284847	91.12
16.833333333	7730	0.08	9292577	91.20
16.85	7919	0.08	9300496	91.28
16.866666667	7783	0.08	9308279	91.35
16.883333333	7805	0.08	9316084	91.43
16.9	7708	0.08	9323792	91.51
16.916666667	7797	0.08	9331589	91.58
16.933333333	7698	0.08	9339287	91.66
16.95	7975	0.08	9347262	91.74
16.966666667	7927	0.08	9355189	91.81
16.983333333	7750	0.08	9362939	91.89
17	7834	0.08	9370773	91.97
17.016666667	7631	0.07	9378404	92.04
17.033333333	7836	0.08	9386240	92.12
17.05	7555	0.07	9393795	92.19
17.066666667	7595	0.07	9401390	92.27
17.083333333	7723	0.08	9409113	92.34
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.1	7648	0.08	9416761	92.42
17.116666667	7965	0.08	9424726	92.50
17.133333333	7555	0.07	9432281	92.57
17.15	7893	0.08	9440174	92.65
17.166666667	7832	0.08	9448006	92.72
17.183333333	7817	0.08	9455823	92.80
17.2	7806	0.08	9463629	92.88
17.216666667	7731	0.08	9471360	92.95
17.233333333	7620	0.07	9478980	93.03
17.25	7684	0.08	9486664	93.10
17.266666667	7504	0.07	9494168	93.18
17.283333333	7603	0.07	9501771	93.25
17.3	7476	0.07	9509247	93.33
17.316666667	7513	0.07	9516760	93.40
17.333333333	7334	0.07	9524094	93.47
17.35	7560	0.07	9531654	93.55
17.366666667	7483	0.07	9539137	93.62
17.383333333	7342	0.07	9546479	93.69
17.4	7257	0.07	9553736	93.76
17.416666667	7236	0.07	9560972	93.83
17.433333333	7278	0.07	9568250	93.90
17.45	7397	0.07	9575647	93.98
17.466666667	7248	0.07	9582895	94.05
17.483333333	7404	0.07	9590299	94.12
17.5	7113	0.07	9597412	94.19
17.516666667	7250	0.07	9604662	94.26
17.533333333	7192	0.07	9611854	94.33
17.55	7150	0.07	9619004	94.40
17.566666667	7141	0.07	9626145	94.47
17.583333333	7024	0.07	9633169	94.54
17.6	7095	0.07	9640264	94.61
17.616666667	6981	0.07	9647245	94.68
17.633333333	6964	0.07	9654209	94.75
17.65	7137	0.07	9661346	94.82
17.666666667	7062	0.07	9668408	94.89
17.683333333	7105	0.07	9675513	94.96
17.7	7108	0.07	9682621	95.03
17.716666667	7017	0.07	9689638	95.10
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.733333333	6776	0.07	9696414	95.16
17.75	6934	0.07	9703348	95.23
17.766666667	6936	0.07	9710284	95.30
17.783333333	6604	0.06	9716888	95.36
17.8	6791	0.07	9723679	95.43
17.816666667	6770	0.07	9730449	95.50
17.833333333	6670	0.07	9737119	95.56
17.85	6577	0.06	9743696	95.63
17.866666667	6653	0.07	9750349	95.69
17.883333333	6733	0.07	9757082	95.76
17.9	6548	0.06	9763630	95.82
17.916666667	6579	0.06	9770209	95.89
17.933333333	6498	0.06	9776707	95.95
17.95	6458	0.06	9783165	96.01
17.966666667	6477	0.06	9789642	96.08
17.983333333	6355	0.06	9795997	96.14
18	6102	0.06	9802099	96.20
18.016666667	6286	0.06	9808385	96.26
18.033333333	6015	0.06	9814400	96.32
18.05	6283	0.06	9820683	96.38
18.066666667	6118	0.06	9826801	96.44
18.083333333	6168	0.06	9832969	96.50
18.1	6036	0.06	9839005	96.56
18.116666667	5992	0.06	9844997	96.62
18.133333333	5820	0.06	9850817	96.68
18.15	6010	0.06	9856827	96.74
18.166666667	5933	0.06	9862760	96.79
18.183333333	5846	0.06	9868606	96.85
18.2	5753	0.06	9874359	96.91
18.216666667	5846	0.06	9880205	96.97
18.233333333	5621	0.06	9885826	97.02
18.25	5680	0.06	9891506	97.08
18.266666667	5611	0.06	9897117	97.13
18.283333333	5496	0.05	9902613	97.19
18.3	5519	0.05	9908132	97.24
18.316666667	5440	0.05	9913572	97.29
18.333333333	5393	0.05	9918965	97.35
18.35	5237	0.05	9924202	97.40
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18.36666667	5233	0.05	9929435	97.45
18.38333333	5006	0.05	9934441	97.50
18.4	5119	0.05	9939560	97.55
18.41666667	4948	0.05	9944508	97.60
18.43333333	5024	0.05	9949532	97.65
18.45	4875	0.05	9954407	97.69
18.46666667	4869	0.05	9959276	97.74
18.48333333	4783	0.05	9964059	97.79
18.5	4682	0.05	9968741	97.84
18.51666667	4596	0.05	9973337	97.88
18.53333333	4612	0.05	9977949	97.93
18.55	4540	0.04	9982489	97.97
18.56666667	4569	0.04	9987058	98.01
18.58333333	4456	0.04	9991514	98.06
18.6	4487	0.04	9996001	98.10
18.61666667	4411	0.04	10000412	98.15
18.63333333	4300	0.04	10004712	98.19
18.65	4333	0.04	10009045	98.23
18.66666667	4243	0.04	10013288	98.27
18.68333333	4213	0.04	10017501	98.31
18.7	4078	0.04	10021579	98.35
18.71666667	4207	0.04	10025786	98.39
18.73333333	4060	0.04	10029846	98.43
18.75	3878	0.04	10033724	98.47
18.76666667	3882	0.04	10037606	98.51
18.78333333	3801	0.04	10041407	98.55
18.8	3734	0.04	10045141	98.58
18.81666667	3745	0.04	10048886	98.62
18.83333333	3605	0.04	10052491	98.66
18.85	3589	0.04	10056080	98.69
18.86666667	3461	0.03	10059541	98.73
18.88333333	3401	0.03	10062942	98.76
18.9	3504	0.03	10066446	98.79
18.91666667	3341	0.03	10069787	98.83
18.93333333	3274	0.03	10073061	98.86
18.95	3214	0.03	10076275	98.89
18.96666667	3261	0.03	10079536	98.92
18.98333333	3093	0.03	10082629	98.95
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19	3050	0.03	10085679	98.98
19.016666667	3069	0.03	10088748	99.01
19.033333333	3026	0.03	10091774	99.04
19.05	2895	0.03	10094669	99.07
19.066666667	2815	0.03	10097484	99.10
19.083333333	2713	0.03	10100197	99.13
19.1	2680	0.03	10102877	99.15
19.116666667	2591	0.03	10105468	99.18
19.133333333	2669	0.03	10108137	99.20
19.15	2445	0.02	10110582	99.23
19.166666667	2450	0.02	10113032	99.25
19.183333333	2372	0.02	10115404	99.27
19.2	2235	0.02	10117639	99.30
19.216666667	2272	0.02	10119911	99.32
19.233333333	2165	0.02	10122076	99.34
19.25	2067	0.02	10124143	99.36
19.266666667	1930	0.02	10126073	99.38
19.283333333	1911	0.02	10127984	99.40
19.3	1911	0.02	10129895	99.42
19.316666667	1806	0.02	10131701	99.43
19.333333333	1705	0.02	10133406	99.45
19.35	1646	0.02	10135052	99.47
19.366666667	1629	0.02	10136681	99.48
19.383333333	1470	0.01	10138151	99.50
19.4	1533	0.02	10139684	99.51
19.416666667	1438	0.01	10141122	99.53
19.433333333	1484	0.01	10142606	99.54
19.45	1410	0.01	10144016	99.56
19.466666667	1384	0.01	10145400	99.57
19.483333333	1302	0.01	10146702	99.58
19.5	1215	0.01	10147917	99.59
19.516666667	1148	0.01	10149065	99.60
19.533333333	1044	0.01	10150109	99.62
19.55	1012	0.01	10151121	99.62
19.566666667	986	0.01	10152107	99.63
19.583333333	1045	0.01	10153152	99.64
19.6	965	0.01	10154117	99.65
19.616666667	932	0.01	10155049	99.66
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19.633333333	997	0.01	10156046	99.67
19.65	968	0.01	10157014	99.68
19.666666667	954	0.01	10157968	99.69
19.683333333	910	0.01	10158878	99.70
19.7	849	0.01	10159727	99.71
19.716666667	852	0.01	10160579	99.72
19.733333333	793	0.01	10161372	99.73
19.75	833	0.01	10162205	99.73
19.766666667	803	0.01	10163008	99.74
19.783333333	794	0.01	10163802	99.75
19.8	766	0.01	10164568	99.76
19.816666667	761	0.01	10165329	99.76
19.833333333	734	0.01	10166063	99.77
19.85	670	0.01	10166733	99.78
19.866666667	722	0.01	10167455	99.79
19.883333333	711	0.01	10168166	99.79
19.9	639	0.01	10168805	99.80
19.916666667	680	0.01	10169485	99.81
19.933333333	662	0.01	10170147	99.81
19.95	596	0.01	10170743	99.82
19.966666667	584	0.01	10171327	99.82
19.983333333	534	0.01	10171861	99.83
20	546	0.01	10172407	99.83
20.016666667	487	0.00	10172894	99.84
20.033333333	482	0.00	10173376	99.84
20.05	474	0.00	10173850	99.85
20.066666667	480	0.00	10174330	99.85
20.083333333	438	0.00	10174768	99.86
20.1	457	0.00	10175225	99.86
20.116666667	405	0.00	10175630	99.87
20.133333333	370	0.00	10176000	99.87
20.15	326	0.00	10176326	99.87
20.166666667	313	0.00	10176639	99.88
20.183333333	290	0.00	10176929	99.88
20.2	356	0.00	10177285	99.88
20.216666667	253	0.00	10177538	99.88
20.233333333	303	0.00	10177841	99.89
20.25	317	0.00	10178158	99.89
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.266666667	261	0.00	10178419	99.89
20.283333333	229	0.00	10178648	99.90
20.3	244	0.00	10178892	99.90
20.316666667	291	0.00	10179183	99.90
20.333333333	249	0.00	10179432	99.90
20.35	235	0.00	10179667	99.91
20.366666667	225	0.00	10179892	99.91
20.383333333	213	0.00	10180105	99.91
20.4	216	0.00	10180321	99.91
20.416666667	220	0.00	10180541	99.91
20.433333333	175	0.00	10180716	99.92
20.45	177	0.00	10180893	99.92
20.466666667	192	0.00	10181085	99.92
20.483333333	194	0.00	10181279	99.92
20.5	181	0.00	10181460	99.92
20.516666667	179	0.00	10181639	99.92
20.533333333	169	0.00	10181808	99.93
20.55	155	0.00	10181963	99.93
20.566666667	135	0.00	10182098	99.93
20.583333333	111	0.00	10182209	99.93
20.6	115	0.00	10182324	99.93
20.616666667	115	0.00	10182439	99.93
20.633333333	100	0.00	10182539	99.93
20.65	90	0.00	10182629	99.93
20.666666667	88	0.00	10182717	99.94
20.683333333	94	0.00	10182811	99.94
20.7	102	0.00	10182913	99.94
20.716666667	102	0.00	10183015	99.94
20.733333333	86	0.00	10183101	99.94
20.75	82	0.00	10183183	99.94
20.766666667	85	0.00	10183268	99.94
20.783333333	77	0.00	10183345	99.94
20.8	91	0.00	10183436	99.94
20.816666667	88	0.00	10183524	99.94
20.833333333	59	0.00	10183583	99.94
20.85	64	0.00	10183647	99.94
20.866666667	67	0.00	10183714	99.94
20.883333333	81	0.00	10183795	99.95
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.9	61	0.00	10183856	99.95
20.916666667	51	0.00	10183907	99.95
20.933333333	75	0.00	10183982	99.95
20.95	55	0.00	10184037	99.95
20.966666667	47	0.00	10184084	99.95
20.983333333	80	0.00	10184164	99.95
21	62	0.00	10184226	99.95
21.016666667	67	0.00	10184293	99.95
21.033333333	62	0.00	10184355	99.95
21.05	57	0.00	10184412	99.95
21.066666667	57	0.00	10184469	99.95
21.083333333	56	0.00	10184525	99.95
21.1	60	0.00	10184585	99.95
21.116666667	48	0.00	10184633	99.95
21.133333333	47	0.00	10184680	99.95
21.15	43	0.00	10184723	99.95
21.166666667	57	0.00	10184780	99.96
21.183333333	49	0.00	10184829	99.96
21.2	46	0.00	10184875	99.96
21.216666667	55	0.00	10184930	99.96
21.233333333	58	0.00	10184988	99.96
21.25	66	0.00	10185054	99.96
21.266666667	78	0.00	10185132	99.96
21.283333333	70	0.00	10185202	99.96
21.3	75	0.00	10185277	99.96
21.316666667	74	0.00	10185351	99.96
21.333333333	76	0.00	10185427	99.96
21.35	86	0.00	10185513	99.96
21.366666667	66	0.00	10185579	99.96
21.383333333	68	0.00	10185647	99.96
21.4	57	0.00	10185704	99.96
21.416666667	62	0.00	10185766	99.96
21.433333333	56	0.00	10185822	99.97
21.45	50	0.00	10185872	99.97
21.466666667	65	0.00	10185937	99.97
21.483333333	54	0.00	10185991	99.97
21.5	49	0.00	10186040	99.97
21.516666667	56	0.00	10186096	99.97
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
21.533333333	48	0.00	10186144	99.97
21.55	38	0.00	10186182	99.97
21.566666667	36	0.00	10186218	99.97
21.583333333	34	0.00	10186252	99.97
21.6	44	0.00	10186296	99.97
21.616666667	46	0.00	10186342	99.97
21.633333333	55	0.00	10186397	99.97
21.65	46	0.00	10186443	99.97
21.666666667	34	0.00	10186477	99.97
21.683333333	48	0.00	10186525	99.97
21.7	36	0.00	10186561	99.97
21.716666667	35	0.00	10186596	99.97
21.733333333	26	0.00	10186622	99.97
21.75	28	0.00	10186650	99.97
21.766666667	41	0.00	10186691	99.97
21.783333333	41	0.00	10186732	99.97
21.8	29	0.00	10186761	99.97
21.816666667	27	0.00	10186788	99.98
21.833333333	29	0.00	10186817	99.98
21.85	31	0.00	10186848	99.98
21.866666667	41	0.00	10186889	99.98
21.883333333	31	0.00	10186920	99.98
21.9	48	0.00	10186968	99.98
21.916666667	40	0.00	10187008	99.98
21.933333333	46	0.00	10187054	99.98
21.95	42	0.00	10187096	99.98
21.966666667	37	0.00	10187133	99.98
21.983333333	32	0.00	10187165	99.98
22	33	0.00	10187198	99.98
22.016666667	31	0.00	10187229	99.98
22.033333333	33	0.00	10187262	99.98
22.05	31	0.00	10187293	99.98
22.066666667	12	0.00	10187305	99.98
22.083333333	27	0.00	10187332	99.98
22.1	26	0.00	10187358	99.98
22.116666667	26	0.00	10187384	99.98
22.133333333	24	0.00	10187408	99.98
22.15	26	0.00	10187434	99.98
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.16666667	22	0.00	10187456	99.98
22.18333333	27	0.00	10187483	99.98
22.2	30	0.00	10187513	99.98
22.21666667	22	0.00	10187535	99.98
22.23333333	42	0.00	10187577	99.98
22.25	26	0.00	10187603	99.98
22.26666667	24	0.00	10187627	99.98
22.28333333	26	0.00	10187653	99.98
22.3	19	0.00	10187672	99.98
22.31666667	24	0.00	10187696	99.98
22.33333333	17	0.00	10187713	99.98
22.35	26	0.00	10187739	99.98
22.36666667	21	0.00	10187760	99.98
22.38333333	23	0.00	10187783	99.98
22.4	20	0.00	10187803	99.98
22.41666667	21	0.00	10187824	99.99
22.43333333	18	0.00	10187842	99.99
22.45	16	0.00	10187858	99.99
22.46666667	14	0.00	10187872	99.99
22.48333333	15	0.00	10187887	99.99
22.5	20	0.00	10187907	99.99
22.51666667	17	0.00	10187924	99.99
22.53333333	13	0.00	10187937	99.99
22.55	21	0.00	10187958	99.99
22.56666667	16	0.00	10187974	99.99
22.58333333	7	0.00	10187981	99.99
22.6	17	0.00	10187998	99.99
22.61666667	17	0.00	10188015	99.99
22.63333333	20	0.00	10188035	99.99
22.65	18	0.00	10188053	99.99
22.66666667	15	0.00	10188068	99.99
22.68333333	26	0.00	10188094	99.99
22.7	14	0.00	10188108	99.99
22.71666667	16	0.00	10188124	99.99
22.73333333	21	0.00	10188145	99.99
22.75	12	0.00	10188157	99.99
22.76666667	13	0.00	10188170	99.99
22.78333333	16	0.00	10188186	99.99
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.8	13	0.00	10188199	99.99
22.816666667	21	0.00	10188220	99.99
22.833333333	19	0.00	10188239	99.99
22.85	22	0.00	10188261	99.99
22.866666667	18	0.00	10188279	99.99
22.883333333	20	0.00	10188299	99.99
22.9	22	0.00	10188321	99.99
22.916666667	20	0.00	10188341	99.99
22.933333333	15	0.00	10188356	99.99
22.95	18	0.00	10188374	99.99
22.966666667	16	0.00	10188390	99.99
22.983333333	13	0.00	10188403	99.99
23	9	0.00	10188412	99.99
23.016666667	17	0.00	10188429	99.99
23.033333333	14	0.00	10188443	99.99
23.05	11	0.00	10188454	99.99
23.066666667	23	0.00	10188477	99.99
23.083333333	16	0.00	10188493	99.99
23.1	12	0.00	10188505	99.99
23.116666667	18	0.00	10188523	99.99
23.133333333	15	0.00	10188538	99.99
23.15	16	0.00	10188554	99.99
23.166666667	18	0.00	10188572	99.99
23.183333333	14	0.00	10188586	99.99
23.2	13	0.00	10188599	99.99
23.216666667	13	0.00	10188612	99.99
23.233333333	18	0.00	10188630	99.99
23.25	13	0.00	10188643	99.99
23.266666667	9	0.00	10188652	99.99
23.283333333	18	0.00	10188670	99.99
23.3	16	0.00	10188686	99.99
23.316666667	11	0.00	10188697	99.99
23.333333333	17	0.00	10188714	99.99
23.35	18	0.00	10188732	99.99
23.366666667	9	0.00	10188741	99.99
23.383333333	17	0.00	10188758	99.99
23.4	27	0.00	10188785	99.99
23.416666667	17	0.00	10188802	99.99
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
23.433333333	20	0.00	10188822	99.99
23.45	23	0.00	10188845	100.00
23.466666667	24	0.00	10188869	100.00
23.483333333	23	0.00	10188892	100.00
23.5	22	0.00	10188914	100.00
23.516666667	17	0.00	10188931	100.00
23.533333333	14	0.00	10188945	100.00
23.55	19	0.00	10188964	100.00
23.566666667	10	0.00	10188974	100.00
23.583333333	21	0.00	10188995	100.00
23.6	9	0.00	10189004	100.00
23.616666667	17	0.00	10189021	100.00
23.633333333	13	0.00	10189034	100.00
23.65	24	0.00	10189058	100.00
23.666666667	21	0.00	10189079	100.00
23.683333333	11	0.00	10189090	100.00
23.7	8	0.00	10189098	100.00
23.716666667	5	0.00	10189103	100.00
23.733333333	11	0.00	10189114	100.00
23.75	11	0.00	10189125	100.00
23.766666667	17	0.00	10189142	100.00
23.783333333	18	0.00	10189160	100.00
23.8	9	0.00	10189169	100.00
23.816666667	20	0.00	10189189	100.00
23.833333333	16	0.00	10189205	100.00
23.85	8	0.00	10189213	100.00
23.866666667	13	0.00	10189226	100.00
23.883333333	21	0.00	10189247	100.00
23.9	15	0.00	10189262	100.00
23.916666667	21	0.00	10189283	100.00
23.933333333	15	0.00	10189298	100.00
23.95	14	0.00	10189312	100.00
23.966666667	12	0.00	10189324	100.00
23.983333333	10	0.00	10189334	100.00
Frequency Missing = 84667				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donorbirthorigin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11	598258	5.82	598258	5.82
12	232870	2.27	831128	8.09
21	662421	6.45	1493549	14.54
22	8685878	84.54	10179427	99.08
99	94574	0.92	10274001	100.00

donorparity	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	6294008	61.26	6294008	61.26
1	1238182	12.05	7532190	73.31
2	2647843	25.77	10180033	99.09
9	93968	0.91	10274001	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donorbloodgroup	Frequency	Percent	Cumulative Frequency	Cumulative Percent
+	15410	0.15	15410	0.15
-	449	0.00	15859	0.16
A	3242	0.03	19101	0.19
A+	3734735	36.70	3753836	36.89
A-	829688	8.15	4583524	45.05
AB	117	0.00	4583641	45.05
AB+	317941	3.12	4901582	48.17
AB-	70110	0.69	4971692	48.86
B	479	0.00	4972171	48.87
B+	777161	7.64	5749332	56.50
B-	176788	1.74	5926120	58.24
O	2696	0.03	5928816	58.27
O+	3381854	33.24	9310670	91.50
O-	864476	8.50	10175146	100.00
Frequency Missing = 4887				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

numdonations	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	675257	6.63	675257	6.63
1	604082	5.93	1279339	12.57
2	561620	5.52	1840959	18.08
3	538642	5.29	2379601	23.38
4	531639	5.22	2911240	28.60
5	530175	5.21	3441415	33.81
6	534825	5.25	3976240	39.06
7	547675	5.38	4523915	44.44
8	565199	5.55	5089114	49.99
9	579094	5.69	5668208	55.68
10	588558	5.78	6256766	61.46
11	593225	5.83	6849991	67.29
12	586679	5.76	7436670	73.05
13	558923	5.49	7995593	78.54
14	501815	4.93	8497408	83.47
15	403321	3.96	8900729	87.43
16	343247	3.37	9243976	90.80
17	316028	3.10	9560004	93.91
18	270855	2.66	9830859	96.57
19	204967	2.01	10035826	98.58
20	98363	0.97	10134189	99.55
21	24901	0.24	10159090	99.79
22	7013	0.07	10166103	99.86
23	3604	0.04	10169707	99.90
24	2017	0.02	10171724	99.92
25	1406	0.01	10173130	99.93
26	1154	0.01	10174284	99.94
27	1007	0.01	10175291	99.95
28	1028	0.01	10176319	99.96
29	694	0.01	10177013	99.97
30	523	0.01	10177536	99.98
31	478	0.00	10178014	99.98
32	242	0.00	10178256	99.98
33	206	0.00	10178462	99.98
34	190	0.00	10178652	99.99
35	150	0.00	10178802	99.99
36	125	0.00	10178927	99.99
37	107	0.00	10179034	99.99
38	93	0.00	10179127	99.99

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

numdonations	Frequency	Percent	Cumulative Frequency	Cumulative Percent
39	71	0.00	10179198	99.99
40	64	0.00	10179262	99.99
41	59	0.00	10179321	99.99
42	61	0.00	10179382	99.99
43	45	0.00	10179427	99.99
44	42	0.00	10179469	99.99
45	36	0.00	10179505	99.99
46	35	0.00	10179540	100.00
47	34	0.00	10179574	100.00
48	35	0.00	10179609	100.00
49	36	0.00	10179645	100.00
50	51	0.00	10179696	100.00
51	44	0.00	10179740	100.00
52	31	0.00	10179771	100.00
53	35	0.00	10179806	100.00
54	24	0.00	10179830	100.00
55	22	0.00	10179852	100.00
56	22	0.00	10179874	100.00
57	16	0.00	10179890	100.00
58	14	0.00	10179904	100.00
59	12	0.00	10179916	100.00
60	9	0.00	10179925	100.00
61	9	0.00	10179934	100.00
62	7	0.00	10179941	100.00
63	6	0.00	10179947	100.00
64	6	0.00	10179953	100.00
65	6	0.00	10179959	100.00
66	3	0.00	10179962	100.00
67	3	0.00	10179965	100.00
68	3	0.00	10179968	100.00
69	2	0.00	10179970	100.00
70	2	0.00	10179972	100.00
71	4	0.00	10179976	100.00
72	2	0.00	10179978	100.00
73	2	0.00	10179980	100.00
74	3	0.00	10179983	100.00
75	1	0.00	10179984	100.00
76	1	0.00	10179985	100.00
77	1	0.00	10179986	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

numdonations	Frequency	Percent	Cumulative Frequency	Cumulative Percent
78	1	0.00	10179987	100.00
79	1	0.00	10179988	100.00
80	1	0.00	10179989	100.00
81	2	0.00	10179991	100.00
82	1	0.00	10179992	100.00
83	1	0.00	10179993	100.00
84	2	0.00	10179995	100.00
85	2	0.00	10179997	100.00
86	1	0.00	10179998	100.00
87	3	0.00	10180001	100.00
88	2	0.00	10180003	100.00
89	1	0.00	10180004	100.00
90	2	0.00	10180006	100.00
91	1	0.00	10180007	100.00
92	1	0.00	10180008	100.00
93	2	0.00	10180010	100.00
94	1	0.00	10180011	100.00
95	2	0.00	10180013	100.00
96	1	0.00	10180014	100.00
97	1	0.00	10180015	100.00
98	1	0.00	10180016	100.00
99	3	0.00	10180019	100.00
100	4	0.00	10180023	100.00
101	2	0.00	10180025	100.00
102	1	0.00	10180026	100.00
103	2	0.00	10180028	100.00
104	2	0.00	10180030	100.00
105	1	0.00	10180031	100.00
106	1	0.00	10180032	100.00
113	1	0.00	10180033	100.00

identicalbg	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	423372	4.16	423372	4.16
1	9634235	94.64	10057607	98.80
9	122426	1.20	10180033	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

wdy_donation	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	1284	0.01	1284	0.01
2	2086685	20.50	2087969	20.51
3	2537576	24.93	4625545	45.44
4	2325841	22.85	6951386	68.28
5	2222507	21.83	9173893	90.12
6	880442	8.65	10054335	98.77
7	125697	1.23	10180032	100.00
9	1	0.00	10180033	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0166666667	20	0.00	20	0.00
0.0333333333	11	0.00	31	0.00
0.05	11	0.00	42	0.00
0.0666666667	12	0.00	54	0.00
0.0833333333	13	0.00	67	0.00
0.1	25	0.00	92	0.00
0.1166666667	25	0.00	117	0.00
0.1333333333	20	0.00	137	0.00
0.15	22	0.00	159	0.00
0.1666666667	51	0.00	210	0.00
0.1833333333	14	0.00	224	0.00
0.2	13	0.00	237	0.00
0.2166666667	21	0.00	258	0.00
0.2333333333	20	0.00	278	0.00
0.25	20	0.00	298	0.00
0.2666666667	18	0.00	316	0.00
0.2833333333	15	0.00	331	0.00
0.3	17	0.00	348	0.00
0.3166666667	18	0.00	366	0.01
0.3333333333	13	0.00	379	0.01
0.35	13	0.00	392	0.01
0.3666666667	16	0.00	408	0.01
0.3833333333	11	0.00	419	0.01
0.4	21	0.00	440	0.01
0.4166666667	13	0.00	453	0.01
0.4333333333	13	0.00	466	0.01
0.45	20	0.00	486	0.01
0.4666666667	23	0.00	509	0.01
0.4833333333	18	0.00	527	0.01
0.5	21	0.00	548	0.01
0.5166666667	18	0.00	566	0.01
0.5333333333	23	0.00	589	0.01
0.55	12	0.00	601	0.01
0.5666666667	16	0.00	617	0.01
0.5833333333	16	0.00	633	0.01
0.6	11	0.00	644	0.01
0.6166666667	12	0.00	656	0.01
0.6333333333	11	0.00	667	0.01
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.65	17	0.00	684	0.01
0.666666667	17	0.00	701	0.01
0.683333333	16	0.00	717	0.01
0.7	15	0.00	732	0.01
0.716666667	25	0.00	757	0.01
0.733333333	20	0.00	777	0.01
0.75	13	0.00	790	0.01
0.766666667	21	0.00	811	0.01
0.783333333	12	0.00	823	0.01
0.8	20	0.00	843	0.01
0.816666667	22	0.00	865	0.01
0.833333333	16	0.00	881	0.01
0.85	16	0.00	897	0.01
0.866666667	19	0.00	916	0.01
0.883333333	19	0.00	935	0.01
0.9	20	0.00	955	0.01
0.916666667	20	0.00	975	0.01
0.933333333	16	0.00	991	0.01
0.95	18	0.00	1009	0.01
0.966666667	18	0.00	1027	0.01
0.983333333	21	0.00	1048	0.01
1	16	0.00	1064	0.01
1.016666667	17	0.00	1081	0.01
1.033333333	21	0.00	1102	0.02
1.05	19	0.00	1121	0.02
1.066666667	14	0.00	1135	0.02
1.083333333	13	0.00	1148	0.02
1.1	14	0.00	1162	0.02
1.116666667	25	0.00	1187	0.02
1.133333333	21	0.00	1208	0.02
1.15	15	0.00	1223	0.02
1.166666667	26	0.00	1249	0.02
1.183333333	26	0.00	1275	0.02
1.2	22	0.00	1297	0.02
1.216666667	19	0.00	1316	0.02
1.233333333	28	0.00	1344	0.02
1.25	26	0.00	1370	0.02
1.266666667	17	0.00	1387	0.02
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.2833333333	26	0.00	1413	0.02
1.3	23	0.00	1436	0.02
1.3166666667	25	0.00	1461	0.02
1.3333333333	17	0.00	1478	0.02
1.35	22	0.00	1500	0.02
1.3666666667	19	0.00	1519	0.02
1.3833333333	17	0.00	1536	0.02
1.4	17	0.00	1553	0.02
1.4166666667	28	0.00	1581	0.02
1.4333333333	21	0.00	1602	0.02
1.45	21	0.00	1623	0.02
1.4666666667	22	0.00	1645	0.02
1.4833333333	19	0.00	1664	0.02
1.5	23	0.00	1687	0.02
1.5166666667	21	0.00	1708	0.02
1.5333333333	24	0.00	1732	0.02
1.55	24	0.00	1756	0.02
1.5666666667	27	0.00	1783	0.02
1.5833333333	18	0.00	1801	0.02
1.6	25	0.00	1826	0.03
1.6166666667	26	0.00	1852	0.03
1.6333333333	31	0.00	1883	0.03
1.65	26	0.00	1909	0.03
1.6666666667	19	0.00	1928	0.03
1.6833333333	28	0.00	1956	0.03
1.7	16	0.00	1972	0.03
1.7166666667	32	0.00	2004	0.03
1.7333333333	27	0.00	2031	0.03
1.75	20	0.00	2051	0.03
1.7666666667	21	0.00	2072	0.03
1.7833333333	24	0.00	2096	0.03
1.8	22	0.00	2118	0.03
1.8166666667	30	0.00	2148	0.03
1.8333333333	21	0.00	2169	0.03
1.85	26	0.00	2195	0.03
1.8666666667	27	0.00	2222	0.03
1.8833333333	17	0.00	2239	0.03
1.9	27	0.00	2266	0.03
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.916666667	30	0.00	2296	0.03
1.933333333	27	0.00	2323	0.03
1.95	23	0.00	2346	0.03
1.966666667	19	0.00	2365	0.03
1.983333333	18	0.00	2383	0.03
2	28	0.00	2411	0.03
2.016666667	24	0.00	2435	0.03
2.033333333	29	0.00	2464	0.03
2.05	30	0.00	2494	0.03
2.066666667	25	0.00	2519	0.03
2.083333333	20	0.00	2539	0.04
2.1	24	0.00	2563	0.04
2.116666667	29	0.00	2592	0.04
2.133333333	20	0.00	2612	0.04
2.15	29	0.00	2641	0.04
2.166666667	34	0.00	2675	0.04
2.183333333	22	0.00	2697	0.04
2.2	21	0.00	2718	0.04
2.216666667	30	0.00	2748	0.04
2.233333333	26	0.00	2774	0.04
2.25	23	0.00	2797	0.04
2.266666667	29	0.00	2826	0.04
2.283333333	16	0.00	2842	0.04
2.3	34	0.00	2876	0.04
2.316666667	29	0.00	2905	0.04
2.333333333	24	0.00	2929	0.04
2.35	30	0.00	2959	0.04
2.366666667	21	0.00	2980	0.04
2.383333333	26	0.00	3006	0.04
2.4	33	0.00	3039	0.04
2.416666667	36	0.00	3075	0.04
2.433333333	18	0.00	3093	0.04
2.45	21	0.00	3114	0.04
2.466666667	20	0.00	3134	0.04
2.483333333	21	0.00	3155	0.04
2.5	24	0.00	3179	0.04
2.516666667	31	0.00	3210	0.04
2.533333333	22	0.00	3232	0.04
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.55	26	0.00	3258	0.04
2.566666667	31	0.00	3289	0.05
2.583333333	24	0.00	3313	0.05
2.6	25	0.00	3338	0.05
2.616666667	23	0.00	3361	0.05
2.633333333	24	0.00	3385	0.05
2.65	25	0.00	3410	0.05
2.666666667	28	0.00	3438	0.05
2.683333333	34	0.00	3472	0.05
2.7	27	0.00	3499	0.05
2.716666667	19	0.00	3518	0.05
2.733333333	28	0.00	3546	0.05
2.75	18	0.00	3564	0.05
2.766666667	22	0.00	3586	0.05
2.783333333	30	0.00	3616	0.05
2.8	28	0.00	3644	0.05
2.816666667	30	0.00	3674	0.05
2.833333333	30	0.00	3704	0.05
2.85	26	0.00	3730	0.05
2.866666667	23	0.00	3753	0.05
2.883333333	18	0.00	3771	0.05
2.9	14	0.00	3785	0.05
2.916666667	19	0.00	3804	0.05
2.933333333	22	0.00	3826	0.05
2.95	24	0.00	3850	0.05
2.966666667	26	0.00	3876	0.05
2.983333333	28	0.00	3904	0.05
3	28	0.00	3932	0.05
3.016666667	31	0.00	3963	0.05
3.033333333	27	0.00	3990	0.06
3.05	24	0.00	4014	0.06
3.066666667	29	0.00	4043	0.06
3.083333333	39	0.00	4082	0.06
3.1	34	0.00	4116	0.06
3.116666667	29	0.00	4145	0.06
3.133333333	26	0.00	4171	0.06
3.15	22	0.00	4193	0.06
3.166666667	19	0.00	4212	0.06
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.1833333333	17	0.00	4229	0.06
3.2	21	0.00	4250	0.06
3.2166666667	31	0.00	4281	0.06
3.2333333333	27	0.00	4308	0.06
3.25	23	0.00	4331	0.06
3.2666666667	28	0.00	4359	0.06
3.2833333333	31	0.00	4390	0.06
3.3	16	0.00	4406	0.06
3.3166666667	28	0.00	4434	0.06
3.3333333333	28	0.00	4462	0.06
3.35	24	0.00	4486	0.06
3.3666666667	18	0.00	4504	0.06
3.3833333333	27	0.00	4531	0.06
3.4	28	0.00	4559	0.06
3.4166666667	28	0.00	4587	0.06
3.4333333333	18	0.00	4605	0.06
3.45	21	0.00	4626	0.06
3.4666666667	28	0.00	4654	0.06
3.4833333333	25	0.00	4679	0.06
3.5	25	0.00	4704	0.06
3.5166666667	19	0.00	4723	0.07
3.5333333333	24	0.00	4747	0.07
3.55	33	0.00	4780	0.07
3.5666666667	29	0.00	4809	0.07
3.5833333333	29	0.00	4838	0.07
3.6	44	0.00	4882	0.07
3.6166666667	18	0.00	4900	0.07
3.6333333333	28	0.00	4928	0.07
3.65	25	0.00	4953	0.07
3.6666666667	34	0.00	4987	0.07
3.6833333333	36	0.00	5023	0.07
3.7	26	0.00	5049	0.07
3.7166666667	33	0.00	5082	0.07
3.7333333333	34	0.00	5116	0.07
3.75	23	0.00	5139	0.07
3.7666666667	26	0.00	5165	0.07
3.7833333333	26	0.00	5191	0.07
3.8	26	0.00	5217	0.07
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.816666667	36	0.00	5253	0.07
3.833333333	19	0.00	5272	0.07
3.85	26	0.00	5298	0.07
3.866666667	21	0.00	5319	0.07
3.883333333	36	0.00	5355	0.07
3.9	23	0.00	5378	0.07
3.916666667	25	0.00	5403	0.07
3.933333333	31	0.00	5434	0.08
3.95	34	0.00	5468	0.08
3.966666667	34	0.00	5502	0.08
3.983333333	36	0.00	5538	0.08
4	29	0.00	5567	0.08
4.016666667	35	0.00	5602	0.08
4.033333333	33	0.00	5635	0.08
4.05	36	0.00	5671	0.08
4.066666667	32	0.00	5703	0.08
4.083333333	31	0.00	5734	0.08
4.1	35	0.00	5769	0.08
4.116666667	31	0.00	5800	0.08
4.133333333	31	0.00	5831	0.08
4.15	28	0.00	5859	0.08
4.166666667	31	0.00	5890	0.08
4.183333333	26	0.00	5916	0.08
4.2	33	0.00	5949	0.08
4.216666667	34	0.00	5983	0.08
4.233333333	35	0.00	6018	0.08
4.25	34	0.00	6052	0.08
4.266666667	37	0.00	6089	0.08
4.283333333	45	0.00	6134	0.08
4.3	30	0.00	6164	0.09
4.316666667	33	0.00	6197	0.09
4.333333333	34	0.00	6231	0.09
4.35	44	0.00	6275	0.09
4.366666667	29	0.00	6304	0.09
4.383333333	31	0.00	6335	0.09
4.4	27	0.00	6362	0.09
4.416666667	30	0.00	6392	0.09
4.433333333	31	0.00	6423	0.09
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4.45	28	0.00	6451	0.09
4.466666667	39	0.00	6490	0.09
4.483333333	38	0.00	6528	0.09
4.5	31	0.00	6559	0.09
4.516666667	38	0.00	6597	0.09
4.533333333	36	0.00	6633	0.09
4.55	29	0.00	6662	0.09
4.566666667	41	0.00	6703	0.09
4.583333333	31	0.00	6734	0.09
4.6	35	0.00	6769	0.09
4.616666667	34	0.00	6803	0.09
4.633333333	35	0.00	6838	0.09
4.65	40	0.00	6878	0.09
4.666666667	40	0.00	6918	0.10
4.683333333	51	0.00	6969	0.10
4.7	72	0.00	7041	0.10
4.716666667	55	0.00	7096	0.10
4.733333333	49	0.00	7145	0.10
4.75	46	0.00	7191	0.10
4.766666667	33	0.00	7224	0.10
4.783333333	49	0.00	7273	0.10
4.8	44	0.00	7317	0.10
4.816666667	41	0.00	7358	0.10
4.833333333	47	0.00	7405	0.10
4.85	35	0.00	7440	0.10
4.866666667	44	0.00	7484	0.10
4.883333333	68	0.00	7552	0.10
4.9	91	0.00	7643	0.11
4.916666667	85	0.00	7728	0.11
4.933333333	77	0.00	7805	0.11
4.95	80	0.00	7885	0.11
4.966666667	84	0.00	7969	0.11
4.983333333	69	0.00	8038	0.11
5	44	0.00	8082	0.11
5.016666667	51	0.00	8133	0.11
5.033333333	30	0.00	8163	0.11
5.05	24	0.00	8187	0.11
5.066666667	34	0.00	8221	0.11
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.0833333333	31	0.00	8252	0.11
5.1	38	0.00	8290	0.11
5.1166666667	40	0.00	8330	0.12
5.1333333333	41	0.00	8371	0.12
5.15	38	0.00	8409	0.12
5.1666666667	38	0.00	8447	0.12
5.1833333333	42	0.00	8489	0.12
5.2	34	0.00	8523	0.12
5.2166666667	45	0.00	8568	0.12
5.2333333333	43	0.00	8611	0.12
5.25	36	0.00	8647	0.12
5.2666666667	39	0.00	8686	0.12
5.2833333333	47	0.00	8733	0.12
5.3	35	0.00	8768	0.12
5.3166666667	54	0.00	8822	0.12
5.3333333333	54	0.00	8876	0.12
5.35	49	0.00	8925	0.12
5.3666666667	45	0.00	8970	0.12
5.3833333333	45	0.00	9015	0.12
5.4	43	0.00	9058	0.13
5.4166666667	38	0.00	9096	0.13
5.4333333333	50	0.00	9146	0.13
5.45	38	0.00	9184	0.13
5.4666666667	55	0.00	9239	0.13
5.4833333333	42	0.00	9281	0.13
5.5	55	0.00	9336	0.13
5.5166666667	51	0.00	9387	0.13
5.5333333333	53	0.00	9440	0.13
5.55	53	0.00	9493	0.13
5.5666666667	51	0.00	9544	0.13
5.5833333333	49	0.00	9593	0.13
5.6	34	0.00	9627	0.13
5.6166666667	48	0.00	9675	0.13
5.6333333333	44	0.00	9719	0.13
5.65	63	0.00	9782	0.14
5.6666666667	73	0.00	9855	0.14
5.6833333333	62	0.00	9917	0.14
5.7	57	0.00	9974	0.14
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.716666667	62	0.00	10036	0.14
5.733333333	66	0.00	10102	0.14
5.75	67	0.00	10169	0.14
5.766666667	73	0.00	10242	0.14
5.783333333	67	0.00	10309	0.14
5.8	90	0.00	10399	0.14
5.816666667	82	0.00	10481	0.14
5.833333333	72	0.00	10553	0.15
5.85	85	0.00	10638	0.15
5.866666667	60	0.00	10698	0.15
5.883333333	96	0.00	10794	0.15
5.9	95	0.00	10889	0.15
5.916666667	93	0.00	10982	0.15
5.933333333	116	0.00	11098	0.15
5.95	112	0.00	11210	0.15
5.966666667	92	0.00	11302	0.16
5.983333333	113	0.00	11415	0.16
6	106	0.00	11521	0.16
6.016666667	126	0.00	11647	0.16
6.033333333	113	0.00	11760	0.16
6.05	153	0.00	11913	0.16
6.066666667	168	0.00	12081	0.17
6.083333333	172	0.00	12253	0.17
6.1	198	0.00	12451	0.17
6.116666667	212	0.00	12663	0.17
6.133333333	178	0.00	12841	0.18
6.15	207	0.00	13048	0.18
6.166666667	217	0.00	13265	0.18
6.183333333	217	0.00	13482	0.19
6.2	229	0.00	13711	0.19
6.216666667	237	0.00	13948	0.19
6.233333333	286	0.00	14234	0.20
6.25	256	0.00	14490	0.20
6.266666667	266	0.00	14756	0.20
6.283333333	303	0.00	15059	0.21
6.3	319	0.00	15378	0.21
6.316666667	287	0.00	15665	0.22
6.333333333	385	0.01	16050	0.22
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.35	314	0.00	16364	0.23
6.366666667	325	0.00	16689	0.23
6.383333333	330	0.00	17019	0.24
6.4	357	0.00	17376	0.24
6.416666667	364	0.01	17740	0.25
6.433333333	382	0.01	18122	0.25
6.45	412	0.01	18534	0.26
6.466666667	408	0.01	18942	0.26
6.483333333	452	0.01	19394	0.27
6.5	475	0.01	19869	0.27
6.516666667	489	0.01	20358	0.28
6.533333333	495	0.01	20853	0.29
6.55	446	0.01	21299	0.29
6.566666667	560	0.01	21859	0.30
6.583333333	615	0.01	22474	0.31
6.6	647	0.01	23121	0.32
6.616666667	676	0.01	23797	0.33
6.633333333	624	0.01	24421	0.34
6.65	694	0.01	25115	0.35
6.666666667	726	0.01	25841	0.36
6.683333333	680	0.01	26521	0.37
6.7	706	0.01	27227	0.38
6.716666667	734	0.01	27961	0.39
6.733333333	721	0.01	28682	0.40
6.75	767	0.01	29449	0.41
6.766666667	730	0.01	30179	0.42
6.783333333	765	0.01	30944	0.43
6.8	762	0.01	31706	0.44
6.816666667	900	0.01	32606	0.45
6.833333333	871	0.01	33477	0.46
6.85	972	0.01	34449	0.48
6.866666667	920	0.01	35369	0.49
6.883333333	949	0.01	36318	0.50
6.9	1007	0.01	37325	0.52
6.916666667	967	0.01	38292	0.53
6.933333333	948	0.01	39240	0.54
6.95	962	0.01	40202	0.56
6.966666667	956	0.01	41158	0.57
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.9833333333	1003	0.01	42161	0.58
7	992	0.01	43153	0.60
7.0166666667	981	0.01	44134	0.61
7.0333333333	979	0.01	45113	0.62
7.05	1047	0.01	46160	0.64
7.0666666667	1130	0.02	47290	0.65
7.0833333333	1157	0.02	48447	0.67
7.1	1346	0.02	49793	0.69
7.1166666667	1304	0.02	51097	0.71
7.1333333333	1423	0.02	52520	0.73
7.15	1510	0.02	54030	0.75
7.1666666667	1592	0.02	55622	0.77
7.1833333333	1635	0.02	57257	0.79
7.2	1739	0.02	58996	0.81
7.2166666667	1941	0.03	60937	0.84
7.2333333333	2087	0.03	63024	0.87
7.25	2191	0.03	65215	0.90
7.2666666667	2370	0.03	67585	0.93
7.2833333333	2526	0.03	70111	0.97
7.3	2524	0.03	72635	1.00
7.3166666667	2692	0.04	75327	1.04
7.3333333333	2937	0.04	78264	1.08
7.35	3034	0.04	81298	1.12
7.3666666667	3196	0.04	84494	1.17
7.3833333333	3196	0.04	87690	1.21
7.4	3541	0.05	91231	1.26
7.4166666667	3898	0.05	95129	1.31
7.4333333333	4056	0.06	99185	1.37
7.45	4226	0.06	103411	1.43
7.4666666667	4461	0.06	107872	1.49
7.4833333333	4716	0.07	112588	1.56
7.5	4811	0.07	117399	1.62
7.5166666667	5289	0.07	122688	1.69
7.5333333333	5328	0.07	128016	1.77
7.55	5636	0.08	133652	1.85
7.5666666667	6058	0.08	139710	1.93
7.5833333333	6040	0.08	145750	2.01
7.6	6450	0.09	152200	2.10
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7.616666667	6734	0.09	158934	2.20
7.633333333	7009	0.10	165943	2.29
7.65	7402	0.10	173345	2.39
7.666666667	7743	0.11	181088	2.50
7.683333333	8235	0.11	189323	2.61
7.7	8725	0.12	198048	2.74
7.716666667	8907	0.12	206955	2.86
7.733333333	9308	0.13	216263	2.99
7.75	9715	0.13	225978	3.12
7.766666667	9916	0.14	235894	3.26
7.783333333	10276	0.14	246170	3.40
7.8	10433	0.14	256603	3.54
7.816666667	10558	0.15	267161	3.69
7.833333333	10653	0.15	277814	3.84
7.85	10623	0.15	288437	3.98
7.866666667	10758	0.15	299195	4.13
7.883333333	11092	0.15	310287	4.29
7.9	10993	0.15	321280	4.44
7.916666667	11150	0.15	332430	4.59
7.933333333	11181	0.15	343611	4.75
7.95	11147	0.15	354758	4.90
7.966666667	11417	0.16	366175	5.06
7.983333333	11353	0.16	377528	5.21
8	11446	0.16	388974	5.37
8.016666667	11466	0.16	400440	5.53
8.033333333	11606	0.16	412046	5.69
8.05	11686	0.16	423732	5.85
8.066666667	11797	0.16	435529	6.02
8.083333333	11776	0.16	447305	6.18
8.1	11839	0.16	459144	6.34
8.116666667	12056	0.17	471200	6.51
8.133333333	12553	0.17	483753	6.68
8.15	12934	0.18	496687	6.86
8.166666667	12902	0.18	509589	7.04
8.183333333	13057	0.18	522646	7.22
8.2	13511	0.19	536157	7.41
8.216666667	13735	0.19	549892	7.60
8.233333333	13934	0.19	563826	7.79
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.25	14238	0.20	578064	7.98
8.266666667	14905	0.21	592969	8.19
8.283333333	15005	0.21	607974	8.40
8.3	15298	0.21	623272	8.61
8.316666667	14826	0.20	638098	8.81
8.333333333	15046	0.21	653144	9.02
8.35	15351	0.21	668495	9.23
8.366666667	14982	0.21	683477	9.44
8.383333333	15164	0.21	698641	9.65
8.4	15096	0.21	713737	9.86
8.416666667	15323	0.21	729060	10.07
8.433333333	15497	0.21	744557	10.28
8.45	15115	0.21	759672	10.49
8.466666667	15068	0.21	774740	10.70
8.483333333	14769	0.20	789509	10.90
8.5	15051	0.21	804560	11.11
8.516666667	14895	0.21	819455	11.32
8.533333333	14985	0.21	834440	11.53
8.55	14940	0.21	849380	11.73
8.566666667	15126	0.21	864506	11.94
8.583333333	14789	0.20	879295	12.14
8.6	14912	0.21	894207	12.35
8.616666667	14953	0.21	909160	12.56
8.633333333	15249	0.21	924409	12.77
8.65	15242	0.21	939651	12.98
8.666666667	15340	0.21	954991	13.19
8.683333333	15128	0.21	970119	13.40
8.7	15146	0.21	985265	13.61
8.716666667	15244	0.21	1000509	13.82
8.733333333	15354	0.21	1015863	14.03
8.75	15214	0.21	1031077	14.24
8.766666667	15093	0.21	1046170	14.45
8.783333333	15109	0.21	1061279	14.66
8.8	15122	0.21	1076401	14.87
8.816666667	15051	0.21	1091452	15.08
8.833333333	15167	0.21	1106619	15.28
8.85	14736	0.20	1121355	15.49
8.866666667	15013	0.21	1136368	15.70
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.8833333333	14592	0.20	1150960	15.90
8.9	14683	0.20	1165643	16.10
8.9166666667	14598	0.20	1180241	16.30
8.9333333333	14758	0.20	1194999	16.51
8.95	14992	0.21	1209991	16.71
8.9666666667	14969	0.21	1224960	16.92
8.9833333333	14691	0.20	1239651	17.12
9	14654	0.20	1254305	17.32
9.0166666667	14614	0.20	1268919	17.53
9.0333333333	14613	0.20	1283532	17.73
9.05	14674	0.20	1298206	17.93
9.0666666667	14372	0.20	1312578	18.13
9.0833333333	14363	0.20	1326941	18.33
9.1	14346	0.20	1341287	18.53
9.1166666667	14021	0.19	1355308	18.72
9.1333333333	13985	0.19	1369293	18.91
9.15	14044	0.19	1383337	19.11
9.1666666667	13843	0.19	1397180	19.30
9.1833333333	13631	0.19	1410811	19.49
9.2	13824	0.19	1424635	19.68
9.2166666667	13668	0.19	1438303	19.87
9.2333333333	13612	0.19	1451915	20.05
9.25	13530	0.19	1465445	20.24
9.2666666667	13432	0.19	1478877	20.43
9.2833333333	13487	0.19	1492364	20.61
9.3	13356	0.18	1505720	20.80
9.3166666667	13214	0.18	1518934	20.98
9.3333333333	12842	0.18	1531776	21.16
9.35	12819	0.18	1544595	21.33
9.3666666667	12572	0.17	1557167	21.51
9.3833333333	12461	0.17	1569628	21.68
9.4	12223	0.17	1581851	21.85
9.4166666667	11995	0.17	1593846	22.01
9.4333333333	12211	0.17	1606057	22.18
9.45	12095	0.17	1618152	22.35
9.4666666667	11919	0.16	1630071	22.51
9.4833333333	11801	0.16	1641872	22.68
9.5	11719	0.16	1653591	22.84
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9.5166666667	11837	0.16	1665428	23.00
9.5333333333	11640	0.16	1677068	23.16
9.55	11621	0.16	1688689	23.32
9.5666666667	11300	0.16	1699989	23.48
9.5833333333	11312	0.16	1711301	23.64
9.6	11443	0.16	1722744	23.79
9.6166666667	11256	0.16	1734000	23.95
9.6333333333	11148	0.15	1745148	24.10
9.65	11620	0.16	1756768	24.26
9.6666666667	11455	0.16	1768223	24.42
9.6833333333	11375	0.16	1779598	24.58
9.7	11561	0.16	1791159	24.74
9.7166666667	11716	0.16	1802875	24.90
9.7333333333	11945	0.16	1814820	25.07
9.75	12010	0.17	1826830	25.23
9.7666666667	12125	0.17	1838955	25.40
9.7833333333	11983	0.17	1850938	25.56
9.8	12030	0.17	1862968	25.73
9.8166666667	11853	0.16	1874821	25.89
9.8333333333	12052	0.17	1886873	26.06
9.85	12082	0.17	1898955	26.23
9.8666666667	12016	0.17	1910971	26.39
9.8833333333	11900	0.16	1922871	26.56
9.9	12207	0.17	1935078	26.73
9.9166666667	11925	0.16	1947003	26.89
9.9333333333	12155	0.17	1959158	27.06
9.95	12353	0.17	1971511	27.23
9.9666666667	12487	0.17	1983998	27.40
9.9833333333	12663	0.17	1996661	27.58
10	12326	0.17	2008987	27.75
10.0166666667	12516	0.17	2021503	27.92
10.0333333333	12591	0.17	2034094	28.09
10.05	12766	0.18	2046860	28.27
10.0666666667	12969	0.18	2059829	28.45
10.0833333333	12848	0.18	2072677	28.63
10.1	12902	0.18	2085579	28.81
10.1166666667	13320	0.18	2098899	28.99
10.1333333333	13343	0.18	2112242	29.17
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.15	13753	0.19	2125995	29.36
10.16666667	13824	0.19	2139819	29.55
10.18333333	14053	0.19	2153872	29.75
10.2	14543	0.20	2168415	29.95
10.21666667	14689	0.20	2183104	30.15
10.23333333	14989	0.21	2198093	30.36
10.25	15208	0.21	2213301	30.57
10.26666667	15408	0.21	2228709	30.78
10.28333333	15396	0.21	2244105	31.00
10.3	15545	0.21	2259650	31.21
10.31666667	15340	0.21	2274990	31.42
10.33333333	15413	0.21	2290403	31.63
10.35	15573	0.22	2305976	31.85
10.36666667	15226	0.21	2321202	32.06
10.38333333	15357	0.21	2336559	32.27
10.4	15228	0.21	2351787	32.48
10.41666667	15507	0.21	2367294	32.70
10.43333333	15215	0.21	2382509	32.91
10.45	15234	0.21	2397743	33.12
10.46666667	15328	0.21	2413071	33.33
10.48333333	15089	0.21	2428160	33.54
10.5	15036	0.21	2443196	33.75
10.51666667	14843	0.21	2458039	33.95
10.53333333	15012	0.21	2473051	34.16
10.55	14959	0.21	2488010	34.36
10.56666667	14986	0.21	2502996	34.57
10.58333333	14892	0.21	2517888	34.78
10.6	14962	0.21	2532850	34.98
10.61666667	15103	0.21	2547953	35.19
10.63333333	15059	0.21	2563012	35.40
10.65	15136	0.21	2578148	35.61
10.66666667	15219	0.21	2593367	35.82
10.68333333	14926	0.21	2608293	36.03
10.7	15144	0.21	2623437	36.23
10.71666667	15056	0.21	2638493	36.44
10.73333333	15126	0.21	2653619	36.65
10.75	15141	0.21	2668760	36.86
10.76666667	15072	0.21	2683832	37.07
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.783333333	15106	0.21	2698938	37.28
10.8	14966	0.21	2713904	37.48
10.816666667	14905	0.21	2728809	37.69
10.833333333	14845	0.21	2743654	37.90
10.85	14802	0.20	2758456	38.10
10.866666667	14948	0.21	2773404	38.31
10.883333333	14802	0.20	2788206	38.51
10.9	14893	0.21	2803099	38.72
10.916666667	14758	0.20	2817857	38.92
10.933333333	14804	0.20	2832661	39.12
10.95	14809	0.20	2847470	39.33
10.966666667	14899	0.21	2862369	39.53
10.983333333	14747	0.20	2877116	39.74
11	14830	0.20	2891946	39.94
11.016666667	14658	0.20	2906604	40.15
11.033333333	15004	0.21	2921608	40.35
11.05	14966	0.21	2936574	40.56
11.066666667	14897	0.21	2951471	40.77
11.083333333	15091	0.21	2966562	40.97
11.1	14986	0.21	2981548	41.18
11.116666667	15284	0.21	2996832	41.39
11.133333333	15061	0.21	3011893	41.60
11.15	15263	0.21	3027156	41.81
11.166666667	15280	0.21	3042436	42.02
11.183333333	15523	0.21	3057959	42.24
11.2	15719	0.22	3073678	42.45
11.216666667	15738	0.22	3089416	42.67
11.233333333	15944	0.22	3105360	42.89
11.25	15842	0.22	3121202	43.11
11.266666667	15706	0.22	3136908	43.33
11.283333333	16066	0.22	3152974	43.55
11.3	16002	0.22	3168976	43.77
11.316666667	15802	0.22	3184778	43.99
11.333333333	15871	0.22	3200649	44.21
11.35	15380	0.21	3216029	44.42
11.366666667	15450	0.21	3231479	44.63
11.383333333	15235	0.21	3246714	44.84
11.4	15092	0.21	3261806	45.05
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11.416666667	15035	0.21	3276841	45.26
11.433333333	14786	0.20	3291627	45.46
11.45	14831	0.20	3306458	45.67
11.466666667	14443	0.20	3320901	45.87
11.483333333	14294	0.20	3335195	46.07
11.5	14398	0.20	3349593	46.26
11.516666667	14175	0.20	3363768	46.46
11.533333333	14044	0.19	3377812	46.65
11.55	13870	0.19	3391682	46.85
11.566666667	13679	0.19	3405361	47.03
11.583333333	13743	0.19	3419104	47.22
11.6	13325	0.18	3432429	47.41
11.616666667	13293	0.18	3445722	47.59
11.633333333	13780	0.19	3459502	47.78
11.65	13290	0.18	3472792	47.97
11.666666667	13227	0.18	3486019	48.15
11.683333333	13087	0.18	3499106	48.33
11.7	12998	0.18	3512104	48.51
11.716666667	12891	0.18	3524995	48.69
11.733333333	12736	0.18	3537731	48.86
11.75	12610	0.17	3550341	49.04
11.766666667	12618	0.17	3562959	49.21
11.783333333	12526	0.17	3575485	49.38
11.8	12285	0.17	3587770	49.55
11.816666667	12388	0.17	3600158	49.72
11.833333333	12177	0.17	3612335	49.89
11.85	12077	0.17	3624412	50.06
11.866666667	11743	0.16	3636155	50.22
11.883333333	11613	0.16	3647768	50.38
11.9	11802	0.16	3659570	50.55
11.916666667	11655	0.16	3671225	50.71
11.933333333	11338	0.16	3682563	50.86
11.95	11249	0.16	3693812	51.02
11.966666667	11572	0.16	3705384	51.18
11.983333333	11182	0.15	3716566	51.33
12	11364	0.16	3727930	51.49
12.016666667	11082	0.15	3739012	51.64
12.033333333	10935	0.15	3749947	51.79
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.05	10808	0.15	3760755	51.94
12.066666667	10705	0.15	3771460	52.09
12.083333333	10731	0.15	3782191	52.24
12.1	10765	0.15	3792956	52.39
12.116666667	10213	0.14	3803169	52.53
12.133333333	10387	0.14	3813556	52.67
12.15	10440	0.14	3823996	52.82
12.166666667	9993	0.14	3833989	52.95
12.183333333	9923	0.14	3843912	53.09
12.2	9782	0.14	3853694	53.23
12.216666667	9854	0.14	3863548	53.36
12.233333333	9690	0.13	3873238	53.50
12.25	9587	0.13	3882825	53.63
12.266666667	9578	0.13	3892403	53.76
12.283333333	9405	0.13	3901808	53.89
12.3	9561	0.13	3911369	54.02
12.316666667	9269	0.13	3920638	54.15
12.333333333	9453	0.13	3930091	54.28
12.35	9343	0.13	3939434	54.41
12.366666667	9074	0.13	3948508	54.54
12.383333333	9039	0.12	3957547	54.66
12.4	9108	0.13	3966655	54.79
12.416666667	9009	0.12	3975664	54.91
12.433333333	8619	0.12	3984283	55.03
12.45	8876	0.12	3993159	55.15
12.466666667	8784	0.12	4001943	55.27
12.483333333	8773	0.12	4010716	55.40
12.5	8600	0.12	4019316	55.51
12.516666667	8583	0.12	4027899	55.63
12.533333333	8712	0.12	4036611	55.75
12.55	8483	0.12	4045094	55.87
12.566666667	9010	0.12	4054104	55.99
12.583333333	8906	0.12	4063010	56.12
12.6	8838	0.12	4071848	56.24
12.616666667	9019	0.12	4080867	56.36
12.633333333	8988	0.12	4089855	56.49
12.65	9010	0.12	4098865	56.61
12.666666667	9000	0.12	4107865	56.74
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.6833333333	9240	0.13	4117105	56.86
12.7	9076	0.13	4126181	56.99
12.7166666667	9261	0.13	4135442	57.12
12.7333333333	9377	0.13	4144819	57.25
12.75	9261	0.13	4154080	57.38
12.7666666667	9353	0.13	4163433	57.50
12.7833333333	9266	0.13	4172699	57.63
12.8	9344	0.13	4182043	57.76
12.8166666667	9551	0.13	4191594	57.89
12.8333333333	9636	0.13	4201230	58.03
12.85	9839	0.14	4211069	58.16
12.8666666667	9694	0.13	4220763	58.30
12.8833333333	9714	0.13	4230477	58.43
12.9	9806	0.14	4240283	58.57
12.9166666667	9648	0.13	4249931	58.70
12.9333333333	9897	0.14	4259828	58.84
12.95	10000	0.14	4269828	58.97
12.9666666667	9929	0.14	4279757	59.11
12.9833333333	9956	0.14	4289713	59.25
13	9799	0.14	4299512	59.38
13.0166666667	9825	0.14	4309337	59.52
13.0333333333	10373	0.14	4319710	59.66
13.05	10374	0.14	4330084	59.81
13.0666666667	10417	0.14	4340501	59.95
13.0833333333	10313	0.14	4350814	60.09
13.1	10476	0.14	4361290	60.24
13.1166666667	10499	0.15	4371789	60.38
13.1333333333	10789	0.15	4382578	60.53
13.15	10958	0.15	4393536	60.68
13.1666666667	10682	0.15	4404218	60.83
13.1833333333	11092	0.15	4415310	60.98
13.2	11361	0.16	4426671	61.14
13.2166666667	11283	0.16	4437954	61.30
13.2333333333	11168	0.15	4449122	61.45
13.25	11422	0.16	4460544	61.61
13.2666666667	11772	0.16	4472316	61.77
13.2833333333	11620	0.16	4483936	61.93
13.3	11655	0.16	4495591	62.09
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.316666667	11776	0.16	4507367	62.26
13.333333333	11531	0.16	4518898	62.41
13.35	11547	0.16	4530445	62.57
13.366666667	11508	0.16	4541953	62.73
13.383333333	11319	0.16	4553272	62.89
13.4	11300	0.16	4564572	63.05
13.416666667	11086	0.15	4575658	63.20
13.433333333	11243	0.16	4586901	63.35
13.45	11170	0.15	4598071	63.51
13.466666667	11240	0.16	4609311	63.66
13.483333333	11228	0.16	4620539	63.82
13.5	11024	0.15	4631563	63.97
13.516666667	11044	0.15	4642607	64.12
13.533333333	10950	0.15	4653557	64.27
13.55	10897	0.15	4664454	64.42
13.566666667	11010	0.15	4675464	64.58
13.583333333	11150	0.15	4686614	64.73
13.6	10983	0.15	4697597	64.88
13.616666667	11022	0.15	4708619	65.03
13.633333333	11001	0.15	4719620	65.19
13.65	10958	0.15	4730578	65.34
13.666666667	10918	0.15	4741496	65.49
13.683333333	11138	0.15	4752634	65.64
13.7	10866	0.15	4763500	65.79
13.716666667	10836	0.15	4774336	65.94
13.733333333	10826	0.15	4785162	66.09
13.75	10440	0.14	4795602	66.24
13.766666667	10692	0.15	4806294	66.38
13.783333333	10600	0.15	4816894	66.53
13.8	10802	0.15	4827696	66.68
13.816666667	10453	0.14	4838149	66.82
13.833333333	10456	0.14	4848605	66.97
13.85	10472	0.14	4859077	67.11
13.866666667	9956	0.14	4869033	67.25
13.883333333	10162	0.14	4879195	67.39
13.9	10373	0.14	4889568	67.53
13.916666667	9966	0.14	4899534	67.67
13.933333333	10084	0.14	4909618	67.81
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.95	10031	0.14	4919649	67.95
13.966666667	10080	0.14	4929729	68.09
13.983333333	9953	0.14	4939682	68.23
14	9861	0.14	4949543	68.36
14.016666667	9946	0.14	4959489	68.50
14.033333333	9999	0.14	4969488	68.64
14.05	10029	0.14	4979517	68.78
14.066666667	9749	0.13	4989266	68.91
14.083333333	9964	0.14	4999230	69.05
14.1	9739	0.13	5008969	69.18
14.116666667	9802	0.14	5018771	69.32
14.133333333	9790	0.14	5028561	69.45
14.15	9725	0.13	5038286	69.59
14.166666667	9695	0.13	5047981	69.72
14.183333333	9734	0.13	5057715	69.86
14.2	9790	0.14	5067505	69.99
14.216666667	9637	0.13	5077142	70.12
14.233333333	9660	0.13	5086802	70.26
14.25	9799	0.14	5096601	70.39
14.266666667	9809	0.14	5106410	70.53
14.283333333	9652	0.13	5116062	70.66
14.3	9712	0.13	5125774	70.80
14.316666667	9640	0.13	5135414	70.93
14.333333333	9596	0.13	5145010	71.06
14.35	9728	0.13	5154738	71.20
14.366666667	9710	0.13	5164448	71.33
14.383333333	9500	0.13	5173948	71.46
14.4	9365	0.13	5183313	71.59
14.416666667	9450	0.13	5192763	71.72
14.433333333	9515	0.13	5202278	71.85
14.45	9372	0.13	5211650	71.98
14.466666667	9161	0.13	5220811	72.11
14.483333333	9178	0.13	5229989	72.24
14.5	9301	0.13	5239290	72.36
14.516666667	9243	0.13	5248533	72.49
14.533333333	9002	0.12	5257535	72.62
14.55	8944	0.12	5266479	72.74
14.566666667	8867	0.12	5275346	72.86
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14.583333333	8863	0.12	5284209	72.98
14.6	8884	0.12	5293093	73.11
14.616666667	8985	0.12	5302078	73.23
14.633333333	8961	0.12	5311039	73.36
14.65	8812	0.12	5319851	73.48
14.666666667	8675	0.12	5328526	73.60
14.683333333	9040	0.12	5337566	73.72
14.7	8900	0.12	5346466	73.84
14.716666667	8759	0.12	5355225	73.97
14.733333333	8816	0.12	5364041	74.09
14.75	8740	0.12	5372781	74.21
14.766666667	8807	0.12	5381588	74.33
14.783333333	8688	0.12	5390276	74.45
14.8	8718	0.12	5398994	74.57
14.816666667	8449	0.12	5407443	74.69
14.833333333	8475	0.12	5415918	74.80
14.85	8486	0.12	5424404	74.92
14.866666667	8372	0.12	5432776	75.04
14.883333333	8261	0.11	5441037	75.15
14.9	8321	0.11	5449358	75.27
14.916666667	8448	0.12	5457806	75.38
14.933333333	8160	0.11	5465966	75.50
14.95	8007	0.11	5473973	75.61
14.966666667	8031	0.11	5482004	75.72
14.983333333	7986	0.11	5489990	75.83
15	8014	0.11	5498004	75.94
15.016666667	7821	0.11	5505825	76.05
15.033333333	7912	0.11	5513737	76.16
15.05	7928	0.11	5521665	76.26
15.066666667	7769	0.11	5529434	76.37
15.083333333	7797	0.11	5537231	76.48
15.1	8074	0.11	5545305	76.59
15.116666667	7843	0.11	5553148	76.70
15.133333333	7829	0.11	5560977	76.81
15.15	7883	0.11	5568860	76.92
15.166666667	7868	0.11	5576728	77.03
15.183333333	7931	0.11	5584659	77.13
15.2	7789	0.11	5592448	77.24
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.216666667	8238	0.11	5600686	77.36
15.233333333	8114	0.11	5608800	77.47
15.25	8061	0.11	5616861	77.58
15.266666667	8084	0.11	5624945	77.69
15.283333333	7963	0.11	5632908	77.80
15.3	7938	0.11	5640846	77.91
15.316666667	7969	0.11	5648815	78.02
15.333333333	7861	0.11	5656676	78.13
15.35	7844	0.11	5664520	78.24
15.366666667	7782	0.11	5672302	78.35
15.383333333	7838	0.11	5680140	78.45
15.4	7692	0.11	5687832	78.56
15.416666667	7672	0.11	5695504	78.67
15.433333333	7565	0.10	5703069	78.77
15.45	7505	0.10	5710574	78.87
15.466666667	7478	0.10	5718052	78.98
15.483333333	7518	0.10	5725570	79.08
15.5	7668	0.11	5733238	79.19
15.516666667	7460	0.10	5740698	79.29
15.533333333	7427	0.10	5748125	79.39
15.55	7666	0.11	5755791	79.50
15.566666667	7648	0.11	5763439	79.60
15.583333333	7448	0.10	5770887	79.71
15.6	7477	0.10	5778364	79.81
15.616666667	7627	0.11	5785991	79.92
15.633333333	7562	0.10	5793553	80.02
15.65	7431	0.10	5800984	80.12
15.666666667	7689	0.11	5808673	80.23
15.683333333	7498	0.10	5816171	80.33
15.7	7523	0.10	5823694	80.44
15.716666667	7574	0.10	5831268	80.54
15.733333333	7625	0.11	5838893	80.65
15.75	7740	0.11	5846633	80.75
15.766666667	7606	0.11	5854239	80.86
15.783333333	7636	0.11	5861875	80.96
15.8	7600	0.10	5869475	81.07
15.816666667	7497	0.10	5876972	81.17
15.833333333	7587	0.10	5884559	81.28
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.85	7547	0.10	5892106	81.38
15.866666667	7487	0.10	5899593	81.48
15.883333333	7466	0.10	5907059	81.59
15.9	7222	0.10	5914281	81.69
15.916666667	7368	0.10	5921649	81.79
15.933333333	7270	0.10	5928919	81.89
15.95	7354	0.10	5936273	81.99
15.966666667	7262	0.10	5943535	82.09
15.983333333	7418	0.10	5950953	82.19
16	7356	0.10	5958309	82.30
16.016666667	7301	0.10	5965610	82.40
16.033333333	7479	0.10	5973089	82.50
16.05	7209	0.10	5980298	82.60
16.066666667	7402	0.10	5987700	82.70
16.083333333	7347	0.10	5995047	82.80
16.1	7275	0.10	6002322	82.90
16.116666667	7399	0.10	6009721	83.01
16.133333333	7584	0.10	6017305	83.11
16.15	7540	0.10	6024845	83.21
16.166666667	7277	0.10	6032122	83.31
16.183333333	7426	0.10	6039548	83.42
16.2	7448	0.10	6046996	83.52
16.216666667	7620	0.11	6054616	83.63
16.233333333	7702	0.11	6062318	83.73
16.25	7644	0.11	6069962	83.84
16.266666667	7682	0.11	6077644	83.94
16.283333333	7579	0.10	6085223	84.05
16.3	7464	0.10	6092687	84.15
16.316666667	7680	0.11	6100367	84.26
16.333333333	7627	0.11	6107994	84.36
16.35	7710	0.11	6115704	84.47
16.366666667	7503	0.10	6123207	84.57
16.383333333	7799	0.11	6131006	84.68
16.4	7806	0.11	6138812	84.79
16.416666667	7892	0.11	6146704	84.90
16.433333333	7725	0.11	6154429	85.00
16.45	7776	0.11	6162205	85.11
16.466666667	7828	0.11	6170033	85.22
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
16.483333333	7961	0.11	6177994	85.33
16.5	8003	0.11	6185997	85.44
16.516666667	7835	0.11	6193832	85.55
16.533333333	7899	0.11	6201731	85.66
16.55	7967	0.11	6209698	85.77
16.566666667	7841	0.11	6217539	85.88
16.583333333	7826	0.11	6225365	85.98
16.6	7751	0.11	6233116	86.09
16.616666667	7781	0.11	6240897	86.20
16.633333333	7889	0.11	6248786	86.31
16.65	7865	0.11	6256651	86.42
16.666666667	7965	0.11	6264616	86.53
16.683333333	7987	0.11	6272603	86.64
16.7	7711	0.11	6280314	86.74
16.716666667	7967	0.11	6288281	86.85
16.733333333	7935	0.11	6296216	86.96
16.75	8162	0.11	6304378	87.08
16.766666667	8030	0.11	6312408	87.19
16.783333333	7821	0.11	6320229	87.29
16.8	8073	0.11	6328302	87.41
16.816666667	7857	0.11	6336159	87.51
16.833333333	7728	0.11	6343887	87.62
16.85	7912	0.11	6351799	87.73
16.866666667	7781	0.11	6359580	87.84
16.883333333	7802	0.11	6367382	87.95
16.9	7701	0.11	6375083	88.05
16.916666667	7794	0.11	6382877	88.16
16.933333333	7696	0.11	6390573	88.27
16.95	7969	0.11	6398542	88.38
16.966666667	7925	0.11	6406467	88.49
16.983333333	7742	0.11	6414209	88.59
17	7829	0.11	6422038	88.70
17.016666667	7629	0.11	6429667	88.81
17.033333333	7833	0.11	6437500	88.91
17.05	7554	0.10	6445054	89.02
17.066666667	7591	0.10	6452645	89.12
17.083333333	7718	0.11	6460363	89.23
17.1	7645	0.11	6468008	89.34
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.116666667	7958	0.11	6475966	89.45
17.133333333	7550	0.10	6483516	89.55
17.15	7889	0.11	6491405	89.66
17.166666667	7828	0.11	6499233	89.77
17.183333333	7813	0.11	6507046	89.87
17.2	7805	0.11	6514851	89.98
17.216666667	7724	0.11	6522575	90.09
17.233333333	7615	0.11	6530190	90.19
17.25	7676	0.11	6537866	90.30
17.266666667	7495	0.10	6545361	90.40
17.283333333	7598	0.10	6552959	90.51
17.3	7466	0.10	6560425	90.61
17.316666667	7512	0.10	6567937	90.72
17.333333333	7332	0.10	6575269	90.82
17.35	7554	0.10	6582823	90.92
17.366666667	7479	0.10	6590302	91.02
17.383333333	7339	0.10	6597641	91.13
17.4	7254	0.10	6604895	91.23
17.416666667	7229	0.10	6612124	91.33
17.433333333	7275	0.10	6619399	91.43
17.45	7393	0.10	6626792	91.53
17.466666667	7244	0.10	6634036	91.63
17.483333333	7399	0.10	6641435	91.73
17.5	7106	0.10	6648541	91.83
17.516666667	7248	0.10	6655789	91.93
17.533333333	7190	0.10	6662979	92.03
17.55	7148	0.10	6670127	92.13
17.566666667	7137	0.10	6677264	92.23
17.583333333	7022	0.10	6684286	92.32
17.6	7091	0.10	6691377	92.42
17.616666667	6977	0.10	6698354	92.52
17.633333333	6962	0.10	6705316	92.61
17.65	7134	0.10	6712450	92.71
17.666666667	7060	0.10	6719510	92.81
17.683333333	7100	0.10	6726610	92.91
17.7	7105	0.10	6733715	93.01
17.716666667	7015	0.10	6740730	93.10
17.733333333	6774	0.09	6747504	93.20
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.75	6928	0.10	6754432	93.29
17.76666667	6933	0.10	6761365	93.39
17.78333333	6601	0.09	6767966	93.48
17.8	6783	0.09	6774749	93.57
17.81666667	6768	0.09	6781517	93.67
17.83333333	6668	0.09	6788185	93.76
17.85	6575	0.09	6794760	93.85
17.86666667	6651	0.09	6801411	93.94
17.88333333	6729	0.09	6808140	94.03
17.9	6543	0.09	6814683	94.12
17.91666667	6577	0.09	6821260	94.21
17.93333333	6497	0.09	6827757	94.30
17.95	6457	0.09	6834214	94.39
17.96666667	6475	0.09	6840689	94.48
17.98333333	6353	0.09	6847042	94.57
18	6101	0.08	6853143	94.65
18.01666667	6284	0.09	6859427	94.74
18.03333333	6012	0.08	6865439	94.82
18.05	6278	0.09	6871717	94.91
18.06666667	6117	0.08	6877834	95.00
18.08333333	6166	0.09	6884000	95.08
18.1	6033	0.08	6890033	95.16
18.11666667	5989	0.08	6896022	95.25
18.13333333	5817	0.08	6901839	95.33
18.15	6005	0.08	6907844	95.41
18.16666667	5929	0.08	6913773	95.49
18.18333333	5843	0.08	6919616	95.57
18.2	5748	0.08	6925364	95.65
18.21666667	5845	0.08	6931209	95.73
18.23333333	5619	0.08	6936828	95.81
18.25	5676	0.08	6942504	95.89
18.26666667	5607	0.08	6948111	95.97
18.28333333	5495	0.08	6953606	96.04
18.3	5517	0.08	6959123	96.12
18.31666667	5439	0.08	6964562	96.19
18.33333333	5388	0.07	6969950	96.27
18.35	5234	0.07	6975184	96.34
18.36666667	5228	0.07	6980412	96.41
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18.383333333	4998	0.07	6985410	96.48
18.4	5117	0.07	6990527	96.55
18.416666667	4945	0.07	6995472	96.62
18.433333333	5019	0.07	7000491	96.69
18.45	4871	0.07	7005362	96.76
18.466666667	4867	0.07	7010229	96.82
18.483333333	4781	0.07	7015010	96.89
18.5	4679	0.06	7019689	96.96
18.516666667	4594	0.06	7024283	97.02
18.533333333	4609	0.06	7028892	97.08
18.55	4537	0.06	7033429	97.14
18.566666667	4566	0.06	7037995	97.21
18.583333333	4455	0.06	7042450	97.27
18.6	4485	0.06	7046935	97.33
18.616666667	4409	0.06	7051344	97.39
18.633333333	4297	0.06	7055641	97.45
18.65	4329	0.06	7059970	97.51
18.666666667	4242	0.06	7064212	97.57
18.683333333	4209	0.06	7068421	97.63
18.7	4077	0.06	7072498	97.68
18.716666667	4204	0.06	7076702	97.74
18.733333333	4058	0.06	7080760	97.80
18.75	3874	0.05	7084634	97.85
18.766666667	3879	0.05	7088513	97.91
18.783333333	3799	0.05	7092312	97.96
18.8	3734	0.05	7096046	98.01
18.816666667	3745	0.05	7099791	98.06
18.833333333	3604	0.05	7103395	98.11
18.85	3585	0.05	7106980	98.16
18.866666667	3459	0.05	7110439	98.21
18.883333333	3401	0.05	7113840	98.26
18.9	3502	0.05	7117342	98.30
18.916666667	3341	0.05	7120683	98.35
18.933333333	3273	0.05	7123956	98.40
18.95	3212	0.04	7127168	98.44
18.966666667	3261	0.05	7130429	98.48
18.983333333	3088	0.04	7133517	98.53
19	3048	0.04	7136565	98.57
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19.016666667	3069	0.04	7139634	98.61
19.033333333	3018	0.04	7142652	98.65
19.05	2895	0.04	7145547	98.69
19.066666667	2814	0.04	7148361	98.73
19.083333333	2710	0.04	7151071	98.77
19.1	2679	0.04	7153750	98.81
19.116666667	2589	0.04	7156339	98.84
19.133333333	2667	0.04	7159006	98.88
19.15	2442	0.03	7161448	98.91
19.166666667	2449	0.03	7163897	98.95
19.183333333	2370	0.03	7166267	98.98
19.2	2232	0.03	7168499	99.01
19.216666667	2271	0.03	7170770	99.04
19.233333333	2165	0.03	7172935	99.07
19.25	2067	0.03	7175002	99.10
19.266666667	1930	0.03	7176932	99.13
19.283333333	1910	0.03	7178842	99.15
19.3	1910	0.03	7180752	99.18
19.316666667	1803	0.02	7182555	99.20
19.333333333	1704	0.02	7184259	99.23
19.35	1646	0.02	7185905	99.25
19.366666667	1625	0.02	7187530	99.27
19.383333333	1469	0.02	7188999	99.29
19.4	1531	0.02	7190530	99.31
19.416666667	1437	0.02	7191967	99.33
19.433333333	1484	0.02	7193451	99.36
19.45	1408	0.02	7194859	99.37
19.466666667	1383	0.02	7196242	99.39
19.483333333	1299	0.02	7197541	99.41
19.5	1215	0.02	7198756	99.43
19.516666667	1146	0.02	7199902	99.44
19.533333333	1043	0.01	7200945	99.46
19.55	1011	0.01	7201956	99.47
19.566666667	986	0.01	7202942	99.49
19.583333333	1044	0.01	7203986	99.50
19.6	965	0.01	7204951	99.51
19.616666667	931	0.01	7205882	99.53
19.633333333	997	0.01	7206879	99.54
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19.65	966	0.01	7207845	99.55
19.66666667	954	0.01	7208799	99.57
19.68333333	910	0.01	7209709	99.58
19.7	849	0.01	7210558	99.59
19.71666667	851	0.01	7211409	99.60
19.73333333	793	0.01	7212202	99.61
19.75	832	0.01	7213034	99.63
19.76666667	802	0.01	7213836	99.64
19.78333333	794	0.01	7214630	99.65
19.8	766	0.01	7215396	99.66
19.81666667	760	0.01	7216156	99.67
19.83333333	732	0.01	7216888	99.68
19.85	670	0.01	7217558	99.69
19.86666667	722	0.01	7218280	99.70
19.88333333	711	0.01	7218991	99.71
19.9	639	0.01	7219630	99.72
19.91666667	680	0.01	7220310	99.73
19.93333333	662	0.01	7220972	99.74
19.95	596	0.01	7221568	99.74
19.96666667	584	0.01	7222152	99.75
19.98333333	533	0.01	7222685	99.76
20	546	0.01	7223231	99.77
20.01666667	486	0.01	7223717	99.77
20.03333333	482	0.01	7224199	99.78
20.05	474	0.01	7224673	99.79
20.06666667	480	0.01	7225153	99.79
20.08333333	438	0.01	7225591	99.80
20.1	457	0.01	7226048	99.81
20.11666667	405	0.01	7226453	99.81
20.13333333	370	0.01	7226823	99.82
20.15	326	0.00	7227149	99.82
20.16666667	313	0.00	7227462	99.82
20.18333333	290	0.00	7227752	99.83
20.2	356	0.00	7228108	99.83
20.21666667	253	0.00	7228361	99.84
20.23333333	303	0.00	7228664	99.84
20.25	317	0.00	7228981	99.85
20.26666667	261	0.00	7229242	99.85
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.283333333	229	0.00	7229471	99.85
20.3	244	0.00	7229715	99.86
20.316666667	291	0.00	7230006	99.86
20.333333333	249	0.00	7230255	99.86
20.35	234	0.00	7230489	99.87
20.366666667	225	0.00	7230714	99.87
20.383333333	213	0.00	7230927	99.87
20.4	215	0.00	7231142	99.88
20.416666667	220	0.00	7231362	99.88
20.433333333	175	0.00	7231537	99.88
20.45	177	0.00	7231714	99.88
20.466666667	192	0.00	7231906	99.89
20.483333333	194	0.00	7232100	99.89
20.5	181	0.00	7232281	99.89
20.516666667	178	0.00	7232459	99.89
20.533333333	169	0.00	7232628	99.90
20.55	155	0.00	7232783	99.90
20.566666667	135	0.00	7232918	99.90
20.583333333	110	0.00	7233028	99.90
20.6	115	0.00	7233143	99.90
20.616666667	115	0.00	7233258	99.90
20.633333333	100	0.00	7233358	99.91
20.65	90	0.00	7233448	99.91
20.666666667	88	0.00	7233536	99.91
20.683333333	94	0.00	7233630	99.91
20.7	102	0.00	7233732	99.91
20.716666667	102	0.00	7233834	99.91
20.733333333	86	0.00	7233920	99.91
20.75	82	0.00	7234002	99.92
20.766666667	85	0.00	7234087	99.92
20.783333333	77	0.00	7234164	99.92
20.8	91	0.00	7234255	99.92
20.816666667	88	0.00	7234343	99.92
20.833333333	59	0.00	7234402	99.92
20.85	64	0.00	7234466	99.92
20.866666667	67	0.00	7234533	99.92
20.883333333	81	0.00	7234614	99.92
20.9	61	0.00	7234675	99.92
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.916666667	51	0.00	7234726	99.93
20.933333333	75	0.00	7234801	99.93
20.95	55	0.00	7234856	99.93
20.966666667	47	0.00	7234903	99.93
20.983333333	80	0.00	7234983	99.93
21	62	0.00	7235045	99.93
21.016666667	67	0.00	7235112	99.93
21.033333333	62	0.00	7235174	99.93
21.05	57	0.00	7235231	99.93
21.066666667	57	0.00	7235288	99.93
21.083333333	56	0.00	7235344	99.93
21.1	60	0.00	7235404	99.93
21.116666667	48	0.00	7235452	99.94
21.133333333	47	0.00	7235499	99.94
21.15	43	0.00	7235542	99.94
21.166666667	57	0.00	7235599	99.94
21.183333333	49	0.00	7235648	99.94
21.2	46	0.00	7235694	99.94
21.216666667	55	0.00	7235749	99.94
21.233333333	58	0.00	7235807	99.94
21.25	65	0.00	7235872	99.94
21.266666667	78	0.00	7235950	99.94
21.283333333	70	0.00	7236020	99.94
21.3	75	0.00	7236095	99.94
21.316666667	74	0.00	7236169	99.95
21.333333333	76	0.00	7236245	99.95
21.35	86	0.00	7236331	99.95
21.366666667	65	0.00	7236396	99.95
21.383333333	68	0.00	7236464	99.95
21.4	56	0.00	7236520	99.95
21.416666667	62	0.00	7236582	99.95
21.433333333	56	0.00	7236638	99.95
21.45	50	0.00	7236688	99.95
21.466666667	65	0.00	7236753	99.95
21.483333333	53	0.00	7236806	99.95
21.5	49	0.00	7236855	99.95
21.516666667	56	0.00	7236911	99.96
21.533333333	48	0.00	7236959	99.96
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
21.55	38	0.00	7236997	99.96
21.566666667	36	0.00	7237033	99.96
21.583333333	34	0.00	7237067	99.96
21.6	44	0.00	7237111	99.96
21.616666667	46	0.00	7237157	99.96
21.633333333	55	0.00	7237212	99.96
21.65	45	0.00	7237257	99.96
21.666666667	34	0.00	7237291	99.96
21.683333333	48	0.00	7237339	99.96
21.7	36	0.00	7237375	99.96
21.716666667	35	0.00	7237410	99.96
21.733333333	25	0.00	7237435	99.96
21.75	28	0.00	7237463	99.96
21.766666667	41	0.00	7237504	99.96
21.783333333	41	0.00	7237545	99.96
21.8	28	0.00	7237573	99.96
21.816666667	27	0.00	7237600	99.96
21.833333333	29	0.00	7237629	99.97
21.85	31	0.00	7237660	99.97
21.866666667	41	0.00	7237701	99.97
21.883333333	31	0.00	7237732	99.97
21.9	48	0.00	7237780	99.97
21.916666667	40	0.00	7237820	99.97
21.933333333	46	0.00	7237866	99.97
21.95	42	0.00	7237908	99.97
21.966666667	37	0.00	7237945	99.97
21.983333333	32	0.00	7237977	99.97
22	33	0.00	7238010	99.97
22.016666667	31	0.00	7238041	99.97
22.033333333	31	0.00	7238072	99.97
22.05	31	0.00	7238103	99.97
22.066666667	12	0.00	7238115	99.97
22.083333333	27	0.00	7238142	99.97
22.1	26	0.00	7238168	99.97
22.116666667	26	0.00	7238194	99.97
22.133333333	24	0.00	7238218	99.97
22.15	26	0.00	7238244	99.97
22.166666667	22	0.00	7238266	99.97
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.183333333	26	0.00	7238292	99.97
22.2	30	0.00	7238322	99.97
22.216666667	22	0.00	7238344	99.98
22.233333333	42	0.00	7238386	99.98
22.25	26	0.00	7238412	99.98
22.266666667	24	0.00	7238436	99.98
22.283333333	26	0.00	7238462	99.98
22.3	19	0.00	7238481	99.98
22.316666667	24	0.00	7238505	99.98
22.333333333	17	0.00	7238522	99.98
22.35	26	0.00	7238548	99.98
22.366666667	21	0.00	7238569	99.98
22.383333333	23	0.00	7238592	99.98
22.4	20	0.00	7238612	99.98
22.416666667	21	0.00	7238633	99.98
22.433333333	18	0.00	7238651	99.98
22.45	16	0.00	7238667	99.98
22.466666667	14	0.00	7238681	99.98
22.483333333	15	0.00	7238696	99.98
22.5	20	0.00	7238716	99.98
22.516666667	17	0.00	7238733	99.98
22.533333333	13	0.00	7238746	99.98
22.55	21	0.00	7238767	99.98
22.566666667	16	0.00	7238783	99.98
22.583333333	7	0.00	7238790	99.98
22.6	17	0.00	7238807	99.98
22.616666667	17	0.00	7238824	99.98
22.633333333	20	0.00	7238844	99.98
22.65	18	0.00	7238862	99.98
22.666666667	15	0.00	7238877	99.98
22.683333333	26	0.00	7238903	99.98
22.7	14	0.00	7238917	99.98
22.716666667	16	0.00	7238933	99.98
22.733333333	21	0.00	7238954	99.98
22.75	12	0.00	7238966	99.98
22.766666667	13	0.00	7238979	99.98
22.783333333	16	0.00	7238995	99.98
22.8	13	0.00	7239008	99.98
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.816666667	21	0.00	7239029	99.98
22.833333333	19	0.00	7239048	99.98
22.85	22	0.00	7239070	99.99
22.866666667	18	0.00	7239088	99.99
22.883333333	20	0.00	7239108	99.99
22.9	22	0.00	7239130	99.99
22.916666667	20	0.00	7239150	99.99
22.933333333	15	0.00	7239165	99.99
22.95	18	0.00	7239183	99.99
22.966666667	16	0.00	7239199	99.99
22.983333333	13	0.00	7239212	99.99
23	9	0.00	7239221	99.99
23.016666667	17	0.00	7239238	99.99
23.033333333	14	0.00	7239252	99.99
23.05	11	0.00	7239263	99.99
23.066666667	23	0.00	7239286	99.99
23.083333333	16	0.00	7239302	99.99
23.1	12	0.00	7239314	99.99
23.116666667	18	0.00	7239332	99.99
23.133333333	15	0.00	7239347	99.99
23.15	16	0.00	7239363	99.99
23.166666667	18	0.00	7239381	99.99
23.183333333	14	0.00	7239395	99.99
23.2	13	0.00	7239408	99.99
23.216666667	13	0.00	7239421	99.99
23.233333333	18	0.00	7239439	99.99
23.25	13	0.00	7239452	99.99
23.266666667	9	0.00	7239461	99.99
23.283333333	18	0.00	7239479	99.99
23.3	16	0.00	7239495	99.99
23.316666667	11	0.00	7239506	99.99
23.333333333	17	0.00	7239523	99.99
23.35	18	0.00	7239541	99.99
23.366666667	9	0.00	7239550	99.99
23.383333333	17	0.00	7239567	99.99
23.4	27	0.00	7239594	99.99
23.416666667	17	0.00	7239611	99.99
23.433333333	20	0.00	7239631	99.99
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
23.45	23	0.00	7239654	99.99
23.466666667	24	0.00	7239678	99.99
23.483333333	23	0.00	7239701	99.99
23.5	22	0.00	7239723	99.99
23.516666667	17	0.00	7239740	99.99
23.533333333	14	0.00	7239754	99.99
23.55	19	0.00	7239773	99.99
23.566666667	10	0.00	7239783	100.00
23.583333333	21	0.00	7239804	100.00
23.6	9	0.00	7239813	100.00
23.616666667	17	0.00	7239830	100.00
23.633333333	13	0.00	7239843	100.00
23.65	24	0.00	7239867	100.00
23.666666667	21	0.00	7239888	100.00
23.683333333	11	0.00	7239899	100.00
23.7	8	0.00	7239907	100.00
23.716666667	5	0.00	7239912	100.00
23.733333333	11	0.00	7239923	100.00
23.75	11	0.00	7239934	100.00
23.766666667	17	0.00	7239951	100.00
23.783333333	18	0.00	7239969	100.00
23.8	9	0.00	7239978	100.00
23.816666667	20	0.00	7239998	100.00
23.833333333	16	0.00	7240014	100.00
23.85	8	0.00	7240022	100.00
23.866666667	13	0.00	7240035	100.00
23.883333333	21	0.00	7240056	100.00
23.9	15	0.00	7240071	100.00
23.916666667	21	0.00	7240092	100.00
23.933333333	15	0.00	7240107	100.00
23.95	14	0.00	7240121	100.00
23.966666667	12	0.00	7240133	100.00
23.983333333	10	0.00	7240143	100.00
Frequency Missing = 2939890				

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorage

Moments			
N	10179549	Sum Weights	10179549
Mean	43.3976169	Sum Observations	441768168
Std Deviation	12.4252216	Variance	154.386132
Skewness	-0.0818104	Kurtosis	-0.8481131
Uncorrected SS	2.07433E10	Corrected SS	1571581046
Coeff Variation	28.6311151	Std Error Mean	0.00389439

Basic Statistical Measures			
Location		Variability	
Mean	43.39762	Std Deviation	12.42522
Median	44.08060	Variance	154.38613
Mode	50.11225	Range	78.92892
		Interquartile Range	19.18191

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11143.61	Pr > t 	<.0001
Sign	M	5089775	Pr >= M 	<.0001
Signed Rank	S	2.591E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	79.9830
99%	67.9882
95%	62.8902
90%	59.5800
75% Q3	52.9843
50% Median	44.0806
25% Q1	33.8024
10%	25.5421
5%	22.5304
1%	19.3489
0% Min	1.0541

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorage

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.05410	4.49E6	79.9502	4.56E6
2.16022	4.72E6	79.9611	4.56E6
2.22320	4.47E6	79.9611	4.78E6
3.43883	2.93E6	79.9693	2.01E6
4.51210	4.72E6	79.9830	4.69E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	484	0.00	100.00

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorhb

Moments			
N	8055610	Sum Weights	8055610
Mean	142.532366	Sum Observations	1148185156
Std Deviation	11.2825407	Variance	127.295724
Skewness	0.02539851	Kurtosis	-0.2231349
Uncorrected SS	1.64679E11	Corrected SS	1025444582
Coeff Variation	7.91577448	Std Error Mean	0.00397519

Basic Statistical Measures			
Location		Variability	
Mean	142.5324	Std Deviation	11.28254
Median	143.0000	Variance	127.29572
Mode	145.0000	Range	140.00000
		Interquartile Range	15.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	35855.5	Pr > t 	<.0001
Sign	M	4027805	Pr >= M 	<.0001
Signed Rank	S	1.622E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	200
99%	168
95%	161
90%	157
75% Q3	150
50% Median	143
25% Q1	135
10%	128
5%	124
1%	118
0% Min	60

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorhb

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
60	9.47E6	200	6.38E6
60	9.41E6	200	7.8E6
60	9.37E6	200	8.59E6
60	9.36E6	200	8.76E6
60	9.36E6	200	9.62E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	2124423	20.87	100.00

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: numdonations

Moments			
N	10180033	Sum Weights	10180033
Mean	8.58100715	Sum Observations	87354936
Std Deviation	5.55327377	Variance	30.8388495
Skewness	0.23220245	Kurtosis	-0.3687553
Uncorrected SS	1063533806	Corrected SS	313940475
Coeff Variation	64.7158739	Std Error Mean	0.0017405

Basic Statistical Measures			
Location		Variability	
Mean	8.581007	Std Deviation	5.55327
Median	9.000000	Variance	30.83885
Mode	0.000000	Range	113.00000
		Interquartile Range	9.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4930.191	Pr > t 	<.0001
Sign	M	4752388	Pr >= M 	<.0001
Signed Rank	S	2.259E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	113
99%	20
95%	18
90%	16
75% Q3	13
50% Median	9
25% Q1	4
10%	1
5%	0
1%	0
0% Min	0

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: numdonations

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	1.03E7	104	1.88E6
0	1.03E7	104	2.3E6
0	1.03E7	105	1.88E6
0	1.03E7	106	1.88E6
0	1.03E7	113	8.21E6

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: storagetime

Moments			
N	10164667	Sum Weights	10164667
Mean	15.7167827	Sum Observations	159755862
Std Deviation	9.35887371	Variance	87.5885171
Skewness	0.88809163	Kurtosis	0.53655494
Uncorrected SS	3401156186	Corrected SS	890308021
Coeff Variation	59.5470072	Std Error Mean	0.00293547

Basic Statistical Measures			
Location		Variability	
Mean	15.71678	Std Deviation	9.35887
Median	13.86319	Variance	87.58852
Mode	8.00000	Range	99.96667
		Interquartile Range	12.56597

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5354.102	Pr > t 	<.0001
Sign	M	5082334	Pr >= M 	<.0001
Signed Rank	S	2.583E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	99.96805556
99%	40.88958333
95%	35.00000000
90%	29.67638889
75% Q3	21.05763889
50% Median	13.86319444
25% Q1	8.49166667
10%	5.47569444
5%	3.74652778
1%	1.92013889
0% Min	0.00138889

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: storagetime

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00138889	1.01E7	99.9111	8.93E6
0.00138889	2.95E6	99.9174	8.31E6
0.00138889	2.94E6	99.9243	4.67E6
0.00138889	2.53E6	99.9556	4.74E6
0.00138889	2.53E6	99.9681	5.2E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	15366	0.15	100.00

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: time_since_donation

Moments			
N	9504776	Sum Weights	9504776
Mean	186.737454	Sum Observations	1774897675
Std Deviation	186.860529	Variance	34916.8574
Skewness	4.32140565	Kurtosis	23.5144815
Uncorrected SS	6.63317E11	Corrected SS	3.31877E11
Coeff Variation	100.065908	Std Error Mean	0.06061033

Basic Statistical Measures			
Location		Variability	
Mean	186.7375	Std Deviation	186.86053
Median	126.0132	Variance	34917
Mode	84.0000	Range	1826
		Interquartile Range	88.91667

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3080.951	Pr > t	<.0001
Sign	M	4752388	Pr >= M	<.0001
Signed Rank	S	2.259E13	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1.82619E+03
99%	1.12109E+03
95%	4.97000E+02
90%	3.28901E+02
75% Q3	1.87917E+02
50% Median	1.26013E+02
25% Q1	9.90000E+01
10%	8.80014E+01
5%	8.40007E+01
1%	7.80194E+01
0% Min	6.94444E-04

Now assessing with 24 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: time_since_donation

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.000694444	3.17E6	1826.10	8.67E6
0.002083333	2.73E6	1826.12	8.51E6
0.002777778	2.29E6	1826.15	8.51E6
0.003472222	4.62E6	1826.16	4.83E6
0.004166667	7.48E6	1826.19	3.44E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	675257	6.63	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

bad	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	2751285	100.00	2751285	100.00
1	50	0.00	2751335	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

storagecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	666512	25.35	666512	25.35
10	1100001	41.83	1766513	67.18
20	426587	16.22	2193100	83.41
30	79403	3.02	2272503	86.43
35	67377	2.56	2339880	88.99
99	289513	11.01	2629393	100.00

donorsexcat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	987958	37.57	987958	37.57
2	750260	28.53	1738218	66.11
9	891175	33.89	2629393	100.00

timesincecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	1292594	49.16	1292594	49.16
180	314531	11.96	1607125	61.12
365	138023	5.25	1745148	66.37
999	884245	33.63	2629393	100.00

donoragecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	265989	10.12	265989	10.12
30	432440	16.45	698429	26.56
45	549562	20.90	1247991	47.46
60	141117	5.37	1389108	52.83
99	1240285	47.17	2629393	100.00

weekdaycat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	395440	15.04	395440	15.04
3	467257	17.77	862697	32.81
4	550476	20.94	1413173	53.75
5	400276	15.22	1813449	68.97
6	135804	5.16	1949253	74.13
9	680140	25.87	2629393	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

timecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	588177	22.37	588177	22.37
12	715205	27.20	1303382	49.57
16	313793	11.93	1617175	61.50
99	1012218	38.50	2629393	100.00

numdoncat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	100923	3.84	100923	3.84
1	423235	16.10	524158	19.93
5	383706	14.59	907864	34.53
10	550363	20.93	1458227	55.46
20	5294	0.20	1463521	55.66
99	1165872	44.34	2629393	100.00

donorbirthorigin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11	107664	4.09	107664	4.09
12	44969	1.71	152633	5.80
21	108399	4.12	261032	9.93
22	1621958	61.69	1882990	71.61
99	746403	28.39	2629393	100.00

donorparity	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	987958	37.57	987958	37.57
1	203954	7.76	1191912	45.33
2	396986	15.10	1588898	60.43
9	1040495	39.57	2629393	100.00

extremevalue	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	2580677	98.15	2580677	98.15
1	48716	1.85	2629393	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

storagecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	286534	28.76	286534	28.76
10	449580	45.13	736114	73.89
20	188715	18.94	924829	92.83
30	38948	3.91	963777	96.74
35	32422	3.25	996199	99.99
99	77	0.01	996276	100.00

donorsexcat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	556756	55.88	556756	55.88
2	439014	44.07	995770	99.95
9	506	0.05	996276	100.00

timesincecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	606442	60.87	606442	60.87
180	204801	20.56	811243	81.43
365	98266	9.86	909509	91.29
999	86767	8.71	996276	100.00

donoragecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	204568	20.53	204568	20.53
30	299306	30.04	503874	50.58
45	370570	37.20	874444	87.77
60	121832	12.23	996276	100.00

weekdaycat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	191994	19.27	191994	19.27
3	224693	22.55	416687	41.82
4	259685	26.07	676372	67.89
5	196617	19.74	872989	87.63
6	70121	7.04	943110	94.66
9	53166	5.34	996276	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

timecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	353937	35.53	353937	35.53
12	426152	42.77	780089	78.30
16	211215	21.20	991304	99.50
99	4972	0.50	996276	100.00

numdoncat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	86767	8.71	86767	8.71
1	254363	25.53	341130	34.24
5	281382	28.24	622512	62.48
10	368563	36.99	991075	99.48
20	5201	0.52	996276	100.00

donorbirthorigin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11	94835	9.52	94835	9.52
12	42070	4.22	136905	13.74
21	95340	9.57	232245	23.31
22	763474	76.63	995719	99.94
99	557	0.06	996276	100.00

donorparity	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	556756	55.88	556756	55.88
1	159863	16.05	716619	71.93
2	279151	28.02	995770	99.95
9	506	0.05	996276	100.00

foreigndonor	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	859371	86.26	859371	86.26
1	136905	13.74	996276	100.00

Now assessing with 24 hours pre-post-transfusion windows

The FREQ Procedure

timesincecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	606442	60.87	606442	60.87
180	204801	20.56	811243	81.43
365	98266	9.86	909509	91.29
999	86767	8.71	996276	100.00

Now assessing with 6 hours pre-post-transfusion windows

1481319

Now assessing with 6 hours pre-post-transfusion windows

1435684

Now assessing with 6 hours pre-post-transfusion windows

1435684

Now assessing with 6 hours pre-post-transfusion windows

1435684

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

wdy_donation	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	1290	0.01	1290	0.01
2	2088390	20.33	2089680	20.34
3	2539992	24.72	4629672	45.06
4	2328118	22.66	6957790	67.72
5	2224490	21.65	9182280	89.37
6	881289	8.58	10063569	97.95
7	125765	1.22	10189334	99.18
9	84667	0.82	10274001	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	2945023	28.90	2945023	28.90
0.0166666667	20	0.00	2945043	28.90
0.0333333333	11	0.00	2945054	28.90
0.05	11	0.00	2945065	28.90
0.0666666667	12	0.00	2945077	28.90
0.0833333333	13	0.00	2945090	28.90
0.1	25	0.00	2945115	28.90
0.1166666667	25	0.00	2945140	28.90
0.1333333333	20	0.00	2945160	28.90
0.15	22	0.00	2945182	28.90
0.1666666667	51	0.00	2945233	28.91
0.1833333333	14	0.00	2945247	28.91
0.2	13	0.00	2945260	28.91
0.2166666667	21	0.00	2945281	28.91
0.2333333333	20	0.00	2945301	28.91
0.25	20	0.00	2945321	28.91
0.2666666667	18	0.00	2945339	28.91
0.2833333333	15	0.00	2945354	28.91
0.3	17	0.00	2945371	28.91
0.3166666667	18	0.00	2945389	28.91
0.3333333333	13	0.00	2945402	28.91
0.35	13	0.00	2945415	28.91
0.3666666667	16	0.00	2945431	28.91
0.3833333333	11	0.00	2945442	28.91
0.4	21	0.00	2945463	28.91
0.4166666667	13	0.00	2945476	28.91
0.4333333333	13	0.00	2945489	28.91
0.45	20	0.00	2945509	28.91
0.4666666667	23	0.00	2945532	28.91
0.4833333333	18	0.00	2945550	28.91
0.5	21	0.00	2945571	28.91
0.5166666667	18	0.00	2945589	28.91
0.5333333333	23	0.00	2945612	28.91
0.55	12	0.00	2945624	28.91
0.5666666667	16	0.00	2945640	28.91
0.5833333333	16	0.00	2945656	28.91
0.6	11	0.00	2945667	28.91
0.6166666667	12	0.00	2945679	28.91
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.6333333333	11	0.00	2945690	28.91
0.65	17	0.00	2945707	28.91
0.6666666667	17	0.00	2945724	28.91
0.6833333333	16	0.00	2945740	28.91
0.7	15	0.00	2945755	28.91
0.7166666667	25	0.00	2945780	28.91
0.7333333333	20	0.00	2945800	28.91
0.75	13	0.00	2945813	28.91
0.7666666667	21	0.00	2945834	28.91
0.7833333333	12	0.00	2945846	28.91
0.8	20	0.00	2945866	28.91
0.8166666667	22	0.00	2945888	28.91
0.8333333333	16	0.00	2945904	28.91
0.85	16	0.00	2945920	28.91
0.8666666667	19	0.00	2945939	28.91
0.8833333333	19	0.00	2945958	28.91
0.9	20	0.00	2945978	28.91
0.9166666667	20	0.00	2945998	28.91
0.9333333333	16	0.00	2946014	28.91
0.95	18	0.00	2946032	28.91
0.9666666667	18	0.00	2946050	28.91
0.9833333333	21	0.00	2946071	28.91
1	16	0.00	2946087	28.91
1.0166666667	17	0.00	2946104	28.91
1.0333333333	21	0.00	2946125	28.91
1.05	19	0.00	2946144	28.91
1.0666666667	14	0.00	2946158	28.91
1.0833333333	13	0.00	2946171	28.91
1.1	14	0.00	2946185	28.91
1.1166666667	25	0.00	2946210	28.91
1.1333333333	21	0.00	2946231	28.91
1.15	15	0.00	2946246	28.92
1.1666666667	26	0.00	2946272	28.92
1.1833333333	26	0.00	2946298	28.92
1.2	22	0.00	2946320	28.92
1.2166666667	19	0.00	2946339	28.92
1.2333333333	28	0.00	2946367	28.92
1.25	26	0.00	2946393	28.92
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.266666667	17	0.00	2946410	28.92
1.283333333	26	0.00	2946436	28.92
1.3	23	0.00	2946459	28.92
1.316666667	25	0.00	2946484	28.92
1.333333333	17	0.00	2946501	28.92
1.35	22	0.00	2946523	28.92
1.366666667	19	0.00	2946542	28.92
1.383333333	17	0.00	2946559	28.92
1.4	17	0.00	2946576	28.92
1.416666667	28	0.00	2946604	28.92
1.433333333	21	0.00	2946625	28.92
1.45	21	0.00	2946646	28.92
1.466666667	22	0.00	2946668	28.92
1.483333333	19	0.00	2946687	28.92
1.5	23	0.00	2946710	28.92
1.516666667	21	0.00	2946731	28.92
1.533333333	24	0.00	2946755	28.92
1.55	24	0.00	2946779	28.92
1.566666667	27	0.00	2946806	28.92
1.583333333	18	0.00	2946824	28.92
1.6	25	0.00	2946849	28.92
1.616666667	26	0.00	2946875	28.92
1.633333333	31	0.00	2946906	28.92
1.65	26	0.00	2946932	28.92
1.666666667	19	0.00	2946951	28.92
1.683333333	28	0.00	2946979	28.92
1.7	16	0.00	2946995	28.92
1.716666667	32	0.00	2947027	28.92
1.733333333	27	0.00	2947054	28.92
1.75	20	0.00	2947074	28.92
1.766666667	21	0.00	2947095	28.92
1.783333333	24	0.00	2947119	28.92
1.8	22	0.00	2947141	28.92
1.816666667	30	0.00	2947171	28.92
1.833333333	21	0.00	2947192	28.92
1.85	26	0.00	2947218	28.92
1.866666667	27	0.00	2947245	28.92
1.883333333	17	0.00	2947262	28.92
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.9	27	0.00	2947289	28.93
1.916666667	30	0.00	2947319	28.93
1.933333333	27	0.00	2947346	28.93
1.95	23	0.00	2947369	28.93
1.966666667	19	0.00	2947388	28.93
1.983333333	18	0.00	2947406	28.93
2	28	0.00	2947434	28.93
2.016666667	24	0.00	2947458	28.93
2.033333333	29	0.00	2947487	28.93
2.05	30	0.00	2947517	28.93
2.066666667	25	0.00	2947542	28.93
2.083333333	20	0.00	2947562	28.93
2.1	24	0.00	2947586	28.93
2.116666667	29	0.00	2947615	28.93
2.133333333	20	0.00	2947635	28.93
2.15	29	0.00	2947664	28.93
2.166666667	34	0.00	2947698	28.93
2.183333333	22	0.00	2947720	28.93
2.2	21	0.00	2947741	28.93
2.216666667	30	0.00	2947771	28.93
2.233333333	26	0.00	2947797	28.93
2.25	23	0.00	2947820	28.93
2.266666667	29	0.00	2947849	28.93
2.283333333	16	0.00	2947865	28.93
2.3	34	0.00	2947899	28.93
2.316666667	29	0.00	2947928	28.93
2.333333333	24	0.00	2947952	28.93
2.35	30	0.00	2947982	28.93
2.366666667	21	0.00	2948003	28.93
2.383333333	26	0.00	2948029	28.93
2.4	33	0.00	2948062	28.93
2.416666667	36	0.00	2948098	28.93
2.433333333	18	0.00	2948116	28.93
2.45	21	0.00	2948137	28.93
2.466666667	20	0.00	2948157	28.93
2.483333333	21	0.00	2948178	28.93
2.5	24	0.00	2948202	28.93
2.516666667	31	0.00	2948233	28.93
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5333333333	22	0.00	2948255	28.93
2.55	26	0.00	2948281	28.93
2.5666666667	31	0.00	2948312	28.94
2.5833333333	24	0.00	2948336	28.94
2.6	25	0.00	2948361	28.94
2.6166666667	23	0.00	2948384	28.94
2.6333333333	24	0.00	2948408	28.94
2.65	25	0.00	2948433	28.94
2.6666666667	28	0.00	2948461	28.94
2.6833333333	34	0.00	2948495	28.94
2.7	27	0.00	2948522	28.94
2.7166666667	19	0.00	2948541	28.94
2.7333333333	28	0.00	2948569	28.94
2.75	18	0.00	2948587	28.94
2.7666666667	22	0.00	2948609	28.94
2.7833333333	30	0.00	2948639	28.94
2.8	28	0.00	2948667	28.94
2.8166666667	30	0.00	2948697	28.94
2.8333333333	30	0.00	2948727	28.94
2.85	26	0.00	2948753	28.94
2.8666666667	23	0.00	2948776	28.94
2.8833333333	18	0.00	2948794	28.94
2.9	14	0.00	2948808	28.94
2.9166666667	19	0.00	2948827	28.94
2.9333333333	22	0.00	2948849	28.94
2.95	24	0.00	2948873	28.94
2.9666666667	26	0.00	2948899	28.94
2.9833333333	28	0.00	2948927	28.94
3	28	0.00	2948955	28.94
3.0166666667	31	0.00	2948986	28.94
3.0333333333	27	0.00	2949013	28.94
3.05	24	0.00	2949037	28.94
3.0666666667	29	0.00	2949066	28.94
3.0833333333	39	0.00	2949105	28.94
3.1	34	0.00	2949139	28.94
3.1166666667	29	0.00	2949168	28.94
3.1333333333	26	0.00	2949194	28.94
3.15	22	0.00	2949216	28.94
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.166666667	19	0.00	2949235	28.94
3.183333333	17	0.00	2949252	28.94
3.2	21	0.00	2949273	28.94
3.216666667	31	0.00	2949304	28.95
3.233333333	27	0.00	2949331	28.95
3.25	23	0.00	2949354	28.95
3.266666667	28	0.00	2949382	28.95
3.283333333	31	0.00	2949413	28.95
3.3	16	0.00	2949429	28.95
3.316666667	28	0.00	2949457	28.95
3.333333333	28	0.00	2949485	28.95
3.35	24	0.00	2949509	28.95
3.366666667	18	0.00	2949527	28.95
3.383333333	27	0.00	2949554	28.95
3.4	28	0.00	2949582	28.95
3.416666667	28	0.00	2949610	28.95
3.433333333	18	0.00	2949628	28.95
3.45	21	0.00	2949649	28.95
3.466666667	28	0.00	2949677	28.95
3.483333333	25	0.00	2949702	28.95
3.5	25	0.00	2949727	28.95
3.516666667	19	0.00	2949746	28.95
3.533333333	24	0.00	2949770	28.95
3.55	33	0.00	2949803	28.95
3.566666667	29	0.00	2949832	28.95
3.583333333	29	0.00	2949861	28.95
3.6	44	0.00	2949905	28.95
3.616666667	18	0.00	2949923	28.95
3.633333333	28	0.00	2949951	28.95
3.65	25	0.00	2949976	28.95
3.666666667	34	0.00	2950010	28.95
3.683333333	36	0.00	2950046	28.95
3.7	26	0.00	2950072	28.95
3.716666667	33	0.00	2950105	28.95
3.733333333	34	0.00	2950139	28.95
3.75	23	0.00	2950162	28.95
3.766666667	26	0.00	2950188	28.95
3.783333333	26	0.00	2950214	28.95
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.8	26	0.00	2950240	28.95
3.816666667	36	0.00	2950276	28.95
3.833333333	19	0.00	2950295	28.95
3.85	26	0.00	2950321	28.95
3.866666667	21	0.00	2950342	28.96
3.883333333	36	0.00	2950378	28.96
3.9	23	0.00	2950401	28.96
3.916666667	25	0.00	2950426	28.96
3.933333333	31	0.00	2950457	28.96
3.95	35	0.00	2950492	28.96
3.966666667	34	0.00	2950526	28.96
3.983333333	36	0.00	2950562	28.96
4	29	0.00	2950591	28.96
4.016666667	35	0.00	2950626	28.96
4.033333333	33	0.00	2950659	28.96
4.05	37	0.00	2950696	28.96
4.066666667	32	0.00	2950728	28.96
4.083333333	31	0.00	2950759	28.96
4.1	35	0.00	2950794	28.96
4.116666667	31	0.00	2950825	28.96
4.133333333	31	0.00	2950856	28.96
4.15	28	0.00	2950884	28.96
4.166666667	31	0.00	2950915	28.96
4.183333333	26	0.00	2950941	28.96
4.2	33	0.00	2950974	28.96
4.216666667	34	0.00	2951008	28.96
4.233333333	35	0.00	2951043	28.96
4.25	34	0.00	2951077	28.96
4.266666667	37	0.00	2951114	28.96
4.283333333	45	0.00	2951159	28.96
4.3	30	0.00	2951189	28.96
4.316666667	33	0.00	2951222	28.96
4.333333333	34	0.00	2951256	28.96
4.35	44	0.00	2951300	28.96
4.366666667	29	0.00	2951329	28.96
4.383333333	31	0.00	2951360	28.97
4.4	27	0.00	2951387	28.97
4.416666667	30	0.00	2951417	28.97
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4.4333333333	31	0.00	2951448	28.97
4.45	28	0.00	2951476	28.97
4.4666666667	39	0.00	2951515	28.97
4.4833333333	38	0.00	2951553	28.97
4.5	31	0.00	2951584	28.97
4.5166666667	38	0.00	2951622	28.97
4.5333333333	36	0.00	2951658	28.97
4.55	29	0.00	2951687	28.97
4.5666666667	41	0.00	2951728	28.97
4.5833333333	32	0.00	2951760	28.97
4.6	35	0.00	2951795	28.97
4.6166666667	34	0.00	2951829	28.97
4.6333333333	35	0.00	2951864	28.97
4.65	40	0.00	2951904	28.97
4.6666666667	40	0.00	2951944	28.97
4.6833333333	51	0.00	2951995	28.97
4.7	72	0.00	2952067	28.97
4.7166666667	55	0.00	2952122	28.97
4.7333333333	49	0.00	2952171	28.97
4.75	46	0.00	2952217	28.97
4.7666666667	33	0.00	2952250	28.97
4.7833333333	49	0.00	2952299	28.97
4.8	44	0.00	2952343	28.97
4.8166666667	41	0.00	2952384	28.98
4.8333333333	47	0.00	2952431	28.98
4.85	35	0.00	2952466	28.98
4.8666666667	44	0.00	2952510	28.98
4.8833333333	68	0.00	2952578	28.98
4.9	91	0.00	2952669	28.98
4.9166666667	85	0.00	2952754	28.98
4.9333333333	77	0.00	2952831	28.98
4.95	80	0.00	2952911	28.98
4.9666666667	84	0.00	2952995	28.98
4.9833333333	69	0.00	2953064	28.98
5	44	0.00	2953108	28.98
5.0166666667	51	0.00	2953159	28.98
5.0333333333	30	0.00	2953189	28.98
5.05	24	0.00	2953213	28.98
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.066666667	34	0.00	2953247	28.98
5.083333333	31	0.00	2953278	28.98
5.1	38	0.00	2953316	28.98
5.116666667	40	0.00	2953356	28.98
5.133333333	41	0.00	2953397	28.99
5.15	38	0.00	2953435	28.99
5.166666667	38	0.00	2953473	28.99
5.183333333	42	0.00	2953515	28.99
5.2	34	0.00	2953549	28.99
5.216666667	45	0.00	2953594	28.99
5.233333333	43	0.00	2953637	28.99
5.25	36	0.00	2953673	28.99
5.266666667	39	0.00	2953712	28.99
5.283333333	47	0.00	2953759	28.99
5.3	35	0.00	2953794	28.99
5.316666667	54	0.00	2953848	28.99
5.333333333	54	0.00	2953902	28.99
5.35	49	0.00	2953951	28.99
5.366666667	45	0.00	2953996	28.99
5.383333333	45	0.00	2954041	28.99
5.4	43	0.00	2954084	28.99
5.416666667	38	0.00	2954122	28.99
5.433333333	50	0.00	2954172	28.99
5.45	38	0.00	2954210	28.99
5.466666667	55	0.00	2954265	28.99
5.483333333	42	0.00	2954307	28.99
5.5	55	0.00	2954362	28.99
5.516666667	51	0.00	2954413	29.00
5.533333333	53	0.00	2954466	29.00
5.55	53	0.00	2954519	29.00
5.566666667	51	0.00	2954570	29.00
5.583333333	49	0.00	2954619	29.00
5.6	34	0.00	2954653	29.00
5.616666667	48	0.00	2954701	29.00
5.633333333	44	0.00	2954745	29.00
5.65	63	0.00	2954808	29.00
5.666666667	73	0.00	2954881	29.00
5.683333333	62	0.00	2954943	29.00
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.7	57	0.00	2955000	29.00
5.716666667	62	0.00	2955062	29.00
5.733333333	66	0.00	2955128	29.00
5.75	67	0.00	2955195	29.00
5.766666667	73	0.00	2955268	29.00
5.783333333	67	0.00	2955335	29.00
5.8	90	0.00	2955425	29.01
5.816666667	82	0.00	2955507	29.01
5.833333333	72	0.00	2955579	29.01
5.85	85	0.00	2955664	29.01
5.866666667	60	0.00	2955724	29.01
5.883333333	96	0.00	2955820	29.01
5.9	95	0.00	2955915	29.01
5.916666667	93	0.00	2956008	29.01
5.933333333	116	0.00	2956124	29.01
5.95	112	0.00	2956236	29.01
5.966666667	92	0.00	2956328	29.01
5.983333333	113	0.00	2956441	29.02
6	106	0.00	2956547	29.02
6.016666667	126	0.00	2956673	29.02
6.033333333	113	0.00	2956786	29.02
6.05	153	0.00	2956939	29.02
6.066666667	168	0.00	2957107	29.02
6.083333333	173	0.00	2957280	29.02
6.1	198	0.00	2957478	29.03
6.116666667	212	0.00	2957690	29.03
6.133333333	178	0.00	2957868	29.03
6.15	207	0.00	2958075	29.03
6.166666667	217	0.00	2958292	29.03
6.183333333	217	0.00	2958509	29.04
6.2	229	0.00	2958738	29.04
6.216666667	237	0.00	2958975	29.04
6.233333333	286	0.00	2959261	29.04
6.25	256	0.00	2959517	29.05
6.266666667	266	0.00	2959783	29.05
6.283333333	303	0.00	2960086	29.05
6.3	319	0.00	2960405	29.05
6.316666667	288	0.00	2960693	29.06
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.3333333333	385	0.00	2961078	29.06
6.35	314	0.00	2961392	29.06
6.3666666667	325	0.00	2961717	29.07
6.3833333333	330	0.00	2962047	29.07
6.4	357	0.00	2962404	29.07
6.4166666667	364	0.00	2962768	29.08
6.4333333333	382	0.00	2963150	29.08
6.45	413	0.00	2963563	29.08
6.4666666667	408	0.00	2963971	29.09
6.4833333333	452	0.00	2964423	29.09
6.5	475	0.00	2964898	29.10
6.5166666667	489	0.00	2965387	29.10
6.5333333333	496	0.00	2965883	29.11
6.55	446	0.00	2966329	29.11
6.5666666667	560	0.01	2966889	29.12
6.5833333333	615	0.01	2967504	29.12
6.6	647	0.01	2968151	29.13
6.6166666667	676	0.01	2968827	29.14
6.6333333333	624	0.01	2969451	29.14
6.65	694	0.01	2970145	29.15
6.6666666667	726	0.01	2970871	29.16
6.6833333333	680	0.01	2971551	29.16
6.7	706	0.01	2972257	29.17
6.7166666667	734	0.01	2972991	29.18
6.7333333333	721	0.01	2973712	29.18
6.75	767	0.01	2974479	29.19
6.7666666667	731	0.01	2975210	29.20
6.7833333333	765	0.01	2975975	29.21
6.8	762	0.01	2976737	29.21
6.8166666667	900	0.01	2977637	29.22
6.8333333333	871	0.01	2978508	29.23
6.85	973	0.01	2979481	29.24
6.8666666667	920	0.01	2980401	29.25
6.8833333333	949	0.01	2981350	29.26
6.9	1008	0.01	2982358	29.27
6.9166666667	968	0.01	2983326	29.28
6.9333333333	948	0.01	2984274	29.29
6.95	963	0.01	2985237	29.30
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.966666667	956	0.01	2986193	29.31
6.983333333	1003	0.01	2987196	29.32
7	992	0.01	2988188	29.33
7.016666667	981	0.01	2989169	29.34
7.033333333	979	0.01	2990148	29.35
7.05	1047	0.01	2991195	29.36
7.066666667	1131	0.01	2992326	29.37
7.083333333	1157	0.01	2993483	29.38
7.1	1347	0.01	2994830	29.39
7.116666667	1306	0.01	2996136	29.40
7.133333333	1423	0.01	2997559	29.42
7.15	1510	0.01	2999069	29.43
7.166666667	1592	0.02	3000661	29.45
7.183333333	1635	0.02	3002296	29.47
7.2	1739	0.02	3004035	29.48
7.216666667	1941	0.02	3005976	29.50
7.233333333	2087	0.02	3008063	29.52
7.25	2191	0.02	3010254	29.54
7.266666667	2370	0.02	3012624	29.57
7.283333333	2526	0.02	3015150	29.59
7.3	2524	0.02	3017674	29.62
7.316666667	2692	0.03	3020366	29.64
7.333333333	2937	0.03	3023303	29.67
7.35	3034	0.03	3026337	29.70
7.366666667	3196	0.03	3029533	29.73
7.383333333	3196	0.03	3032729	29.76
7.4	3541	0.03	3036270	29.80
7.416666667	3898	0.04	3040168	29.84
7.433333333	4059	0.04	3044227	29.88
7.45	4230	0.04	3048457	29.92
7.466666667	4465	0.04	3052922	29.96
7.483333333	4718	0.05	3057640	30.01
7.5	4813	0.05	3062453	30.06
7.516666667	5291	0.05	3067744	30.11
7.533333333	5330	0.05	3073074	30.16
7.55	5640	0.06	3078714	30.22
7.566666667	6064	0.06	3084778	30.27
7.583333333	6049	0.06	3090827	30.33
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7.6	6455	0.06	3097282	30.40
7.616666667	6739	0.07	3104021	30.46
7.633333333	7014	0.07	3111035	30.53
7.65	7408	0.07	3118443	30.60
7.666666667	7750	0.08	3126193	30.68
7.683333333	8239	0.08	3134432	30.76
7.7	8734	0.09	3143166	30.85
7.716666667	8915	0.09	3152081	30.94
7.733333333	9311	0.09	3161392	31.03
7.75	9723	0.10	3171115	31.12
7.766666667	9924	0.10	3181039	31.22
7.783333333	10281	0.10	3191320	31.32
7.8	10437	0.10	3201757	31.42
7.816666667	10563	0.10	3212320	31.53
7.833333333	10660	0.10	3222980	31.63
7.85	10632	0.10	3233612	31.74
7.866666667	10763	0.11	3244375	31.84
7.883333333	11096	0.11	3255471	31.95
7.9	10999	0.11	3266470	32.06
7.916666667	11159	0.11	3277629	32.17
7.933333333	11190	0.11	3288819	32.28
7.95	11153	0.11	3299972	32.39
7.966666667	11423	0.11	3311395	32.50
7.983333333	11362	0.11	3322757	32.61
8	11450	0.11	3334207	32.72
8.016666667	11475	0.11	3345682	32.84
8.033333333	11616	0.11	3357298	32.95
8.05	11696	0.11	3368994	33.06
8.066666667	11807	0.12	3380801	33.18
8.083333333	11781	0.12	3392582	33.30
8.1	11848	0.12	3404430	33.41
8.116666667	12067	0.12	3416497	33.53
8.133333333	12563	0.12	3429060	33.65
8.15	12946	0.13	3442006	33.78
8.166666667	12916	0.13	3454922	33.91
8.183333333	13069	0.13	3467991	34.04
8.2	13521	0.13	3481512	34.17
8.216666667	13744	0.13	3495256	34.30
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.2333333333	13948	0.14	3509204	34.44
8.25	14246	0.14	3523450	34.58
8.2666666667	14910	0.15	3538360	34.73
8.2833333333	15010	0.15	3553370	34.87
8.3	15305	0.15	3568675	35.02
8.3166666667	14838	0.15	3583513	35.17
8.3333333333	15050	0.15	3598563	35.32
8.35	15367	0.15	3613930	35.47
8.3666666667	14992	0.15	3628922	35.61
8.3833333333	15173	0.15	3644095	35.76
8.4	15106	0.15	3659201	35.91
8.4166666667	15331	0.15	3674532	36.06
8.4333333333	15503	0.15	3690035	36.21
8.45	15126	0.15	3705161	36.36
8.4666666667	15078	0.15	3720239	36.51
8.4833333333	14781	0.15	3735020	36.66
8.5	15059	0.15	3750079	36.80
8.5166666667	14902	0.15	3764981	36.95
8.5333333333	14996	0.15	3779977	37.10
8.55	14948	0.15	3794925	37.24
8.5666666667	15137	0.15	3810062	37.39
8.5833333333	14801	0.15	3824863	37.54
8.6	14920	0.15	3839783	37.68
8.6166666667	14960	0.15	3854743	37.83
8.6333333333	15261	0.15	3870004	37.98
8.65	15249	0.15	3885253	38.13
8.6666666667	15351	0.15	3900604	38.28
8.6833333333	15139	0.15	3915743	38.43
8.7	15155	0.15	3930898	38.58
8.7166666667	15253	0.15	3946151	38.73
8.7333333333	15358	0.15	3961509	38.88
8.75	15223	0.15	3976732	39.03
8.7666666667	15105	0.15	3991837	39.18
8.7833333333	15119	0.15	4006956	39.33
8.8	15133	0.15	4022089	39.47
8.8166666667	15058	0.15	4037147	39.62
8.8333333333	15174	0.15	4052321	39.77
8.85	14742	0.14	4067063	39.91
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.866666667	15020	0.15	4082083	40.06
8.883333333	14600	0.14	4096683	40.21
8.9	14689	0.14	4111372	40.35
8.916666667	14608	0.14	4125980	40.49
8.933333333	14766	0.14	4140746	40.64
8.95	14997	0.15	4155743	40.79
8.966666667	14976	0.15	4170719	40.93
8.983333333	14701	0.14	4185420	41.08
9	14659	0.14	4200079	41.22
9.016666667	14622	0.14	4214701	41.36
9.033333333	14620	0.14	4229321	41.51
9.05	14682	0.14	4244003	41.65
9.066666667	14379	0.14	4258382	41.79
9.083333333	14371	0.14	4272753	41.93
9.1	14355	0.14	4287108	42.07
9.116666667	14027	0.14	4301135	42.21
9.133333333	14001	0.14	4315136	42.35
9.15	14047	0.14	4329183	42.49
9.166666667	13849	0.14	4343032	42.62
9.183333333	13643	0.13	4356675	42.76
9.2	13833	0.14	4370508	42.89
9.216666667	13681	0.13	4384189	43.03
9.233333333	13622	0.13	4397811	43.16
9.25	13538	0.13	4411349	43.29
9.266666667	13439	0.13	4424788	43.43
9.283333333	13494	0.13	4438282	43.56
9.3	13364	0.13	4451646	43.69
9.316666667	13220	0.13	4464866	43.82
9.333333333	12852	0.13	4477718	43.95
9.35	12822	0.13	4490540	44.07
9.366666667	12575	0.12	4503115	44.19
9.383333333	12470	0.12	4515585	44.32
9.4	12230	0.12	4527815	44.44
9.416666667	12000	0.12	4539815	44.55
9.433333333	12214	0.12	4552029	44.67
9.45	12099	0.12	4564128	44.79
9.466666667	11925	0.12	4576053	44.91
9.483333333	11807	0.12	4587860	45.03
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9.5	11727	0.12	4599587	45.14
9.516666667	11843	0.12	4611430	45.26
9.533333333	11649	0.11	4623079	45.37
9.55	11631	0.11	4634710	45.49
9.566666667	11304	0.11	4646014	45.60
9.583333333	11318	0.11	4657332	45.71
9.6	11449	0.11	4668781	45.82
9.616666667	11267	0.11	4680048	45.93
9.633333333	11159	0.11	4691207	46.04
9.65	11629	0.11	4702836	46.15
9.666666667	11463	0.11	4714299	46.27
9.683333333	11378	0.11	4725677	46.38
9.7	11569	0.11	4737246	46.49
9.716666667	11721	0.12	4748967	46.61
9.733333333	11952	0.12	4760919	46.72
9.75	12014	0.12	4772933	46.84
9.766666667	12135	0.12	4785068	46.96
9.783333333	11990	0.12	4797058	47.08
9.8	12041	0.12	4809099	47.20
9.816666667	11863	0.12	4820962	47.31
9.833333333	12062	0.12	4833024	47.43
9.85	12087	0.12	4845111	47.55
9.866666667	12021	0.12	4857132	47.67
9.883333333	11905	0.12	4869037	47.79
9.9	12221	0.12	4881258	47.91
9.916666667	11932	0.12	4893190	48.02
9.933333333	12161	0.12	4905351	48.14
9.95	12359	0.12	4917710	48.26
9.966666667	12493	0.12	4930203	48.39
9.983333333	12672	0.12	4942875	48.51
10	12334	0.12	4955209	48.63
10.016666667	12522	0.12	4967731	48.75
10.033333333	12599	0.12	4980330	48.88
10.05	12771	0.13	4993101	49.00
10.066666667	12975	0.13	5006076	49.13
10.083333333	12860	0.13	5018936	49.26
10.1	12907	0.13	5031843	49.38
10.116666667	13327	0.13	5045170	49.51
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.133333333	13348	0.13	5058518	49.65
10.15	13761	0.14	5072279	49.78
10.166666667	13827	0.14	5086106	49.92
10.183333333	14058	0.14	5100164	50.05
10.2	14548	0.14	5114712	50.20
10.216666667	14695	0.14	5129407	50.34
10.233333333	15003	0.15	5144410	50.49
10.25	15212	0.15	5159622	50.64
10.266666667	15420	0.15	5175042	50.79
10.283333333	15404	0.15	5190446	50.94
10.3	15550	0.15	5205996	51.09
10.316666667	15348	0.15	5221344	51.24
10.333333333	15418	0.15	5236762	51.39
10.35	15580	0.15	5252342	51.55
10.366666667	15233	0.15	5267575	51.70
10.383333333	15360	0.15	5282935	51.85
10.4	15235	0.15	5298170	52.00
10.416666667	15515	0.15	5313685	52.15
10.433333333	15229	0.15	5328914	52.30
10.45	15241	0.15	5344155	52.45
10.466666667	15333	0.15	5359488	52.60
10.483333333	15100	0.15	5374588	52.75
10.5	15040	0.15	5389628	52.89
10.516666667	14852	0.15	5404480	53.04
10.533333333	15025	0.15	5419505	53.19
10.55	14964	0.15	5434469	53.33
10.566666667	15000	0.15	5449469	53.48
10.583333333	14905	0.15	5464374	53.63
10.6	14970	0.15	5479344	53.78
10.616666667	15110	0.15	5494454	53.92
10.633333333	15069	0.15	5509523	54.07
10.65	15150	0.15	5524673	54.22
10.666666667	15225	0.15	5539898	54.37
10.683333333	14931	0.15	5554829	54.52
10.7	15147	0.15	5569976	54.66
10.716666667	15058	0.15	5585034	54.81
10.733333333	15134	0.15	5600168	54.96
10.75	15148	0.15	5615316	55.11
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.76666667	15082	0.15	5630398	55.26
10.78333333	15115	0.15	5645513	55.41
10.8	14972	0.15	5660485	55.55
10.81666667	14917	0.15	5675402	55.70
10.83333333	14849	0.15	5690251	55.85
10.85	14808	0.15	5705059	55.99
10.86666667	14951	0.15	5720010	56.14
10.88333333	14807	0.15	5734817	56.28
10.9	14900	0.15	5749717	56.43
10.91666667	14764	0.14	5764481	56.57
10.93333333	14810	0.15	5779291	56.72
10.95	14820	0.15	5794111	56.86
10.96666667	14908	0.15	5809019	57.01
10.98333333	14754	0.14	5823773	57.16
11	14836	0.15	5838609	57.30
11.01666667	14668	0.14	5853277	57.45
11.03333333	15011	0.15	5868288	57.59
11.05	14979	0.15	5883267	57.74
11.06666667	14902	0.15	5898169	57.89
11.08333333	15100	0.15	5913269	58.03
11.1	14992	0.15	5928261	58.18
11.11666667	15292	0.15	5943553	58.33
11.13333333	15066	0.15	5958619	58.48
11.15	15269	0.15	5973888	58.63
11.16666667	15288	0.15	5989176	58.78
11.18333333	15529	0.15	6004705	58.93
11.2	15733	0.15	6020438	59.09
11.21666667	15747	0.15	6036185	59.24
11.23333333	15955	0.16	6052140	59.40
11.25	15852	0.16	6067992	59.55
11.26666667	15715	0.15	6083707	59.71
11.28333333	16072	0.16	6099779	59.86
11.3	16012	0.16	6115791	60.02
11.31666667	15805	0.16	6131596	60.18
11.33333333	15877	0.16	6147473	60.33
11.35	15386	0.15	6162859	60.48
11.36666667	15465	0.15	6178324	60.64
11.38333333	15245	0.15	6193569	60.78
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11.4	15101	0.15	6208670	60.93
11.416666667	15041	0.15	6223711	61.08
11.433333333	14797	0.15	6238508	61.23
11.45	14845	0.15	6253353	61.37
11.466666667	14453	0.14	6267806	61.51
11.483333333	14305	0.14	6282111	61.65
11.5	14406	0.14	6296517	61.80
11.516666667	14181	0.14	6310698	61.93
11.533333333	14049	0.14	6324747	62.07
11.55	13876	0.14	6338623	62.21
11.566666667	13689	0.13	6352312	62.34
11.583333333	13746	0.13	6366058	62.48
11.6	13331	0.13	6379389	62.61
11.616666667	13304	0.13	6392693	62.74
11.633333333	13786	0.14	6406479	62.87
11.65	13296	0.13	6419775	63.00
11.666666667	13232	0.13	6433007	63.13
11.683333333	13091	0.13	6446098	63.26
11.7	13003	0.13	6459101	63.39
11.716666667	12895	0.13	6471996	63.52
11.733333333	12745	0.13	6484741	63.64
11.75	12615	0.12	6497356	63.77
11.766666667	12626	0.12	6509982	63.89
11.783333333	12529	0.12	6522511	64.01
11.8	12300	0.12	6534811	64.13
11.816666667	12393	0.12	6547204	64.26
11.833333333	12190	0.12	6559394	64.38
11.85	12089	0.12	6571483	64.49
11.866666667	11747	0.12	6583230	64.61
11.883333333	11617	0.11	6594847	64.72
11.9	11808	0.12	6606655	64.84
11.916666667	11667	0.11	6618322	64.95
11.933333333	11342	0.11	6629664	65.06
11.95	11258	0.11	6640922	65.18
11.966666667	11579	0.11	6652501	65.29
11.983333333	11188	0.11	6663689	65.40
12	11371	0.11	6675060	65.51
12.016666667	11089	0.11	6686149	65.62
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.033333333	10939	0.11	6697088	65.73
12.05	10814	0.11	6707902	65.83
12.066666667	10711	0.11	6718613	65.94
12.083333333	10735	0.11	6729348	66.04
12.1	10770	0.11	6740118	66.15
12.116666667	10217	0.10	6750335	66.25
12.133333333	10393	0.10	6760728	66.35
12.15	10448	0.10	6771176	66.45
12.166666667	9997	0.10	6781173	66.55
12.183333333	9928	0.10	6791101	66.65
12.2	9789	0.10	6800890	66.75
12.216666667	9859	0.10	6810749	66.84
12.233333333	9692	0.10	6820441	66.94
12.25	9591	0.09	6830032	67.03
12.266666667	9580	0.09	6839612	67.13
12.283333333	9407	0.09	6849019	67.22
12.3	9567	0.09	6858586	67.31
12.316666667	9271	0.09	6867857	67.40
12.333333333	9457	0.09	6877314	67.50
12.35	9348	0.09	6886662	67.59
12.366666667	9078	0.09	6895740	67.68
12.383333333	9041	0.09	6904781	67.76
12.4	9114	0.09	6913895	67.85
12.416666667	9023	0.09	6922918	67.94
12.433333333	8624	0.08	6931542	68.03
12.45	8884	0.09	6940426	68.11
12.466666667	8785	0.09	6949211	68.20
12.483333333	8779	0.09	6957990	68.29
12.5	8606	0.08	6966596	68.37
12.516666667	8589	0.08	6975185	68.46
12.533333333	8713	0.09	6983898	68.54
12.55	8487	0.08	6992385	68.62
12.566666667	9013	0.09	7001398	68.71
12.583333333	8914	0.09	7010312	68.80
12.6	8842	0.09	7019154	68.89
12.616666667	9030	0.09	7028184	68.98
12.633333333	8990	0.09	7037174	69.06
12.65	9014	0.09	7046188	69.15
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.66666667	9004	0.09	7055192	69.24
12.68333333	9246	0.09	7064438	69.33
12.7	9080	0.09	7073518	69.42
12.71666667	9263	0.09	7082781	69.51
12.73333333	9383	0.09	7092164	69.60
12.75	9269	0.09	7101433	69.69
12.76666667	9357	0.09	7110790	69.79
12.78333333	9270	0.09	7120060	69.88
12.8	9354	0.09	7129414	69.97
12.81666667	9556	0.09	7138970	70.06
12.83333333	9639	0.09	7148609	70.16
12.85	9843	0.10	7158452	70.25
12.86666667	9702	0.10	7168154	70.35
12.88333333	9718	0.10	7177872	70.44
12.9	9810	0.10	7187682	70.54
12.91666667	9653	0.09	7197335	70.64
12.93333333	9900	0.10	7207235	70.73
12.95	10003	0.10	7217238	70.83
12.96666667	9934	0.10	7227172	70.93
12.98333333	9961	0.10	7237133	71.03
13	9806	0.10	7246939	71.12
13.01666667	9831	0.10	7256770	71.22
13.03333333	10378	0.10	7267148	71.32
13.05	10377	0.10	7277525	71.42
13.06666667	10421	0.10	7287946	71.53
13.08333333	10318	0.10	7298264	71.63
13.1	10484	0.10	7308748	71.73
13.11666667	10504	0.10	7319252	71.83
13.13333333	10797	0.11	7330049	71.94
13.15	10967	0.11	7341016	72.05
13.16666667	10686	0.10	7351702	72.15
13.18333333	11101	0.11	7362803	72.26
13.2	11367	0.11	7374170	72.37
13.21666667	11288	0.11	7385458	72.48
13.23333333	11180	0.11	7396638	72.59
13.25	11426	0.11	7408064	72.70
13.26666667	11779	0.12	7419843	72.82
13.28333333	11628	0.11	7431471	72.93
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.3	11661	0.11	7443132	73.05
13.316666667	11782	0.12	7454914	73.16
13.333333333	11537	0.11	7466451	73.28
13.35	11553	0.11	7478004	73.39
13.366666667	11517	0.11	7489521	73.50
13.383333333	11330	0.11	7500851	73.61
13.4	11303	0.11	7512154	73.73
13.416666667	11093	0.11	7523247	73.83
13.433333333	11251	0.11	7534498	73.94
13.45	11176	0.11	7545674	74.05
13.466666667	11246	0.11	7556920	74.17
13.483333333	11232	0.11	7568152	74.28
13.5	11036	0.11	7579188	74.38
13.516666667	11050	0.11	7590238	74.49
13.533333333	10958	0.11	7601196	74.60
13.55	10901	0.11	7612097	74.71
13.566666667	11026	0.11	7623123	74.81
13.583333333	11155	0.11	7634278	74.92
13.6	10988	0.11	7645266	75.03
13.616666667	11024	0.11	7656290	75.14
13.633333333	11005	0.11	7667295	75.25
13.65	10965	0.11	7678260	75.36
13.666666667	10927	0.11	7689187	75.46
13.683333333	11143	0.11	7700330	75.57
13.7	10875	0.11	7711205	75.68
13.716666667	10838	0.11	7722043	75.79
13.733333333	10832	0.11	7732875	75.89
13.75	10448	0.10	7743323	75.99
13.766666667	10697	0.10	7754020	76.10
13.783333333	10608	0.10	7764628	76.20
13.8	10807	0.11	7775435	76.31
13.816666667	10459	0.10	7785894	76.41
13.833333333	10467	0.10	7796361	76.51
13.85	10480	0.10	7806841	76.62
13.866666667	9962	0.10	7816803	76.72
13.883333333	10167	0.10	7826970	76.82
13.9	10382	0.10	7837352	76.92
13.916666667	9972	0.10	7847324	77.02
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.933333333	10089	0.10	7857413	77.11
13.95	10035	0.10	7867448	77.21
13.966666667	10088	0.10	7877536	77.31
13.983333333	9957	0.10	7887493	77.41
14	9868	0.10	7897361	77.51
14.016666667	9951	0.10	7907312	77.60
14.033333333	10004	0.10	7917316	77.70
14.05	10036	0.10	7927352	77.80
14.066666667	9754	0.10	7937106	77.90
14.083333333	9972	0.10	7947078	77.99
14.1	9742	0.10	7956820	78.09
14.116666667	9805	0.10	7966625	78.19
14.133333333	9795	0.10	7976420	78.28
14.15	9736	0.10	7986156	78.38
14.166666667	9698	0.10	7995854	78.47
14.183333333	9740	0.10	8005594	78.57
14.2	9794	0.10	8015388	78.66
14.216666667	9645	0.09	8025033	78.76
14.233333333	9668	0.09	8034701	78.85
14.25	9806	0.10	8044507	78.95
14.266666667	9811	0.10	8054318	79.05
14.283333333	9659	0.09	8063977	79.14
14.3	9719	0.10	8073696	79.24
14.316666667	9645	0.09	8083341	79.33
14.333333333	9600	0.09	8092941	79.43
14.35	9731	0.10	8102672	79.52
14.366666667	9711	0.10	8112383	79.62
14.383333333	9506	0.09	8121889	79.71
14.4	9370	0.09	8131259	79.80
14.416666667	9456	0.09	8140715	79.89
14.433333333	9524	0.09	8150239	79.99
14.45	9377	0.09	8159616	80.08
14.466666667	9167	0.09	8168783	80.17
14.483333333	9182	0.09	8177965	80.26
14.5	9308	0.09	8187273	80.35
14.516666667	9246	0.09	8196519	80.44
14.533333333	9005	0.09	8205524	80.53
14.55	8949	0.09	8214473	80.62
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14.566666667	8877	0.09	8223350	80.71
14.583333333	8870	0.09	8232220	80.79
14.6	8891	0.09	8241111	80.88
14.616666667	8990	0.09	8250101	80.97
14.633333333	8966	0.09	8259067	81.06
14.65	8817	0.09	8267884	81.14
14.666666667	8680	0.09	8276564	81.23
14.683333333	9046	0.09	8285610	81.32
14.7	8907	0.09	8294517	81.40
14.716666667	8765	0.09	8303282	81.49
14.733333333	8824	0.09	8312106	81.58
14.75	8744	0.09	8320850	81.66
14.766666667	8813	0.09	8329663	81.75
14.783333333	8696	0.09	8338359	81.83
14.8	8722	0.09	8347081	81.92
14.816666667	8458	0.08	8355539	82.00
14.833333333	8485	0.08	8364024	82.09
14.85	8493	0.08	8372517	82.17
14.866666667	8378	0.08	8380895	82.25
14.883333333	8270	0.08	8389165	82.33
14.9	8326	0.08	8397491	82.41
14.916666667	8456	0.08	8405947	82.50
14.933333333	8166	0.08	8414113	82.58
14.95	8013	0.08	8422126	82.66
14.966666667	8041	0.08	8430167	82.74
14.983333333	7987	0.08	8438154	82.81
15	8016	0.08	8446170	82.89
15.016666667	7825	0.08	8453995	82.97
15.033333333	7920	0.08	8461915	83.05
15.05	7934	0.08	8469849	83.12
15.066666667	7773	0.08	8477622	83.20
15.083333333	7804	0.08	8485426	83.28
15.1	8084	0.08	8493510	83.36
15.116666667	7847	0.08	8501357	83.43
15.133333333	7832	0.08	8509189	83.51
15.15	7885	0.08	8517074	83.59
15.166666667	7876	0.08	8524950	83.67
15.183333333	7937	0.08	8532887	83.74
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.2	7800	0.08	8540687	83.82
15.216666667	8242	0.08	8548929	83.90
15.233333333	8116	0.08	8557045	83.98
15.25	8065	0.08	8565110	84.06
15.266666667	8091	0.08	8573201	84.14
15.283333333	7966	0.08	8581167	84.22
15.3	7941	0.08	8589108	84.30
15.316666667	7974	0.08	8597082	84.37
15.333333333	7866	0.08	8604948	84.45
15.35	7847	0.08	8612795	84.53
15.366666667	7789	0.08	8620584	84.60
15.383333333	7847	0.08	8628431	84.68
15.4	7696	0.08	8636127	84.76
15.416666667	7674	0.08	8643801	84.83
15.433333333	7571	0.07	8651372	84.91
15.45	7510	0.07	8658882	84.98
15.466666667	7481	0.07	8666363	85.05
15.483333333	7527	0.07	8673890	85.13
15.5	7670	0.08	8681560	85.20
15.516666667	7473	0.07	8689033	85.28
15.533333333	7430	0.07	8696463	85.35
15.55	7668	0.08	8704131	85.42
15.566666667	7655	0.08	8711786	85.50
15.583333333	7456	0.07	8719242	85.57
15.6	7482	0.07	8726724	85.65
15.616666667	7634	0.07	8734358	85.72
15.633333333	7567	0.07	8741925	85.79
15.65	7438	0.07	8749363	85.87
15.666666667	7690	0.08	8757053	85.94
15.683333333	7501	0.07	8764554	86.02
15.7	7527	0.07	8772081	86.09
15.716666667	7578	0.07	8779659	86.17
15.733333333	7628	0.07	8787287	86.24
15.75	7746	0.08	8795033	86.32
15.766666667	7610	0.07	8802643	86.39
15.783333333	7638	0.07	8810281	86.47
15.8	7606	0.07	8817887	86.54
15.816666667	7501	0.07	8825388	86.61
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.833333333	7590	0.07	8832978	86.69
15.85	7552	0.07	8840530	86.76
15.866666667	7493	0.07	8848023	86.84
15.883333333	7471	0.07	8855494	86.91
15.9	7229	0.07	8862723	86.98
15.916666667	7370	0.07	8870093	87.05
15.933333333	7274	0.07	8877367	87.12
15.95	7355	0.07	8884722	87.20
15.966666667	7265	0.07	8891987	87.27
15.983333333	7422	0.07	8899409	87.34
16	7361	0.07	8906770	87.41
16.016666667	7303	0.07	8914073	87.48
16.033333333	7482	0.07	8921555	87.56
16.05	7216	0.07	8928771	87.63
16.066666667	7407	0.07	8936178	87.70
16.083333333	7355	0.07	8943533	87.77
16.1	7280	0.07	8950813	87.84
16.116666667	7403	0.07	8958216	87.92
16.133333333	7587	0.07	8965803	87.99
16.15	7550	0.07	8973353	88.07
16.166666667	7280	0.07	8980633	88.14
16.183333333	7435	0.07	8988068	88.21
16.2	7452	0.07	8995520	88.28
16.216666667	7626	0.07	9003146	88.36
16.233333333	7706	0.08	9010852	88.43
16.25	7649	0.08	9018501	88.51
16.266666667	7685	0.08	9026186	88.58
16.283333333	7581	0.07	9033767	88.66
16.3	7474	0.07	9041241	88.73
16.316666667	7684	0.08	9048925	88.81
16.333333333	7628	0.07	9056553	88.88
16.35	7716	0.08	9064269	88.96
16.366666667	7508	0.07	9071777	89.03
16.383333333	7802	0.08	9079579	89.11
16.4	7808	0.08	9087387	89.19
16.416666667	7895	0.08	9095282	89.26
16.433333333	7731	0.08	9103013	89.34
16.45	7783	0.08	9110796	89.42
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
16.466666667	7834	0.08	9118630	89.49
16.483333333	7964	0.08	9126594	89.57
16.5	8007	0.08	9134601	89.65
16.516666667	7839	0.08	9142440	89.73
16.533333333	7907	0.08	9150347	89.80
16.55	7969	0.08	9158316	89.88
16.566666667	7844	0.08	9166160	89.96
16.583333333	7833	0.08	9173993	90.04
16.6	7757	0.08	9181750	90.11
16.616666667	7787	0.08	9189537	90.19
16.633333333	7898	0.08	9197435	90.27
16.65	7869	0.08	9205304	90.34
16.666666667	7969	0.08	9213273	90.42
16.683333333	7988	0.08	9221261	90.50
16.7	7720	0.08	9228981	90.57
16.716666667	7969	0.08	9236950	90.65
16.733333333	7939	0.08	9244889	90.73
16.75	8164	0.08	9253053	90.81
16.766666667	8035	0.08	9261088	90.89
16.783333333	7826	0.08	9268914	90.97
16.8	8075	0.08	9276989	91.05
16.816666667	7858	0.08	9284847	91.12
16.833333333	7730	0.08	9292577	91.20
16.85	7919	0.08	9300496	91.28
16.866666667	7783	0.08	9308279	91.35
16.883333333	7805	0.08	9316084	91.43
16.9	7708	0.08	9323792	91.51
16.916666667	7797	0.08	9331589	91.58
16.933333333	7698	0.08	9339287	91.66
16.95	7975	0.08	9347262	91.74
16.966666667	7927	0.08	9355189	91.81
16.983333333	7750	0.08	9362939	91.89
17	7834	0.08	9370773	91.97
17.016666667	7631	0.07	9378404	92.04
17.033333333	7836	0.08	9386240	92.12
17.05	7555	0.07	9393795	92.19
17.066666667	7595	0.07	9401390	92.27
17.083333333	7723	0.08	9409113	92.34
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.1	7648	0.08	9416761	92.42
17.116666667	7965	0.08	9424726	92.50
17.133333333	7555	0.07	9432281	92.57
17.15	7893	0.08	9440174	92.65
17.166666667	7832	0.08	9448006	92.72
17.183333333	7817	0.08	9455823	92.80
17.2	7806	0.08	9463629	92.88
17.216666667	7731	0.08	9471360	92.95
17.233333333	7620	0.07	9478980	93.03
17.25	7684	0.08	9486664	93.10
17.266666667	7504	0.07	9494168	93.18
17.283333333	7603	0.07	9501771	93.25
17.3	7476	0.07	9509247	93.33
17.316666667	7513	0.07	9516760	93.40
17.333333333	7334	0.07	9524094	93.47
17.35	7560	0.07	9531654	93.55
17.366666667	7483	0.07	9539137	93.62
17.383333333	7342	0.07	9546479	93.69
17.4	7257	0.07	9553736	93.76
17.416666667	7236	0.07	9560972	93.83
17.433333333	7278	0.07	9568250	93.90
17.45	7397	0.07	9575647	93.98
17.466666667	7248	0.07	9582895	94.05
17.483333333	7404	0.07	9590299	94.12
17.5	7113	0.07	9597412	94.19
17.516666667	7250	0.07	9604662	94.26
17.533333333	7192	0.07	9611854	94.33
17.55	7150	0.07	9619004	94.40
17.566666667	7141	0.07	9626145	94.47
17.583333333	7024	0.07	9633169	94.54
17.6	7095	0.07	9640264	94.61
17.616666667	6981	0.07	9647245	94.68
17.633333333	6964	0.07	9654209	94.75
17.65	7137	0.07	9661346	94.82
17.666666667	7062	0.07	9668408	94.89
17.683333333	7105	0.07	9675513	94.96
17.7	7108	0.07	9682621	95.03
17.716666667	7017	0.07	9689638	95.10
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.733333333	6776	0.07	9696414	95.16
17.75	6934	0.07	9703348	95.23
17.766666667	6936	0.07	9710284	95.30
17.783333333	6604	0.06	9716888	95.36
17.8	6791	0.07	9723679	95.43
17.816666667	6770	0.07	9730449	95.50
17.833333333	6670	0.07	9737119	95.56
17.85	6577	0.06	9743696	95.63
17.866666667	6653	0.07	9750349	95.69
17.883333333	6733	0.07	9757082	95.76
17.9	6548	0.06	9763630	95.82
17.916666667	6579	0.06	9770209	95.89
17.933333333	6498	0.06	9776707	95.95
17.95	6458	0.06	9783165	96.01
17.966666667	6477	0.06	9789642	96.08
17.983333333	6355	0.06	9795997	96.14
18	6102	0.06	9802099	96.20
18.016666667	6286	0.06	9808385	96.26
18.033333333	6015	0.06	9814400	96.32
18.05	6283	0.06	9820683	96.38
18.066666667	6118	0.06	9826801	96.44
18.083333333	6168	0.06	9832969	96.50
18.1	6036	0.06	9839005	96.56
18.116666667	5992	0.06	9844997	96.62
18.133333333	5820	0.06	9850817	96.68
18.15	6010	0.06	9856827	96.74
18.166666667	5933	0.06	9862760	96.79
18.183333333	5846	0.06	9868606	96.85
18.2	5753	0.06	9874359	96.91
18.216666667	5846	0.06	9880205	96.97
18.233333333	5621	0.06	9885826	97.02
18.25	5680	0.06	9891506	97.08
18.266666667	5611	0.06	9897117	97.13
18.283333333	5496	0.05	9902613	97.19
18.3	5519	0.05	9908132	97.24
18.316666667	5440	0.05	9913572	97.29
18.333333333	5393	0.05	9918965	97.35
18.35	5237	0.05	9924202	97.40
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18.36666667	5233	0.05	9929435	97.45
18.38333333	5006	0.05	9934441	97.50
18.4	5119	0.05	9939560	97.55
18.41666667	4948	0.05	9944508	97.60
18.43333333	5024	0.05	9949532	97.65
18.45	4875	0.05	9954407	97.69
18.46666667	4869	0.05	9959276	97.74
18.48333333	4783	0.05	9964059	97.79
18.5	4682	0.05	9968741	97.84
18.51666667	4596	0.05	9973337	97.88
18.53333333	4612	0.05	9977949	97.93
18.55	4540	0.04	9982489	97.97
18.56666667	4569	0.04	9987058	98.01
18.58333333	4456	0.04	9991514	98.06
18.6	4487	0.04	9996001	98.10
18.61666667	4411	0.04	10000412	98.15
18.63333333	4300	0.04	10004712	98.19
18.65	4333	0.04	10009045	98.23
18.66666667	4243	0.04	10013288	98.27
18.68333333	4213	0.04	10017501	98.31
18.7	4078	0.04	10021579	98.35
18.71666667	4207	0.04	10025786	98.39
18.73333333	4060	0.04	10029846	98.43
18.75	3878	0.04	10033724	98.47
18.76666667	3882	0.04	10037606	98.51
18.78333333	3801	0.04	10041407	98.55
18.8	3734	0.04	10045141	98.58
18.81666667	3745	0.04	10048886	98.62
18.83333333	3605	0.04	10052491	98.66
18.85	3589	0.04	10056080	98.69
18.86666667	3461	0.03	10059541	98.73
18.88333333	3401	0.03	10062942	98.76
18.9	3504	0.03	10066446	98.79
18.91666667	3341	0.03	10069787	98.83
18.93333333	3274	0.03	10073061	98.86
18.95	3214	0.03	10076275	98.89
18.96666667	3261	0.03	10079536	98.92
18.98333333	3093	0.03	10082629	98.95
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19	3050	0.03	10085679	98.98
19.016666667	3069	0.03	10088748	99.01
19.033333333	3026	0.03	10091774	99.04
19.05	2895	0.03	10094669	99.07
19.066666667	2815	0.03	10097484	99.10
19.083333333	2713	0.03	10100197	99.13
19.1	2680	0.03	10102877	99.15
19.116666667	2591	0.03	10105468	99.18
19.133333333	2669	0.03	10108137	99.20
19.15	2445	0.02	10110582	99.23
19.166666667	2450	0.02	10113032	99.25
19.183333333	2372	0.02	10115404	99.27
19.2	2235	0.02	10117639	99.30
19.216666667	2272	0.02	10119911	99.32
19.233333333	2165	0.02	10122076	99.34
19.25	2067	0.02	10124143	99.36
19.266666667	1930	0.02	10126073	99.38
19.283333333	1911	0.02	10127984	99.40
19.3	1911	0.02	10129895	99.42
19.316666667	1806	0.02	10131701	99.43
19.333333333	1705	0.02	10133406	99.45
19.35	1646	0.02	10135052	99.47
19.366666667	1629	0.02	10136681	99.48
19.383333333	1470	0.01	10138151	99.50
19.4	1533	0.02	10139684	99.51
19.416666667	1438	0.01	10141122	99.53
19.433333333	1484	0.01	10142606	99.54
19.45	1410	0.01	10144016	99.56
19.466666667	1384	0.01	10145400	99.57
19.483333333	1302	0.01	10146702	99.58
19.5	1215	0.01	10147917	99.59
19.516666667	1148	0.01	10149065	99.60
19.533333333	1044	0.01	10150109	99.62
19.55	1012	0.01	10151121	99.62
19.566666667	986	0.01	10152107	99.63
19.583333333	1045	0.01	10153152	99.64
19.6	965	0.01	10154117	99.65
19.616666667	932	0.01	10155049	99.66
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19.633333333	997	0.01	10156046	99.67
19.65	968	0.01	10157014	99.68
19.666666667	954	0.01	10157968	99.69
19.683333333	910	0.01	10158878	99.70
19.7	849	0.01	10159727	99.71
19.716666667	852	0.01	10160579	99.72
19.733333333	793	0.01	10161372	99.73
19.75	833	0.01	10162205	99.73
19.766666667	803	0.01	10163008	99.74
19.783333333	794	0.01	10163802	99.75
19.8	766	0.01	10164568	99.76
19.816666667	761	0.01	10165329	99.76
19.833333333	734	0.01	10166063	99.77
19.85	670	0.01	10166733	99.78
19.866666667	722	0.01	10167455	99.79
19.883333333	711	0.01	10168166	99.79
19.9	639	0.01	10168805	99.80
19.916666667	680	0.01	10169485	99.81
19.933333333	662	0.01	10170147	99.81
19.95	596	0.01	10170743	99.82
19.966666667	584	0.01	10171327	99.82
19.983333333	534	0.01	10171861	99.83
20	546	0.01	10172407	99.83
20.016666667	487	0.00	10172894	99.84
20.033333333	482	0.00	10173376	99.84
20.05	474	0.00	10173850	99.85
20.066666667	480	0.00	10174330	99.85
20.083333333	438	0.00	10174768	99.86
20.1	457	0.00	10175225	99.86
20.116666667	405	0.00	10175630	99.87
20.133333333	370	0.00	10176000	99.87
20.15	326	0.00	10176326	99.87
20.166666667	313	0.00	10176639	99.88
20.183333333	290	0.00	10176929	99.88
20.2	356	0.00	10177285	99.88
20.216666667	253	0.00	10177538	99.88
20.233333333	303	0.00	10177841	99.89
20.25	317	0.00	10178158	99.89
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.266666667	261	0.00	10178419	99.89
20.283333333	229	0.00	10178648	99.90
20.3	244	0.00	10178892	99.90
20.316666667	291	0.00	10179183	99.90
20.333333333	249	0.00	10179432	99.90
20.35	235	0.00	10179667	99.91
20.366666667	225	0.00	10179892	99.91
20.383333333	213	0.00	10180105	99.91
20.4	216	0.00	10180321	99.91
20.416666667	220	0.00	10180541	99.91
20.433333333	175	0.00	10180716	99.92
20.45	177	0.00	10180893	99.92
20.466666667	192	0.00	10181085	99.92
20.483333333	194	0.00	10181279	99.92
20.5	181	0.00	10181460	99.92
20.516666667	179	0.00	10181639	99.92
20.533333333	169	0.00	10181808	99.93
20.55	155	0.00	10181963	99.93
20.566666667	135	0.00	10182098	99.93
20.583333333	111	0.00	10182209	99.93
20.6	115	0.00	10182324	99.93
20.616666667	115	0.00	10182439	99.93
20.633333333	100	0.00	10182539	99.93
20.65	90	0.00	10182629	99.93
20.666666667	88	0.00	10182717	99.94
20.683333333	94	0.00	10182811	99.94
20.7	102	0.00	10182913	99.94
20.716666667	102	0.00	10183015	99.94
20.733333333	86	0.00	10183101	99.94
20.75	82	0.00	10183183	99.94
20.766666667	85	0.00	10183268	99.94
20.783333333	77	0.00	10183345	99.94
20.8	91	0.00	10183436	99.94
20.816666667	88	0.00	10183524	99.94
20.833333333	59	0.00	10183583	99.94
20.85	64	0.00	10183647	99.94
20.866666667	67	0.00	10183714	99.94
20.883333333	81	0.00	10183795	99.95
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.9	61	0.00	10183856	99.95
20.916666667	51	0.00	10183907	99.95
20.933333333	75	0.00	10183982	99.95
20.95	55	0.00	10184037	99.95
20.966666667	47	0.00	10184084	99.95
20.983333333	80	0.00	10184164	99.95
21	62	0.00	10184226	99.95
21.016666667	67	0.00	10184293	99.95
21.033333333	62	0.00	10184355	99.95
21.05	57	0.00	10184412	99.95
21.066666667	57	0.00	10184469	99.95
21.083333333	56	0.00	10184525	99.95
21.1	60	0.00	10184585	99.95
21.116666667	48	0.00	10184633	99.95
21.133333333	47	0.00	10184680	99.95
21.15	43	0.00	10184723	99.95
21.166666667	57	0.00	10184780	99.96
21.183333333	49	0.00	10184829	99.96
21.2	46	0.00	10184875	99.96
21.216666667	55	0.00	10184930	99.96
21.233333333	58	0.00	10184988	99.96
21.25	66	0.00	10185054	99.96
21.266666667	78	0.00	10185132	99.96
21.283333333	70	0.00	10185202	99.96
21.3	75	0.00	10185277	99.96
21.316666667	74	0.00	10185351	99.96
21.333333333	76	0.00	10185427	99.96
21.35	86	0.00	10185513	99.96
21.366666667	66	0.00	10185579	99.96
21.383333333	68	0.00	10185647	99.96
21.4	57	0.00	10185704	99.96
21.416666667	62	0.00	10185766	99.96
21.433333333	56	0.00	10185822	99.97
21.45	50	0.00	10185872	99.97
21.466666667	65	0.00	10185937	99.97
21.483333333	54	0.00	10185991	99.97
21.5	49	0.00	10186040	99.97
21.516666667	56	0.00	10186096	99.97
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
21.5333333333	48	0.00	10186144	99.97
21.55	38	0.00	10186182	99.97
21.5666666667	36	0.00	10186218	99.97
21.5833333333	34	0.00	10186252	99.97
21.6	44	0.00	10186296	99.97
21.6166666667	46	0.00	10186342	99.97
21.6333333333	55	0.00	10186397	99.97
21.65	46	0.00	10186443	99.97
21.6666666667	34	0.00	10186477	99.97
21.6833333333	48	0.00	10186525	99.97
21.7	36	0.00	10186561	99.97
21.7166666667	35	0.00	10186596	99.97
21.7333333333	26	0.00	10186622	99.97
21.75	28	0.00	10186650	99.97
21.7666666667	41	0.00	10186691	99.97
21.7833333333	41	0.00	10186732	99.97
21.8	29	0.00	10186761	99.97
21.8166666667	27	0.00	10186788	99.98
21.8333333333	29	0.00	10186817	99.98
21.85	31	0.00	10186848	99.98
21.8666666667	41	0.00	10186889	99.98
21.8833333333	31	0.00	10186920	99.98
21.9	48	0.00	10186968	99.98
21.9166666667	40	0.00	10187008	99.98
21.9333333333	46	0.00	10187054	99.98
21.95	42	0.00	10187096	99.98
21.9666666667	37	0.00	10187133	99.98
21.9833333333	32	0.00	10187165	99.98
22	33	0.00	10187198	99.98
22.0166666667	31	0.00	10187229	99.98
22.0333333333	33	0.00	10187262	99.98
22.05	31	0.00	10187293	99.98
22.0666666667	12	0.00	10187305	99.98
22.0833333333	27	0.00	10187332	99.98
22.1	26	0.00	10187358	99.98
22.1166666667	26	0.00	10187384	99.98
22.1333333333	24	0.00	10187408	99.98
22.15	26	0.00	10187434	99.98
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.16666667	22	0.00	10187456	99.98
22.18333333	27	0.00	10187483	99.98
22.2	30	0.00	10187513	99.98
22.21666667	22	0.00	10187535	99.98
22.23333333	42	0.00	10187577	99.98
22.25	26	0.00	10187603	99.98
22.26666667	24	0.00	10187627	99.98
22.28333333	26	0.00	10187653	99.98
22.3	19	0.00	10187672	99.98
22.31666667	24	0.00	10187696	99.98
22.33333333	17	0.00	10187713	99.98
22.35	26	0.00	10187739	99.98
22.36666667	21	0.00	10187760	99.98
22.38333333	23	0.00	10187783	99.98
22.4	20	0.00	10187803	99.98
22.41666667	21	0.00	10187824	99.99
22.43333333	18	0.00	10187842	99.99
22.45	16	0.00	10187858	99.99
22.46666667	14	0.00	10187872	99.99
22.48333333	15	0.00	10187887	99.99
22.5	20	0.00	10187907	99.99
22.51666667	17	0.00	10187924	99.99
22.53333333	13	0.00	10187937	99.99
22.55	21	0.00	10187958	99.99
22.56666667	16	0.00	10187974	99.99
22.58333333	7	0.00	10187981	99.99
22.6	17	0.00	10187998	99.99
22.61666667	17	0.00	10188015	99.99
22.63333333	20	0.00	10188035	99.99
22.65	18	0.00	10188053	99.99
22.66666667	15	0.00	10188068	99.99
22.68333333	26	0.00	10188094	99.99
22.7	14	0.00	10188108	99.99
22.71666667	16	0.00	10188124	99.99
22.73333333	21	0.00	10188145	99.99
22.75	12	0.00	10188157	99.99
22.76666667	13	0.00	10188170	99.99
22.78333333	16	0.00	10188186	99.99
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.8	13	0.00	10188199	99.99
22.816666667	21	0.00	10188220	99.99
22.833333333	19	0.00	10188239	99.99
22.85	22	0.00	10188261	99.99
22.866666667	18	0.00	10188279	99.99
22.883333333	20	0.00	10188299	99.99
22.9	22	0.00	10188321	99.99
22.916666667	20	0.00	10188341	99.99
22.933333333	15	0.00	10188356	99.99
22.95	18	0.00	10188374	99.99
22.966666667	16	0.00	10188390	99.99
22.983333333	13	0.00	10188403	99.99
23	9	0.00	10188412	99.99
23.016666667	17	0.00	10188429	99.99
23.033333333	14	0.00	10188443	99.99
23.05	11	0.00	10188454	99.99
23.066666667	23	0.00	10188477	99.99
23.083333333	16	0.00	10188493	99.99
23.1	12	0.00	10188505	99.99
23.116666667	18	0.00	10188523	99.99
23.133333333	15	0.00	10188538	99.99
23.15	16	0.00	10188554	99.99
23.166666667	18	0.00	10188572	99.99
23.183333333	14	0.00	10188586	99.99
23.2	13	0.00	10188599	99.99
23.216666667	13	0.00	10188612	99.99
23.233333333	18	0.00	10188630	99.99
23.25	13	0.00	10188643	99.99
23.266666667	9	0.00	10188652	99.99
23.283333333	18	0.00	10188670	99.99
23.3	16	0.00	10188686	99.99
23.316666667	11	0.00	10188697	99.99
23.333333333	17	0.00	10188714	99.99
23.35	18	0.00	10188732	99.99
23.366666667	9	0.00	10188741	99.99
23.383333333	17	0.00	10188758	99.99
23.4	27	0.00	10188785	99.99
23.416666667	17	0.00	10188802	99.99
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
23.433333333	20	0.00	10188822	99.99
23.45	23	0.00	10188845	100.00
23.466666667	24	0.00	10188869	100.00
23.483333333	23	0.00	10188892	100.00
23.5	22	0.00	10188914	100.00
23.516666667	17	0.00	10188931	100.00
23.533333333	14	0.00	10188945	100.00
23.55	19	0.00	10188964	100.00
23.566666667	10	0.00	10188974	100.00
23.583333333	21	0.00	10188995	100.00
23.6	9	0.00	10189004	100.00
23.616666667	17	0.00	10189021	100.00
23.633333333	13	0.00	10189034	100.00
23.65	24	0.00	10189058	100.00
23.666666667	21	0.00	10189079	100.00
23.683333333	11	0.00	10189090	100.00
23.7	8	0.00	10189098	100.00
23.716666667	5	0.00	10189103	100.00
23.733333333	11	0.00	10189114	100.00
23.75	11	0.00	10189125	100.00
23.766666667	17	0.00	10189142	100.00
23.783333333	18	0.00	10189160	100.00
23.8	9	0.00	10189169	100.00
23.816666667	20	0.00	10189189	100.00
23.833333333	16	0.00	10189205	100.00
23.85	8	0.00	10189213	100.00
23.866666667	13	0.00	10189226	100.00
23.883333333	21	0.00	10189247	100.00
23.9	15	0.00	10189262	100.00
23.916666667	21	0.00	10189283	100.00
23.933333333	15	0.00	10189298	100.00
23.95	14	0.00	10189312	100.00
23.966666667	12	0.00	10189324	100.00
23.983333333	10	0.00	10189334	100.00
Frequency Missing = 84667				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donorbirthorigin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11	598258	5.82	598258	5.82
12	232870	2.27	831128	8.09
21	662421	6.45	1493549	14.54
22	8685878	84.54	10179427	99.08
99	94574	0.92	10274001	100.00

donorparity	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	6294008	61.26	6294008	61.26
1	1238182	12.05	7532190	73.31
2	2647843	25.77	10180033	99.09
9	93968	0.91	10274001	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donorbloodgroup	Frequency	Percent	Cumulative Frequency	Cumulative Percent
+	15410	0.15	15410	0.15
-	449	0.00	15859	0.16
A	3242	0.03	19101	0.19
A+	3734735	36.70	3753836	36.89
A-	829688	8.15	4583524	45.05
AB	117	0.00	4583641	45.05
AB+	317941	3.12	4901582	48.17
AB-	70110	0.69	4971692	48.86
B	479	0.00	4972171	48.87
B+	777161	7.64	5749332	56.50
B-	176788	1.74	5926120	58.24
O	2696	0.03	5928816	58.27
O+	3381854	33.24	9310670	91.50
O-	864476	8.50	10175146	100.00
Frequency Missing = 4887				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

numdonations	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	675257	6.63	675257	6.63
1	604082	5.93	1279339	12.57
2	561620	5.52	1840959	18.08
3	538642	5.29	2379601	23.38
4	531639	5.22	2911240	28.60
5	530175	5.21	3441415	33.81
6	534825	5.25	3976240	39.06
7	547675	5.38	4523915	44.44
8	565199	5.55	5089114	49.99
9	579094	5.69	5668208	55.68
10	588558	5.78	6256766	61.46
11	593225	5.83	6849991	67.29
12	586679	5.76	7436670	73.05
13	558923	5.49	7995593	78.54
14	501815	4.93	8497408	83.47
15	403321	3.96	8900729	87.43
16	343247	3.37	9243976	90.80
17	316028	3.10	9560004	93.91
18	270855	2.66	9830859	96.57
19	204967	2.01	10035826	98.58
20	98363	0.97	10134189	99.55
21	24901	0.24	10159090	99.79
22	7013	0.07	10166103	99.86
23	3604	0.04	10169707	99.90
24	2017	0.02	10171724	99.92
25	1406	0.01	10173130	99.93
26	1154	0.01	10174284	99.94
27	1007	0.01	10175291	99.95
28	1028	0.01	10176319	99.96
29	694	0.01	10177013	99.97
30	523	0.01	10177536	99.98
31	478	0.00	10178014	99.98
32	242	0.00	10178256	99.98
33	206	0.00	10178462	99.98
34	190	0.00	10178652	99.99
35	150	0.00	10178802	99.99
36	125	0.00	10178927	99.99
37	107	0.00	10179034	99.99
38	93	0.00	10179127	99.99

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

numdonations	Frequency	Percent	Cumulative Frequency	Cumulative Percent
39	71	0.00	10179198	99.99
40	64	0.00	10179262	99.99
41	59	0.00	10179321	99.99
42	61	0.00	10179382	99.99
43	45	0.00	10179427	99.99
44	42	0.00	10179469	99.99
45	36	0.00	10179505	99.99
46	35	0.00	10179540	100.00
47	34	0.00	10179574	100.00
48	35	0.00	10179609	100.00
49	36	0.00	10179645	100.00
50	51	0.00	10179696	100.00
51	44	0.00	10179740	100.00
52	31	0.00	10179771	100.00
53	35	0.00	10179806	100.00
54	24	0.00	10179830	100.00
55	22	0.00	10179852	100.00
56	22	0.00	10179874	100.00
57	16	0.00	10179890	100.00
58	14	0.00	10179904	100.00
59	12	0.00	10179916	100.00
60	9	0.00	10179925	100.00
61	9	0.00	10179934	100.00
62	7	0.00	10179941	100.00
63	6	0.00	10179947	100.00
64	6	0.00	10179953	100.00
65	6	0.00	10179959	100.00
66	3	0.00	10179962	100.00
67	3	0.00	10179965	100.00
68	3	0.00	10179968	100.00
69	2	0.00	10179970	100.00
70	2	0.00	10179972	100.00
71	4	0.00	10179976	100.00
72	2	0.00	10179978	100.00
73	2	0.00	10179980	100.00
74	3	0.00	10179983	100.00
75	1	0.00	10179984	100.00
76	1	0.00	10179985	100.00
77	1	0.00	10179986	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

numdonations	Frequency	Percent	Cumulative Frequency	Cumulative Percent
78	1	0.00	10179987	100.00
79	1	0.00	10179988	100.00
80	1	0.00	10179989	100.00
81	2	0.00	10179991	100.00
82	1	0.00	10179992	100.00
83	1	0.00	10179993	100.00
84	2	0.00	10179995	100.00
85	2	0.00	10179997	100.00
86	1	0.00	10179998	100.00
87	3	0.00	10180001	100.00
88	2	0.00	10180003	100.00
89	1	0.00	10180004	100.00
90	2	0.00	10180006	100.00
91	1	0.00	10180007	100.00
92	1	0.00	10180008	100.00
93	2	0.00	10180010	100.00
94	1	0.00	10180011	100.00
95	2	0.00	10180013	100.00
96	1	0.00	10180014	100.00
97	1	0.00	10180015	100.00
98	1	0.00	10180016	100.00
99	3	0.00	10180019	100.00
100	4	0.00	10180023	100.00
101	2	0.00	10180025	100.00
102	1	0.00	10180026	100.00
103	2	0.00	10180028	100.00
104	2	0.00	10180030	100.00
105	1	0.00	10180031	100.00
106	1	0.00	10180032	100.00
113	1	0.00	10180033	100.00

identicalbg	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	423372	4.16	423372	4.16
1	9634235	94.64	10057607	98.80
9	122426	1.20	10180033	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

wdy_donation	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	1284	0.01	1284	0.01
2	2086685	20.50	2087969	20.51
3	2537576	24.93	4625545	45.44
4	2325841	22.85	6951386	68.28
5	2222507	21.83	9173893	90.12
6	880442	8.65	10054335	98.77
7	125697	1.23	10180032	100.00
9	1	0.00	10180033	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0166666667	20	0.00	20	0.00
0.0333333333	11	0.00	31	0.00
0.05	11	0.00	42	0.00
0.0666666667	12	0.00	54	0.00
0.0833333333	13	0.00	67	0.00
0.1	25	0.00	92	0.00
0.1166666667	25	0.00	117	0.00
0.1333333333	20	0.00	137	0.00
0.15	22	0.00	159	0.00
0.1666666667	51	0.00	210	0.00
0.1833333333	14	0.00	224	0.00
0.2	13	0.00	237	0.00
0.2166666667	21	0.00	258	0.00
0.2333333333	20	0.00	278	0.00
0.25	20	0.00	298	0.00
0.2666666667	18	0.00	316	0.00
0.2833333333	15	0.00	331	0.00
0.3	17	0.00	348	0.00
0.3166666667	18	0.00	366	0.01
0.3333333333	13	0.00	379	0.01
0.35	13	0.00	392	0.01
0.3666666667	16	0.00	408	0.01
0.3833333333	11	0.00	419	0.01
0.4	21	0.00	440	0.01
0.4166666667	13	0.00	453	0.01
0.4333333333	13	0.00	466	0.01
0.45	20	0.00	486	0.01
0.4666666667	23	0.00	509	0.01
0.4833333333	18	0.00	527	0.01
0.5	21	0.00	548	0.01
0.5166666667	18	0.00	566	0.01
0.5333333333	23	0.00	589	0.01
0.55	12	0.00	601	0.01
0.5666666667	16	0.00	617	0.01
0.5833333333	16	0.00	633	0.01
0.6	11	0.00	644	0.01
0.6166666667	12	0.00	656	0.01
0.6333333333	11	0.00	667	0.01
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.65	17	0.00	684	0.01
0.666666667	17	0.00	701	0.01
0.683333333	16	0.00	717	0.01
0.7	15	0.00	732	0.01
0.716666667	25	0.00	757	0.01
0.733333333	20	0.00	777	0.01
0.75	13	0.00	790	0.01
0.766666667	21	0.00	811	0.01
0.783333333	12	0.00	823	0.01
0.8	20	0.00	843	0.01
0.816666667	22	0.00	865	0.01
0.833333333	16	0.00	881	0.01
0.85	16	0.00	897	0.01
0.866666667	19	0.00	916	0.01
0.883333333	19	0.00	935	0.01
0.9	20	0.00	955	0.01
0.916666667	20	0.00	975	0.01
0.933333333	16	0.00	991	0.01
0.95	18	0.00	1009	0.01
0.966666667	18	0.00	1027	0.01
0.983333333	21	0.00	1048	0.01
1	16	0.00	1064	0.01
1.016666667	17	0.00	1081	0.01
1.033333333	21	0.00	1102	0.02
1.05	19	0.00	1121	0.02
1.066666667	14	0.00	1135	0.02
1.083333333	13	0.00	1148	0.02
1.1	14	0.00	1162	0.02
1.116666667	25	0.00	1187	0.02
1.133333333	21	0.00	1208	0.02
1.15	15	0.00	1223	0.02
1.166666667	26	0.00	1249	0.02
1.183333333	26	0.00	1275	0.02
1.2	22	0.00	1297	0.02
1.216666667	19	0.00	1316	0.02
1.233333333	28	0.00	1344	0.02
1.25	26	0.00	1370	0.02
1.266666667	17	0.00	1387	0.02
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.2833333333	26	0.00	1413	0.02
1.3	23	0.00	1436	0.02
1.3166666667	25	0.00	1461	0.02
1.3333333333	17	0.00	1478	0.02
1.35	22	0.00	1500	0.02
1.3666666667	19	0.00	1519	0.02
1.3833333333	17	0.00	1536	0.02
1.4	17	0.00	1553	0.02
1.4166666667	28	0.00	1581	0.02
1.4333333333	21	0.00	1602	0.02
1.45	21	0.00	1623	0.02
1.4666666667	22	0.00	1645	0.02
1.4833333333	19	0.00	1664	0.02
1.5	23	0.00	1687	0.02
1.5166666667	21	0.00	1708	0.02
1.5333333333	24	0.00	1732	0.02
1.55	24	0.00	1756	0.02
1.5666666667	27	0.00	1783	0.02
1.5833333333	18	0.00	1801	0.02
1.6	25	0.00	1826	0.03
1.6166666667	26	0.00	1852	0.03
1.6333333333	31	0.00	1883	0.03
1.65	26	0.00	1909	0.03
1.6666666667	19	0.00	1928	0.03
1.6833333333	28	0.00	1956	0.03
1.7	16	0.00	1972	0.03
1.7166666667	32	0.00	2004	0.03
1.7333333333	27	0.00	2031	0.03
1.75	20	0.00	2051	0.03
1.7666666667	21	0.00	2072	0.03
1.7833333333	24	0.00	2096	0.03
1.8	22	0.00	2118	0.03
1.8166666667	30	0.00	2148	0.03
1.8333333333	21	0.00	2169	0.03
1.85	26	0.00	2195	0.03
1.8666666667	27	0.00	2222	0.03
1.8833333333	17	0.00	2239	0.03
1.9	27	0.00	2266	0.03
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.916666667	30	0.00	2296	0.03
1.933333333	27	0.00	2323	0.03
1.95	23	0.00	2346	0.03
1.966666667	19	0.00	2365	0.03
1.983333333	18	0.00	2383	0.03
2	28	0.00	2411	0.03
2.016666667	24	0.00	2435	0.03
2.033333333	29	0.00	2464	0.03
2.05	30	0.00	2494	0.03
2.066666667	25	0.00	2519	0.03
2.083333333	20	0.00	2539	0.04
2.1	24	0.00	2563	0.04
2.116666667	29	0.00	2592	0.04
2.133333333	20	0.00	2612	0.04
2.15	29	0.00	2641	0.04
2.166666667	34	0.00	2675	0.04
2.183333333	22	0.00	2697	0.04
2.2	21	0.00	2718	0.04
2.216666667	30	0.00	2748	0.04
2.233333333	26	0.00	2774	0.04
2.25	23	0.00	2797	0.04
2.266666667	29	0.00	2826	0.04
2.283333333	16	0.00	2842	0.04
2.3	34	0.00	2876	0.04
2.316666667	29	0.00	2905	0.04
2.333333333	24	0.00	2929	0.04
2.35	30	0.00	2959	0.04
2.366666667	21	0.00	2980	0.04
2.383333333	26	0.00	3006	0.04
2.4	33	0.00	3039	0.04
2.416666667	36	0.00	3075	0.04
2.433333333	18	0.00	3093	0.04
2.45	21	0.00	3114	0.04
2.466666667	20	0.00	3134	0.04
2.483333333	21	0.00	3155	0.04
2.5	24	0.00	3179	0.04
2.516666667	31	0.00	3210	0.04
2.533333333	22	0.00	3232	0.04
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.55	26	0.00	3258	0.04
2.566666667	31	0.00	3289	0.05
2.583333333	24	0.00	3313	0.05
2.6	25	0.00	3338	0.05
2.616666667	23	0.00	3361	0.05
2.633333333	24	0.00	3385	0.05
2.65	25	0.00	3410	0.05
2.666666667	28	0.00	3438	0.05
2.683333333	34	0.00	3472	0.05
2.7	27	0.00	3499	0.05
2.716666667	19	0.00	3518	0.05
2.733333333	28	0.00	3546	0.05
2.75	18	0.00	3564	0.05
2.766666667	22	0.00	3586	0.05
2.783333333	30	0.00	3616	0.05
2.8	28	0.00	3644	0.05
2.816666667	30	0.00	3674	0.05
2.833333333	30	0.00	3704	0.05
2.85	26	0.00	3730	0.05
2.866666667	23	0.00	3753	0.05
2.883333333	18	0.00	3771	0.05
2.9	14	0.00	3785	0.05
2.916666667	19	0.00	3804	0.05
2.933333333	22	0.00	3826	0.05
2.95	24	0.00	3850	0.05
2.966666667	26	0.00	3876	0.05
2.983333333	28	0.00	3904	0.05
3	28	0.00	3932	0.05
3.016666667	31	0.00	3963	0.05
3.033333333	27	0.00	3990	0.06
3.05	24	0.00	4014	0.06
3.066666667	29	0.00	4043	0.06
3.083333333	39	0.00	4082	0.06
3.1	34	0.00	4116	0.06
3.116666667	29	0.00	4145	0.06
3.133333333	26	0.00	4171	0.06
3.15	22	0.00	4193	0.06
3.166666667	19	0.00	4212	0.06
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.1833333333	17	0.00	4229	0.06
3.2	21	0.00	4250	0.06
3.2166666667	31	0.00	4281	0.06
3.2333333333	27	0.00	4308	0.06
3.25	23	0.00	4331	0.06
3.2666666667	28	0.00	4359	0.06
3.2833333333	31	0.00	4390	0.06
3.3	16	0.00	4406	0.06
3.3166666667	28	0.00	4434	0.06
3.3333333333	28	0.00	4462	0.06
3.35	24	0.00	4486	0.06
3.3666666667	18	0.00	4504	0.06
3.3833333333	27	0.00	4531	0.06
3.4	28	0.00	4559	0.06
3.4166666667	28	0.00	4587	0.06
3.4333333333	18	0.00	4605	0.06
3.45	21	0.00	4626	0.06
3.4666666667	28	0.00	4654	0.06
3.4833333333	25	0.00	4679	0.06
3.5	25	0.00	4704	0.06
3.5166666667	19	0.00	4723	0.07
3.5333333333	24	0.00	4747	0.07
3.55	33	0.00	4780	0.07
3.5666666667	29	0.00	4809	0.07
3.5833333333	29	0.00	4838	0.07
3.6	44	0.00	4882	0.07
3.6166666667	18	0.00	4900	0.07
3.6333333333	28	0.00	4928	0.07
3.65	25	0.00	4953	0.07
3.6666666667	34	0.00	4987	0.07
3.6833333333	36	0.00	5023	0.07
3.7	26	0.00	5049	0.07
3.7166666667	33	0.00	5082	0.07
3.7333333333	34	0.00	5116	0.07
3.75	23	0.00	5139	0.07
3.7666666667	26	0.00	5165	0.07
3.7833333333	26	0.00	5191	0.07
3.8	26	0.00	5217	0.07
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.8166666667	36	0.00	5253	0.07
3.8333333333	19	0.00	5272	0.07
3.85	26	0.00	5298	0.07
3.8666666667	21	0.00	5319	0.07
3.8833333333	36	0.00	5355	0.07
3.9	23	0.00	5378	0.07
3.9166666667	25	0.00	5403	0.07
3.9333333333	31	0.00	5434	0.08
3.95	34	0.00	5468	0.08
3.9666666667	34	0.00	5502	0.08
3.9833333333	36	0.00	5538	0.08
4	29	0.00	5567	0.08
4.0166666667	35	0.00	5602	0.08
4.0333333333	33	0.00	5635	0.08
4.05	36	0.00	5671	0.08
4.0666666667	32	0.00	5703	0.08
4.0833333333	31	0.00	5734	0.08
4.1	35	0.00	5769	0.08
4.1166666667	31	0.00	5800	0.08
4.1333333333	31	0.00	5831	0.08
4.15	28	0.00	5859	0.08
4.1666666667	31	0.00	5890	0.08
4.1833333333	26	0.00	5916	0.08
4.2	33	0.00	5949	0.08
4.2166666667	34	0.00	5983	0.08
4.2333333333	35	0.00	6018	0.08
4.25	34	0.00	6052	0.08
4.2666666667	37	0.00	6089	0.08
4.2833333333	45	0.00	6134	0.08
4.3	30	0.00	6164	0.09
4.3166666667	33	0.00	6197	0.09
4.3333333333	34	0.00	6231	0.09
4.35	44	0.00	6275	0.09
4.3666666667	29	0.00	6304	0.09
4.3833333333	31	0.00	6335	0.09
4.4	27	0.00	6362	0.09
4.4166666667	30	0.00	6392	0.09
4.4333333333	31	0.00	6423	0.09
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4.45	28	0.00	6451	0.09
4.466666667	39	0.00	6490	0.09
4.483333333	38	0.00	6528	0.09
4.5	31	0.00	6559	0.09
4.516666667	38	0.00	6597	0.09
4.533333333	36	0.00	6633	0.09
4.55	29	0.00	6662	0.09
4.566666667	41	0.00	6703	0.09
4.583333333	31	0.00	6734	0.09
4.6	35	0.00	6769	0.09
4.616666667	34	0.00	6803	0.09
4.633333333	35	0.00	6838	0.09
4.65	40	0.00	6878	0.09
4.666666667	40	0.00	6918	0.10
4.683333333	51	0.00	6969	0.10
4.7	72	0.00	7041	0.10
4.716666667	55	0.00	7096	0.10
4.733333333	49	0.00	7145	0.10
4.75	46	0.00	7191	0.10
4.766666667	33	0.00	7224	0.10
4.783333333	49	0.00	7273	0.10
4.8	44	0.00	7317	0.10
4.816666667	41	0.00	7358	0.10
4.833333333	47	0.00	7405	0.10
4.85	35	0.00	7440	0.10
4.866666667	44	0.00	7484	0.10
4.883333333	68	0.00	7552	0.10
4.9	91	0.00	7643	0.11
4.916666667	85	0.00	7728	0.11
4.933333333	77	0.00	7805	0.11
4.95	80	0.00	7885	0.11
4.966666667	84	0.00	7969	0.11
4.983333333	69	0.00	8038	0.11
5	44	0.00	8082	0.11
5.016666667	51	0.00	8133	0.11
5.033333333	30	0.00	8163	0.11
5.05	24	0.00	8187	0.11
5.066666667	34	0.00	8221	0.11
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.0833333333	31	0.00	8252	0.11
5.1	38	0.00	8290	0.11
5.1166666667	40	0.00	8330	0.12
5.1333333333	41	0.00	8371	0.12
5.15	38	0.00	8409	0.12
5.1666666667	38	0.00	8447	0.12
5.1833333333	42	0.00	8489	0.12
5.2	34	0.00	8523	0.12
5.2166666667	45	0.00	8568	0.12
5.2333333333	43	0.00	8611	0.12
5.25	36	0.00	8647	0.12
5.2666666667	39	0.00	8686	0.12
5.2833333333	47	0.00	8733	0.12
5.3	35	0.00	8768	0.12
5.3166666667	54	0.00	8822	0.12
5.3333333333	54	0.00	8876	0.12
5.35	49	0.00	8925	0.12
5.3666666667	45	0.00	8970	0.12
5.3833333333	45	0.00	9015	0.12
5.4	43	0.00	9058	0.13
5.4166666667	38	0.00	9096	0.13
5.4333333333	50	0.00	9146	0.13
5.45	38	0.00	9184	0.13
5.4666666667	55	0.00	9239	0.13
5.4833333333	42	0.00	9281	0.13
5.5	55	0.00	9336	0.13
5.5166666667	51	0.00	9387	0.13
5.5333333333	53	0.00	9440	0.13
5.55	53	0.00	9493	0.13
5.5666666667	51	0.00	9544	0.13
5.5833333333	49	0.00	9593	0.13
5.6	34	0.00	9627	0.13
5.6166666667	48	0.00	9675	0.13
5.6333333333	44	0.00	9719	0.13
5.65	63	0.00	9782	0.14
5.6666666667	73	0.00	9855	0.14
5.6833333333	62	0.00	9917	0.14
5.7	57	0.00	9974	0.14
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.716666667	62	0.00	10036	0.14
5.733333333	66	0.00	10102	0.14
5.75	67	0.00	10169	0.14
5.766666667	73	0.00	10242	0.14
5.783333333	67	0.00	10309	0.14
5.8	90	0.00	10399	0.14
5.816666667	82	0.00	10481	0.14
5.833333333	72	0.00	10553	0.15
5.85	85	0.00	10638	0.15
5.866666667	60	0.00	10698	0.15
5.883333333	96	0.00	10794	0.15
5.9	95	0.00	10889	0.15
5.916666667	93	0.00	10982	0.15
5.933333333	116	0.00	11098	0.15
5.95	112	0.00	11210	0.15
5.966666667	92	0.00	11302	0.16
5.983333333	113	0.00	11415	0.16
6	106	0.00	11521	0.16
6.016666667	126	0.00	11647	0.16
6.033333333	113	0.00	11760	0.16
6.05	153	0.00	11913	0.16
6.066666667	168	0.00	12081	0.17
6.083333333	172	0.00	12253	0.17
6.1	198	0.00	12451	0.17
6.116666667	212	0.00	12663	0.17
6.133333333	178	0.00	12841	0.18
6.15	207	0.00	13048	0.18
6.166666667	217	0.00	13265	0.18
6.183333333	217	0.00	13482	0.19
6.2	229	0.00	13711	0.19
6.216666667	237	0.00	13948	0.19
6.233333333	286	0.00	14234	0.20
6.25	256	0.00	14490	0.20
6.266666667	266	0.00	14756	0.20
6.283333333	303	0.00	15059	0.21
6.3	319	0.00	15378	0.21
6.316666667	287	0.00	15665	0.22
6.333333333	385	0.01	16050	0.22
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.35	314	0.00	16364	0.23
6.366666667	325	0.00	16689	0.23
6.383333333	330	0.00	17019	0.24
6.4	357	0.00	17376	0.24
6.416666667	364	0.01	17740	0.25
6.433333333	382	0.01	18122	0.25
6.45	412	0.01	18534	0.26
6.466666667	408	0.01	18942	0.26
6.483333333	452	0.01	19394	0.27
6.5	475	0.01	19869	0.27
6.516666667	489	0.01	20358	0.28
6.533333333	495	0.01	20853	0.29
6.55	446	0.01	21299	0.29
6.566666667	560	0.01	21859	0.30
6.583333333	615	0.01	22474	0.31
6.6	647	0.01	23121	0.32
6.616666667	676	0.01	23797	0.33
6.633333333	624	0.01	24421	0.34
6.65	694	0.01	25115	0.35
6.666666667	726	0.01	25841	0.36
6.683333333	680	0.01	26521	0.37
6.7	706	0.01	27227	0.38
6.716666667	734	0.01	27961	0.39
6.733333333	721	0.01	28682	0.40
6.75	767	0.01	29449	0.41
6.766666667	730	0.01	30179	0.42
6.783333333	765	0.01	30944	0.43
6.8	762	0.01	31706	0.44
6.816666667	900	0.01	32606	0.45
6.833333333	871	0.01	33477	0.46
6.85	972	0.01	34449	0.48
6.866666667	920	0.01	35369	0.49
6.883333333	949	0.01	36318	0.50
6.9	1007	0.01	37325	0.52
6.916666667	967	0.01	38292	0.53
6.933333333	948	0.01	39240	0.54
6.95	962	0.01	40202	0.56
6.966666667	956	0.01	41158	0.57
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.9833333333	1003	0.01	42161	0.58
7	992	0.01	43153	0.60
7.0166666667	981	0.01	44134	0.61
7.0333333333	979	0.01	45113	0.62
7.05	1047	0.01	46160	0.64
7.0666666667	1130	0.02	47290	0.65
7.0833333333	1157	0.02	48447	0.67
7.1	1346	0.02	49793	0.69
7.1166666667	1304	0.02	51097	0.71
7.1333333333	1423	0.02	52520	0.73
7.15	1510	0.02	54030	0.75
7.1666666667	1592	0.02	55622	0.77
7.1833333333	1635	0.02	57257	0.79
7.2	1739	0.02	58996	0.81
7.2166666667	1941	0.03	60937	0.84
7.2333333333	2087	0.03	63024	0.87
7.25	2191	0.03	65215	0.90
7.2666666667	2370	0.03	67585	0.93
7.2833333333	2526	0.03	70111	0.97
7.3	2524	0.03	72635	1.00
7.3166666667	2692	0.04	75327	1.04
7.3333333333	2937	0.04	78264	1.08
7.35	3034	0.04	81298	1.12
7.3666666667	3196	0.04	84494	1.17
7.3833333333	3196	0.04	87690	1.21
7.4	3541	0.05	91231	1.26
7.4166666667	3898	0.05	95129	1.31
7.4333333333	4056	0.06	99185	1.37
7.45	4226	0.06	103411	1.43
7.4666666667	4461	0.06	107872	1.49
7.4833333333	4716	0.07	112588	1.56
7.5	4811	0.07	117399	1.62
7.5166666667	5289	0.07	122688	1.69
7.5333333333	5328	0.07	128016	1.77
7.55	5636	0.08	133652	1.85
7.5666666667	6058	0.08	139710	1.93
7.5833333333	6040	0.08	145750	2.01
7.6	6450	0.09	152200	2.10
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7.6166666667	6734	0.09	158934	2.20
7.6333333333	7009	0.10	165943	2.29
7.65	7402	0.10	173345	2.39
7.6666666667	7743	0.11	181088	2.50
7.6833333333	8235	0.11	189323	2.61
7.7	8725	0.12	198048	2.74
7.7166666667	8907	0.12	206955	2.86
7.7333333333	9308	0.13	216263	2.99
7.75	9715	0.13	225978	3.12
7.7666666667	9916	0.14	235894	3.26
7.7833333333	10276	0.14	246170	3.40
7.8	10433	0.14	256603	3.54
7.8166666667	10558	0.15	267161	3.69
7.8333333333	10653	0.15	277814	3.84
7.85	10623	0.15	288437	3.98
7.8666666667	10758	0.15	299195	4.13
7.8833333333	11092	0.15	310287	4.29
7.9	10993	0.15	321280	4.44
7.9166666667	11150	0.15	332430	4.59
7.9333333333	11181	0.15	343611	4.75
7.95	11147	0.15	354758	4.90
7.9666666667	11417	0.16	366175	5.06
7.9833333333	11353	0.16	377528	5.21
8	11446	0.16	388974	5.37
8.0166666667	11466	0.16	400440	5.53
8.0333333333	11606	0.16	412046	5.69
8.05	11686	0.16	423732	5.85
8.0666666667	11797	0.16	435529	6.02
8.0833333333	11776	0.16	447305	6.18
8.1	11839	0.16	459144	6.34
8.1166666667	12056	0.17	471200	6.51
8.1333333333	12553	0.17	483753	6.68
8.15	12934	0.18	496687	6.86
8.1666666667	12902	0.18	509589	7.04
8.1833333333	13057	0.18	522646	7.22
8.2	13511	0.19	536157	7.41
8.2166666667	13735	0.19	549892	7.60
8.2333333333	13934	0.19	563826	7.79
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.25	14238	0.20	578064	7.98
8.266666667	14905	0.21	592969	8.19
8.283333333	15005	0.21	607974	8.40
8.3	15298	0.21	623272	8.61
8.316666667	14826	0.20	638098	8.81
8.333333333	15046	0.21	653144	9.02
8.35	15351	0.21	668495	9.23
8.366666667	14982	0.21	683477	9.44
8.383333333	15164	0.21	698641	9.65
8.4	15096	0.21	713737	9.86
8.416666667	15323	0.21	729060	10.07
8.433333333	15497	0.21	744557	10.28
8.45	15115	0.21	759672	10.49
8.466666667	15068	0.21	774740	10.70
8.483333333	14769	0.20	789509	10.90
8.5	15051	0.21	804560	11.11
8.516666667	14895	0.21	819455	11.32
8.533333333	14985	0.21	834440	11.53
8.55	14940	0.21	849380	11.73
8.566666667	15126	0.21	864506	11.94
8.583333333	14789	0.20	879295	12.14
8.6	14912	0.21	894207	12.35
8.616666667	14953	0.21	909160	12.56
8.633333333	15249	0.21	924409	12.77
8.65	15242	0.21	939651	12.98
8.666666667	15340	0.21	954991	13.19
8.683333333	15128	0.21	970119	13.40
8.7	15146	0.21	985265	13.61
8.716666667	15244	0.21	1000509	13.82
8.733333333	15354	0.21	1015863	14.03
8.75	15214	0.21	1031077	14.24
8.766666667	15093	0.21	1046170	14.45
8.783333333	15109	0.21	1061279	14.66
8.8	15122	0.21	1076401	14.87
8.816666667	15051	0.21	1091452	15.08
8.833333333	15167	0.21	1106619	15.28
8.85	14736	0.20	1121355	15.49
8.866666667	15013	0.21	1136368	15.70
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8.8833333333	14592	0.20	1150960	15.90
8.9	14683	0.20	1165643	16.10
8.9166666667	14598	0.20	1180241	16.30
8.9333333333	14758	0.20	1194999	16.51
8.95	14992	0.21	1209991	16.71
8.9666666667	14969	0.21	1224960	16.92
8.9833333333	14691	0.20	1239651	17.12
9	14654	0.20	1254305	17.32
9.0166666667	14614	0.20	1268919	17.53
9.0333333333	14613	0.20	1283532	17.73
9.05	14674	0.20	1298206	17.93
9.0666666667	14372	0.20	1312578	18.13
9.0833333333	14363	0.20	1326941	18.33
9.1	14346	0.20	1341287	18.53
9.1166666667	14021	0.19	1355308	18.72
9.1333333333	13985	0.19	1369293	18.91
9.15	14044	0.19	1383337	19.11
9.1666666667	13843	0.19	1397180	19.30
9.1833333333	13631	0.19	1410811	19.49
9.2	13824	0.19	1424635	19.68
9.2166666667	13668	0.19	1438303	19.87
9.2333333333	13612	0.19	1451915	20.05
9.25	13530	0.19	1465445	20.24
9.2666666667	13432	0.19	1478877	20.43
9.2833333333	13487	0.19	1492364	20.61
9.3	13356	0.18	1505720	20.80
9.3166666667	13214	0.18	1518934	20.98
9.3333333333	12842	0.18	1531776	21.16
9.35	12819	0.18	1544595	21.33
9.3666666667	12572	0.17	1557167	21.51
9.3833333333	12461	0.17	1569628	21.68
9.4	12223	0.17	1581851	21.85
9.4166666667	11995	0.17	1593846	22.01
9.4333333333	12211	0.17	1606057	22.18
9.45	12095	0.17	1618152	22.35
9.4666666667	11919	0.16	1630071	22.51
9.4833333333	11801	0.16	1641872	22.68
9.5	11719	0.16	1653591	22.84
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9.5166666667	11837	0.16	1665428	23.00
9.5333333333	11640	0.16	1677068	23.16
9.55	11621	0.16	1688689	23.32
9.5666666667	11300	0.16	1699989	23.48
9.5833333333	11312	0.16	1711301	23.64
9.6	11443	0.16	1722744	23.79
9.6166666667	11256	0.16	1734000	23.95
9.6333333333	11148	0.15	1745148	24.10
9.65	11620	0.16	1756768	24.26
9.6666666667	11455	0.16	1768223	24.42
9.6833333333	11375	0.16	1779598	24.58
9.7	11561	0.16	1791159	24.74
9.7166666667	11716	0.16	1802875	24.90
9.7333333333	11945	0.16	1814820	25.07
9.75	12010	0.17	1826830	25.23
9.7666666667	12125	0.17	1838955	25.40
9.7833333333	11983	0.17	1850938	25.56
9.8	12030	0.17	1862968	25.73
9.8166666667	11853	0.16	1874821	25.89
9.8333333333	12052	0.17	1886873	26.06
9.85	12082	0.17	1898955	26.23
9.8666666667	12016	0.17	1910971	26.39
9.8833333333	11900	0.16	1922871	26.56
9.9	12207	0.17	1935078	26.73
9.9166666667	11925	0.16	1947003	26.89
9.9333333333	12155	0.17	1959158	27.06
9.95	12353	0.17	1971511	27.23
9.9666666667	12487	0.17	1983998	27.40
9.9833333333	12663	0.17	1996661	27.58
10	12326	0.17	2008987	27.75
10.0166666667	12516	0.17	2021503	27.92
10.0333333333	12591	0.17	2034094	28.09
10.05	12766	0.18	2046860	28.27
10.0666666667	12969	0.18	2059829	28.45
10.0833333333	12848	0.18	2072677	28.63
10.1	12902	0.18	2085579	28.81
10.1166666667	13320	0.18	2098899	28.99
10.1333333333	13343	0.18	2112242	29.17
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.15	13753	0.19	2125995	29.36
10.16666667	13824	0.19	2139819	29.55
10.18333333	14053	0.19	2153872	29.75
10.2	14543	0.20	2168415	29.95
10.21666667	14689	0.20	2183104	30.15
10.23333333	14989	0.21	2198093	30.36
10.25	15208	0.21	2213301	30.57
10.26666667	15408	0.21	2228709	30.78
10.28333333	15396	0.21	2244105	31.00
10.3	15545	0.21	2259650	31.21
10.31666667	15340	0.21	2274990	31.42
10.33333333	15413	0.21	2290403	31.63
10.35	15573	0.22	2305976	31.85
10.36666667	15226	0.21	2321202	32.06
10.38333333	15357	0.21	2336559	32.27
10.4	15228	0.21	2351787	32.48
10.41666667	15507	0.21	2367294	32.70
10.43333333	15215	0.21	2382509	32.91
10.45	15234	0.21	2397743	33.12
10.46666667	15328	0.21	2413071	33.33
10.48333333	15089	0.21	2428160	33.54
10.5	15036	0.21	2443196	33.75
10.51666667	14843	0.21	2458039	33.95
10.53333333	15012	0.21	2473051	34.16
10.55	14959	0.21	2488010	34.36
10.56666667	14986	0.21	2502996	34.57
10.58333333	14892	0.21	2517888	34.78
10.6	14962	0.21	2532850	34.98
10.61666667	15103	0.21	2547953	35.19
10.63333333	15059	0.21	2563012	35.40
10.65	15136	0.21	2578148	35.61
10.66666667	15219	0.21	2593367	35.82
10.68333333	14926	0.21	2608293	36.03
10.7	15144	0.21	2623437	36.23
10.71666667	15056	0.21	2638493	36.44
10.73333333	15126	0.21	2653619	36.65
10.75	15141	0.21	2668760	36.86
10.76666667	15072	0.21	2683832	37.07
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10.783333333	15106	0.21	2698938	37.28
10.8	14966	0.21	2713904	37.48
10.816666667	14905	0.21	2728809	37.69
10.833333333	14845	0.21	2743654	37.90
10.85	14802	0.20	2758456	38.10
10.866666667	14948	0.21	2773404	38.31
10.883333333	14802	0.20	2788206	38.51
10.9	14893	0.21	2803099	38.72
10.916666667	14758	0.20	2817857	38.92
10.933333333	14804	0.20	2832661	39.12
10.95	14809	0.20	2847470	39.33
10.966666667	14899	0.21	2862369	39.53
10.983333333	14747	0.20	2877116	39.74
11	14830	0.20	2891946	39.94
11.016666667	14658	0.20	2906604	40.15
11.033333333	15004	0.21	2921608	40.35
11.05	14966	0.21	2936574	40.56
11.066666667	14897	0.21	2951471	40.77
11.083333333	15091	0.21	2966562	40.97
11.1	14986	0.21	2981548	41.18
11.116666667	15284	0.21	2996832	41.39
11.133333333	15061	0.21	3011893	41.60
11.15	15263	0.21	3027156	41.81
11.166666667	15280	0.21	3042436	42.02
11.183333333	15523	0.21	3057959	42.24
11.2	15719	0.22	3073678	42.45
11.216666667	15738	0.22	3089416	42.67
11.233333333	15944	0.22	3105360	42.89
11.25	15842	0.22	3121202	43.11
11.266666667	15706	0.22	3136908	43.33
11.283333333	16066	0.22	3152974	43.55
11.3	16002	0.22	3168976	43.77
11.316666667	15802	0.22	3184778	43.99
11.333333333	15871	0.22	3200649	44.21
11.35	15380	0.21	3216029	44.42
11.366666667	15450	0.21	3231479	44.63
11.383333333	15235	0.21	3246714	44.84
11.4	15092	0.21	3261806	45.05
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11.416666667	15035	0.21	3276841	45.26
11.433333333	14786	0.20	3291627	45.46
11.45	14831	0.20	3306458	45.67
11.466666667	14443	0.20	3320901	45.87
11.483333333	14294	0.20	3335195	46.07
11.5	14398	0.20	3349593	46.26
11.516666667	14175	0.20	3363768	46.46
11.533333333	14044	0.19	3377812	46.65
11.55	13870	0.19	3391682	46.85
11.566666667	13679	0.19	3405361	47.03
11.583333333	13743	0.19	3419104	47.22
11.6	13325	0.18	3432429	47.41
11.616666667	13293	0.18	3445722	47.59
11.633333333	13780	0.19	3459502	47.78
11.65	13290	0.18	3472792	47.97
11.666666667	13227	0.18	3486019	48.15
11.683333333	13087	0.18	3499106	48.33
11.7	12998	0.18	3512104	48.51
11.716666667	12891	0.18	3524995	48.69
11.733333333	12736	0.18	3537731	48.86
11.75	12610	0.17	3550341	49.04
11.766666667	12618	0.17	3562959	49.21
11.783333333	12526	0.17	3575485	49.38
11.8	12285	0.17	3587770	49.55
11.816666667	12388	0.17	3600158	49.72
11.833333333	12177	0.17	3612335	49.89
11.85	12077	0.17	3624412	50.06
11.866666667	11743	0.16	3636155	50.22
11.883333333	11613	0.16	3647768	50.38
11.9	11802	0.16	3659570	50.55
11.916666667	11655	0.16	3671225	50.71
11.933333333	11338	0.16	3682563	50.86
11.95	11249	0.16	3693812	51.02
11.966666667	11572	0.16	3705384	51.18
11.983333333	11182	0.15	3716566	51.33
12	11364	0.16	3727930	51.49
12.016666667	11082	0.15	3739012	51.64
12.033333333	10935	0.15	3749947	51.79
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.05	10808	0.15	3760755	51.94
12.066666667	10705	0.15	3771460	52.09
12.083333333	10731	0.15	3782191	52.24
12.1	10765	0.15	3792956	52.39
12.116666667	10213	0.14	3803169	52.53
12.133333333	10387	0.14	3813556	52.67
12.15	10440	0.14	3823996	52.82
12.166666667	9993	0.14	3833989	52.95
12.183333333	9923	0.14	3843912	53.09
12.2	9782	0.14	3853694	53.23
12.216666667	9854	0.14	3863548	53.36
12.233333333	9690	0.13	3873238	53.50
12.25	9587	0.13	3882825	53.63
12.266666667	9578	0.13	3892403	53.76
12.283333333	9405	0.13	3901808	53.89
12.3	9561	0.13	3911369	54.02
12.316666667	9269	0.13	3920638	54.15
12.333333333	9453	0.13	3930091	54.28
12.35	9343	0.13	3939434	54.41
12.366666667	9074	0.13	3948508	54.54
12.383333333	9039	0.12	3957547	54.66
12.4	9108	0.13	3966655	54.79
12.416666667	9009	0.12	3975664	54.91
12.433333333	8619	0.12	3984283	55.03
12.45	8876	0.12	3993159	55.15
12.466666667	8784	0.12	4001943	55.27
12.483333333	8773	0.12	4010716	55.40
12.5	8600	0.12	4019316	55.51
12.516666667	8583	0.12	4027899	55.63
12.533333333	8712	0.12	4036611	55.75
12.55	8483	0.12	4045094	55.87
12.566666667	9010	0.12	4054104	55.99
12.583333333	8906	0.12	4063010	56.12
12.6	8838	0.12	4071848	56.24
12.616666667	9019	0.12	4080867	56.36
12.633333333	8988	0.12	4089855	56.49
12.65	9010	0.12	4098865	56.61
12.666666667	9000	0.12	4107865	56.74
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12.6833333333	9240	0.13	4117105	56.86
12.7	9076	0.13	4126181	56.99
12.7166666667	9261	0.13	4135442	57.12
12.7333333333	9377	0.13	4144819	57.25
12.75	9261	0.13	4154080	57.38
12.7666666667	9353	0.13	4163433	57.50
12.7833333333	9266	0.13	4172699	57.63
12.8	9344	0.13	4182043	57.76
12.8166666667	9551	0.13	4191594	57.89
12.8333333333	9636	0.13	4201230	58.03
12.85	9839	0.14	4211069	58.16
12.8666666667	9694	0.13	4220763	58.30
12.8833333333	9714	0.13	4230477	58.43
12.9	9806	0.14	4240283	58.57
12.9166666667	9648	0.13	4249931	58.70
12.9333333333	9897	0.14	4259828	58.84
12.95	10000	0.14	4269828	58.97
12.9666666667	9929	0.14	4279757	59.11
12.9833333333	9956	0.14	4289713	59.25
13	9799	0.14	4299512	59.38
13.0166666667	9825	0.14	4309337	59.52
13.0333333333	10373	0.14	4319710	59.66
13.05	10374	0.14	4330084	59.81
13.0666666667	10417	0.14	4340501	59.95
13.0833333333	10313	0.14	4350814	60.09
13.1	10476	0.14	4361290	60.24
13.1166666667	10499	0.15	4371789	60.38
13.1333333333	10789	0.15	4382578	60.53
13.15	10958	0.15	4393536	60.68
13.1666666667	10682	0.15	4404218	60.83
13.1833333333	11092	0.15	4415310	60.98
13.2	11361	0.16	4426671	61.14
13.2166666667	11283	0.16	4437954	61.30
13.2333333333	11168	0.15	4449122	61.45
13.25	11422	0.16	4460544	61.61
13.2666666667	11772	0.16	4472316	61.77
13.2833333333	11620	0.16	4483936	61.93
13.3	11655	0.16	4495591	62.09
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.316666667	11776	0.16	4507367	62.26
13.333333333	11531	0.16	4518898	62.41
13.35	11547	0.16	4530445	62.57
13.366666667	11508	0.16	4541953	62.73
13.383333333	11319	0.16	4553272	62.89
13.4	11300	0.16	4564572	63.05
13.416666667	11086	0.15	4575658	63.20
13.433333333	11243	0.16	4586901	63.35
13.45	11170	0.15	4598071	63.51
13.466666667	11240	0.16	4609311	63.66
13.483333333	11228	0.16	4620539	63.82
13.5	11024	0.15	4631563	63.97
13.516666667	11044	0.15	4642607	64.12
13.533333333	10950	0.15	4653557	64.27
13.55	10897	0.15	4664454	64.42
13.566666667	11010	0.15	4675464	64.58
13.583333333	11150	0.15	4686614	64.73
13.6	10983	0.15	4697597	64.88
13.616666667	11022	0.15	4708619	65.03
13.633333333	11001	0.15	4719620	65.19
13.65	10958	0.15	4730578	65.34
13.666666667	10918	0.15	4741496	65.49
13.683333333	11138	0.15	4752634	65.64
13.7	10866	0.15	4763500	65.79
13.716666667	10836	0.15	4774336	65.94
13.733333333	10826	0.15	4785162	66.09
13.75	10440	0.14	4795602	66.24
13.766666667	10692	0.15	4806294	66.38
13.783333333	10600	0.15	4816894	66.53
13.8	10802	0.15	4827696	66.68
13.816666667	10453	0.14	4838149	66.82
13.833333333	10456	0.14	4848605	66.97
13.85	10472	0.14	4859077	67.11
13.866666667	9956	0.14	4869033	67.25
13.883333333	10162	0.14	4879195	67.39
13.9	10373	0.14	4889568	67.53
13.916666667	9966	0.14	4899534	67.67
13.933333333	10084	0.14	4909618	67.81
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13.95	10031	0.14	4919649	67.95
13.966666667	10080	0.14	4929729	68.09
13.983333333	9953	0.14	4939682	68.23
14	9861	0.14	4949543	68.36
14.016666667	9946	0.14	4959489	68.50
14.033333333	9999	0.14	4969488	68.64
14.05	10029	0.14	4979517	68.78
14.066666667	9749	0.13	4989266	68.91
14.083333333	9964	0.14	4999230	69.05
14.1	9739	0.13	5008969	69.18
14.116666667	9802	0.14	5018771	69.32
14.133333333	9790	0.14	5028561	69.45
14.15	9725	0.13	5038286	69.59
14.166666667	9695	0.13	5047981	69.72
14.183333333	9734	0.13	5057715	69.86
14.2	9790	0.14	5067505	69.99
14.216666667	9637	0.13	5077142	70.12
14.233333333	9660	0.13	5086802	70.26
14.25	9799	0.14	5096601	70.39
14.266666667	9809	0.14	5106410	70.53
14.283333333	9652	0.13	5116062	70.66
14.3	9712	0.13	5125774	70.80
14.316666667	9640	0.13	5135414	70.93
14.333333333	9596	0.13	5145010	71.06
14.35	9728	0.13	5154738	71.20
14.366666667	9710	0.13	5164448	71.33
14.383333333	9500	0.13	5173948	71.46
14.4	9365	0.13	5183313	71.59
14.416666667	9450	0.13	5192763	71.72
14.433333333	9515	0.13	5202278	71.85
14.45	9372	0.13	5211650	71.98
14.466666667	9161	0.13	5220811	72.11
14.483333333	9178	0.13	5229989	72.24
14.5	9301	0.13	5239290	72.36
14.516666667	9243	0.13	5248533	72.49
14.533333333	9002	0.12	5257535	72.62
14.55	8944	0.12	5266479	72.74
14.566666667	8867	0.12	5275346	72.86
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14.583333333	8863	0.12	5284209	72.98
14.6	8884	0.12	5293093	73.11
14.616666667	8985	0.12	5302078	73.23
14.633333333	8961	0.12	5311039	73.36
14.65	8812	0.12	5319851	73.48
14.666666667	8675	0.12	5328526	73.60
14.683333333	9040	0.12	5337566	73.72
14.7	8900	0.12	5346466	73.84
14.716666667	8759	0.12	5355225	73.97
14.733333333	8816	0.12	5364041	74.09
14.75	8740	0.12	5372781	74.21
14.766666667	8807	0.12	5381588	74.33
14.783333333	8688	0.12	5390276	74.45
14.8	8718	0.12	5398994	74.57
14.816666667	8449	0.12	5407443	74.69
14.833333333	8475	0.12	5415918	74.80
14.85	8486	0.12	5424404	74.92
14.866666667	8372	0.12	5432776	75.04
14.883333333	8261	0.11	5441037	75.15
14.9	8321	0.11	5449358	75.27
14.916666667	8448	0.12	5457806	75.38
14.933333333	8160	0.11	5465966	75.50
14.95	8007	0.11	5473973	75.61
14.966666667	8031	0.11	5482004	75.72
14.983333333	7986	0.11	5489990	75.83
15	8014	0.11	5498004	75.94
15.016666667	7821	0.11	5505825	76.05
15.033333333	7912	0.11	5513737	76.16
15.05	7928	0.11	5521665	76.26
15.066666667	7769	0.11	5529434	76.37
15.083333333	7797	0.11	5537231	76.48
15.1	8074	0.11	5545305	76.59
15.116666667	7843	0.11	5553148	76.70
15.133333333	7829	0.11	5560977	76.81
15.15	7883	0.11	5568860	76.92
15.166666667	7868	0.11	5576728	77.03
15.183333333	7931	0.11	5584659	77.13
15.2	7789	0.11	5592448	77.24
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.216666667	8238	0.11	5600686	77.36
15.233333333	8114	0.11	5608800	77.47
15.25	8061	0.11	5616861	77.58
15.266666667	8084	0.11	5624945	77.69
15.283333333	7963	0.11	5632908	77.80
15.3	7938	0.11	5640846	77.91
15.316666667	7969	0.11	5648815	78.02
15.333333333	7861	0.11	5656676	78.13
15.35	7844	0.11	5664520	78.24
15.366666667	7782	0.11	5672302	78.35
15.383333333	7838	0.11	5680140	78.45
15.4	7692	0.11	5687832	78.56
15.416666667	7672	0.11	5695504	78.67
15.433333333	7565	0.10	5703069	78.77
15.45	7505	0.10	5710574	78.87
15.466666667	7478	0.10	5718052	78.98
15.483333333	7518	0.10	5725570	79.08
15.5	7668	0.11	5733238	79.19
15.516666667	7460	0.10	5740698	79.29
15.533333333	7427	0.10	5748125	79.39
15.55	7666	0.11	5755791	79.50
15.566666667	7648	0.11	5763439	79.60
15.583333333	7448	0.10	5770887	79.71
15.6	7477	0.10	5778364	79.81
15.616666667	7627	0.11	5785991	79.92
15.633333333	7562	0.10	5793553	80.02
15.65	7431	0.10	5800984	80.12
15.666666667	7689	0.11	5808673	80.23
15.683333333	7498	0.10	5816171	80.33
15.7	7523	0.10	5823694	80.44
15.716666667	7574	0.10	5831268	80.54
15.733333333	7625	0.11	5838893	80.65
15.75	7740	0.11	5846633	80.75
15.766666667	7606	0.11	5854239	80.86
15.783333333	7636	0.11	5861875	80.96
15.8	7600	0.10	5869475	81.07
15.816666667	7497	0.10	5876972	81.17
15.833333333	7587	0.10	5884559	81.28
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15.85	7547	0.10	5892106	81.38
15.86666667	7487	0.10	5899593	81.48
15.88333333	7466	0.10	5907059	81.59
15.9	7222	0.10	5914281	81.69
15.91666667	7368	0.10	5921649	81.79
15.93333333	7270	0.10	5928919	81.89
15.95	7354	0.10	5936273	81.99
15.96666667	7262	0.10	5943535	82.09
15.98333333	7418	0.10	5950953	82.19
16	7356	0.10	5958309	82.30
16.01666667	7301	0.10	5965610	82.40
16.03333333	7479	0.10	5973089	82.50
16.05	7209	0.10	5980298	82.60
16.06666667	7402	0.10	5987700	82.70
16.08333333	7347	0.10	5995047	82.80
16.1	7275	0.10	6002322	82.90
16.11666667	7399	0.10	6009721	83.01
16.13333333	7584	0.10	6017305	83.11
16.15	7540	0.10	6024845	83.21
16.16666667	7277	0.10	6032122	83.31
16.18333333	7426	0.10	6039548	83.42
16.2	7448	0.10	6046996	83.52
16.21666667	7620	0.11	6054616	83.63
16.23333333	7702	0.11	6062318	83.73
16.25	7644	0.11	6069962	83.84
16.26666667	7682	0.11	6077644	83.94
16.28333333	7579	0.10	6085223	84.05
16.3	7464	0.10	6092687	84.15
16.31666667	7680	0.11	6100367	84.26
16.33333333	7627	0.11	6107994	84.36
16.35	7710	0.11	6115704	84.47
16.36666667	7503	0.10	6123207	84.57
16.38333333	7799	0.11	6131006	84.68
16.4	7806	0.11	6138812	84.79
16.41666667	7892	0.11	6146704	84.90
16.43333333	7725	0.11	6154429	85.00
16.45	7776	0.11	6162205	85.11
16.46666667	7828	0.11	6170033	85.22
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
16.483333333	7961	0.11	6177994	85.33
16.5	8003	0.11	6185997	85.44
16.516666667	7835	0.11	6193832	85.55
16.533333333	7899	0.11	6201731	85.66
16.55	7967	0.11	6209698	85.77
16.566666667	7841	0.11	6217539	85.88
16.583333333	7826	0.11	6225365	85.98
16.6	7751	0.11	6233116	86.09
16.616666667	7781	0.11	6240897	86.20
16.633333333	7889	0.11	6248786	86.31
16.65	7865	0.11	6256651	86.42
16.666666667	7965	0.11	6264616	86.53
16.683333333	7987	0.11	6272603	86.64
16.7	7711	0.11	6280314	86.74
16.716666667	7967	0.11	6288281	86.85
16.733333333	7935	0.11	6296216	86.96
16.75	8162	0.11	6304378	87.08
16.766666667	8030	0.11	6312408	87.19
16.783333333	7821	0.11	6320229	87.29
16.8	8073	0.11	6328302	87.41
16.816666667	7857	0.11	6336159	87.51
16.833333333	7728	0.11	6343887	87.62
16.85	7912	0.11	6351799	87.73
16.866666667	7781	0.11	6359580	87.84
16.883333333	7802	0.11	6367382	87.95
16.9	7701	0.11	6375083	88.05
16.916666667	7794	0.11	6382877	88.16
16.933333333	7696	0.11	6390573	88.27
16.95	7969	0.11	6398542	88.38
16.966666667	7925	0.11	6406467	88.49
16.983333333	7742	0.11	6414209	88.59
17	7829	0.11	6422038	88.70
17.016666667	7629	0.11	6429667	88.81
17.033333333	7833	0.11	6437500	88.91
17.05	7554	0.10	6445054	89.02
17.066666667	7591	0.10	6452645	89.12
17.083333333	7718	0.11	6460363	89.23
17.1	7645	0.11	6468008	89.34
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.116666667	7958	0.11	6475966	89.45
17.133333333	7550	0.10	6483516	89.55
17.15	7889	0.11	6491405	89.66
17.166666667	7828	0.11	6499233	89.77
17.183333333	7813	0.11	6507046	89.87
17.2	7805	0.11	6514851	89.98
17.216666667	7724	0.11	6522575	90.09
17.233333333	7615	0.11	6530190	90.19
17.25	7676	0.11	6537866	90.30
17.266666667	7495	0.10	6545361	90.40
17.283333333	7598	0.10	6552959	90.51
17.3	7466	0.10	6560425	90.61
17.316666667	7512	0.10	6567937	90.72
17.333333333	7332	0.10	6575269	90.82
17.35	7554	0.10	6582823	90.92
17.366666667	7479	0.10	6590302	91.02
17.383333333	7339	0.10	6597641	91.13
17.4	7254	0.10	6604895	91.23
17.416666667	7229	0.10	6612124	91.33
17.433333333	7275	0.10	6619399	91.43
17.45	7393	0.10	6626792	91.53
17.466666667	7244	0.10	6634036	91.63
17.483333333	7399	0.10	6641435	91.73
17.5	7106	0.10	6648541	91.83
17.516666667	7248	0.10	6655789	91.93
17.533333333	7190	0.10	6662979	92.03
17.55	7148	0.10	6670127	92.13
17.566666667	7137	0.10	6677264	92.23
17.583333333	7022	0.10	6684286	92.32
17.6	7091	0.10	6691377	92.42
17.616666667	6977	0.10	6698354	92.52
17.633333333	6962	0.10	6705316	92.61
17.65	7134	0.10	6712450	92.71
17.666666667	7060	0.10	6719510	92.81
17.683333333	7100	0.10	6726610	92.91
17.7	7105	0.10	6733715	93.01
17.716666667	7015	0.10	6740730	93.10
17.733333333	6774	0.09	6747504	93.20
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17.75	6928	0.10	6754432	93.29
17.76666667	6933	0.10	6761365	93.39
17.78333333	6601	0.09	6767966	93.48
17.8	6783	0.09	6774749	93.57
17.81666667	6768	0.09	6781517	93.67
17.83333333	6668	0.09	6788185	93.76
17.85	6575	0.09	6794760	93.85
17.86666667	6651	0.09	6801411	93.94
17.88333333	6729	0.09	6808140	94.03
17.9	6543	0.09	6814683	94.12
17.91666667	6577	0.09	6821260	94.21
17.93333333	6497	0.09	6827757	94.30
17.95	6457	0.09	6834214	94.39
17.96666667	6475	0.09	6840689	94.48
17.98333333	6353	0.09	6847042	94.57
18	6101	0.08	6853143	94.65
18.01666667	6284	0.09	6859427	94.74
18.03333333	6012	0.08	6865439	94.82
18.05	6278	0.09	6871717	94.91
18.06666667	6117	0.08	6877834	95.00
18.08333333	6166	0.09	6884000	95.08
18.1	6033	0.08	6890033	95.16
18.11666667	5989	0.08	6896022	95.25
18.13333333	5817	0.08	6901839	95.33
18.15	6005	0.08	6907844	95.41
18.16666667	5929	0.08	6913773	95.49
18.18333333	5843	0.08	6919616	95.57
18.2	5748	0.08	6925364	95.65
18.21666667	5845	0.08	6931209	95.73
18.23333333	5619	0.08	6936828	95.81
18.25	5676	0.08	6942504	95.89
18.26666667	5607	0.08	6948111	95.97
18.28333333	5495	0.08	6953606	96.04
18.3	5517	0.08	6959123	96.12
18.31666667	5439	0.08	6964562	96.19
18.33333333	5388	0.07	6969950	96.27
18.35	5234	0.07	6975184	96.34
18.36666667	5228	0.07	6980412	96.41
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18.383333333	4998	0.07	6985410	96.48
18.4	5117	0.07	6990527	96.55
18.416666667	4945	0.07	6995472	96.62
18.433333333	5019	0.07	7000491	96.69
18.45	4871	0.07	7005362	96.76
18.466666667	4867	0.07	7010229	96.82
18.483333333	4781	0.07	7015010	96.89
18.5	4679	0.06	7019689	96.96
18.516666667	4594	0.06	7024283	97.02
18.533333333	4609	0.06	7028892	97.08
18.55	4537	0.06	7033429	97.14
18.566666667	4566	0.06	7037995	97.21
18.583333333	4455	0.06	7042450	97.27
18.6	4485	0.06	7046935	97.33
18.616666667	4409	0.06	7051344	97.39
18.633333333	4297	0.06	7055641	97.45
18.65	4329	0.06	7059970	97.51
18.666666667	4242	0.06	7064212	97.57
18.683333333	4209	0.06	7068421	97.63
18.7	4077	0.06	7072498	97.68
18.716666667	4204	0.06	7076702	97.74
18.733333333	4058	0.06	7080760	97.80
18.75	3874	0.05	7084634	97.85
18.766666667	3879	0.05	7088513	97.91
18.783333333	3799	0.05	7092312	97.96
18.8	3734	0.05	7096046	98.01
18.816666667	3745	0.05	7099791	98.06
18.833333333	3604	0.05	7103395	98.11
18.85	3585	0.05	7106980	98.16
18.866666667	3459	0.05	7110439	98.21
18.883333333	3401	0.05	7113840	98.26
18.9	3502	0.05	7117342	98.30
18.916666667	3341	0.05	7120683	98.35
18.933333333	3273	0.05	7123956	98.40
18.95	3212	0.04	7127168	98.44
18.966666667	3261	0.05	7130429	98.48
18.983333333	3088	0.04	7133517	98.53
19	3048	0.04	7136565	98.57
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19.016666667	3069	0.04	7139634	98.61
19.033333333	3018	0.04	7142652	98.65
19.05	2895	0.04	7145547	98.69
19.066666667	2814	0.04	7148361	98.73
19.083333333	2710	0.04	7151071	98.77
19.1	2679	0.04	7153750	98.81
19.116666667	2589	0.04	7156339	98.84
19.133333333	2667	0.04	7159006	98.88
19.15	2442	0.03	7161448	98.91
19.166666667	2449	0.03	7163897	98.95
19.183333333	2370	0.03	7166267	98.98
19.2	2232	0.03	7168499	99.01
19.216666667	2271	0.03	7170770	99.04
19.233333333	2165	0.03	7172935	99.07
19.25	2067	0.03	7175002	99.10
19.266666667	1930	0.03	7176932	99.13
19.283333333	1910	0.03	7178842	99.15
19.3	1910	0.03	7180752	99.18
19.316666667	1803	0.02	7182555	99.20
19.333333333	1704	0.02	7184259	99.23
19.35	1646	0.02	7185905	99.25
19.366666667	1625	0.02	7187530	99.27
19.383333333	1469	0.02	7188999	99.29
19.4	1531	0.02	7190530	99.31
19.416666667	1437	0.02	7191967	99.33
19.433333333	1484	0.02	7193451	99.36
19.45	1408	0.02	7194859	99.37
19.466666667	1383	0.02	7196242	99.39
19.483333333	1299	0.02	7197541	99.41
19.5	1215	0.02	7198756	99.43
19.516666667	1146	0.02	7199902	99.44
19.533333333	1043	0.01	7200945	99.46
19.55	1011	0.01	7201956	99.47
19.566666667	986	0.01	7202942	99.49
19.583333333	1044	0.01	7203986	99.50
19.6	965	0.01	7204951	99.51
19.616666667	931	0.01	7205882	99.53
19.633333333	997	0.01	7206879	99.54
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19.65	966	0.01	7207845	99.55
19.66666667	954	0.01	7208799	99.57
19.68333333	910	0.01	7209709	99.58
19.7	849	0.01	7210558	99.59
19.71666667	851	0.01	7211409	99.60
19.73333333	793	0.01	7212202	99.61
19.75	832	0.01	7213034	99.63
19.76666667	802	0.01	7213836	99.64
19.78333333	794	0.01	7214630	99.65
19.8	766	0.01	7215396	99.66
19.81666667	760	0.01	7216156	99.67
19.83333333	732	0.01	7216888	99.68
19.85	670	0.01	7217558	99.69
19.86666667	722	0.01	7218280	99.70
19.88333333	711	0.01	7218991	99.71
19.9	639	0.01	7219630	99.72
19.91666667	680	0.01	7220310	99.73
19.93333333	662	0.01	7220972	99.74
19.95	596	0.01	7221568	99.74
19.96666667	584	0.01	7222152	99.75
19.98333333	533	0.01	7222685	99.76
20	546	0.01	7223231	99.77
20.01666667	486	0.01	7223717	99.77
20.03333333	482	0.01	7224199	99.78
20.05	474	0.01	7224673	99.79
20.06666667	480	0.01	7225153	99.79
20.08333333	438	0.01	7225591	99.80
20.1	457	0.01	7226048	99.81
20.11666667	405	0.01	7226453	99.81
20.13333333	370	0.01	7226823	99.82
20.15	326	0.00	7227149	99.82
20.16666667	313	0.00	7227462	99.82
20.18333333	290	0.00	7227752	99.83
20.2	356	0.00	7228108	99.83
20.21666667	253	0.00	7228361	99.84
20.23333333	303	0.00	7228664	99.84
20.25	317	0.00	7228981	99.85
20.26666667	261	0.00	7229242	99.85
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.2833333333	229	0.00	7229471	99.85
20.3	244	0.00	7229715	99.86
20.3166666667	291	0.00	7230006	99.86
20.3333333333	249	0.00	7230255	99.86
20.35	234	0.00	7230489	99.87
20.3666666667	225	0.00	7230714	99.87
20.3833333333	213	0.00	7230927	99.87
20.4	215	0.00	7231142	99.88
20.4166666667	220	0.00	7231362	99.88
20.4333333333	175	0.00	7231537	99.88
20.45	177	0.00	7231714	99.88
20.4666666667	192	0.00	7231906	99.89
20.4833333333	194	0.00	7232100	99.89
20.5	181	0.00	7232281	99.89
20.5166666667	178	0.00	7232459	99.89
20.5333333333	169	0.00	7232628	99.90
20.55	155	0.00	7232783	99.90
20.5666666667	135	0.00	7232918	99.90
20.5833333333	110	0.00	7233028	99.90
20.6	115	0.00	7233143	99.90
20.6166666667	115	0.00	7233258	99.90
20.6333333333	100	0.00	7233358	99.91
20.65	90	0.00	7233448	99.91
20.6666666667	88	0.00	7233536	99.91
20.6833333333	94	0.00	7233630	99.91
20.7	102	0.00	7233732	99.91
20.7166666667	102	0.00	7233834	99.91
20.7333333333	86	0.00	7233920	99.91
20.75	82	0.00	7234002	99.92
20.7666666667	85	0.00	7234087	99.92
20.7833333333	77	0.00	7234164	99.92
20.8	91	0.00	7234255	99.92
20.8166666667	88	0.00	7234343	99.92
20.8333333333	59	0.00	7234402	99.92
20.85	64	0.00	7234466	99.92
20.8666666667	67	0.00	7234533	99.92
20.8833333333	81	0.00	7234614	99.92
20.9	61	0.00	7234675	99.92
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20.916666667	51	0.00	7234726	99.93
20.933333333	75	0.00	7234801	99.93
20.95	55	0.00	7234856	99.93
20.966666667	47	0.00	7234903	99.93
20.983333333	80	0.00	7234983	99.93
21	62	0.00	7235045	99.93
21.016666667	67	0.00	7235112	99.93
21.033333333	62	0.00	7235174	99.93
21.05	57	0.00	7235231	99.93
21.066666667	57	0.00	7235288	99.93
21.083333333	56	0.00	7235344	99.93
21.1	60	0.00	7235404	99.93
21.116666667	48	0.00	7235452	99.94
21.133333333	47	0.00	7235499	99.94
21.15	43	0.00	7235542	99.94
21.166666667	57	0.00	7235599	99.94
21.183333333	49	0.00	7235648	99.94
21.2	46	0.00	7235694	99.94
21.216666667	55	0.00	7235749	99.94
21.233333333	58	0.00	7235807	99.94
21.25	65	0.00	7235872	99.94
21.266666667	78	0.00	7235950	99.94
21.283333333	70	0.00	7236020	99.94
21.3	75	0.00	7236095	99.94
21.316666667	74	0.00	7236169	99.95
21.333333333	76	0.00	7236245	99.95
21.35	86	0.00	7236331	99.95
21.366666667	65	0.00	7236396	99.95
21.383333333	68	0.00	7236464	99.95
21.4	56	0.00	7236520	99.95
21.416666667	62	0.00	7236582	99.95
21.433333333	56	0.00	7236638	99.95
21.45	50	0.00	7236688	99.95
21.466666667	65	0.00	7236753	99.95
21.483333333	53	0.00	7236806	99.95
21.5	49	0.00	7236855	99.95
21.516666667	56	0.00	7236911	99.96
21.533333333	48	0.00	7236959	99.96
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
21.55	38	0.00	7236997	99.96
21.566666667	36	0.00	7237033	99.96
21.583333333	34	0.00	7237067	99.96
21.6	44	0.00	7237111	99.96
21.616666667	46	0.00	7237157	99.96
21.633333333	55	0.00	7237212	99.96
21.65	45	0.00	7237257	99.96
21.666666667	34	0.00	7237291	99.96
21.683333333	48	0.00	7237339	99.96
21.7	36	0.00	7237375	99.96
21.716666667	35	0.00	7237410	99.96
21.733333333	25	0.00	7237435	99.96
21.75	28	0.00	7237463	99.96
21.766666667	41	0.00	7237504	99.96
21.783333333	41	0.00	7237545	99.96
21.8	28	0.00	7237573	99.96
21.816666667	27	0.00	7237600	99.96
21.833333333	29	0.00	7237629	99.97
21.85	31	0.00	7237660	99.97
21.866666667	41	0.00	7237701	99.97
21.883333333	31	0.00	7237732	99.97
21.9	48	0.00	7237780	99.97
21.916666667	40	0.00	7237820	99.97
21.933333333	46	0.00	7237866	99.97
21.95	42	0.00	7237908	99.97
21.966666667	37	0.00	7237945	99.97
21.983333333	32	0.00	7237977	99.97
22	33	0.00	7238010	99.97
22.016666667	31	0.00	7238041	99.97
22.033333333	31	0.00	7238072	99.97
22.05	31	0.00	7238103	99.97
22.066666667	12	0.00	7238115	99.97
22.083333333	27	0.00	7238142	99.97
22.1	26	0.00	7238168	99.97
22.116666667	26	0.00	7238194	99.97
22.133333333	24	0.00	7238218	99.97
22.15	26	0.00	7238244	99.97
22.166666667	22	0.00	7238266	99.97
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.183333333	26	0.00	7238292	99.97
22.2	30	0.00	7238322	99.97
22.216666667	22	0.00	7238344	99.98
22.233333333	42	0.00	7238386	99.98
22.25	26	0.00	7238412	99.98
22.266666667	24	0.00	7238436	99.98
22.283333333	26	0.00	7238462	99.98
22.3	19	0.00	7238481	99.98
22.316666667	24	0.00	7238505	99.98
22.333333333	17	0.00	7238522	99.98
22.35	26	0.00	7238548	99.98
22.366666667	21	0.00	7238569	99.98
22.383333333	23	0.00	7238592	99.98
22.4	20	0.00	7238612	99.98
22.416666667	21	0.00	7238633	99.98
22.433333333	18	0.00	7238651	99.98
22.45	16	0.00	7238667	99.98
22.466666667	14	0.00	7238681	99.98
22.483333333	15	0.00	7238696	99.98
22.5	20	0.00	7238716	99.98
22.516666667	17	0.00	7238733	99.98
22.533333333	13	0.00	7238746	99.98
22.55	21	0.00	7238767	99.98
22.566666667	16	0.00	7238783	99.98
22.583333333	7	0.00	7238790	99.98
22.6	17	0.00	7238807	99.98
22.616666667	17	0.00	7238824	99.98
22.633333333	20	0.00	7238844	99.98
22.65	18	0.00	7238862	99.98
22.666666667	15	0.00	7238877	99.98
22.683333333	26	0.00	7238903	99.98
22.7	14	0.00	7238917	99.98
22.716666667	16	0.00	7238933	99.98
22.733333333	21	0.00	7238954	99.98
22.75	12	0.00	7238966	99.98
22.766666667	13	0.00	7238979	99.98
22.783333333	16	0.00	7238995	99.98
22.8	13	0.00	7239008	99.98
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22.816666667	21	0.00	7239029	99.98
22.833333333	19	0.00	7239048	99.98
22.85	22	0.00	7239070	99.99
22.866666667	18	0.00	7239088	99.99
22.883333333	20	0.00	7239108	99.99
22.9	22	0.00	7239130	99.99
22.916666667	20	0.00	7239150	99.99
22.933333333	15	0.00	7239165	99.99
22.95	18	0.00	7239183	99.99
22.966666667	16	0.00	7239199	99.99
22.983333333	13	0.00	7239212	99.99
23	9	0.00	7239221	99.99
23.016666667	17	0.00	7239238	99.99
23.033333333	14	0.00	7239252	99.99
23.05	11	0.00	7239263	99.99
23.066666667	23	0.00	7239286	99.99
23.083333333	16	0.00	7239302	99.99
23.1	12	0.00	7239314	99.99
23.116666667	18	0.00	7239332	99.99
23.133333333	15	0.00	7239347	99.99
23.15	16	0.00	7239363	99.99
23.166666667	18	0.00	7239381	99.99
23.183333333	14	0.00	7239395	99.99
23.2	13	0.00	7239408	99.99
23.216666667	13	0.00	7239421	99.99
23.233333333	18	0.00	7239439	99.99
23.25	13	0.00	7239452	99.99
23.266666667	9	0.00	7239461	99.99
23.283333333	18	0.00	7239479	99.99
23.3	16	0.00	7239495	99.99
23.316666667	11	0.00	7239506	99.99
23.333333333	17	0.00	7239523	99.99
23.35	18	0.00	7239541	99.99
23.366666667	9	0.00	7239550	99.99
23.383333333	17	0.00	7239567	99.99
23.4	27	0.00	7239594	99.99
23.416666667	17	0.00	7239611	99.99
23.433333333	20	0.00	7239631	99.99
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

donationtime	Frequency	Percent	Cumulative Frequency	Cumulative Percent
23.45	23	0.00	7239654	99.99
23.466666667	24	0.00	7239678	99.99
23.483333333	23	0.00	7239701	99.99
23.5	22	0.00	7239723	99.99
23.516666667	17	0.00	7239740	99.99
23.533333333	14	0.00	7239754	99.99
23.55	19	0.00	7239773	99.99
23.566666667	10	0.00	7239783	100.00
23.583333333	21	0.00	7239804	100.00
23.6	9	0.00	7239813	100.00
23.616666667	17	0.00	7239830	100.00
23.633333333	13	0.00	7239843	100.00
23.65	24	0.00	7239867	100.00
23.666666667	21	0.00	7239888	100.00
23.683333333	11	0.00	7239899	100.00
23.7	8	0.00	7239907	100.00
23.716666667	5	0.00	7239912	100.00
23.733333333	11	0.00	7239923	100.00
23.75	11	0.00	7239934	100.00
23.766666667	17	0.00	7239951	100.00
23.783333333	18	0.00	7239969	100.00
23.8	9	0.00	7239978	100.00
23.816666667	20	0.00	7239998	100.00
23.833333333	16	0.00	7240014	100.00
23.85	8	0.00	7240022	100.00
23.866666667	13	0.00	7240035	100.00
23.883333333	21	0.00	7240056	100.00
23.9	15	0.00	7240071	100.00
23.916666667	21	0.00	7240092	100.00
23.933333333	15	0.00	7240107	100.00
23.95	14	0.00	7240121	100.00
23.966666667	12	0.00	7240133	100.00
23.983333333	10	0.00	7240143	100.00
Frequency Missing = 2939890				

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorage

Moments			
N	10179549	Sum Weights	10179549
Mean	43.3976169	Sum Observations	441768168
Std Deviation	12.4252216	Variance	154.386132
Skewness	-0.0818104	Kurtosis	-0.8481131
Uncorrected SS	2.07433E10	Corrected SS	1571581046
Coeff Variation	28.6311151	Std Error Mean	0.00389439

Basic Statistical Measures			
Location		Variability	
Mean	43.39762	Std Deviation	12.42522
Median	44.08060	Variance	154.38613
Mode	50.11225	Range	78.92892
		Interquartile Range	19.18191

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11143.61	Pr > t 	<.0001
Sign	M	5089775	Pr >= M 	<.0001
Signed Rank	S	2.591E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	79.9830
99%	67.9882
95%	62.8902
90%	59.5800
75% Q3	52.9843
50% Median	44.0806
25% Q1	33.8024
10%	25.5421
5%	22.5304
1%	19.3489
0% Min	1.0541

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorage

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.05410	4.49E6	79.9502	4.56E6
2.16022	4.72E6	79.9611	4.56E6
2.22320	4.47E6	79.9611	4.78E6
3.43883	2.93E6	79.9693	2.01E6
4.51210	4.72E6	79.9830	4.69E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	484	0.00	100.00

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorhb

Moments			
N	8055610	Sum Weights	8055610
Mean	142.532366	Sum Observations	1148185156
Std Deviation	11.2825407	Variance	127.295724
Skewness	0.02539851	Kurtosis	-0.2231349
Uncorrected SS	1.64679E11	Corrected SS	1025444582
Coeff Variation	7.91577448	Std Error Mean	0.00397519

Basic Statistical Measures			
Location		Variability	
Mean	142.5324	Std Deviation	11.28254
Median	143.0000	Variance	127.29572
Mode	145.0000	Range	140.00000
		Interquartile Range	15.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	35855.5	Pr > t 	<.0001
Sign	M	4027805	Pr >= M 	<.0001
Signed Rank	S	1.622E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	200
99%	168
95%	161
90%	157
75% Q3	150
50% Median	143
25% Q1	135
10%	128
5%	124
1%	118
0% Min	60

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: donorhb

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
60	9.47E6	200	6.38E6
60	9.41E6	200	7.8E6
60	9.37E6	200	8.59E6
60	9.36E6	200	8.76E6
60	9.36E6	200	9.62E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	2124423	20.87	100.00

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: numdonations

Moments			
N	10180033	Sum Weights	10180033
Mean	8.58100715	Sum Observations	87354936
Std Deviation	5.55327377	Variance	30.8388495
Skewness	0.23220245	Kurtosis	-0.3687553
Uncorrected SS	1063533806	Corrected SS	313940475
Coeff Variation	64.7158739	Std Error Mean	0.0017405

Basic Statistical Measures			
Location		Variability	
Mean	8.581007	Std Deviation	5.55327
Median	9.000000	Variance	30.83885
Mode	0.000000	Range	113.00000
		Interquartile Range	9.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4930.191	Pr > t 	<.0001
Sign	M	4752388	Pr >= M 	<.0001
Signed Rank	S	2.259E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	113
99%	20
95%	18
90%	16
75% Q3	13
50% Median	9
25% Q1	4
10%	1
5%	0
1%	0
0% Min	0

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure
Variable: numdonations

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	1.03E7	104	1.88E6
0	1.03E7	104	2.3E6
0	1.03E7	105	1.88E6
0	1.03E7	106	1.88E6
0	1.03E7	113	8.21E6

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: storagetime

Moments			
N	10164667	Sum Weights	10164667
Mean	15.7167827	Sum Observations	159755862
Std Deviation	9.35887371	Variance	87.5885171
Skewness	0.88809163	Kurtosis	0.53655494
Uncorrected SS	3401156186	Corrected SS	890308021
Coeff Variation	59.5470072	Std Error Mean	0.00293547

Basic Statistical Measures			
Location		Variability	
Mean	15.71678	Std Deviation	9.35887
Median	13.86319	Variance	87.58852
Mode	8.00000	Range	99.96667
		Interquartile Range	12.56597

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5354.102	Pr > t 	<.0001
Sign	M	5082334	Pr >= M 	<.0001
Signed Rank	S	2.583E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	99.96805556
99%	40.88958333
95%	35.00000000
90%	29.67638889
75% Q3	21.05763889
50% Median	13.86319444
25% Q1	8.49166667
10%	5.47569444
5%	3.74652778
1%	1.92013889
0% Min	0.00138889

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure
Variable: storagetime

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00138889	1.01E7	99.9111	8.93E6
0.00138889	2.95E6	99.9174	8.31E6
0.00138889	2.94E6	99.9243	4.67E6
0.00138889	2.53E6	99.9556	4.74E6
0.00138889	2.53E6	99.9681	5.2E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	15366	0.15	100.00

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: time_since_donation

Moments			
N	9504776	Sum Weights	9504776
Mean	186.737454	Sum Observations	1774897675
Std Deviation	186.860529	Variance	34916.8574
Skewness	4.32140565	Kurtosis	23.5144815
Uncorrected SS	6.63317E11	Corrected SS	3.31877E11
Coeff Variation	100.065908	Std Error Mean	0.06061033

Basic Statistical Measures			
Location		Variability	
Mean	186.7375	Std Deviation	186.86053
Median	126.0132	Variance	34917
Mode	84.0000	Range	1826
		Interquartile Range	88.91667

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3080.951	Pr > t 	<.0001
Sign	M	4752388	Pr >= M 	<.0001
Signed Rank	S	2.259E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1.82619E+03
99%	1.12109E+03
95%	4.97000E+02
90%	3.28901E+02
75% Q3	1.87917E+02
50% Median	1.26013E+02
25% Q1	9.90000E+01
10%	8.80014E+01
5%	8.40007E+01
1%	7.80194E+01
0% Min	6.94444E-04

Now assessing with 6 hours pre-post-transfusion windows

The UNIVARIATE Procedure Variable: time_since_donation

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.000694444	3.17E6	1826.10	8.67E6
0.002083333	2.73E6	1826.12	8.51E6
0.002777778	2.29E6	1826.15	8.51E6
0.003472222	4.62E6	1826.16	4.83E6
0.004166667	7.48E6	1826.19	3.44E6

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	675257	6.63	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

bad	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	696610	99.99	696610	99.99
1	50	0.01	696660	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

storagecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	150339	23.10	150339	23.10
10	278992	42.88	429331	65.98
20	121746	18.71	551077	84.69
30	20944	3.22	572021	87.91
35	15306	2.35	587327	90.26
99	63382	9.74	650709	100.00

donorsexcat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	259342	39.86	259342	39.86
2	199011	30.58	458353	70.44
9	192356	29.56	650709	100.00

timesincecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	324676	49.90	324676	49.90
180	85211	13.10	409887	62.99
365	38407	5.90	448294	68.89
999	202415	31.11	650709	100.00

donoragecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	76686	11.78	76686	11.78
30	118281	18.18	194967	29.96
45	154142	23.69	349109	53.65
60	43974	6.76	393083	60.41
99	257626	39.59	650709	100.00

weekdaycat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	101700	15.63	101700	15.63
3	122174	18.78	223874	34.40
4	140155	21.54	364029	55.94
5	102199	15.71	466228	71.65
6	34531	5.31	500759	76.96
9	149950	23.04	650709	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

timecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	163829	25.18	163829	25.18
12	187540	28.82	351369	54.00
16	86832	13.34	438201	67.34
99	212508	32.66	650709	100.00

numdoncat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	29992	4.61	29992	4.61
1	109382	16.81	139374	21.42
5	108134	16.62	247508	38.04
10	156541	24.06	404049	62.09
20	1886	0.29	405935	62.38
99	244774	37.62	650709	100.00

donorbirthorigin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11	32417	4.98	32417	4.98
12	13966	2.15	46383	7.13
21	32966	5.07	79349	12.19
22	410006	63.01	489355	75.20
99	161354	24.80	650709	100.00

donorparity	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	259342	39.86	259342	39.86
1	58117	8.93	317459	48.79
2	113405	17.43	430864	66.21
9	219845	33.79	650709	100.00

extremevalue	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	639052	98.21	639052	98.21
1	11657	1.79	650709	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

storagecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	79454	24.42	79454	24.42
10	151021	46.42	230475	70.85
20	71551	21.99	302026	92.84
30	13283	4.08	315309	96.92
35	10011	3.08	325320	100.00
99	1	0.00	325321	100.00

donorsexcat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	181782	55.88	181782	55.88
2	143402	44.08	325184	99.96
9	137	0.04	325321	100.00

timesincecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	199705	61.39	199705	61.39
180	66081	20.31	265786	81.70
365	31886	9.80	297672	91.50
999	27649	8.50	325321	100.00

donoragecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	65981	20.28	65981	20.28
30	96862	29.77	162843	50.06
45	122040	37.51	284883	87.57
60	40438	12.43	325321	100.00

weekdaycat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	62807	19.31	62807	19.31
3	74812	23.00	137619	42.30
4	84642	26.02	222261	68.32
5	64404	19.80	286665	88.12
6	22344	6.87	309009	94.99
9	16312	5.01	325321	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

timecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	119867	36.85	119867	36.85
12	135784	41.74	255651	78.58
16	68197	20.96	323848	99.55
99	1473	0.45	325321	100.00

numdoncat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	27649	8.50	27649	8.50
1	81350	25.01	108999	33.51
5	90392	27.79	199391	61.29
10	124049	38.13	323440	99.42
20	1881	0.58	325321	100.00

donorbirthorigin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11	30426	9.35	30426	9.35
12	13474	4.14	43900	13.49
21	30691	9.43	74591	22.93
22	250574	77.02	325165	99.95
99	156	0.05	325321	100.00

donorparity	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	181782	55.88	181782	55.88
1	50958	15.66	232740	71.54
2	92444	28.42	325184	99.96
9	137	0.04	325321	100.00

foreigndonor	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	281421	86.51	281421	86.51
1	43900	13.49	325321	100.00

Now assessing with 6 hours pre-post-transfusion windows

The FREQ Procedure

timesincecat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	606442	60.87	606442	60.87
180	204801	20.56	811243	81.43
365	98266	9.86	909509	91.29
999	86767	8.71	996276	100.00