

Cucumber Report

01-Nov-2024, 9:36:18 pm

Start : Nov 01, 9:35:59.555 pm

End : Nov 01, 9:36:16.998 pm

Duration : 17.443 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Halcyontek Speedline.AI</u>	17.443 s	1	0	1	0	6	4	1	1

#	Feature Name	Scenario Name
1	<u>Halcyontek Speedline.AI</u>	<u>Creating basic order</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@test1	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Halcyontek Speedline.AI</u>	1	0	1	0	17.443 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Halcyontek Speedline.AI</u>	<u>Creating basic order</u>	6	4	1	1	17.433 s

Halcyontek Speedline.AI

FAILED	DURATION - 17.443 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 9:35:59.555 pm // 9:36:16.998 pm /					

Creating basic order

FAILED	DURATION - 17.433 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 9:35:59.565 pm // 9:36:16.998 pm /				
Halcyontek Speedline.AI				
@test1				

#	Step / Hook Details	Status	Duration
1	Given user able to launch browser and select Place of service step1	PASSED	5.233 s
2	And I click on "Pink" color vehicle	PASSED	0.622 s
3	When I click the product "4 Express Tenders Combo" and navigate to "Sides"	PASSED	3.359 s
4	Then validate prices for products "french_fries-lg,french_fries-sm,cole_slaw-lg,mash_pot_w/_gravy-sm" Change in price: Where actual price is- \$5.79 and Expected price is \$5.89 for product:: cole slaw -lg Change in price: Where actual price is- \$2.99 and Expected price is \$2.90 for product:: mash pot w/ gravy - sm 	PASSED	8.168 s
5	And I navigate to "Sauce Extras" io.cucumber.core.exception.CucumberException: Step [I navigate to {string}] is defined with 2 parameters at 'stepdefinitions.orderFlowSteps.i_navigate_to(java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: * "Sauce Extras" Step text: I navigate to "Sauce Extras" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:107) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:88) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:67) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:52) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114)		

#	Step / Hook Details	Status	Duration
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
6	Then validate prices for products "extra_bbq,extra_ranch"	SKIPPED	0.000 s