

# Cucumber Report

01-Nov-2024, 5:25:56 pm

Start : Nov 01, 5:25:50.368 pm

End : Nov 01, 5:25:55.026 pm

Duration : 4.658 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Halcyontek Speedline.AI</u>	4.658 s	1	0	1	0	4	1	0	3

#	Feature Name	Scenario Name
1	<u>Halcyontek Speedline.AI</u>	<u>Creating basic order</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Halcyontek Speedline.AI</u>	1	0	1	0	4.658 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Halcyontek Speedline.AI</u>	<u>Creating basic order</u>	4	1	0	3	4.651 s

## Halcyontek Speedline.AI

<b>FAILED</b>	<b>DURATION - 4.658 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 1 Fail - 0 Skip - 3	
/ 5:25:50.368 pm // 5:25:55.026 pm /					

## Creating basic order

<div><div>FAILED</div><div>DURATION - 4.651 s</div></div>		<div><div><div></div><div></div><div></div><div></div></div><div><div>1</div><div>2</div><div>3</div><div>4</div></div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div><div><div></div><div></div><div></div><div></div></div><div>4</div></div>
/ 5:25:50.375 pm // 5:25:55.026 pm /				
Halcyontek Speedline.AI				

#	Step / Hook Details	Status	Duration
1	Given user able to launch browser and select Place of service	PASSED	4.603 s
	step1		
	AFTER_STEP - stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.016 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null     at utils.TestBase.WebDriverManager(TestBase.java:46)     at utils.TestContextSetup.&lt;init&gt;(TestContextSetup.java:24)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) </pre>		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:47) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:107) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:88) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:67) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:52) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
2	And I click on "Red" color vehicle	SKIPPED	0.001 s
3	When user able add to card food items	SKIPPED	0.000 s
4	Then user able to see total bill amount	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.AfterScenario()	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null     at utils.TestBase.WebDriverManager(TestBase.java:46)     at utils.TestContextSetup.&lt;init&gt;(TestContextSetup.java:24)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)     at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)     at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)     at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)     at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)     at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)     at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:47)     at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)     at io.cucumber.core.runner.TestStep.run(TestStep.java:53)     at io.cucumber.core.runner.TestCase.run(TestCase.java:90)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:107) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:88) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:67) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:52) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91)		

#	Step / Hook Details	Status	Duration
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60) at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		