

# Cucumber Report

18-Nov-2024, 2:35:49 pm

Start : Nov 18, 2:27:08.954 pm

End : Nov 18, 2:35:47.846 pm

Duration : 8 m 38.892 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Halcyontek Speedline.AI</u>	8 m 38.892 s	2	1	1	0	10	7	1	2

#	Feature Name	Scenario Name
1	<u>Halcyontek Speedline.AI</u>	<u>All items checking</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GreatTest	2	1	1	0	1	0	1	0

DEVICE	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
windows11	2	1	1	0	1	0	1	0

<i><b>AUTHOR</b></i>	<i><b>Scenario</b></i>				<i><b>Feature</b></i>			
<i><b>Name</b></i>	<i><b>T</b></i>	<i><b>P</b></i>	<i><b>F</b></i>	<i><b>S</b></i>	<i><b>T</b></i>	<i><b>P</b></i>	<i><b>F</b></i>	<i><b>S</b></i>
<i>Shiva_Narayana_Chintala</i>	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Halcyontek Speedline.AI</u>	2	1	1	0	8 m 38.892 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Halcyontek Speedline.AI</u>	<u>All items checking</u>	5	5	0	0	3 m 31.508 s
2		<u>All items checking</u>	5	2	1	2	5 m 7.355 s



## Halcyontek Speedline.AI

<b>FAILED</b>	DURATION - 8 m 38.892 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 10 Pass - 7 Fail - 1 Skip - 2	
/ 2:27:08.954 pm // 2:35:47.846 pm /					

## All items checking

<div><div>PASSED</div><div>DURATION - 3 m 31.508 s</div></div>		<div></div>	<div>Steps Total - 5 Pass - 5 Fail - 0 Skip - 0</div>	<div></div>
/ 2:27:08.973 pm // 2:30:40.481 pm /				
Halcyontek Speedline.AI				
@GreatTest				

#	Step / Hook Details	Status	Duration
1	Given user able to launch browser and select Place of service for "Side Choice"	PASSED	1 m 2.868 s
	Application URL Launched		
2	And I click on "Pink" color vehicle model "Car" with Lane "Lane1"	PASSED	0.667 s
	user clicked the driventhrough		
	user clicked the Pink		
	user clicked the Car		
	user clicked the Lane1		
	user clicked the menu		
3	When I click the product "7 Express Tenders Combo"	PASSED	1 m 32.899 s
4	And I navigate to "Side Choice"	PASSED	1.175 s
5	Then validate prices for products "french_fries,fried_okra,mash_pot_w/_gravy,mash_pot_w/o_gravy,cole_slaw,macaroni_&_cheese,green_beans,mini_poppers_(3),corn_on_cob,cheesesticks_(2),corn_nuggets_(8),fried_pickle_slices_(8),apple_pie,cherry_pie,french_fries_(fam_size),fried_okra_(fam_size),mash_pot_w/_gravy_(fam_size),mash_pot_w/o_gravy_(fam_size),cole_slaw_(fam_size),macaroni_&_cheese_(fam_size),green_beans_(fam_size),mini_poppers_(9),corn_on_cob_(4),cheesesticks_(6),corn_nuggets_(24),fried_pickle_slices_(24)" for "Side Choice"	PASSED	53.602 s


## All items checking

<div>FAILED</div> <div>DURATION - 5 m 7.355 s</div>		<table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>10</td></tr><tr><td>2</td><td>5</td></tr><tr><td>3</td><td>150</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td></tr></tbody></table>	Step	Count	1	10	2	5	3	150	4	5	5	5	<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div>	
Step	Count															
1	10															
2	5															
3	150															
4	5															
5	5															
/ 2:30:40.491 pm // 2:35:47.846 pm /																
Halcyontek Speedline.AI																
@GreatTest																

#	Step / Hook Details	Status	Duration
1	Given user able to launch browser and select Place of service for "Beverages" Application URL Launched	PASSED	11.746 s
2	And I click on "Pink" color vehicle model "Car" with Lane "Lane1" user clicked the drivethrough user clicked the Pink user clicked the Car user clicked the Lane1 user clicked the menu	PASSED	0.969 s
3	When I click the product "7 Express Tenders Combo" org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d0f1fb16374c695b06c64c17b6fa6b42, findElement {using=xpath, value=//*[text()='7 Express Tenders Combo']/following::div[@class='card-footer'][1]/div[2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.119, chrome: {chromedriverVersion: 130.0.6723.116 (6ac35f94ae3..., userDataDir: C:\Users\shiva\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57354}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57354/devtoo..., se:cdpVersion: 130.0.6723.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d0f1fb16374c695b06c64c17b6fa6b42 at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:403) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:359) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	3 m 0.039 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at pages.dummypage.formproductNameXpathWithText(dummypage.java:60) at stepdefinitions.orderFlowSteps.i_click_the_product(orderFlowSteps.java:88) at ?.I click the product "7 Express Tenders Combo"(file:///C:/Users/shiva/Documents/EclipseProject/HalcyontekSPAII/src/test/java/features/orderflow.feature:30) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:386) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:359) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at pages.dummypage.formproductNameXpathWithText(dummypage.java:60) at stepdefinitions.orderFlowSteps.i_click_the_product(orderFlowSteps.java:88) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42) at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80) at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:107) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:88) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:54) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:67) at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:52) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114) at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95) at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91) at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60)		

#	Step / Hook Details	Status	Duration
	<pre> at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p>AFTER_STEP - stepdefinitions.Hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>[B@3a6045c6</p> 	PASSED	1 m 54.369 s
4	And I navigate to "Beverages"	SKIPPED	0.001 s
5	Then validate prices for products "unsweet_iced_tea_-_med,unsweet_iced_tea_-_lg,unsweet_iced_tea_-_x-lg,unsweet_iced_tea_-_gal,sweet_iced_tea_-_med,sweet_iced_tea_-_lg,sweet_iced_tea_-_x-lg,sweet_iced_tea_-_gal,coke_-_16oz,coke_-_32oz,coke_-_44oz,diet_coke_-_16oz,diet_coke_-_32oz,diet_coke_-_44oz,sprite_-_16oz,sprite_-_32oz,sprite_-_44oz,dr._pepper_-_16oz,dr._pepper_-_32oz,dr._pepper_-_44oz,diet_dr._pepper_-_16oz,diet_dr._pepper_-_32oz,diet_dr._pepper_-_44oz,lemonade_-_16oz,lemonade_-_32oz,lemonade_-_44oz,fruit_punch_-_16oz,fruit_punch_-_32oz,fruit_punch_-_44oz,bottled_water" for "Beverages"	SKIPPED	0.001 s