

OER API

Overview

OpenEd AI Assistant API

Tags

User

endpoints accessible by the general public

Admin

endpoints accessible by admins

Paths

POST /admin/users Create a new admin user

Responses

Code	Description	Links															
201	Admin user created <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>display_name <i>optional</i></td><td></td><td>string</td></tr><tr><td>email <i>optional</i></td><td></td><td>string</td></tr><tr><td>role <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	display_name <i>optional</i>		string	email <i>optional</i>		string	role <i>optional</i>		string	No Links
Name	Description	Schema															
id <i>optional</i>		string (uuid)															
display_name <i>optional</i>		string															
email <i>optional</i>		string															
role <i>optional</i>		string															
409	Email already exists	No Links															
500	Internal Server Error	No Links															

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/reported-items Get all reported FAQs and shared prompts

Responses

Code	Description	Links									
200	List of reported items <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>reported FAQs <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>reported Prompts <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	reported FAQs <i>optional</i>		< object > array	reported Prompts <i>optional</i>		< object > array	No Links
Name	Description	Schema									
reported FAQs <i>optional</i>		< object > array									
reported Prompts <i>optional</i>		< object > array									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/reported-items/faq/{faq_id}/dismiss Dismiss a reported FAQ

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	FAQ report dismissed	No Links
400	Bad Request	No Links
401	Unauthorized	No Links

Code	Description	Links
404	FAQ not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE **/admin/reported-items/faq/{faq_id}** Delete a reported FAQ

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
204	FAQ deleted	No Links
400	Bad Request	No Links
401	Unauthorized	No Links
404	FAQ not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT **/admin/reported-items/prompt/{prompt_id}/dismiss** Dismiss a reported prompt

Parameters

Type	Name	Description	Schema
path	prompt_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Prompt report dismissed	No Links
400	Bad Request	No Links

Code	Description	Links
401	Unauthorized	No Links
404	Prompt not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

***DELETE* /admin/reported-items/prompt/{prompt_id}**

Delete a reported prompt

Parameters

Type	Name	Description	Schema
path	prompt_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
204	Prompt deleted	No Links
400	Bad Request	No Links
401	Unauthorized	No Links
404	Prompt not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

***GET* /admin/settings/token-limit** Get daily token limit

Responses

Code	Description	Links						
200	Current token limit setting <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>tokenLimit <i>optional</i></td><td>Token limit value ('NONE' for unlimited or a number)</td><td>string</td></tr> </table>	Name	Description	Schema	tokenLimit <i>optional</i>	Token limit value ('NONE' for unlimited or a number)	string	No Links
Name	Description	Schema						
tokenLimit <i>optional</i>	Token limit value ('NONE' for unlimited or a number)	string						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/settings/token-limit Update daily token limit

Responses

Code	Description	Links									
200	Token limit updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>tokenLimit <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	tokenLimit <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
tokenLimit <i>optional</i>		string									
400	Bad Request - Invalid token limit value	No Links									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/settings/system-prompt Get system prompt

Responses

Code	Description	Links						
200	Current system prompt <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>systemPrompt <i>optional</i></td><td>The system prompt for the chat assistant</td><td>string</td></tr></table>	Name	Description	Schema	systemPrompt <i>optional</i>	The system prompt for the chat assistant	string	No Links
Name	Description	Schema						
systemPrompt <i>optional</i>	The system prompt for the chat assistant	string						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/settings/system-prompt Update system prompt

Responses

Code	Description	Links									
200	System prompt updated successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr><tr><td>systemPrompt <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	systemPrompt <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
systemPrompt <i>optional</i>		string									
400	Bad Request	No Links									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/analytics Get analytics data

Parameters

Type	Name	Description	Schema
query	timeRange <i>optional</i>	Time range for analytics data	enum (7d,30d,3m)

Responses

Code	Description	Links									
200	Analytics data including time series and textbook statistics <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>timeSeries <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>chatSessionsByTextbook <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	timeSeries <i>optional</i>		< object > array	chatSessionsByTextbook <i>optional</i>		< object > array	No Links
Name	Description	Schema									
timeSeries <i>optional</i>		< object > array									
chatSessionsByTextbook <i>optional</i>		< object > array									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /public/config/welcomeMessage Get the welcome message displayed on the homepage

Responses

Code	Description	Links						
200	Returns a JSON object with the welcome message <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>welcome Message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	welcome Message <i>optional</i>		string	No Links
Name	Description	Schema						
welcome Message <i>optional</i>		string						
500	Internal Server Error	No Links						

PUT /admin/config/welcomeMessage Update the welcome message displayed on the homepage

Responses

Code	Description	Links
200	Welcome message updated	No Links
400	Bad request	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks Get all textbooks with user and question counts

Responses

Code	Description	Links						
200	List of textbooks with statistics <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>textbooks <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	textbooks <i>optional</i>		< object > array	No Links
Name	Description	Schema						
textbooks <i>optional</i>		< object > array						

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET **/admin/textbooks/{textbook_id}** Get detailed information for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																													
200	Detailed textbook information with statistics <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>authors <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>publisher <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>publish_ date <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>language <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>level <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>status <i>optional</i></td><td></td><td>enum (Active,Di sabled,In gesting)</td></tr> <tr> <td>source_u rl <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>license <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date- time)</td></tr> <tr> <td>updated_ at <i>optional</i></td><td></td><td>string (date- time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	publisher <i>optional</i>		string	publish_ date <i>optional</i>		string	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	status <i>optional</i>		enum (Active,Di sabled,In gesting)	source_u rl <i>optional</i>		string	license <i>optional</i>		string	created_a t <i>optional</i>		string (date- time)	updated_ at <i>optional</i>		string (date- time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																													
id <i>optional</i>		string (uuid)																																													
title <i>optional</i>		string																																													
authors <i>optional</i>		< string > array																																													
publisher <i>optional</i>		string																																													
publish_ date <i>optional</i>		string																																													
summary <i>optional</i>		string																																													
language <i>optional</i>		string																																													
level <i>optional</i>		string																																													
status <i>optional</i>		enum (Active,Di sabled,In gesting)																																													
source_u rl <i>optional</i>		string																																													
license <i>optional</i>		string																																													
created_a t <i>optional</i>		string (date- time)																																													
updated_ at <i>optional</i>		string (date- time)																																													
metadata <i>optional</i>		object																																													

Code	Description	Links
400	Invalid textbook ID	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/analytics/practice Get aggregated practice material analytics

Responses

Code	Description	Links									
200	Aggregated practice material analytics data <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>total_generated <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>by_type <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	total_generated <i>optional</i>		integer	by_type <i>optional</i>		< object > array	No Links
Name	Description	Schema									
total_generated <i>optional</i>		integer									
by_type <i>optional</i>		< object > array									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/practice_analytics Get practice material analytics for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links															
200	Practice material analytics data <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>total_generated <i>optional</i></td><td></td><td>integer</td></tr><tr><td>by_type <i>optional</i></td><td></td><td>< object > array</td></tr><tr><td>by_difficulty <i>optional</i></td><td></td><td>< object > array</td></tr><tr><td>recent_activity <i>optional</i></td><td></td><td>< object > array</td></tr></table>	Name	Description	Schema	total_generated <i>optional</i>		integer	by_type <i>optional</i>		< object > array	by_difficulty <i>optional</i>		< object > array	recent_activity <i>optional</i>		< object > array	No Links
Name	Description	Schema															
total_generated <i>optional</i>		integer															
by_type <i>optional</i>		< object > array															
by_difficulty <i>optional</i>		< object > array															
recent_activity <i>optional</i>		< object > array															
400	Invalid textbook ID	No Links															
401	Unauthorized	No Links															
500	Internal Server Error	No Links															

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/textbooks/{textbook_id}/practice_analytics Update textbook information

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																										
200	Textbook updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>authors <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>publisher <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>publish_date <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>language <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>level <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>status <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>source_url <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>license <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	publisher <i>optional</i>		string	publish_date <i>optional</i>		string	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	status <i>optional</i>		string	source_url <i>optional</i>		string	license <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																										
id <i>optional</i>		string (uuid)																																										
title <i>optional</i>		string																																										
authors <i>optional</i>		< string > array																																										
publisher <i>optional</i>		string																																										
publish_date <i>optional</i>		string																																										
summary <i>optional</i>		string																																										
language <i>optional</i>		string																																										
level <i>optional</i>		string																																										
status <i>optional</i>		string																																										
source_url <i>optional</i>		string																																										
license <i>optional</i>		string																																										
created_at <i>optional</i>		string (date-time)																																										
updated_at <i>optional</i>		string (date-time)																																										
400	Invalid request or textbook ID	No Links																																										
404	Textbook not found	No Links																																										
401	Unauthorized	No Links																																										

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE

/admin/textbooks/{textbook_id}/practice_analytics

Delete a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
204	Textbook deleted successfully	No Links
400	Invalid textbook ID	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/jobs

Get ingestion jobs for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links						
200	List of ingestion jobs for the textbook <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>jobs <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	jobs <i>optional</i>		< object > array	No Links
Name	Description	Schema						
jobs <i>optional</i>		< object > array						
400	Invalid textbook ID	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/ingestion_status

Get detailed ingestion status

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links															
200	Ingestion status details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>total_sections <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>ingested_sections <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>image_count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>images <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	total_sections <i>optional</i>		integer	ingested_sections <i>optional</i>		integer	image_count <i>optional</i>		integer	images <i>optional</i>		< object > array	No Links
Name	Description	Schema															
total_sections <i>optional</i>		integer															
ingested_sections <i>optional</i>		integer															
image_count <i>optional</i>		integer															
images <i>optional</i>		< object > array															
400	Invalid textbook ID	No Links															
401	Unauthorized	No Links															
500	Internal Server Error	No Links															

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/analytics Get analytics for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
query	timeRange <i>optional</i>	Time range for analytics data	enum (7d,30d,3m)

Responses

Code	Description	Links						
200	Analytics data for the textbook <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>timeSeries <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	timeSeries <i>optional</i>		< object > array	No Links
Name	Description	Schema						
timeSeries <i>optional</i>		< object > array						
400	Invalid request or textbook ID	No Links						
404	Textbook not found	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/faqs Get FAQs for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links						
200	List of FAQs <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>faqs <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	faqs <i>optional</i>		< object > array	No Links
Name	Description	Schema						
faqs <i>optional</i>		< object > array						
400	Invalid textbook ID	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/shared_prompts Get shared user prompts for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links						
200	List of shared prompts <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>prompts <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	prompts <i>optional</i>		< object > array	No Links
Name	Description	Schema						
prompts <i>optional</i>		< object > array						
400	Invalid textbook ID	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

POST /admin/textbooks/{textbook_id}/refresh Trigger textbook re-ingestion

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links						
201	Refresh job created successfully Content application/json Properties <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table> <.<!Name <.<!Description <.<!Schema <.<!id <i>optional</i> <.<! <.<!string (uuid) <.<!textbook_id <i>optional</i> <.<! <.<!string (uuid) <.<!status <i>optional</i> <.<! <.<!enum (pending,running,failed,done,canceled) <.<!created_at <i>optional</i> <.<! <.<!string (date-time) object	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						
400	Invalid textbook ID	No Links						
404	Textbook not found	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/prompt_templates Get all prompt templates

Responses

Code	Description	Links						
200	List of prompt templates <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>templates <i>optional</i></td><td></td><td>< object > array</td></tr></table>	Name	Description	Schema	templates <i>optional</i>		< object > array	No Links
Name	Description	Schema						
templates <i>optional</i>		< object > array						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

POST /admin/prompt_templates Create a new prompt template

Responses

Code	Description	Links																											
201	Prompt template created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>name <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	name <i>optional</i>		string	description <i>optional</i>		string	type <i>optional</i>		string	visibility <i>optional</i>		string	metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																											
id <i>optional</i>		string (uuid)																											
name <i>optional</i>		string																											
description <i>optional</i>		string																											
type <i>optional</i>		string																											
visibility <i>optional</i>		string																											
metadata <i>optional</i>		object																											
created_at <i>optional</i>		string (date-time)																											
updated_at <i>optional</i>		string (date-time)																											
400	Invalid request	No Links																											
401	Unauthorized	No Links																											
500	Internal Server Error	No Links																											

Type	Name	Scopes
apiKey	adminAuthorizer	

GET `/admin/prompt_templates/{template_id}` Get a specific prompt template

Parameters

Type	Name	Description	Schema
path	template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																																	
200	Prompt template details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>name <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>type <i>optional</i></td><td></td><td>enum (RAG,quiz_generation,mcq_generation,audio_generation)</td></tr> <tr> <td>current_version_id <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_by <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	name <i>optional</i>		string	description <i>optional</i>		string	type <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation)	current_version_id <i>optional</i>		integer	created_by <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,org,public)	metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
name <i>optional</i>		string																																	
description <i>optional</i>		string																																	
type <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation)																																	
current_version_id <i>optional</i>		integer																																	
created_by <i>optional</i>		string (uuid)																																	
visibility <i>optional</i>		enum (private,org,public)																																	
metadata <i>optional</i>		object																																	
created_at <i>optional</i>		string (date-time)																																	
updated_at <i>optional</i>		string (date-time)																																	
400	Invalid template ID	No Links																																	
404	Template not found	No Links																																	

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT `/admin/prompt_templates/{template_id}` Update a prompt template

Parameters

Type	Name	Description	Schema
path	<code>template_id</code> <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																														
200	Prompt template updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>name <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>current_version_id <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	name <i>optional</i>		string	description <i>optional</i>		string	type <i>optional</i>		string	visibility <i>optional</i>		string	current_version_id <i>optional</i>		integer	metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
name <i>optional</i>		string																														
description <i>optional</i>		string																														
type <i>optional</i>		string																														
visibility <i>optional</i>		string																														
current_version_id <i>optional</i>		integer																														
metadata <i>optional</i>		object																														
created_at <i>optional</i>		string (date-time)																														
updated_at <i>optional</i>		string (date-time)																														
400	Invalid request or template ID	No Links																														
404	Template not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /admin/prompt_templates/{template_id} Delete a prompt template

Parameters

Type	Name	Description	Schema
path	template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links
204	Template deleted successfully	No Links
400	Invalid template ID	No Links
404	Template not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /chat_sessions/{chat_session_id} Delete a specific chat session

Parameters

Type	Name	Description	Schema
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links
204	Chat session deleted successfully	No Links
404	Chat session not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

POST /chat_sessions/{chat_session_id}/text_generation Generate text response for a chat session

Parameters

Type	Name	Description	Schema
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links									
200	Generated text response <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>response <i>optional</i></td><td></td><td>string</td></tr><tr><td>sources <i>optional</i></td><td></td><td>< object > array</td></tr></table>	Name	Description	Schema	response <i>optional</i>		string	sources <i>optional</i>		< object > array	No Links
Name	Description	Schema									
response <i>optional</i>		string									
sources <i>optional</i>		< object > array									
400	Invalid request	No Links									
404	Chat session not found	No Links									
500	Internal Server Error	No Links									

GET /user/publicToken Get a JWT token for non-authenticated user

Responses

Code	Description	Links						
200	JWT token <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>token <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	token <i>optional</i>		string	No Links
Name	Description	Schema						
token <i>optional</i>		string						
500	Internal Server Error	No Links						

OPTIONS /user/publicToken CORS support

Enable CORS by returning correct headers

Responses

Code	Description	Links												
200	Request success Headers <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr><tr><td>Access-Control-Allow-Methods</td><td></td><td>string</td></tr><tr><td>Access-Control-Allow-Headers</td><td></td><td>string</td></tr></table>	Name	Description	Schema	Access-Control-Allow-Origin		string	Access-Control-Allow-Methods		string	Access-Control-Allow-Headers		string	No Links
Name	Description	Schema												
Access-Control-Allow-Origin		string												
Access-Control-Allow-Methods		string												
Access-Control-Allow-Headers		string												

POST /user_sessions Create a new user session

Responses

Code	Description	Links												
200	Session created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>sessionId <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>userSessionId <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>role <i>optional</i></td><td>Role of the user session</td><td>enum (student,instructor)</td></tr> </table>	Name	Description	Schema	sessionId <i>optional</i>		string (uuid)	userSessionId <i>optional</i>		string (uuid)	role <i>optional</i>	Role of the user session	enum (student,instructor)	No Links
Name	Description	Schema												
sessionId <i>optional</i>		string (uuid)												
userSessionId <i>optional</i>		string (uuid)												
role <i>optional</i>	Role of the user session	enum (student,instructor)												
401	Unauthorized	No Links												
500	Internal Server Error	No Links												

Type	Name	Scopes
apiKey	userAuthorizer	

GET /user_sessions/{session_id} Get and validate a user session by ID

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																								
200	User session details (also updates last_active_at timestamp) <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>context <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>last_active_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>expires_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_title <i>optional</i>		string	context <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	last_active_at <i>optional</i>		string (date-time)	expires_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																								
id <i>optional</i>		string (uuid)																								
session_title <i>optional</i>		string																								
context <i>optional</i>		object																								
created_at <i>optional</i>		string (date-time)																								
last_active_at <i>optional</i>		string (date-time)																								
expires_at <i>optional</i>		string (date-time)																								
metadata <i>optional</i>		object																								
400	Invalid session ID	No Links																								
404	User session not found	No Links																								
401	Unauthorized	No Links																								
500	Internal Server Error	No Links																								

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /user_sessions/{session_id} Update user session role

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																											
200	User session updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>context <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>role <i>optional</i></td><td></td><td>enum (student, instructor)</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>last_active_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>expires_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_title <i>optional</i>		string	context <i>optional</i>		object	role <i>optional</i>		enum (student, instructor)	created_at <i>optional</i>		string (date-time)	last_active_at <i>optional</i>		string (date-time)	expires_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																											
id <i>optional</i>		string (uuid)																											
session_title <i>optional</i>		string																											
context <i>optional</i>		object																											
role <i>optional</i>		enum (student, instructor)																											
created_at <i>optional</i>		string (date-time)																											
last_active_at <i>optional</i>		string (date-time)																											
expires_at <i>optional</i>		string (date-time)																											
metadata <i>optional</i>		object																											
400	Invalid request or session ID	No Links																											
404	User session not found	No Links																											
401	Unauthorized	No Links																											
500	Internal Server Error	No Links																											

Type	Name	Scopes
apiKey	userAuthorizer	

GET /user_sessions/{session_id}/interactions Get user interactions for a session

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of interactions to skip (default 0)	integer
query	limit <i>optional</i>	Number of interactions to return (default 20, max 100)	integer
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links						
200	List of user interactions for session Content application/json Properties <table><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>interactions <i>optional</i></td><td></td><td>< object > array</td></tr></tbody></table> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean object	Name	Description	Schema	interactions <i>optional</i>		< object > array	No Links
Name	Description	Schema						
interactions <i>optional</i>		< object > array						
400	Invalid parameters	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /user_sessions/{session_id}/interactions Create user interaction for session

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																														
201	User interaction created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>sender_role <i>optional</i></td><td></td><td>enum (AI,User)</td></tr> <tr> <td>query_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>response_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>message_meta <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>source_chunks <i>optional</i></td><td></td><td>array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_id <i>optional</i>		string (uuid)	sender_role <i>optional</i>		enum (AI,User)	query_text <i>optional</i>		string	response_text <i>optional</i>		string	message_meta <i>optional</i>		object	source_chunks <i>optional</i>		array	created_at <i>optional</i>		string (date-time)	order_index <i>optional</i>		integer	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
session_id <i>optional</i>		string (uuid)																														
sender_role <i>optional</i>		enum (AI,User)																														
query_text <i>optional</i>		string																														
response_text <i>optional</i>		string																														
message_meta <i>optional</i>		object																														
source_chunks <i>optional</i>		array																														
created_at <i>optional</i>		string (date-time)																														
order_index <i>optional</i>		integer																														
400	Invalid request	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

GET

/user_sessions/{session_id}/chat_sessions/{chat_session_id}/interactions Get user interactions for a specific chat session

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of interactions to skip (default 0)	integer
query	limit <i>optional</i>	Number of interactions to return (default 20, max 100)	integer
path	session_id <i>required</i>	User session UUID	string (uuid)
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links						
200	List of user interactions for the specific chat session Content application/json Properties <table><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>interactions <i>optional</i></td><td></td><td>< object > array</td></tr></tbody></table> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean object	Name	Description	Schema	interactions <i>optional</i>		< object > array	No Links
Name	Description	Schema						
interactions <i>optional</i>		< object > array						
400	Invalid parameters	No Links						
401	Unauthorized	No Links						
404	User session not found	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

GET /user_sessions/{session_id}/analytics Get analytics events for a session

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of analytics events to skip (default 0)	integer
query	limit <i>optional</i>	Number of analytics events to return (default 20, max 100)	integer
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links						
200	List of analytics events for session <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>analytics <i>optional</i></td><td></td><td>< object > array</td></tr></table> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean object	Name	Description	Schema	analytics <i>optional</i>		< object > array	No Links
Name	Description	Schema						
analytics <i>optional</i>		< object > array						

Code	Description	Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /user_sessions/{session_id}/analytics Create analytics event for session

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																		
201	Analytics event created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>event_type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>properties <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	event_type <i>optional</i>		string	properties <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
event_type <i>optional</i>		string																		
properties <i>optional</i>		object																		
created_at <i>optional</i>		string (date-time)																		
400	Invalid request	No Links																		
401	Unauthorized	No Links																		

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

***GET* /interactions/{interaction_id}** Get a specific user interaction by ID

Parameters

Type	Name	Description	Schema
path	interaction_id <i>required</i>	Interaction UUID	string (uuid)

Responses

Code	Description	Links																														
200	User interaction details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>sender_role <i>optional</i></td><td></td><td>enum (AI,User)</td></tr> <tr> <td>query_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>response_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>message_meta <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>source_chunks <i>optional</i></td><td></td><td>array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_id <i>optional</i>		string (uuid)	sender_role <i>optional</i>		enum (AI,User)	query_text <i>optional</i>		string	response_text <i>optional</i>		string	message_meta <i>optional</i>		object	source_chunks <i>optional</i>		array	created_at <i>optional</i>		string (date-time)	order_index <i>optional</i>		integer	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
session_id <i>optional</i>		string (uuid)																														
sender_role <i>optional</i>		enum (AI,User)																														
query_text <i>optional</i>		string																														
response_text <i>optional</i>		string																														
message_meta <i>optional</i>		object																														
source_chunks <i>optional</i>		array																														
created_at <i>optional</i>		string (date-time)																														
order_index <i>optional</i>		integer																														
404	Interaction not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /interactions/{interaction_id} Update a specific user interaction

Parameters

Type	Name	Description	Schema
path	interaction_id <i>required</i>	Interaction UUID	string (uuid)

Responses

Code	Description	Links																														
200	User interaction updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>sender_role <i>optional</i></td><td></td><td>enum (AI,User)</td></tr> <tr> <td>query_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>response_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>message_meta <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>source_chunks <i>optional</i></td><td></td><td>array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_id <i>optional</i>		string (uuid)	sender_role <i>optional</i>		enum (AI,User)	query_text <i>optional</i>		string	response_text <i>optional</i>		string	message_meta <i>optional</i>		object	source_chunks <i>optional</i>		array	created_at <i>optional</i>		string (date-time)	order_index <i>optional</i>		integer	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
session_id <i>optional</i>		string (uuid)																														
sender_role <i>optional</i>		enum (AI,User)																														
query_text <i>optional</i>		string																														
response_text <i>optional</i>		string																														
message_meta <i>optional</i>		object																														
source_chunks <i>optional</i>		array																														
created_at <i>optional</i>		string (date-time)																														
order_index <i>optional</i>		integer																														
404	Interaction not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE **/interactions/{interaction_id}** Delete a specific user interaction

Parameters

Type	Name	Description	Schema
path	interaction_id <i>required</i>	Interaction UUID	string (uuid)

Responses

Code	Description	Links
204	User interaction deleted successfully	No Links
404	Interaction not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET **/analytics/{analytics_id}** Get a specific analytics event by ID

Parameters

Type	Name	Description	Schema
path	analytics_id <i>required</i>	Analytics event UUID	string (uuid)

Responses

Code	Description	Links																		
200	Analytics event details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>event_type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>properties <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	event_type <i>optional</i>		string	properties <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
event_type <i>optional</i>		string																		
properties <i>optional</i>		object																		
created_at <i>optional</i>		string (date-time)																		
404	Analytics event not found	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /analytics/{analytics_id} Update a specific analytics event

Parameters

Type	Name	Description	Schema
path	analytics_id <i>required</i>	Analytics event UUID	string (uuid)

Responses

Code	Description	Links																		
200	Analytics event updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>event_type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>properties <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	event_type <i>optional</i>		string	properties <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
event_type <i>optional</i>		string																		
properties <i>optional</i>		object																		
created_at <i>optional</i>		string (date-time)																		
404	Analytics event not found	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE */analytics/{analytics_id}* Delete a specific analytics event

Parameters

Type	Name	Description	Schema
path	analytics_id <i>required</i>	Analytics event UUID	string (uuid)

Responses

Code	Description	Links
204	Analytics event deleted successfully	No Links
404	Analytics event not found	No Links

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks Get paginated list of available textbooks

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of textbooks to skip (default 0)	integer
query	limit <i>optional</i>	Number of textbooks to return (default 20, max 100)	integer

Responses

Code	Description	Links									
200	List of textbooks Content application/json Properties <table><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>textbooks</td><td></td><td>< object ></td></tr><tr><td>optional</td><td></td><td>array</td></tr></tbody></table> <.<!Name <.<!Description <.<!Schema <.<!limit optional <.<! <.<!integer <.<!offset optional <.<! <.<!integer <.<!total optional <.<! <.<!integer <.<!hasMore optional <.<! <.<!boolean object	Name	Description	Schema	textbooks		< object >	optional		array	No Links
Name	Description	Schema									
textbooks		< object >									
optional		array									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks Create a new textbook

Responses

Code	Description	Links																																										
201	Textbook created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>authors <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>license <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>source_u rl <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>publisher <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>year <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>language <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>level <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date- time)</td></tr> <tr> <td>updated_ at <i>optional</i></td><td></td><td>string (date- time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	license <i>optional</i>		string	source_u rl <i>optional</i>		string	publisher <i>optional</i>		string	year <i>optional</i>		integer	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	created_a t <i>optional</i>		string (date- time)	updated_ at <i>optional</i>		string (date- time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																										
id <i>optional</i>		string (uuid)																																										
title <i>optional</i>		string																																										
authors <i>optional</i>		< string > array																																										
license <i>optional</i>		string																																										
source_u rl <i>optional</i>		string																																										
publisher <i>optional</i>		string																																										
year <i>optional</i>		integer																																										
summary <i>optional</i>		string																																										
language <i>optional</i>		string																																										
level <i>optional</i>		string																																										
created_a t <i>optional</i>		string (date- time)																																										
updated_ at <i>optional</i>		string (date- time)																																										
metadata <i>optional</i>		object																																										
400	Invalid request	No Links																																										
401	Unauthorized	No Links																																										
500	Internal Server Error	No Links																																										

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /textbooks/{textbook_id} Get a specific textbook by ID

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																										
200	Textbook details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>authors <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>license <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>source_u rl <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>publisher <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>year <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>language <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>level <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_ at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	license <i>optional</i>		string	source_u rl <i>optional</i>		string	publisher <i>optional</i>		string	year <i>optional</i>		integer	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	created_a t <i>optional</i>		string (date-time)	updated_ at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																										
id <i>optional</i>		string (uuid)																																										
title <i>optional</i>		string																																										
authors <i>optional</i>		< string > array																																										
license <i>optional</i>		string																																										
source_u rl <i>optional</i>		string																																										
publisher <i>optional</i>		string																																										
year <i>optional</i>		integer																																										
summary <i>optional</i>		string																																										
language <i>optional</i>		string																																										
level <i>optional</i>		string																																										
created_a t <i>optional</i>		string (date-time)																																										
updated_ at <i>optional</i>		string (date-time)																																										
metadata <i>optional</i>		object																																										
404	Textbook not found	No Links																																										
401	Unauthorized	No Links																																										
500	Internal Server Error	No Links																																										

Type	Name	Scopes
apiKey	userAuthorizer	

PUT **/textbooks/{textbook_id}** Update a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																										
200	Textbook updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>authors <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>license <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>source_u rl <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>publisher <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>year <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>language <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>level <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_ at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	license <i>optional</i>		string	source_u rl <i>optional</i>		string	publisher <i>optional</i>		string	year <i>optional</i>		integer	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	created_a t <i>optional</i>		string (date-time)	updated_ at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																										
id <i>optional</i>		string (uuid)																																										
title <i>optional</i>		string																																										
authors <i>optional</i>		< string > array																																										
license <i>optional</i>		string																																										
source_u rl <i>optional</i>		string																																										
publisher <i>optional</i>		string																																										
year <i>optional</i>		integer																																										
summary <i>optional</i>		string																																										
language <i>optional</i>		string																																										
level <i>optional</i>		string																																										
created_a t <i>optional</i>		string (date-time)																																										
updated_ at <i>optional</i>		string (date-time)																																										
metadata <i>optional</i>		object																																										
404	Textbook not found	No Links																																										
401	Unauthorized	No Links																																										
500	Internal Server Error	No Links																																										

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /textbooks/{textbook_id} Delete a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
204	Textbook deleted successfully	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /textbooks/{textbook_id}/faq Get FAQ cache for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	FAQ cache entries <i>Content</i> application/json	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/faq Add FAQ entry to textbook cache

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																					
201	FAQ entry created <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>question_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>answer_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>usage_count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>last_used_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>cached_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	question_text <i>optional</i>		string	answer_text <i>optional</i>		string	usage_count <i>optional</i>		integer	last_used_at <i>optional</i>		string (date-time)	cached_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																					
id <i>optional</i>		string (uuid)																					
question_text <i>optional</i>		string																					
answer_text <i>optional</i>		string																					
usage_count <i>optional</i>		integer																					
last_used_at <i>optional</i>		string (date-time)																					
cached_at <i>optional</i>		string (date-time)																					
400	Invalid request	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

GET /faq/{faq_id} Get a specific FAQ entry by ID

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links																					
200	FAQ entry details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>question_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>answer_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>usage_count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>last_used_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>cached_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	question_text <i>optional</i>		string	answer_text <i>optional</i>		string	usage_count <i>optional</i>		integer	last_used_at <i>optional</i>		string (date-time)	cached_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																					
id <i>optional</i>		string (uuid)																					
question_text <i>optional</i>		string																					
answer_text <i>optional</i>		string																					
usage_count <i>optional</i>		integer																					
last_used_at <i>optional</i>		string (date-time)																					
cached_at <i>optional</i>		string (date-time)																					
404	FAQ entry not found	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /faq/{faq_id} Update a specific FAQ entry

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links																					
200	FAQ entry updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>question_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>answer_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>usage_count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>last_used_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>cached_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	question_text <i>optional</i>		string	answer_text <i>optional</i>		string	usage_count <i>optional</i>		integer	last_used_at <i>optional</i>		string (date-time)	cached_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																					
id <i>optional</i>		string (uuid)																					
question_text <i>optional</i>		string																					
answer_text <i>optional</i>		string																					
usage_count <i>optional</i>		integer																					
last_used_at <i>optional</i>		string (date-time)																					
cached_at <i>optional</i>		string (date-time)																					
404	FAQ entry not found	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /faq/{faq_id} Delete a specific FAQ entry

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links
204	FAQ entry deleted successfully	No Links
404	FAQ entry not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /faq/{faq_id}/report Report an FAQ entry as inaccurate or inappropriate

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links																		
200	FAQ reported successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>faq_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>reported_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>reason <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	faq_id <i>optional</i>		string (uuid)	reported_at <i>optional</i>		string (date-time)	reason <i>optional</i>		string	message <i>optional</i>		string	No Links
Name	Description	Schema																		
id <i>optional</i>		string (uuid)																		
faq_id <i>optional</i>		string (uuid)																		
reported_at <i>optional</i>		string (date-time)																		
reason <i>optional</i>		string																		
message <i>optional</i>		string																		
400	Invalid request	No Links																		
404	FAQ entry not found	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks/{textbook_id}/chat_sessions Get paginated chat sessions for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
query	limit <i>optional</i>	Number of sessions per page (default 50, max 100)	integer
query	page <i>optional</i>	Page number (default 1)	integer

Responses

Code	Description	Links						
200	Paginated chat sessions for textbook Content application/json Properties <table><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>chat_sessions <i>optional</i></td><td></td><td>< object > array</td></tr></tbody></table> <.<!Name <.<!Description <.<!Schema <.<!page <i>optional</i> <.<! <.<!integer <.<!limit <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!total_pages <i>optional</i> <.<! <.<!integer object	Name	Description	Schema	chat_sessions <i>optional</i>		< object > array	No Links
Name	Description	Schema						
chat_sessions <i>optional</i>		< object > array						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/chat_sessions Create chat session for textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																					
201	Chat session created <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_sessions_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>context <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_sessions_session_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	context <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																					
id <i>optional</i>		string (uuid)																					
user_sessions_session_id <i>optional</i>		string (uuid)																					
textbook_id <i>optional</i>		string (uuid)																					
context <i>optional</i>		object																					
created_at <i>optional</i>		string (date-time)																					
metadata <i>optional</i>		object																					
400	Invalid request	No Links																					
404	Textbook not found	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

GET

/textbooks/{textbook_id}/chat_sessions/user/{user_session_id} Get chat sessions for a textbook filtered by user session

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
path	user_session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links
200	Chat sessions for textbook and user <i>Content</i> application/json	No Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /chat_sessions/{chat_session_id}/interactions Get all interactions for a shared chat session (public endpoint)

Parameters

Type	Name	Description	Schema
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links												
200	Chat session interactions <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>chat_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>interactions <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	chat_session_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	interactions <i>optional</i>		< object > array	No Links
Name	Description	Schema												
chat_session_id <i>optional</i>		string (uuid)												
textbook_id <i>optional</i>		string (uuid)												
interactions <i>optional</i>		< object > array												
400	Invalid chat_session_id	No Links												
404	Chat session not found	No Links												
500	Internal Server Error	No Links												

POST /chat_sessions/fork Create a new chat session by forking an existing one

Responses

Code	Description	Links																		
201	Chat session forked successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>chat_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>interactions_copied <i>optional</i></td><td>Number of interactions copied from source chat session</td><td>integer</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	chat_session_id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	interactions_copied <i>optional</i>	Number of interactions copied from source chat session	integer	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
chat_session_id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
textbook_id <i>optional</i>		string (uuid)																		
interactions_copied <i>optional</i>	Number of interactions copied from source chat session	integer																		
created_at <i>optional</i>		string (date-time)																		
400	Invalid request or source chat session not found	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks/{textbook_id}/sections Get sections for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	Sections for textbook <i>Content</i> application/json	No Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

***POST* /textbooks/{textbook_id}/sections** Create section for textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																														
201	Section created <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_ id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>parent_se ction_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>order_in dex <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_star t <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date- time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_ id <i>optional</i>		string (uuid)	parent_se ction_id <i>optional</i>		string (uuid)	title <i>optional</i>		string	order_in dex <i>optional</i>		integer	page_star t <i>optional</i>		integer	page_end <i>optional</i>		integer	summary <i>optional</i>		string	created_a t <i>optional</i>		string (date- time)	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
textbook_ id <i>optional</i>		string (uuid)																														
parent_se ction_id <i>optional</i>		string (uuid)																														
title <i>optional</i>		string																														
order_in dex <i>optional</i>		integer																														
page_star t <i>optional</i>		integer																														
page_end <i>optional</i>		integer																														
summary <i>optional</i>		string																														
created_a t <i>optional</i>		string (date- time)																														
400	Invalid request	No Links																														
404	Textbook not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

GET /sections/{section_id} Get a specific section by ID

Parameters

Type	Name	Description	Schema
path	section_id <i>required</i>	Section UUID	string (uuid)

Responses

Code	Description	Links																														
200	Section details <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>parent_section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>title <i>optional</i></td><td></td><td>string</td></tr><tr><td>order_index <i>optional</i></td><td></td><td>integer</td></tr><tr><td>page_start <i>optional</i></td><td></td><td>integer</td></tr><tr><td>page_end <i>optional</i></td><td></td><td>integer</td></tr><tr><td>summary <i>optional</i></td><td></td><td>string</td></tr><tr><td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr></table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	parent_section_id <i>optional</i>		string (uuid)	title <i>optional</i>		string	order_index <i>optional</i>		integer	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	summary <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
textbook_id <i>optional</i>		string (uuid)																														
parent_section_id <i>optional</i>		string (uuid)																														
title <i>optional</i>		string																														
order_index <i>optional</i>		integer																														
page_start <i>optional</i>		integer																														
page_end <i>optional</i>		integer																														
summary <i>optional</i>		string																														
created_at <i>optional</i>		string (date-time)																														
404	Section not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /sections/{section_id} Update a specific section

Parameters

Type	Name	Description	Schema
path	section_id <i>required</i>	Section UUID	string (uuid)

Responses

Code	Description	Links																														
200	Section updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>parent_section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_start <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	parent_section_id <i>optional</i>		string (uuid)	title <i>optional</i>		string	order_index <i>optional</i>		integer	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	summary <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
textbook_id <i>optional</i>		string (uuid)																														
parent_section_id <i>optional</i>		string (uuid)																														
title <i>optional</i>		string																														
order_index <i>optional</i>		integer																														
page_start <i>optional</i>		integer																														
page_end <i>optional</i>		integer																														
summary <i>optional</i>		string																														
created_at <i>optional</i>		string (date-time)																														

Code	Description	Links
404	Section not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE **/sections/{section_id}** Delete a specific section

Parameters

Type	Name	Description	Schema
path	section_id <i>required</i>	Section UUID	string (uuid)

Responses

Code	Description	Links
204	Section deleted successfully	No Links
404	Section not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET **/textbooks/{textbook_id}/media_items** Get media items for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	Media items for textbook <i>Content</i> application/json	No Links

Code	Description	Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/media_items Create media item for textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																	
201	Media item created <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_ id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_ty pe <i>optional</i></td><td></td><td>enum (pdf,audio,video,i mage,tra nscript,h 5p,other)</td></tr> <tr> <td>uri <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>size_byte s <i>optional</i></td><td></td><td>integer (int64)</td></tr> <tr> <td>mime_ty pe <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>descripti on <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>page_star t <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date- time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_ id <i>optional</i>		string (uuid)	media_ty pe <i>optional</i>		enum (pdf,audio,video,i mage,tra nscript,h 5p,other)	uri <i>optional</i>		string	size_byte s <i>optional</i>		integer (int64)	mime_ty pe <i>optional</i>		string	descripti on <i>optional</i>		string	page_star t <i>optional</i>		integer	page_end <i>optional</i>		integer	created_a t <i>optional</i>		string (date- time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
textbook_ id <i>optional</i>		string (uuid)																																	
media_ty pe <i>optional</i>		enum (pdf,audio,video,i mage,tra nscript,h 5p,other)																																	
uri <i>optional</i>		string																																	
size_byte s <i>optional</i>		integer (int64)																																	
mime_ty pe <i>optional</i>		string																																	
descripti on <i>optional</i>		string																																	
page_star t <i>optional</i>		integer																																	
page_end <i>optional</i>		integer																																	
created_a t <i>optional</i>		string (date- time)																																	
400	Invalid request	No Links																																	
404	Textbook not found	No Links																																	
401	Unauthorized	No Links																																	
500	Internal Server Error	No Links																																	

Type	Name	Scopes
apiKey	userAuthorizer	

GET /media_items/{media_item_id} Get a specific media item by ID

Parameters

Type	Name	Description	Schema
path	media_item_id <i>required</i>	Media item UUID	string (uuid)

Responses

Code	Description	Links																																	
200	Media item details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_type <i>optional</i></td><td></td><td>enum (pdf,audio,video,image,transcript,h5p,other)</td></tr> <tr> <td>uri <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>size_bytes <i>optional</i></td><td></td><td>integer (int64)</td></tr> <tr> <td>mime_type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>page_start <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	media_type <i>optional</i>		enum (pdf,audio,video,image,transcript,h5p,other)	uri <i>optional</i>		string	size_bytes <i>optional</i>		integer (int64)	mime_type <i>optional</i>		string	description <i>optional</i>		string	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
textbook_id <i>optional</i>		string (uuid)																																	
media_type <i>optional</i>		enum (pdf,audio,video,image,transcript,h5p,other)																																	
uri <i>optional</i>		string																																	
size_bytes <i>optional</i>		integer (int64)																																	
mime_type <i>optional</i>		string																																	
description <i>optional</i>		string																																	
page_start <i>optional</i>		integer																																	
page_end <i>optional</i>		integer																																	
created_at <i>optional</i>		string (date-time)																																	
404	Media item not found	No Links																																	
401	Unauthorized	No Links																																	
500	Internal Server Error	No Links																																	

Type	Name	Scopes
apiKey	userAuthorizer	

PUT `/media_items/{media_item_id}` Update a specific media item

Parameters

Type	Name	Description	Schema
path	media_item_id <i>required</i>	Media item UUID	string (uuid)

Responses

Code	Description	Links																																	
200	Media item updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_ id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_ty pe <i>optional</i></td><td></td><td>enum (pdf,audio,video,i mage,tra nscript,h 5p,other)</td></tr> <tr> <td>uri <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>size_byte s <i>optional</i></td><td></td><td>integer (int64)</td></tr> <tr> <td>mime_ty pe <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>descripti on <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>page_star t <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date- time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_ id <i>optional</i>		string (uuid)	media_ty pe <i>optional</i>		enum (pdf,audio,video,i mage,tra nscript,h 5p,other)	uri <i>optional</i>		string	size_byte s <i>optional</i>		integer (int64)	mime_ty pe <i>optional</i>		string	descripti on <i>optional</i>		string	page_star t <i>optional</i>		integer	page_end <i>optional</i>		integer	created_a t <i>optional</i>		string (date- time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
textbook_ id <i>optional</i>		string (uuid)																																	
media_ty pe <i>optional</i>		enum (pdf,audio,video,i mage,tra nscript,h 5p,other)																																	
uri <i>optional</i>		string																																	
size_byte s <i>optional</i>		integer (int64)																																	
mime_ty pe <i>optional</i>		string																																	
descripti on <i>optional</i>		string																																	
page_star t <i>optional</i>		integer																																	
page_end <i>optional</i>		integer																																	
created_a t <i>optional</i>		string (date- time)																																	
404	Media item not found	No Links																																	
401	Unauthorized	No Links																																	
500	Internal Server Error	No Links																																	

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE ***/media_items/{media_item_id}*** Delete a specific media item

Parameters

Type	Name	Description	Schema
path	media_item_id <i>required</i>	Media item UUID	string (uuid)

Responses

Code	Description	Links
204	Media item deleted successfully	No Links
404	Media item not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET ***/textbooks/{textbook_id}/chunks*** Get paginated document chunks for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
query	limit <i>optional</i>	Number of chunks per page (default 50, max 100)	integer
query	page <i>optional</i>	Page number (default 1)	integer

Responses

Code	Description	Links						
200	Paginated document chunks for textbook <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>chunks <i>optional</i></td><td></td><td>< object > array</td></tr> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!page <i>optional</i> <.<! <.<!integer <.<!limit <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!total_pages <i>optional</i> <.<! <.<!integer object </pre>	Name	Description	Schema	chunks <i>optional</i>		< object > array	No Links
Name	Description	Schema						
chunks <i>optional</i>		< object > array						
400	Invalid parameters	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/chunks Create document chunk for textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																								
201	Document chunk created <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_item_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>chunk_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>chunk_metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	section_id <i>optional</i>		string (uuid)	media_item_id <i>optional</i>		string (uuid)	chunk_text <i>optional</i>		string	chunk_metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																								
id <i>optional</i>		string (uuid)																								
textbook_id <i>optional</i>		string (uuid)																								
section_id <i>optional</i>		string (uuid)																								
media_item_id <i>optional</i>		string (uuid)																								
chunk_text <i>optional</i>		string																								
chunk_metadata <i>optional</i>		object																								
created_at <i>optional</i>		string (date-time)																								
400	Invalid request	No Links																								
404	Textbook not found	No Links																								
401	Unauthorized	No Links																								
500	Internal Server Error	No Links																								

Type	Name	Scopes
apiKey	userAuthorizer	

GET /chunks/{chunk_id} Get a specific document chunk by ID

Parameters

Type	Name	Description	Schema
path	chunk_id <i>required</i>	Chunk UUID	string (uuid)

Responses

Code	Description	Links																								
200	Document chunk details <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>media_item_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>chunk_text <i>optional</i></td><td></td><td>string</td></tr><tr><td>chunk_metadata <i>optional</i></td><td></td><td>object</td></tr><tr><td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr></table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	section_id <i>optional</i>		string (uuid)	media_item_id <i>optional</i>		string (uuid)	chunk_text <i>optional</i>		string	chunk_metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																								
id <i>optional</i>		string (uuid)																								
textbook_id <i>optional</i>		string (uuid)																								
section_id <i>optional</i>		string (uuid)																								
media_item_id <i>optional</i>		string (uuid)																								
chunk_text <i>optional</i>		string																								
chunk_metadata <i>optional</i>		object																								
created_at <i>optional</i>		string (date-time)																								
404	Chunk not found	No Links																								
401	Unauthorized	No Links																								
500	Internal Server Error	No Links																								

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /chunks/{chunk_id} Update a specific document chunk

Parameters

Type	Name	Description	Schema
path	chunk_id <i>required</i>	Chunk UUID	string (uuid)

Responses

Code	Description	Links																								
200	Document chunk updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_item_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>chunk_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>chunk_metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	section_id <i>optional</i>		string (uuid)	media_item_id <i>optional</i>		string (uuid)	chunk_text <i>optional</i>		string	chunk_metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																								
id <i>optional</i>		string (uuid)																								
textbook_id <i>optional</i>		string (uuid)																								
section_id <i>optional</i>		string (uuid)																								
media_item_id <i>optional</i>		string (uuid)																								
chunk_text <i>optional</i>		string																								
chunk_metadata <i>optional</i>		object																								
created_at <i>optional</i>		string (date-time)																								
404	Chunk not found	No Links																								

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /chunks/{chunk_id} Delete a specific document chunk

Parameters

Type	Name	Description	Schema
path	chunk_id <i>required</i>	Chunk UUID	string (uuid)

Responses

Code	Description	Links
204	Document chunk deleted successfully	No Links
404	Chunk not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /prompt_templates Get paginated list of prompt templates

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of templates to skip (default 0)	integer
query	limit <i>optional</i>	Number of templates to return (default 20, max 100)	integer

Responses

Code	Description	Links						
200	List of prompt templates Content application/json Properties <table><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>template <i>s optional</i></td><td></td><td>< object > array</td></tr></tbody></table> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean object	Name	Description	Schema	template <i>s optional</i>		< object > array	No Links
Name	Description	Schema						
template <i>s optional</i>		< object > array						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /prompt_templates Create a new prompt template

Responses

Code	Description	Links																																	
201	Prompt template created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>name <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>type <i>optional</i></td><td></td><td>enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)</td></tr> <tr> <td>current_version_id <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_by <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	name <i>optional</i>		string	description <i>optional</i>		string	type <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)	current_version_id <i>optional</i>		integer	created_by <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,org,public)	metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
name <i>optional</i>		string																																	
description <i>optional</i>		string																																	
type <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)																																	
current_version_id <i>optional</i>		integer																																	
created_by <i>optional</i>		string (uuid)																																	
visibility <i>optional</i>		enum (private,org,public)																																	
metadata <i>optional</i>		object																																	
created_at <i>optional</i>		string (date-time)																																	
updated_at <i>optional</i>		string (date-time)																																	
400	Invalid request	No Links																																	
401	Unauthorized	No Links																																	

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

***GET* /prompt_templates/{prompt_template_id}** Get a specific prompt template by ID

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																																	
200	Prompt template details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>name <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>descripti on <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>type <i>optional</i></td><td></td><td>enum (RAG,qui z_generat ion,mcq_ generatio n,audio_g eneratio n,guided)</td></tr> <tr> <td>current_v ersion_id <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_b y <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,o rg,public)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_a t <i>optional</i></td><td></td><td>string (date- time)</td></tr> <tr> <td>updated_ at <i>optional</i></td><td></td><td>string (date- time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	name <i>optional</i>		string	descripti on <i>optional</i>		string	type <i>optional</i>		enum (RAG,qui z_generat ion,mcq_ generatio n,audio_g eneratio n,guided)	current_v ersion_id <i>optional</i>		integer	created_b y <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,o rg,public)	metadata <i>optional</i>		object	created_a t <i>optional</i>		string (date- time)	updated_ at <i>optional</i>		string (date- time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
name <i>optional</i>		string																																	
descripti on <i>optional</i>		string																																	
type <i>optional</i>		enum (RAG,qui z_generat ion,mcq_ generatio n,audio_g eneratio n,guided)																																	
current_v ersion_id <i>optional</i>		integer																																	
created_b y <i>optional</i>		string (uuid)																																	
visibility <i>optional</i>		enum (private,o rg,public)																																	
metadata <i>optional</i>		object																																	
created_a t <i>optional</i>		string (date- time)																																	
updated_ at <i>optional</i>		string (date- time)																																	
404	Template not found	No Links																																	
401	Unauthorized	No Links																																	

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /prompt_templates/{prompt_template_id} Update a specific prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																																	
200	Template updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>name <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>type <i>optional</i></td><td></td><td>enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)</td></tr> <tr> <td>current_version_id <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_by <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	name <i>optional</i>		string	description <i>optional</i>		string	type <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)	current_version_id <i>optional</i>		integer	created_by <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,org,public)	metadata <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
name <i>optional</i>		string																																	
description <i>optional</i>		string																																	
type <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)																																	
current_version_id <i>optional</i>		integer																																	
created_by <i>optional</i>		string (uuid)																																	
visibility <i>optional</i>		enum (private,org,public)																																	
metadata <i>optional</i>		object																																	
created_at <i>optional</i>		string (date-time)																																	
updated_at <i>optional</i>		string (date-time)																																	
404	Template not found	No Links																																	
401	Unauthorized	No Links																																	

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

***DELETE* /prompt_templates/{prompt_template_id}** Delete a specific prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links
204	Template deleted successfully	No Links
404	Template not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

***GET* /prompt_templates/{prompt_template_id}/questions**
Get questions for a guided prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links						
200	List of questions for guided prompt <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>questions <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	questions <i>optional</i>		< object > array	No Links
Name	Description	Schema						
questions <i>optional</i>		< object > array						
404	Template not found	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /prompt_templates/{prompt_template_id}/questions

Create a new question for a guided prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links						
201	Questions created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>questions <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	questions <i>optional</i>		< object > array	No Links
Name	Description	Schema						
questions <i>optional</i>		< object > array						
400	Invalid request	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks/{textbook_id}/shared_prompts Get shared user prompts for a textbook

Parameters

Type	Name	Description	Schema
query	role <i>optional</i>	Filter prompts by the role of the user session that created them (student or instructor)	enum (student,instructor)
query	offset <i>optional</i>	Number of prompts to skip (default 0)	integer
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
query	limit <i>optional</i>	Number of prompts to return (default 20, max 100)	integer

Responses

Code	Description	Links						
200	List of shared user prompts for textbook <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>prompts <i>optional</i></td><td></td><td>< object > array</td></tr> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean object </pre>	Name	Description	Schema	prompts <i>optional</i>		< object > array	No Links
Name	Description	Schema						
prompts <i>optional</i>		< object > array						
400	Invalid parameters	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/shared_prompts Create shared user prompt for textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																				
201	Shared user prompt created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>prompt_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>owner_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>owner_user_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td>tags <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	prompt_text <i>optional</i>		string	owner_session_id <i>optional</i>		string (uuid)	owner_user_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,org,public)	tags <i>optional</i>		< string > array	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																				
id <i>optional</i>		string (uuid)																																				
title <i>optional</i>		string																																				
prompt_text <i>optional</i>		string																																				
owner_session_id <i>optional</i>		string (uuid)																																				
owner_user_id <i>optional</i>		string (uuid)																																				
textbook_id <i>optional</i>		string (uuid)																																				
visibility <i>optional</i>		enum (private,org,public)																																				
tags <i>optional</i>		< string > array																																				
created_at <i>optional</i>		string (date-time)																																				
updated_at <i>optional</i>		string (date-time)																																				
metadata <i>optional</i>		object																																				

Code	Description	Links
400	Invalid request	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/practice_materials

Generate AI practice materials (MCQs, Flashcards, or Short Answer) for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	Practice material generated successfully <i>Content</i> application/json	No Links
400	Invalid request parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

POST /textbooks/{textbook_id}/practice_materials/grade

Grade a short answer response using AI

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																		
200	Answer graded successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>feedback <i>optional</i></td><td>Overall feedback on the answer</td><td>string</td></tr> <tr> <td>strengths <i>optional</i></td><td>List of strengths in the answer</td><td>< string > array</td></tr> <tr> <td>improve ments <i>optional</i></td><td>List of suggested improvements</td><td>< string > array</td></tr> <tr> <td>keyPoints Covered <i>optional</i></td><td>Key points that were addressed</td><td>< string > array</td></tr> <tr> <td>keyPoints Missed <i>optional</i></td><td>Key points that were not addressed</td><td>< string > array</td></tr> </table>	Name	Description	Schema	feedback <i>optional</i>	Overall feedback on the answer	string	strengths <i>optional</i>	List of strengths in the answer	< string > array	improve ments <i>optional</i>	List of suggested improvements	< string > array	keyPoints Covered <i>optional</i>	Key points that were addressed	< string > array	keyPoints Missed <i>optional</i>	Key points that were not addressed	< string > array	No Links
Name	Description	Schema																		
feedback <i>optional</i>	Overall feedback on the answer	string																		
strengths <i>optional</i>	List of strengths in the answer	< string > array																		
improve ments <i>optional</i>	List of suggested improvements	< string > array																		
keyPoints Covered <i>optional</i>	Key points that were addressed	< string > array																		
keyPoints Missed <i>optional</i>	Key points that were not addressed	< string > array																		
400	Invalid request - missing required fields	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error - grading failed	No Links																		

POST

/textbooks/{textbook_id}/practice_materials/export-h5p

Export practice materials as H5P package for LMS
import

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links												
200	H5P package generated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>filename <i>optional</i></td><td>Name of the H5P file</td><td>string</td></tr> <tr> <td>content <i>optional</i></td><td>Base64-encoded H5P package content</td><td>string</td></tr> <tr> <td>size <i>optional</i></td><td>Size of the H5P file in bytes</td><td>integer</td></tr> </table>	Name	Description	Schema	filename <i>optional</i>	Name of the H5P file	string	content <i>optional</i>	Base64-encoded H5P package content	string	size <i>optional</i>	Size of the H5P file in bytes	integer	No Links
Name	Description	Schema												
filename <i>optional</i>	Name of the H5P file	string												
content <i>optional</i>	Base64-encoded H5P package content	string												
size <i>optional</i>	Size of the H5P file in bytes	integer												
400	Invalid request - missing required fields or malformed questions	No Links												
401	Unauthorized	No Links												
500	Internal Server Error - H5P generation failed	No Links												

Type	Name	Scopes
apiKey	userAuthorizer	

GET /shared_prompts/{shared_prompt_id} Get a specific shared user prompt by ID

Parameters

Type	Name	Description	Schema
path	shared_prompt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links																																							
200	Shared user prompt details <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>prompt_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>owner_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>owner_user_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td>role <i>optional</i></td><td>Role of the user session that created this prompt</td><td>enum (student,instructor)</td></tr> <tr> <td>tags <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	prompt_text <i>optional</i>		string	owner_session_id <i>optional</i>		string (uuid)	owner_user_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,org,public)	role <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)	tags <i>optional</i>		< string > array	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																							
id <i>optional</i>		string (uuid)																																							
title <i>optional</i>		string																																							
prompt_text <i>optional</i>		string																																							
owner_session_id <i>optional</i>		string (uuid)																																							
owner_user_id <i>optional</i>		string (uuid)																																							
textbook_id <i>optional</i>		string (uuid)																																							
visibility <i>optional</i>		enum (private,org,public)																																							
role <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)																																							
tags <i>optional</i>		< string > array																																							
created_at <i>optional</i>		string (date-time)																																							
updated_at <i>optional</i>		string (date-time)																																							
metadata <i>optional</i>		object																																							
404	Prompt not found	No Links																																							

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

PUT `/shared_prompts/{shared_prompt_id}` Update a specific shared user prompt

Parameters

Type	Name	Description	Schema
path	shared_prompt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links																																							
200	Shared user prompt updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>prompt_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>owner_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>owner_user_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td>role <i>optional</i></td><td>Role of the user session that created this prompt</td><td>enum (student,instructor)</td></tr> <tr> <td>tags <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	prompt_text <i>optional</i>		string	owner_session_id <i>optional</i>		string (uuid)	owner_user_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,org,public)	role <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)	tags <i>optional</i>		< string > array	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																							
id <i>optional</i>		string (uuid)																																							
title <i>optional</i>		string																																							
prompt_text <i>optional</i>		string																																							
owner_session_id <i>optional</i>		string (uuid)																																							
owner_user_id <i>optional</i>		string (uuid)																																							
textbook_id <i>optional</i>		string (uuid)																																							
visibility <i>optional</i>		enum (private,org,public)																																							
role <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)																																							
tags <i>optional</i>		< string > array																																							
created_at <i>optional</i>		string (date-time)																																							
updated_at <i>optional</i>		string (date-time)																																							
metadata <i>optional</i>		object																																							
404	Prompt not found	No Links																																							

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /shared_prompts/{shared_prompt_id} Delete a specific shared user prompt

Parameters

Type	Name	Description	Schema
path	shared_prompt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links
204	Shared user prompt deleted successfully	No Links
404	Prompt not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /shared_prompts/{shared_prompt_id}/report Report a shared user prompt

Parameters

Type	Name	Description	Schema
path	shared_prompt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links												
200	Prompt reported successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>reported_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	reported_at <i>optional</i>		string (date-time)	message <i>optional</i>		string	No Links
Name	Description	Schema												
id <i>optional</i>		string (uuid)												
reported_at <i>optional</i>		string (date-time)												
message <i>optional</i>		string												
404	Prompt not found	No Links												
401	Unauthorized	No Links												
500	Internal Server Error	No Links												

Type	Name	Scopes
apiKey	userAuthorizer	

GET /user/exampleEndpoint Example endpoint for testing user functionality

Responses

Code	Description	Links
200	Example endpoint response <i>Content</i> application/json	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

OPTIONS /user/exampleEndpoint CORS support

Enable CORS by returning correct headers

Responses

Code	Description	Links												
200	Request success Headers <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr><tr><td>Access-Control-Allow-Methods</td><td></td><td>string</td></tr><tr><td>Access-Control-Allow-Headers</td><td></td><td>string</td></tr></table>	Name	Description	Schema	Access-Control-Allow-Origin		string	Access-Control-Allow-Methods		string	Access-Control-Allow-Headers		string	No Links
Name	Description	Schema												
Access-Control-Allow-Origin		string												
Access-Control-Allow-Methods		string												
Access-Control-Allow-Headers		string												

GET /generate-presigned-url Generate a presigned URL for file upload

Parameters

Type	Name	Description	Schema
query	content_type <i>optional</i>		string

Type	Name	Description	Schema
query	file_name <i>required</i>		string

Responses

Code	Description	Links									
200	Presigned URL generated <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>presignedurl <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>key <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	presignedurl <i>optional</i>		string	key <i>optional</i>		string	No Links
Name	Description	Schema									
presignedurl <i>optional</i>		string									
key <i>optional</i>		string									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

Components

Responses

Responses

Code	Description			Links
Success	Request success			No Links
	<i>Headers</i>			
	Nam e	Description	Schema	
	Acces s- Contr ol- Allo w- Origi n		string	
	Acces s- Contr ol- Allo w- Meth ods		string	
	Acces s- Contr ol- Allo w- Head ers		string	