



**Full Audit Report [Re-assessment] CagedBeasts Security Assessment** 













۲al	ble of Contents	1
•	Report Information	2
•	Disclaimer	3
•	Executive Summary	4
	NVD CVSS Scoring	
	Audit Result	
•	Project Introduction Scope Information Audit Information Audit Version History	5
•	Initial Audit Scope	6-7
•	Security Assessment Procedure	8
•	Risk Rating	9
•	Vulnerability Severity Summary	10
٠	SWC & SEC & Non-severit level LAB	11-16
•	SWC FIndings	17-19
•	Visibility, Mutability, Modifier function testing	20-23
	Component, Exposed Function	
	StateVariables, Capabilities, Contract Descripton Table	
•	Inheritate Function Relation Graph	24
•	UML Diagram	25
•	About Securi	26







### **Report Information**

Report Information	
About Report	CagedBeasts Security Assessment
Version	v1.2
Client	CagedBeasts
Language	Solidity
Confidentiality	Public
Contract	Cagedbeasts
File/Contract	SHA1- 56d305e8e5acee1383ea2139e5aafcb986f075e5
Address	Contract Address: 0x92239609CFB3DB04047eA7c62C59D8c9487A1a62
Audit Method	Whitebox
Security Assessment	Auditor
Author	Mark K. [Security Researcher Redteam]
	Kevin N. Security Researcher   Web3 Dev A B
	Yusheng T. [Security Researcher   Incident Response]
	Approve Document
	Ronny C. CTO & Head of Security Researcher
	Chinnakit J. CEO & Founder

<sup>\*</sup>Audit Method

Whitebox: SECURI LAB Team receives all source code from the client to provide the assessment.

Blackbox: SECURI LAB Team receives only bytecode from the client to provide the assessment.

Digital Sign (Only Full Audit Report)







### **Disclaimer**

Regarding this security assessment, there are no guarantees about the security of the program instruction received from the client is hereinafter referred to as "Source code".

And **SECURI Lab** hereinafter referred to as "**Service Provider**", the **Service Provider** will not be held liable for any legal liability arising from errors in the security assessment. The responsibility will be the responsibility of the **Client**, hereinafter referred to as "**Service User**" and the **Service User** agrees not to be held liable to the **service provider** in any case. By contract **Service Provider** to conduct security assessments with integrity with professional ethics, and transparency to deliver security assessments to users The **Service Provider** has the right to postpone the delivery of the security assessment. If the security assessment is delayed whether caused by any reason and is not responsible for any delayed security assessments. If **the service provider** finds a vulnerability The **service provider** will notify the **service user** via the Preliminary Report, which will be kept confidential for security. The **service provider** disclaims responsibility in the event of any attacks occurring whether before conducting a security assessment. Or happened later All responsibility shall be sole with the **service user**.

Security Assessment Not Financial/Investment Advice Any loss arising from any investment in any project is the responsibility of the investor.

SECURI LAB disclaims any liability incurred. Whether it's Rugpull, Abandonment, Soft Rugpull

The SECURI LAB team has conducted a comprehensive security assessment of the vulnerabilities. This assessment is tested with an expert assessment. Using the following test requirements

- 1. Smart Contract Testing with Expert Analysis By testing the most common and uncommon vulnerabilities.
- 2. Automated program testing It includes a sample vulnerability test and a sample of the potential vulnerabilities being used for the most frequent attacks.
- 3. Manual Testing with AST/WAS/ASE/SMT and reviewed code line by line
- 4. Visibility, Mutability, Modifier function testing, such as whether a function can be seen in general, or whether a function can be changed and if so, who can change it.
- 5. Function association test It will be displayed through the association graph.
- 6. This safety assessment is cross-checked prior to the delivery of the assessment results.








# **Executive Summary**

For this security assessment, SECURI LAB received a request from CagedBeasts on Thursday, JUNE 01, 2023. And request to re-assessment deployed code contract address: <a href="https://doi.org/10.2023/beauto.com/bases/bases/487A1a62">beauto.com/bases/bases/487A1a62</a> on Thursday, June 29, 2023.

## **NVD CVSS Scoring**

The score was calculated using the NVD (National Vulnerability Database) of NIST (National Institute of Standards and Technology) under the CVSS 3.1 standard, based on the CIA (Confidentiality, Integrity, Availability).



## **Audit Result**

SECURI LAB evaluated the smart contract security of the project and found: [Total: 0]

	High	Medium	Low	Very Low	Informational
0	0	0	0	0	0
\$	SE <ur< td=""><td>2I V</td><td></td><td></td><td></td></ur<>	2I V			
	URI LAB has				
the s	security of the	his smart cont	ract.		
The	results of the essment rev	ne security	ract.		
The	results of th	ne security ealed	ract.	<b>A</b>	







## **Project Introduction**

## **Scope Information:**

Project Name	CagedBeasts
Website	https://cagedbeasts.com/
Chain	Ethereum
Language	Solidity

### **Audit Information:**

Request Date	Thursday, June 01, 2023
Audit Date	Saturday, June 03, 2023
Re-assessment Date	Tuesday, July 4, 2023

### **Audit Version History:**

Audit Version	ii History.	
Version	Date	Description
1.0	Sunday, June 4, 2023	Preliminary Report
1.1	Tuesday, June 6, 2023	Full Audit Report
1.2	Tuesday, July 4, 2023	Re-assessment on contract address:  0x92239609CFB3DB04047eA7c62C59D8c9487A1a62







### **Initial Audit Scope:**

Smart Contract File

Cagedbeasts

SHA1-56d305e8e5acee1383ea2139e5aafcb986f075e5

Contract Address: 0x92239609CFB3DB04047eA7c62C59D8c9487A1a62

Compiler Version

v0.8.18+commit.87f61d96

Source Units Analyzed: 1

Source Units in Scope: 1 (100%)

T y p e	File	Logi c Con trac ts	Interfa ces	Li ne s	nL ine s	nS LO C	Co mm ent Line s	Co mpl ex. Sco re	Capa biliti es
and the control of th	contracts/C agedbeasts .sol	1		19 7	18 1	12 0	26	83	Σ
NAME TO SERVICE OF THE PROPERTY OF THE PROPERT	Totals	1		19 7	18	12 0	26	83	Σ

### Legend: [-]

- Lines: total lines of the source unit
- nLines: normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)
- nSLOC: normalized source lines of code (only source-code lines; no comments, no blank lines)
- Comment Lines: lines containing single or block comments
- **Complexity Score**: a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces, ...)

## **Dependencies / External Imports**

Dependency / Import Path	Count
@openzeppelin/contracts/access/Ownable.sol	1
@openzeppelin/contracts/token/ERC20/extensions/IERC20Metadata.sol	1
@openzeppelin/contracts/token/ERC20/utils/SafeERC20.sol	1







## **Security Assessment Procedure**

Securi has the following procedures and regulations for conducting security assessments:

- **1.Request Audit** Client submits a form request through the Securi channel. After receiving the request, Securi will discuss a security assessment. And drafting a contract and agreeing to sign a contract together with the Client
- **2.Auditing** Securi performs security assessments of smart contracts obtained through automated analysis and expert manual audits.
- **3.Preliminary Report** At this stage, Securi will deliver an initial security assessment. To report on vulnerabilities and errors found under Audit Scope will not publish preliminary reports for safety.
- **4.Reassessment** After Securi has delivered the Preliminary Report to the Client, Securi will track the status of the vulnerability or error, which will be published to the Final Report at a later date with the following statuses:
  - **a.Acknowledge** The client has been informed about errors or vulnerabilities from the security assessment.
  - **b.Resolved** The client has resolved the error or vulnerability. Resolved is probably just a commit, and Securi is unable to verify that the resolved has been implemented or not.
  - **c.Decline** Client has rejected the results of the security assessment on the issue.
- **5.Final Report** Securi providing full security assessment report and public









# **Risk Rating**

Risk rating using this commonly defined:  $Risk \ rating = impact * confidence$ 

Impact The severity and potential impact of an attacker attack
Confidence Ensuring that attackers expose and use this vulnerability

Both have a total of 3 levels: **High**, **Medium**, **Low**. By *Informational* will not be classified as a level

Confidence Impact [Likelihood]	Low	Medium	High
Low	Very Low	Low	Medium
Medium	Low	Medium	High
High	Medium	High	Critical










# **Vulnerability Severity Summary**

Severity is a risk assessment It is calculated from the Impact and Confidence values using the following calculation methods,

 $Risk\ rating = impact * confidence$ It is categorized into

5 categories based on the lowest severity: Very Low , Low , Medium , High , Critical .

For Informational & will Non-class/Optimization/Bestpractices will not be counted as severity



Vulnerability Severity Level	Total
Critical	0
High	0
Medium	0
Low SE	KURİ •
Very Low	LAB 0
Informational	0
Non-class/Optimization/Best-practices	1

### **Category information:**

### Centralization

Centralization Risk is The risk incurred by a sole proprietor, such as the Owner being able to change something without permission

### Security Risk

Security Risk of loss or damage if it's no mitigate

### Economics Risk

Economics Risk is the economic mechanism system,

Risks that may affect such as the ability to increase Mint token

### Coding Style

Coding Style is Tips coding for efficiency performance

Logical Issue is that can cause errors to core processing, such as any prior operations unrelated people to that cause background take any action to processes to crash.

### Best Practices

Best Practices is suggestions for improvement

### Authorization

Authorization is Possible pitfalls from weak coding allows modify the values.

### Optimization

Optimization is performance improvement

Mathematical Any erroneous arithmetic operations affect the operation of the system or lead to erroneous values.

**Naming Conventions** naming variables that may affect code understanding or naming inconsistencies

Naming Conventions

### Gas Optimization

Gas Optimization is increase performance to avoid expensive gas Dead Code

Dead Code having unused code This may result in wasted resources and gas fees.







# **Vulnerability Findings**

ID	Vulnerability Detail	Severity	Category	Status
GAS-01	Use Custom Errors	-	Gas Optimization	-









## **GAS-01:** Use Custom Errors

Vulnerability Detail	Severity	Location	Category	Status
Use Custom Errors	-	Check on finding	Gas Optimization	-

## **Finding:**

```
113:
             require(currentAllowance >= subtractedValue, "ERC20:allowance<0");</pre>
126:
             require(from != address(0), "ERC20:From 0");
             require(to != address(0), "ERC20:To 0");
127:
130:
             require(fromBalance >= amount, "ERC20:amount>balance");
141:
             require(account != address(0), "ERC20:address(0)");
             require(account != address(0), "ERC20:address(0)");
152:
156:
             require(accountBalance >= amount, "ERC20:amount>balance");
             require(owner != address(0), "ERC20:FromAddress(0)");
172:
173:
             require(spender != address(0), "ERC20:ToAddress(0)");
186:
                 require(currentAllowance >= amount, "ERC20: insufficient allowance");
```

### **Recommendation:**

[Source](https://blog.soliditylang.org/2021/04/21/custom-errors/) Instead of using error strings, to reduce deployment and runtime cost, you should use Custom Errors. This would save both deployment and runtime cost.

### Alleviation:

-







# **SWC Findings**

SVVC Findings			
ID	Title	Scanning	Result
SWC-100	Function Default Visibility	Complete	No risk
SWC-101	Integer Overflow and Underflow	Complete	No risk
SWC-102	Outdated Compiler Version	Complete	No risk
SWC-103	Floating Pragma	Complete	No risk
SWC-104	Unchecked Call Return Value	Complete	No risk
SWC-105	Unprotected Ether Withdrawal	Complete	No risk
SWC-106	Unprotected SELFDESTRUCT Instruction	Complete	No risk
SWC-107	Reentrancy SEC	Complete	No risk
SWC-108	State Variable Default Visibility	Complete	No risk
SWC-109	Uninitialized Storage Pointer	Complete	No risk
SWC-110	Assert Violation	Complete	No risk
SWC-111	Use of Deprecated Solidity Functions	Complete	No risk
SWC-112	Delegatecall to Untrusted Callee	Complete	No risk
SWC-113	DoS with Failed Call	Complete	No risk
SWC-114	Transaction Order Dependence	Complete	No risk
SWC-115	Authorization through tx.origin	Complete	No risk





	TOTAL MENONI (ME 7)	0020011121111	<i></i>
SWC-116	Block values as a proxy for time	Complete	No risk
SWC-117	Signature Malleability	Complete	No risk
SWC-118	Incorrect Constructor Name	Complete	No risk
SWC-119	Shadowing State Variables	Complete	No risk
SWC-120	Weak Sources of Randomness from Chain Attributes	Complete	No risk
SWC-121	Missing Protection against Signature Replay Attacks	Complete	No risk
SWC-122	Lack of Proper Signature Verification	Complete	No risk
SWC-123	Requirement Violation	Complete	No risk
SWC-124	Write to Arbitrary Storage Location	Complete	No risk
SWC-125	Incorrect Inheritance Order	Complete	No risk
SWC-126	Insufficient Gas Griefing	Complete	No risk
SWC-127	Arbitrary Jump with Function Type Variable	Complete	No risk
SWC-128	DoS With Block Gas Limit	Complete	No risk
SWC-129	Typographical Error	Complete	No risk
SWC-130	Right-To-Left-Override control character (U+202E)	Complete	No risk
SWC-131	Presence of unused variables	Complete	No risk
SWC-132	Unexpected Ether balance	Complete	No risk
	·		







SWC-133	Hash Collisions With Multiple Variable Length Arguments	Complete	No risk
SWC-134	Message call with hardcoded gas amount	Complete	No risk
SWC-135	Code With No Effects	Complete	No risk
SWC-136	Unencrypted Private Data On-Chain	Complete	No risk











# Visibility, Mutability, Modifier function testing

## Components


Contracts	€Libraries	Interfaces	Abstract
1	0	0	0

## **Exposed Functions**

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.



## **Capabilities**









## Contracts Description Table

Contract	Туре	Bases		
L	Function Name	Visibility	Mutability	Modifiers
Cagedbeasts	Implementation	IERC20Metadata, Ownable		
L		Public !		NO!
L	name	Public !		NO!
L	symbol	Public !		NO!
L	decimals	Public !		NO!
L	totalSupply	Public !		NO!
L	balanceOf	Public !		NO!
L	transfer	Public !		NO!
L	allowance	Public !		NO!
L	approve	Public !		NO!
L	transferFrom	Public !		NO!
L	increaseAllowance	Public !		NO!
L	decreaseAllowance	Public !		NO!
L	_transfer	Internal 🗎		
L	_mint	Internal 🗎	•	
L	_burn	Internal 🗎		
L	_approve	Internal 🗎		
L	_spendAllowance	Internal 🗎		
L	withdrawToken	External !		onlyOwner







## Legend

Symbol	Meaning
•	Function can modify state
<b>Es</b>	Function is payable











# **Inheritate Function Relation Graph**











## **UML Class Diagram**

# Cagedbeasts contracts/Cagedbeasts.sol Private: \_balances: mapping(address=>uint256) \_allowances: mapping(address=>mapping(address=>uint256)) \_totalSupply: uint256 \_name: string \_symbol: string \_decimals: uint8 Internal: \_transfer(from: address, to: address, amount: uint256) \_mint(account: address, amount: uint256) \_burn(account: address, amount: uint256) \_approve(owner: address, spender: address, amount: uint256) \_spendAllowance(owner: address, spender: address, amount: uint256) External: withdrawToken(\_token: address) <<onlyOwner>> Public: constructor(\_\_name: string, \_\_symbol: string, \_\_totalSupply: uint256, \_\_decimals: uint8) name(): string symbol(): string decimals(): uint8 totalSupply(): uint256 balanceOf(account: address): uint256 transfer(to: address, amount: uint256): bool allowance(owner: address, spender: address): uint256 approve(spender: address, amount: uint256): bool transferFrom(from: address, to: address, amount: uint256): bool increaseAllowance(spender: address, addedValue: uint256): bool decreaseAllowance(spender: address, subtractedValue: uint256): bool







## **About SECURI LAB**

SECURI LAB is a group of cyber security experts providing cyber security consulting, smart contract security audits, and KYC services.



### Follow Us On:

Website	https://securi-lab.com/
Twitter	https://twitter.com/SECURI_LAB
Telegram	https://t.me/securi_lab
Medium	https://medium.com/@securi