



# Full Audit Report

FoxLetFun Token Security Assessment



FoxLetFun Token Security Assessment

## FULL AUDIT REPORT

Security Assessment by SCRL on **Tuesday, August 20, 2024**

SCRL is deliver a security solution for Web3 projects by expert security researchers.



### Executive Summary


For this security assessment, SCRL received a request on Thursday, August 15, 2024

Client	Language	Audit Method	Confidential	Network Chain	Contract
FoxLetFun Token	Solidity	Whitebox	Public	BNB Chain	<a href="https://www.bscscan.com/address/0x5d7281Fc9544427118Fd9197818cb7C7F1780289">0x5d7281Fc9544427118Fd9197818cb7C7F1780289</a>
Report Version	Twitter	Telegram	Website		
1.1	<a href="https://www.twitter.com/foxletfun">https://www.twitter.com/foxletfun</a>	<a href="http://t.me/foxletfun">http://t.me/foxletfun</a>	<a href="https://foxletfuntoken.com/">https://foxletfuntoken.com/</a>		

### Scoring:



### Vulnerability Summary



0 Critical

Critical severity is assigned to security vulnerabilities that pose a severe threat to the smart contract and the entire blockchain ecosystem.

0 High

High-severity issues should be addressed quickly to reduce the risk of exploitation and protect users' funds and data.

0 Medium

It's essential to fix medium-severity issues in a reasonable timeframe to enhance the overall security of the smart contract.

0 Low

While low-severity issues can be less urgent, it's still advisable to address them to improve the overall security posture of the smart contract.

0 Very Low

Very Low severity is used for minor security concerns that have minimal impact and are generally of low risk.

0 Informational

Used to categorize security findings that do not pose a direct security threat to the smart contract or its users. Instead, these findings provide additional information, recommendations

0 Gas-optimization

Suggestions for more efficient algorithms or improvements in gas usage, even if the current code is already secure.

Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, please check the address. If it does not match what we have checked, it means that it is out our scope of security assessment. **We disclaim any liability arising from the loss of your investment. Cryptocurrencies are very risky. You may lose all your money.**

### Audit Scope:

File	SHA-1 Hash
FOXLETFUN.sol	1759b7f7e067d683d6b3ad4d0a9e8ff577045a88

### Audit Version History:

Version	Date	Description
1.0	Friday, August 16, 2024	Preliminary Report
1.1	Tuesday, August 20, 2024	Full Audit Report

### Audit information:

Request Date	Audit Date	Re-assessment Date
Thursday, August 15, 2024	Friday, August 16, 2024	-

### Smart Contract Audit Summary



**SCRL has assessed the security of this smart contract.**

**The results of the security assessment revealed**

**No Critical Vulnerabilities.**

Full Audit Report by SCRL on August 16, 2024



### Security Assessment Author

Auditor:	<b>Mark K.</b> <b>Kevin N.</b> <b>Yusheng T.</b>	[Security Researcher   Redteam] [Security Researcher   Web3 Dev] [Security Researcher   Incident Response]
Document Approval:	<b>Ronny C.</b> <b>Chinnakit J.</b>	CTO & Head of Security Researcher CEO & Founder

### Digital Sign

## Disclaimer

Regarding this security assessment, there are no guarantees about the security of the program instruction received from the client is hereinafter referred to as “**Source code**”.

And **SCRL** hereinafter referred to as “**Service Provider**”, the **Service Provider** will not be held liable for any legal liability arising from errors in the security assessment. The responsibility will be the responsibility of the **Client**, hereinafter referred to as “**Service User**” and the

**Service User** agrees not to be held liable to the **service provider** in any case. By contract **Service Provider** to conduct security assessments with integrity with professional ethics, and transparency to deliver security assessments to users The **Service Provider** has the right to postpone the delivery of the security assessment. If the security assessment is delayed whether caused by any reason and is not responsible for any delayed security assessments.


If the **service provider** finds a vulnerability The **service provider** will notify the **service user** via the Preliminary Report, which will be kept confidential for security. The **service provider** disclaims responsibility in the event of any attacks occurring whether before conducting a security assessment. Or happened later All responsibility shall be sole with the **service user**.

**Security Assessment Is Not Financial/Investment Advice Any loss arising from any investment in any project is the responsibility of the investor.**

**SCRL disclaims any liability incurred. Whether it's Rugpull, Abandonment, Soft Rugpull, Exploit, Exit Scam.**

## Security Assessment Procedure

1. **Request** The client must submit a formal request and follow the procedure. By submitting the source code and agreeing to the terms of service.
2. **Audit Process** Check for vulnerabilities and vulnerabilities from source code obtained by experts using formal verification methods, including using powerful tools such as Static Analysis, SWC Registry, Dynamic Security Analysis, Automated Security Tools, CWE, Syntax & Parameter Check with AI ,WAS (Warning Avoidance System a python script tools powered by SCRL).
3. **Security Assessment** Deliver Preliminary Security Assessment to clients to acknowledge the risks and vulnerabilities.
4. **Consulting** Discuss on risks and vulnerabilities encountered by clients to apply to their source code to mitigate risks.
  - a. **Re-assessment** Reassess the security when the client implements the source code improvements and if the client is satisfied with the results of the audit. We will proceed to the next step.
5. **Full Audit Report** SCRL provides clients with official security assessment reports informing them of risks and vulnerabilities. Officially and it is assumed that the client has been informed of all the information.



Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, please check the address. If it does not match what we have checked, it means that it is out of our scope of security assessment. **We disclaim any liability arising from the loss of your investment. Cryptocurrencies are very risky. You may lose all your money.**

## Risk Rating

Risk rating using this commonly defined:  $Risk\ rating = impact * confidence$

**Impact** The severity and potential impact of an attacker attack  
**Confidence** Ensuring that attackers expose and use this vulnerability

Confidence	Low	Medium	High
Impact [Likelihood]			
Low	Very Low	Low	Medium
Medium	Low	Medium	High
High	Medium	High	Critical

**Severity** is a risk assessment It is calculated from the Impact and Confidence values using the following calculation methods,

$$Risk\ rating = impact * confidence$$

It is categorized into

**7 categories severity based**



For **Informational & Non-class/Optimization/Best-practices** will not be counted as severity

## Category

<b>Centralization</b> <b>Centralization Risk</b> is The risk incurred by a sole proprietor, such as the Owner being able to change something without permission	<b>Economics Risk</b> <b>Economics Risk</b> is Risks that may affect the economic mechanism system, such as the ability to increase Mint token	<b>Logical Issue</b> <b>Logical Issue</b> is that can cause errors to core processing, such as any prior operations that cause background processes to crash.	<b>Authorization</b> <b>Authorization</b> is Possible pitfalls from weak coding allows unrelated people to take any action to modify the values.	<b>Mathematical</b> <b>Mathematical</b> Any erroneous arithmetic operations affect the operation of the system or lead to erroneous values.	<b>Naming Conventions</b> <b>Naming Conventions</b> naming variables that may affect code understanding or naming inconsistencies
<b>Security Risk</b> <b>Security Risk</b> of loss or damage if it's no mitigate	<b>Coding Style</b> <b>Coding Style</b> is Tips coding for efficiency performance	<b>Best Practices</b> <b>Best Practices</b> is suggestions for improvement	<b>Optimization</b> <b>Optimization</b> is performance improvement	<b>Gas Optimization</b> <b>Gas Optimization</b> is increase performance to avoid expensive gas	<b>Dead Code</b> <b>Dead Code</b> having unused code This may result in wasted resources and gas fees.

## Table Of Content

### Summary

- Executive Summary
- CVSS Scoring
- Vulnerability Summary
- Audit Scope
- Audit Version History
- Audit Information
- Smart Contract Audit Summary
- Security Assessment Author
- Digital Sign
- Disclaimer
- Security Assessment Procedure
- Risk Rating
- Category

### Source Code Detail

- Dependencies / External Imports
- Visibility, Mutability, Modifier function testing

### Vulnerability Finding





- Vulnerability
- SWC Findings
- Contract Description
- Inheritance Relational Graph
- UML Diagram

### About SCRL

## Source Units in Scope

Source Units Analyzed: 1

Source Units in Scope: 1 (100%)




Type	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
	src/WDIStandardToken.sol	4	5	767	533	413	6	383	
	Totals	4	5	767	533	413	6	383	

Legend: [ ]

- **Lines:** total lines of the source unit
- **nLines:** normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)
- **nSLOC:** normalized source lines of code (only source-code lines; no comments, no blank lines)
- **Comment Lines:** lines containing single or block comments
- **Complexity Score:** a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces, ...)



## Visibility, Mutability, Modifier function testing

### Components


 Contracts	 Libraries	 Interfaces	 Abstract
1	0	0	0

### Exposed Functions











This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

 Public	 Payable					
1	0					
External	Internal	Private	Pure	View		
0	1	0	0	1		

### StateVariables

Total	 Public
1	0

### Capabilities

Solidity Versions observed	 Experimental Features	 Can Receive Funds	 Uses Assembly	 Has Destroyable Contracts	
0.8.18					
 Transfers ETH	 Low-Level Calls	 DelegateC all	 Uses Hash Functions	 ECR recover	 New/Create/Create2

Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address**. If it does not match what we have checked, it means that it is beyond our scope of security assessment. We disclaim any liability arising from the loss of your investment.  
**Cryptocurrencies are very risky. You may lose all your money.**



 TryCatch	Σ Unchecked

Dependencies / External Imports

Dependency / Import Path	Count
@openzeppelin/contracts/access/Ownable.sol	1
@openzeppelin/contracts/token/ERC20/ERC20.sol	1



## Vulnerability Findings

ID	Vulnerability Detail	Severity	Category	Status
CEN-01	Centralization Risk (Token Distribution)	-	Centralization	Acknowledge



Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address**. If it does not match what we have checked, it means that it **is beyond our scope of security assessment**. We disclaim any liability arising from the loss of your investment.

**Cryptocurrencies are very risky. You may lose all your money.**

## CEN-01: Centralization Risk (Token Distribution)

Vulnerability Detail	Severity	Location	Category	Status
Centralization Risk (Token Distribution)	-	Check on finding	Centralization	Acknowledge

### Finding:

Despite the Token Contract not containing any malicious functions that can be executed by the Owner, But, it has been identified that token contracts do not adequately define token distribution, with only one token holder owning 100% as of August 16, 2024. This presents a significant risk of centralization, and all potential participants must give careful consideration to this matter.

We strongly urge all participants **always promptly to verify token holdings** at <https://gopluslabs.io/token-security/56/0x5d7281Fc9544427118Fd919781Bcb7C7F1780289> or <https://bscscan.com/token/0x5d7281Fc9544427118Fd919781Bcb7C7F1780289#balances>

**\*\*\*Note: Please note that SCRL is not responsible for any investments. And this document is not an investment recommendation document. If any project is in the pre-sale stage, please participate it at your own risk.**  
<https://chat.scrl.io/hc/scrl-help-center/articles/1717548722-understand-the-risk-of-de-fi-web3>

### Recommendation:

**We recommend creating a distribution token & liquidity lock contract to clearly define the distribution ratio for tokens such as Developer, Marketing, Liquidity, and further considerations below.**

In terms of timeframes, there are three categories: short-term, long-term, and permanent.

For short-term solutions, a combination of timelock and multi-signature (2/3 or 3/5) can be used to mitigate risk by delaying sensitive operations and avoiding a single point of failure in key management. This includes implementing a timelock with a reasonable latency, such as 48 hours, for privileged operations; assigning privileged roles to multi-signature wallets to prevent private key compromise; and sharing the timelock contract and multi-signer addresses with the public via a medium/blog link.

For long-term solutions, a combination of timelock and DAO can be used to apply decentralization and transparency to the system. This includes implementing a timelock with a reasonable latency, such as 48 hours, for privileged operations; introducing a DAO/governance/voting module to increase transparency and user involvement; and sharing the timelock contract, multi-signer addresses, and DAO information with the public via a medium/blog link.

Finally, permanent solutions should be implemented to ensure the ongoing security and protection of the system.

### Alleviation: -

Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address. If it does not match what we have checked, it means that it is beyond our scope of security assessment. We disclaim any liability arising from the loss of your investment.**  
**Cryptocurrencies are very risky. You may lose all your money.**

## SWC Findings

ID	Title	Scanning	Result
SWC-100	Function Default Visibility	Complete	No risk
SWC-101	Integer Overflow and Underflow	Complete	No risk
SWC-102	Outdated Compiler Version	Complete	No risk
SWC-103	Floating Pragma	Complete	No risk
SWC-104	Unchecked Call Return Value	Complete	No risk
SWC-105	Unprotected Ether Withdrawal	Complete	No risk
SWC-106	Unprotected SELFDESTRUCT Instruction	Complete	No risk
SWC-107	Reentrancy	Complete	No risk
SWC-108	State Variable Default Visibility	Complete	No risk
SWC-109	Uninitialized Storage Pointer	Complete	No risk
SWC-110	Assert Violation	Complete	No risk
SWC-111	Use of Deprecated Solidity Functions	Complete	No risk
SWC-112	Delegatecall to Untrusted Callee	Complete	No risk
SWC-113	DoS with Failed Call	Complete	No risk

Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address. If it does not match what we have checked, it means that it is beyond our scope of security assessment. We disclaim any liability arising from the loss of your investment.**

**Cryptocurrencies are very risky. You may lose all your money.**

SWC-114	Transaction Order Dependence	Complete	No risk
SWC-115	Authorization through tx.origin	Complete	No risk
SWC-116	Block values as a proxy for time	Complete	No risk
SWC-117	Signature Malleability	Complete	No risk
SWC-118	Incorrect Constructor Name	Complete	No risk
SWC-119	Shadowing State Variables	Complete	No risk
SWC-120	Weak Sources of Randomness from Chain Attributes	Complete	No risk
SWC-121	Missing Protection against Signature Replay Attacks	Complete	No risk
SWC-122	Lack of Proper Signature Verification	Complete	No risk
SWC-123	Requirement Violation	Complete	No risk
SWC-124	Write to Arbitrary Storage Location	Complete	No risk
SWC-125	Incorrect Inheritance Order	Complete	No risk
SWC-126	Insufficient Gas Griefing	Complete	No risk
SWC-127	Arbitrary Jump with Function Type Variable	Complete	No risk
SWC-128	DoS With Block Gas Limit	Complete	No risk


Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address. If it does not match what we have checked, it means that it is beyond our scope of security assessment. We disclaim any liability arising from the loss of your investment.**

**Cryptocurrencies are very risky. You may lose all your money.**



SWC-129	Typographical Error	Complete	No risk
SWC-130	Right-To-Left-Override control character (U+202E)	Complete	No risk
SWC-131	Presence of unused variables	Complete	No risk
SWC-132	Unexpected Ether balance	Complete	No risk
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Complete	No risk
SWC-134	Message call with hardcoded gas amount	Complete	No risk
SWC-135	Code With No Effects	Complete	No risk
SWC-136	Unencrypted Private Data On-Chain	Complete	No risk

Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address**. If it does not match what we have checked, it means that it is beyond our scope of security assessment. We disclaim any liability arising from the loss of your investment.  
**Cryptocurrencies are very risky. You may lose all your money.**

Contracts Description Table

Contract	Type	Bases		
L	Function Name	Visibility	Mutability	Modifiers
FLF	Implementation	ERC20, Ownable		
L		Public !		ERC20
L	decimals	Public !		NO !



Legend

Symbol	Meaning
	Function can modify state
	Function is payable

SCRL

Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address**. If it does not match what we have checked, it means that it is beyond our scope of security assessment. We disclaim any liability arising from the loss of your investment.  
**Cryptocurrencies are very risky. You may lose all your money.**

## Call Graph





## UML Class Diagram

FLF FOXLETFUN.sol
Private: _decimals: uint8
Public: constructor(_name: string, _symbol: string, __decimals: uint8, _totalSupply: uint256) decimals(): uint8



## About SCRL

SCRL (Previously name SECURI LAB) was established in 2020, and its goal is to deliver a security solution for Web3 projects by expert security researchers. To verify the security of smart contracts, they have developed internal tools and KYC solutions for Web3 projects using industry-standard technology. SCRL was created to solve security problems for Web3 projects. They focus on technology for conciseness in security auditing. They have developed Python-based tools for their internal use called WAS and SCRL. Their goal is to drive the crypto industry in Thailand to grow with security protection technology.



Support ALL EVM L1 - L2

# Smart Contract Audit

Our top-tier security strategy combines static analysis, fuzzing, and a custom detector for maximum efficiency.

**scrl.io**



### Follow Us On:

Website	<a href="https://scrl.io/">https://scrl.io/</a>
Twitter	<a href="https://twitter.com/scrl_io">https://twitter.com/scrl_io</a>
Telegram	<a href="https://t.me/scrl_io">https://t.me/scrl_io</a>
Medium	<a href="https://scrl.medium.com/">https://scrl.medium.com/</a>

Please note that the security assessment is **not intended as investment advice**. You should study, understand and accept the risk at your own risk. If you buy pre-sale or any tokens, please note that it is your own responsibility and before any interaction, **please check the smart contract address**. If it does not match what we have checked, it means that it is beyond our scope of security assessment. We disclaim any liability arising from the loss of your investment.  
**Cryptocurrencies are very risky. You may lose all your money.**