Kaggle Maggle

How To Use Kaggle

Competitions
Find challenges for every interest level

Datasets
Explore, analyze, and share quality data

Efficient GPU Usage Tips

Tensor Processing Units (TPUs)

Models
Use and share pre-trained models

Competitions Setup
Create a new competition or competition metric

Organizations
How to create, use, and manage organization profiles

Groups
How to create and use groups on Kaggle

Kaggle Packages
Create re-usable code packages

Notebooks
Explore and run machine learning code with Kaggle Notebooks, a cloud computational environment that enables reproducible and collaborative analysis

MCP Server
Power up your Agents and streamline development workflows using Kaggle's resources.

Benchmarks
How to use Kaggle Benchmarks as your home for trustworthy AI benchmarking

Public API
Interacting programmatically with Kaggle

Search

Groups

Manage your Kaggle Groups

New group

Your Groups

All Invites Groups you manage

SampleGroupBench
Private Group
Let's test how the groups work here! · 1 Member

1

Group Details

SampleGroupBench
Private Group
Let's test how the groups work here! · 1 Member

Shared resources

People Invite Settings

Invite via link

Turn on invite via link

INVITATION LINK

https://www.kaggle.com/groups/samplegroupbench/pending-invite/2FE00CC1-C494-41

Anyone with this link can join this group

Send invites

Search for a Kaggle username

Username	Role
Julia Pelzer (juliapelzer)	Member

Member
Admin

Confidential (3Y)

How to U

Organizations

How to create, use, and man

Overview

Anyone can create an organiz
organization's datasets, mode

Before creating an organizati

How do organiza

What are organizat

Organization profiles are a "la
example, it gives you an easy
published with a single link.

What are organizat

Organizations are not meant t
this purpose.

Note: While all members of ar
give other members of the or
Read more about organizatior

Who should create

Review

Please be patient while your organization is being reviewed by the Kaggle team.

If you have questions about the review process or you would like to appeal a review, please see our contact page: https://www.kaggle.com/contact#/other/issue

Approval

Once your organization has been approved, you'll receive an email and/or site notification. You and other members of the organization can now create organization-owned datasets, models, or competitions including making them public. Anyone can also see your organization's profile page.

Organization member permissions

Abilities of organization members

Organization members can create datasets, models, and competitions under approved organization profiles.

Again, organizations are not currently meant to be used as a tool for collaboration with a group of people. While all members of an organization can create competitions, datasets, and models as an organization, this does not give other members of the organization the ability to manage that content (edit, delete, update, or view private resources).

If you want to share private datasets or models owned by an organization profile, you will need to use Collaboration features.

Similarly, organization members are NOT able to see any unlaunched competitions unless their user is the creator of the competition.

Members will not be able to add new members to an organization unless the organization owner shares the unique invitation link.

Abilities of organization admins

Organization admins have the same abilities and permissions as organization members. In addition, they can add and

s
(T...
work
pro...
sions
org...
ns


kaggle
Create
Notebook
Dataset
Competition
Hackathon
Benchmark
More
Leaderboard
Task

Notebook

notebookf1c6e72dfb Draft saved

File Edit View Run Settings Add-ons Help

Run All Code Draft Session off (run a cell to start)

```python
# This Python 3 environment comes with many helpful analytics libraries installed
# It is defined by the kaggle/python Docker image: https://github.com/kaggle/docker-python
# For example, here's several helpful packages to load

import numpy as np # linear algebra
import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)

# Input data files are available in the read-only "../input/" directory
# For example, running this (by clicking run or pressing Shift+Enter) will list all files under the input directory

import os
for dirname, _, filenames in os.walk('/kaggle/input'):
    for filename in filenames:
        print(os.path.join(dirname, filename))

# You can write up to 20GB to the current directory (/kaggle/working/) that gets preserved as output when you create a version using "Save & Run All"
# You can also write temporary files to /kaggle/temp/, but they won't be saved outside of the current session
```

+ Code + Markdown

File Edit View Run Settings

- New Notebook
- Import Notebook
- Download Notebook
- Link to Colab
- Open in Colab
- Link to GitHub
- Set as Utility Script
- Set as Benchmark Task
- Add input
- Upload input
- Language
- Editor Type
- Share
- Save Version
- Version history
- Rename Notebook
- Delete Notebook

Edit View Run Settings Ad

- Move cell up
- Move cell down
- Delete cell
- Undo
- Redo
- Cut cells
- Copy cell
- Paste cells below
- Paste cells above
- Paste cell and replace
- Select all cells
- Deselect all cells
- Split cell
- Merge cells
- Clear output
- Clear all outputs
- Find...
- Find next...
- Find previous...

View Run Settings Add-ons Help

- Toggle line numbers
- Toggle output scrolling
- Toggle word wrap
- Toggle corgi mode
- Toggle goose mode
- Toggle kitty mode
- Toggle XL font size
- Theme settings
- Editor Layout
- Hide toolbar
- Hide sidebar
- Show console
- Hide cell from viewers
- Collapse all code cells
- Expand all code cells
- Collapse selected code
- Collapse selected outputs
- Collapse all outputs
- Expand selected code
- Expand selected outputs
- Expand all outputs
- Activate command palette

Run Settings Add-ons Help

- Run current cell ⌘/Ctrl+Enter
- Run all ⌘/Ctrl+Shift+Alt+Enter
- Run before
- Run selected ⌘/Ctrl+Shift+Enter
- Run current and after
- Run selected cells and insert below
- Run selected text or current line in console
- Factory reset
- Restart & clear cell outputs
- Start session
- Kaggle Jupyter Server
- Schedule a notebook run

Add-ons Help

- Secrets
- Google Cloud Services
- Google Cloud SDK
- Install Dependencies

Settings Add-ons Help

- Turn off internet
- Accelerator
- Environment Preferences

- None
- GPU T4 ×2
- GPU P100
- TPU v5e-8

```
defined by the kaggle/python Doc
xample, here's several helpful pa
```


Share
Private
Only collaborators can view this notebook
Public
Anyone at Kaggle can find and view under the
Apache 2.0 License
Share with people or groups
Use Groups to quickly share with the same people.
msf1092
PERMISSION
Owner
ALLOW COMMENTS
On

Notebook

Input

+ Add Input | Upload

DATASETS

- sampleTrain
  - Train.csv

Output (84KiB / 19.5GiB)

- /kaggle/working
- .virtual_documents

Table of contents

No sections detected

Add markdown headers to add a section

Session options

ACCELERATOR

None

- None
- GPU T4 ×2
- GPU P100
- TPU v5e-8

LANGUAGE

Python

- Python
- R

ENVIRONMENT

Pin to original environment

- Pin to original environment
- Always use latest environment

PERSISTENCE

No persistence

- No persistence
- Variables and Files
- Variables only
- Files only

INTERNET

Internet on

TAGS

+ Add Tags

DEPENDENCY MANAGER

Install Dependencies

Schedule a notebook to run

Schedule this notebook to run and save a new version on a future date. View all your scheduled notebooks.

TRIGGER

Select

Save

Session options

ACCELERATOR

Dependency Manager

Customize your environment by adding packages that aren't in our base image. More info

```
# Add pip commands here, for example:
# pip install my-new-package
# pip install my-new-package==X.Y.Z
```

Run

Cancel Save

Competitions and Hackathons

The world's most important AI problems, open to anyone. Compete alongside millions of builders and researchers to advance the state of the art. Find help in the documentation.

+ Create your own | Your Work | Partner with us

- Competition
- Hackathon

Confidential (3Y)

New Hackathon

Enter Hackathon Details

NEW TITLE *

Enter a descriptive title

0 / 60

HACKATHON URL *

kaggle.com/competitions/ Edit

SUBTITLE *

Enter a subtitle explaining what competitors will do.

0 / 140

CREATING AS

msf1092 (You)

This will appear as the host. Need a new organization? Request one. Approvals can take 24+ hours; create as your user now and update the host from "Settings".

Privacy & Access

Public

Anyone can view, read the writeups, and join

Restricted

Anyone can view, read the writeups, but only invited people can join

Enable Notebooks

Adds a 'Code' tab where participants can write and run code directly on Kaggle. Notebooks give you a verifiable version history and are especially useful if your hackathon includes a dataset. Learn more

Cancel | Create Hackathon

Review competition terms and conditions

By clicking on the "I Understand and Accept", you agree to the following terms:

- [ ] I confirm that this competition complies with Kaggle's Terms of Service and is designed as a competition of skill, not chance.
- [ ] I understand it is my sole responsibility to ensure that the Competition-specific rules, participant eligibility, and prize fulfillment, comply with applicable law including but not limited to denied party and country regulations, embargoes, trade controls, anti-corruption laws, anti-discrimination laws, tax laws, data privacy laws, and all other applicable laws.
- [ ] I understand that any Competition-specific rules I make are subject to and will not supersede Kaggle's Foundational Competition Rules for competitions. In the event that this competition's rules conflict with the Foundational Competition rules, the Foundational Competition Rules will supersede.
- [ ] I understand participants in this competition have a direct relationship between Host and Participant. Kaggle has no liability for any actions or content of a Host or Participant.
- [ ] I understand that I, not Kaggle, am solely responsible for providing and distributing all prizes, fulfilling all promises and commitments I make, including the full amount of the prizes committed at competition launch, and for complying with all applicable tax rules related to competition winners. (Max prize allowed: $10,000 per competition). I am solely responsible for facilitating delivery of all prizes to the winner, including tax matters and all data privacy considerations and regulations related to receiving taxpayer information or otherwise associated with my receipt of information from the winner.

Decline | I Understand and Accept

TUNI Luottamuksellinen - Confidential (3Y)

Overview

This is the home page of the hackathon. In this section, you should aim to succinctly introduce the hackathon.

All of the content on Kaggle is written in markdown. If you are copy-pasting from another application, like Word or your browser, you may need to clean up the markdown or html for things to display properly.

Goal: When you write this section, try to summarize your hackathon's goal in 1-2 sentences to help your participants quickly understand their objective.

Timeline

Set Deadline

Description

The description section is used to further explain the details of your hackathon. You could explain more about the domain or go into more depth about the problem. You can upload images using the "Insert Image" icon on the bar that displays above this textbox when in edit mode.

This is a subtitle

To format pages, stick to the following conventions:

- Inline `code` should be encapsulated by back-ticks ``.
- Block code should have ``` as the first and last line of the block to produce

```
# code to print hello
print('hello')
```

- Subtitles are prefixed with ##

You can display block equations using LaTeX encapsulated between `$$` s, and display inline encapsulated between `\(`

Basic details

TITLE *

Notebook_to_all

15 / 80

WRITEUP URL *

kaggle.com/competitions/sample-hack-001/writeups/notebook-to-all Edit

SUBTITLE

test how a notebook looks

Card and Thumbnail Image

Dimensions for the image (560 × 280)

Edit image

Submission Tracks *

Select the track where you'd like your project to be judged in. View tracks in the awards section of the competition.

Select Track

Media gallery

Project Description

Explain what you built. A clear description helps judges and the community understand the value of your project.

0 Words

Attachments

Add links to code, demos and Kaggle files that will help judges understand your project. You can also upload files like code model weights that are part of your project.

PROJECT LINKS

Simulation-Benchmarks · GitHub
https://github.com/simulation-benchmarks

github.com

Add another link

FILES

Upload files to your Writeup (max. 100MB). For larger files, consider creating a Kaggle Dataset, Model, or link a GitHub repo

Upload Files

SampleHack001

It's a sample hackathon

Settings Overview Writeups Data Code Discussion Rules

1/12 **You're off to a great start!** You've completed 1 of 12 tasks to launch your hackathon. **Launch Checklist**

Dataset Description

Edit

Give your hackathon participants a head start by providing a dataset. While not mandatory, it can offer valuable resources for them to explore. You could upload your own data or select from a collection of public datasets. For ideas, check out Kaggle Datasets.

To upload a Dataset, click **Upload First Version** below. If you don't wish to upload a dataset, click **Add NOTE.md file** to inform participants.

Remember to finalize this section before launching your hackathon.

This competition doesn't have a dataset yet.

New to working with a competition dataset? View setup guide.

Upload first version | Skip adding a dataset for this hackathon

Metadata

License

Edit

Unset

Upload Data

File Link Notebook output

Drag & drop files to upload

Consider zipping large directories for faster uploads

or

Browse Files

Upload Data

File Link Notebook output

Remote URL
Create a competition dataset from remote URLs.
URLs must point to a file.

Import GitHub rep
Create from a GitHub reposit
Use the repo URL or any deep

Import Google Clo
Create a competition dataset
URLs must point to a bucket

URL
Enter remote URL

Upload Data

File Link Notebook output

Search keyword or URL

Public

Your Work

Public

CayleyPy Models
Updated 10m ago
CayleyPy Megaminx Solve Optimally +1

0.932 test mod version 4
Updated 9h ago
BirdCLEF+ 2026 +4

PS-s6e4 | Ensemble of solutions (8)
Updated 5h ago
Predicting Irrigation Need +1

Orbit Wars: Sun-Dodging Baseline
Updated 3h ago
Orbit Wars

orbit-wars-agent
Updated 4h ago
Orbit Wars

new_deepfake
Updated 2h ago
deepfake face froensic


kaggle
Create
Notebook
Dataset
Competition
Hackathon
Benchmark

Search

Datasets

Explore, analyze, and share quality data. Learn more about data types, creating, and collaborating.

+ New Dataset | Your Work

Search datasets

All datasets | Computer Science | Education | Classification | Comp

Trending Datasets

Superstore Sales Analytics Dataset - 2026

Maharashtra Climate Trends: 2020–2025

Upload Data

Code | File | Link | Notebook output

Upload Data

Code | File | Link | Notebook output

Remote URL
Create a dataset from remote URLs.
URLs must point to a file.

Import GitHub repository
Create from a GitHub repository archive.
Use the repo URL or any deep link.

Import Google Cloud Storage
Create a dataset from a public Google Cloud Storage bucket.
URLs must point to a bucket or path. Ex: gs://bucket/path

URL
Enter remote URL

Upload Data

Code | File | Link | Notebook output

UPLOAD VIA
kagglehub

kagglehub
Kaggle CLI

```
import kagglehub

handle = '<KAGGLE_USERNAME>/<DATASET_SLUG>'
local_dataset_dir = 'path/to/local/dataset/dir'

# Create a new dataset
kagglehub.dataset_upload(handle, local_dataset_dir)

# You can then create a new version of this dataset and include version notes.
kagglehub.dataset_upload(handle, local_dataset_dir, version_notes='improved data')

# You can also specify a list of patterns for files/dirs to ignore.
# These patterns are combined with 'kagglehub.datasets.DEFAULT_IGNORE_PATTERNS'
# to determine which files and directories to exclude.
# To ignore entire directories, include a trailing slash (/) in the pattern.
kagglehub.dataset_upload(handle, local_dataset_dir, ignore_patterns=["original/",
"*.tmp"])
```

lrop files to upload

large directories for faster uploads

or

Browse Files

Upload Data

DATASET TITLE

trainsample

www.kaggle.com/datasets/msf1092/trainsample

VISIBILITY

Private

Private

Public

Drag & drop additional files to up

Consider zipping large directories for faster

or

+ Upload another file

Private Quota: 444.22 kB / 214.75 GB

MSF1092 · UPDATED JUST NOW · PRIVATE

0 Code Download

trainsample

Add a subtitle Edit

Data Card Code (0) Discussion (0) Suggestions (0) Settings

Pending Actions

USABILITY SCORE: 1.18

Add a subtitle
Stand out on the listings page with a snappy subtitle

Add tags
Make it easy for users to find your dataset in search

Add a description
Share specifics about the context, sources, and inspiration behind your dataset

Upload an image
Make your dataset pop with an eye-catching cover image and thumbnail

About Datas

Add a description

Train.csv (4

Detail Compa

About this file

This file does not

Project

HKW 3

Ijmuiden Ver 3

Other (860)

HKN

HKN

See what others are saying about this dataset

What have you used this dataset for?

Learning 0 Research 0 Application 0 LLM Fine-Tuning 0

How would you describe this dataset?

Well-documented 0 Well-maintained 0 Cle

Metadata

Collaborators

msf1092 (Owner)

Authors

AUTHOR NAME

-

BIO

-

Coverage

TEMPORAL COVERAGE START DATE

-

TEMPORA

-

DOI Citation

DOI (DIGITAL OBJECT IDENTIFIER)

-

DOI Citation

Edit

DOI (DIGITAL OBJECT IDENTIFIER)

-

Provenance

Edit

SOURCES

Add the origin of this dataset

COLLECTION METHODOLOGY

-

CITATIONS

Add links to papers or publications associated with this dataset

License

Edit

Unknown

Expected Update Frequency

Edit

Not specified (Updated just now)

MSF1092 · UPDATED 3 MINUTES AGO · PRIVATE

0 | Code | Download

trainsample

Add a subtitle Edit

Data Card | Code (0) | Discussion (0) | Suggestions (0) | Settings

Dataset Notebooks

Search notebooks | Filters

All | Your Work | Shared With You | Bookmarks | Hotness

No notebooks found

No notebooks to show.

50

0 / 80

SUGGESTIONS

Enabled

Edit Image

Sharing

Add collaborators who are responsible for maintaining the dataset including being available for questions from users.

juliapelzer

Julia Pelzer (juliapelzer)

Benchmarks

Discover open, rigorous benchmarks and leaderboards from top AI labs, researchers and the Kaggle community in one place. View Documentation or Benchmarks SDK.

+ Create | Your Work

Benchmarks | Tasks

Search benchmarks

All Benchmarks | Research | Community | Game Arena | Task | Cre

Featured Benchmarks

Explore a rotation of featured benchmarks curated by the Kaggle team

Heads Up Poker
Kaggle
Kaggle Game Arena benchmark designe...
Game (2 tasks)
CURRENT TOP 3 (OF 15)
41
32
30
99

ITBench
IBM Research
Evaluates LLMs against reasoning and...
Research (2 tasks)
CURRENT TOP 3 (OF 13)
58%
55%
52%
34

Introducing Community Benchmarks

Community evaluations of the latest LLM models using our new

Benchmarks

How to use Kaggle Benchmarks as your home for trustworthy AI benchmarking

Overview

Kaggle seeks to be the home of a diverse ecosystem of high quality benchmarks assessing model capabilities on tasks of significant importance to the industry to help developers reliably understand and trust what works well on ML tasks. Building on Kaggle's decade-plus of experience as the home for hosting ML Competitions, which are a type of benchmark, for the industry and our partners, we will adhere to the following principles:

- Kaggle believes in the importance of **robustness**: enduring, high-value benchmarks that truly help the industry measure progress in AI are ones that can't be easily hacked, saturated, or leaked
- Kaggle believes in the importance of **reproducibility and transparency** for ensuring the industry can trust benchmarks and evaluations. We also take in extremely high regard the trust publishers place in us as a platform.
- **Kaggle doesn't develop benchmarks**. Our role is to independently reproduce and publicly release results, provide a model-agnostic platform that streamlines evaluation of new models on new benchmarks over time, and drive community engagement and stress testing.

Kaggle Benchmarks comprises two main types of benchmarks: 1) **Research Benchmarks**, which are evals created by researchers working in AI labs, and 2) **Community Benchmarks**, which are evals created by the Kaggle community.

Both are technically identical, with the only difference being that Research Benchmarks tend to require a lot more compute. If you're a researcher who wants to host your benchmarks with us, email kaggle-benchmarks@google.com to discuss how you can get a higher quota.

Creating Tasks and Benchmarks

First, some key concepts about Kaggle Benchmarks:

- **Task:** A Python function defining the problem (e.g., "Solve this riddle").
- **Benchmark:** A collection of tasks that you can put together. There is no code implementation for this. This is a feature that Kaggle supports on the graphical user interface so that users can put together their own benchmarks

ITBench

Evaluates LLMs against reasoning and decision-making for IT automation tasks. (https://github.com/itbench-hub/ITBench)

Leaderboard Discussion (0)

ITBench is a systematic framework and runtime for benchmarking LLMs and Agents on real-world IT automation tasks across three domains:

- **Site Reliability Engineering (SRE):** Ensures app resilience and performane through incident diagnosis
- **Financial Operations (FinOps):** Manage IT spend by performing cost anomaly analysis
- **Compliance & Security Operations (CISO):** Manage threats and assess policies by conducting compliance posture assessment (to be added)

This leaderboard represents a subset of the broader ITBench and includes selected SRE and FinOps scenarios in offline environments. We will continue enriching the scenario set and incorporating agentic evaluations into the leaderboard over time.

The framework and runtime can be found on our GitHub.

We'll continue to expand our use cases and scenarios, broaden model coverage, and introduce agentic evaluations.

Paper | Blog Post | Poster | Dataset | SRE Notebook | FinOps Notebook | Download

Results independently reproduced by Kaggle. Learn more

Last updated December 2, 2025

#	Model	Average Score	FinOps Score	SRE Score
1	Gemini 3 Pro Preview	58.3%	6666.7%	5000.0%
2	GPT-5.1	55.2%	6666.7%	4375.0%
3	Claude Opus 4.5	52.1%	6666.7%	3750.0%
4	GPT-5	51.9%	6000.0%	4375.0%
5	o3	51.7%	5333.3%	5000.0%

TUNI Luottamuksellinen - Confidential (3Y)



TUNI Luottamuksellinen - Confidential (3Y)

Datasets

Explore, analyze, and share quality data. Learn more about data types, creating, and collaborating.

+ New Dataset

Your Work

Search datasets

Filters

All datasets | Computer Science | Education | Classification | Computer Vision | NLP | Data Visualization | Pre-Trained Model

Trending Datasets

See All

Superstore Sales Analytics Dataset - 2026

Nafees Al Mahadi

Maharashtra Climate Trends: 2020–2025

Rosemeen Shaikh

Global Weather & Air Pollution Dataset

J.

Shoes Sales Dataset

Eman Shahid

Usability **9.4** · Updated 17 hours ago

Models

Discover and use thousands of machine learning models, including the most popular diffusion models and LLMs. Learn how to share with the community and use the kagglehub library.

+ New Model

Your Work

Search Models

All Filters | All Models | Task | Data Type | Framework | Publisher | Language | License

Trending Models

See All

Nemotron-Nano-30B variances

Ngô Xuân Kiên · Transformer

15 Variations · 7 Notebooks

These models were trained using the Ne...

40

Gemma 4

Google

Updated 14d ago · 17 Variations

Gemma is a family of lightweight, state-o...

462

50 Notebooks

Nemotron-3-Nano-30B-A3B-BF16

Kaggle Competition Metrics

1 Variation · 113 Notebooks

158

Perch

Google · EfficientNet

Updated 8mo ago · 3 Variations

Google Bird Vocalization Classifier: A glo...

350

416 Notebooks

Code

Explore and run machine learning code with Kaggle Notebooks.
Find help in the Documentation.

+ New Notebook | Your Work

Search public notebooks | Filters

All notebooks | Recently Viewed | Package | Python | R | Beginner | NLP | Random Forest | GPU | TPU

Trending

See all (688)



PS-s6e4 | Ensemble of solutions (8)

Updated 5 hours ago

PS-s6e4-20+1

15



Potato Blight /Yolo attempt/ Irish Famine

Updated 9 hours ago

batata

16



Maharashtra Climate: 0.99 R^2 Analysis

Updated 6 hours ago

Maharashtra Climate Trends: 2020–2025

11



PS-s6e4 | Ensemble of solutions (7)

Updated 8 hours ago

PS-s6e4-20+1

11