


Brukerveiledning – Drone Database

Startside:



The screenshot shows a web browser window with the address bar displaying "127.0.0.1:5000/overview". The page has a dark background and features a yellow "Drone List" header. Below the header, there are two tables, each with a red border. The left table, titled "Worker Drone", has 8 rows. The right table, titled "Disassembly Drone", has 9 rows. Below each table is a button: "Add Worker Drone" (grey) and "Add Disassembly Drone" (yellow). The browser's address bar and navigation icons are visible at the top.

ID	Name	Status	Delete	View Profile
1	Doll	infected	Delete	View Profile
3	Nori	patched	Delete	View Profile
4	Uzi	infected	Delete	View Profile
6	Thad	N/A	Delete	View Profile
7	Alice	patched..?	Delete	View Profile
8	null	null	Delete	View Profile

ID	Name	Status	Delete	View Profile
1	N	alive	Delete	View Profile
2	V	alive	Delete	View Profile
3	J	???	Delete	View Profile
4	S	dead	Delete	View Profile
5	R	alive	Delete	View Profile
9	W	dead	Delete	View Profile

Når du kjører koden, skal det åpne hovedsiden med oversikt over alle dronene. Hvis alt er riktig vil det vise tabell-oppsettet slik som eksempelet over.

Worker drones:

Add Worker Drone

The screenshot shows a web interface titled "Drone List" with a dark background. It contains two tables of drone data, each with columns for ID, Name, Status, and actions (Delete, View Profile). The "Add Worker Drone" button is circled in red.

ID	Name	Status	Delete	View Profile
1	Doll	infected	Delete	View Profile
3	Nori	patched	Delete	View Profile
4	Uzi	infected	Delete	View Profile
6	Thad	N/A	Delete	View Profile
7	Alice	patched..?	Delete	View Profile
8	null	null	Delete	View Profile

ID	Name	Status	Delete	View Profile
1	N	alive	Delete	View Profile
2	V	alive	Delete	View Profile
3	J	???	Delete	View Profile
4	S	dead	Delete	View Profile
5	R	alive	Delete	View Profile
9	W	dead	Delete	View Profile

[Add Worker Drone](#) [Add Disassembly Drone](#)

Denne knappen leder deg hit:

The screenshot shows the "Add Worker Drone" form. It has a title "Add Worker Drone" and two input fields: "Worker Name" and "Status (infected or patched)". A "Send" button is next to the status field. A "Back to overview" link is at the bottom.

Add Worker Drone

Worker Name Status (infected or patched) [Send](#)

[Back to overview](#)

Skriv inn det du ønsker, eller gå tilbake.

(Eksempel):

127.0.0.1:5000/overview/add_WD

Add Worker Drone

New Name

[Back to overview](#)

Send knappen vil oppdatere tabellen og ta deg tilbake til hovedsiden:

127.0.0.1:5000/overview


Drone List

ID	Name	Status	
1	Doll	infected	Delete View Profile
3	Nori	patched	Delete View Profile
4	Uzi	infected	Delete View Profile
6	Thad	N/A	Delete View Profile
7	Alice	patched..?	Delete View Profile
8	null	null	Delete View Profile
14	New Name	alive	Delete View Profile

[Add Worker Drone](#)

View Profile – Worker Drones

«View Profile» knappen vil åpne opp en siden der man kan redigere navn og status:



← → ↻ ⓘ 127.0.0.1:5000/overview/edit_WD/14


Name:
New Name

Status:
alive


Update Worker Drone

[Back to overview](#)


«Update Worker Drone» vil oppdatere det nye navnet til databasen og ta deg tilbake til hovedsiden.




«Delete» - Worker Drones:




Slett knappen «Delete» lar brukeren slette en bestemt drone. Når man trykker på «Delete» skal det komme opp en forespørsel om brukeren er sikker på valget sitt. Om man trykker «ok» vil dronen bli permanent slettet.





Disassembly Drones:

Add Disassembly Drone




The screenshot shows a web application interface for managing drones. At the top left, there is a yellow button labeled "Drone List". Below it, there are two tables. The left table has columns "ID", "Name", and "Status", and contains 10 rows of drone data. The right table has columns "ID", "Name", and "Status", and contains 9 rows of drone data. Below the tables, there are two buttons: "Add Worker Drone" and "Add Disassembly Drone". The "Add Disassembly Drone" button is highlighted with a red oval.

ID	Name	Status
1	Doll	infected
3	Nori	patched
4	Uzi	infected
6	Thad	N/A
7	Alice	patched..?
8	null	null
14	New Name 2!	alive

ID	Name	Status
1	N	alive
2	V	alive
3	J	???
4	S	dead
5	R	alive
9	W	dead

«Add Disassembly Drone leder deg til en side som lar deg skrive inn navn og status på dronen.»



The screenshot shows the "Add Disassembly Drone" form. It has a yellow button labeled "Add Disassembly Drone" at the top. Below it, there is a form with two input fields: "Drone Name" and "Status (dead or alive)". The "Drone Name" field is highlighted with a red oval. To the right of the "Status" field is a "Send" button. Below the form, there is a "Back to overview" button.

Drone Name: Status (dead or alive):

I feltet her kan brukeren skrive inn også trykke på «Send» knappen, eller angre og gå tilbake til hovedsiden

127.0.0.1:5000/overview/add_DD

Add Disassembly Drone

u terminated **Send**

[Back to overview](#)

ID	Name	Status	
1	N	alive	Delete View Profile
2	V	alive	Delete View Profile
3	J	???	Delete View Profile
4	S	dead	Delete View Profile
5	R	alive	Delete View Profile
9	W	dead	Delete View Profile
14	U	terminated	Delete View Profile

Add Disassembly Drone

«View Profile» - Diassembly Drones

The screenshot shows a web interface titled «Drone List». It features two tables of drone data. The left table lists drones with IDs 1, 3, 4, 6, 7, 8, and 14, including names like Doll, Nori, Uzi, Thad, Alice, and a null entry. The right table lists drones with IDs 1, 2, 3, 4, 5, 9, and 14, including names like N, V, J, S, R, W, and U. Both tables have columns for ID, Name, Status, and actions (Delete, View Profile). Below the tables are two buttons: «Add Worker Drone» and «Add Disassembly Drone».

ID	Name	Status	Actions
1	Doll	infected	Delete View Profile
3	Nori	patched	Delete View Profile
4	Uzi	infected	Delete View Profile
6	Thad	N/A	Delete View Profile
7	Alice	patched..?	Delete View Profile
8	null	null	Delete View Profile
14	New Name 2!	alive	Delete View Profile

ID	Name	Status	Actions
1	N	alive	Delete View Profile
2	V	alive	Delete View Profile
3	J	???	Delete View Profile
4	S	dead	Delete View Profile
5	R	alive	Delete View Profile
9	W	dead	Delete View Profile
14	U	terminated	Delete View Profile

[Add Worker Drone](#) [Add Disassembly Drone](#)

«View profile knappen vil lede brukeren til en redigeringsside som viser navn, status og serienummeret til dronen. Det er mulig å oppdatere navn og status.»

The screenshot shows a web interface titled «edit_DD/14». It contains three input fields: «Name:» with the value «U», «Serial designation number:» with the value «00010X001», and «Status:» with the value «terminated». Below these fields are two buttons: «Update Disassembly Drone» and «Back to overview».

Name:
U

Serial designation number:
00010X001

Status:
terminated

[Update Disassembly Drone](#)

[Back to overview](#)

← → ↻ ⓘ 127.0.0.1:5000/overview/edit_DD/14

Name :

Serial designation number:
00010X001


Status:

Update Disassembly Drone


Back to overview

Serienummeret er en fast satt random streng og kan ikke bli endret. Når brukeren har gjort endringer på navn og/eller status, kan brukeren trykke på «Update Disassembly Drone» og da vil informasjonen bli oppdatert automatisk og ta brukeren tilbake til hovedsiden.

«Delete» – Disassembly Drones



«Delete» vil slette dronen. Om brukeren ønsker å slette en drone, vil det komme en forespørsel om valget, om man velger å slette dronen blir den fjernet permanent.



ID	Name	Status		
1	N	alive	Delete	View Profile
2	V	alive	Delete	View Profile
3	J	???	Delete	View Profile
4	S	dead	Delete	View Profile
5	R	alive	Delete	View Profile
9	W	dead	Delete	View Profile

[Add Disassembly Drone](#)

Laget av Rebecca

:)