




Performance Accessibility Best Practices SEO

There were issues affecting this run of Lighthouse:

- The page loaded too slowly to finish within the time limit. Results may be incomplete.



Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100

METRICS

Expand view

■ First Contentful Paint

1.1 s

■ Largest Contentful Paint

1.5 s

● Total Blocking Time

0 ms

■ Cumulative Layout Shift

0.208

▲ Speed Index

2.9 s



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Use efficient cache lifetimes — Est savings of 1,515 KiB



A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) [FCP](#) [LCP](#) [Unscored](#)

☒ Show 3rd-party resources (20)

Request	Cache TTL	Transfer Size
localhost 1st Party		1,328 KiB
...bootstrap/bootstrap.min.css (localhost)	None	228 KiB
...chartjs/chart.min.js (localhost)	None	204 KiB
...webfonts/fa-solid-900.woff2 (localhost)	None	153 KiB
...leaflet/leaflet.js (localhost)	None	144 KiB
...webfonts/fa-brands-400.woff2 (localhost)	None	115 KiB
...css/all.min.css (localhost)	None	101 KiB
...bootstrap/bootstrap.bundle.min.js (localhost)	None	79 KiB
...js/index.js (localhost)	None	56 KiB
...axios/axios.min.js (localhost)	None	51 KiB
...js/layout.js (localhost)	None	50 KiB
...css/index.css (localhost)	None	29 KiB
...js/ai.js (localhost)	None	24 KiB
...img/loto_tracker.webp (localhost)	None	24 KiB
...css/styles.css (localhost)	None	21 KiB
...css/ai.css (localhost)	None	15 KiB
...leaflet/leaflet.css (localhost)	None	15 KiB
...canvas-confetti/confetti.browser.min.js (localhost)	None	11 KiB
...css/demo-onboarding.css (localhost)	None	5 KiB
...js/demo-onboarding.js (localhost)	None	3 KiB
...js/ai-loader.js (localhost)	None	2 KiB
openstreetmap.org		618 KiB
...1014/711.png (a.tile.openstreetmap.org)	1d 45m 25s	40 KiB
...1014/710.png (c.tile.openstreetmap.org)	1d 1m 18s	38 KiB
...1013/711.png (c.tile.openstreetmap.org)	1d 1h 17m 37s	36 KiB
...1013/710.png (b.tile.openstreetmap.org)	1d 1h 43m 27s	33 KiB
...1015/710.png (a.tile.openstreetmap.org)	1d 52m 14s	32 KiB
...1014/712.png (b.tile.openstreetmap.org)	1d 2h 17m 33s	33 KiB
...1013/712.png (a.tile.openstreetmap.org)	1d 6m 29s	29 KiB
...1015/711.png (b.tile.openstreetmap.org)	1d 46m 11s	28 KiB
...1014/709.png (b.tile.openstreetmap.org)	1d 24m 52s	27 KiB
...1015/709.png (c.tile.openstreetmap.org)	1d 2h 15m 48s	27 KiB
...1015/712.png (c.tile.openstreetmap.org)	1d 37m 9s	26 KiB
...1013/709.png (a.tile.openstreetmap.org)	1d 2h 49m 43s	26 KiB

Request	Cache TTL	Transfer Size
...127/89.png (a.tile.openstreetmap.org)	6d 2h 1m 59s	50 KiB
...127/88.png (c.tile.openstreetmap.org)	6d 1h 9m 23s	49 KiB
...125/88.png (a.tile.openstreetmap.org)	6d 58m 23s	43 KiB
...126/89.png (c.tile.openstreetmap.org)	6d 2h 3m 30s	43 KiB
...126/88.png (b.tile.openstreetmap.org)	6d 2h 9m 24s	38 KiB
...125/89.png (b.tile.openstreetmap.org)	6d 2h 30m 42s	20 KiB
loto-tracker.fr		9 KiB
...7c8a194018aa/main.js (xn--mto-bretagne-bebb.loto-tracker.fr)	4h	9 KiB
GitHub Utility		2 KiB
...img/marker-icon-red.png (raw.githubusercontent.com)	5m	2 KiB

▲ Render-blocking requests — Est savings of 700 ms



Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored




URL	Transfer Size	Duration
localhost 1st Party	982.3 KiB	4,620 ms
...leaflet/leaflet.js (localhost)	144.3 KiB	500 ms
...bootstrap/bootstrap.bundle.min.js (localhost)	78.7 KiB	420 ms
...chartjs/chart.min.js (localhost)	203.8 KiB	790 ms
...js/layout.js (localhost)	50.3 KiB	260 ms
...js/index.js (localhost)	55.8 KiB	260 ms
...axios/axios.min.js (localhost)	51.5 KiB	300 ms
...css/all.min.css (localhost)	100.8 KiB	550 ms
...leaflet/leaflet.css (localhost)	14.6 KiB	140 ms
...css/demo-onboarding.css (localhost)	5.1 KiB	100 ms
...css/index.css (localhost)	28.6 KiB	220 ms
...css/styles.css (localhost)	21.1 KiB	180 ms
...bootstrap/bootstrap.min.css (localhost)	227.6 KiB	910 ms





▲ Improve image delivery — Est savings of 514 KiB




Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

☒ Show 3rd-party resources (18)

	URL	Resource Size	Est Savings
	openstreetmap.org	614.0 KiB	491.1 KiB
	...127/89.png (a.tile.openstreetmap.org)	49.6 KiB	42.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		38.9 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		17.9 KiB
	...127/88.png (c.tile.openstreetmap.org)	48.6 KiB	41.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		38.0 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		17.5 KiB
	...126/89.png (c.tile.openstreetmap.org)	43.1 KiB	36.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		32.4 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		15.5 KiB
	...125/88.png (a.tile.openstreetmap.org)	42.6 KiB	35.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		32.0 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		15.4 KiB
	...1014/711.png (a.tile.openstreetmap.org)	39.4 KiB	32.6 KiB
img.leaflet-tile.leaflet-tile-loaded	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		28.8 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		14.2 KiB
	...1014/710.png (c.tile.openstreetmap.org)	38.2 KiB	31.3 KiB

	URL	Resource Size	Est Savings
	img.leaflet-tile.leaflet-tile-loaded		
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		27.5 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		13.7 KiB
	...126/88.png (b.tile.openstreetmap.org)	37.6 KiB	30.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		26.9 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		13.5 KiB
	 ...1013/711.png (c.tile.openstreetmap.org)	35.3 KiB	28.5 KiB
	img.leaflet-tile.leaflet-tile-loaded		
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		24.6 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		12.7 KiB
	 ...1013/710.png (b.tile.openstreetmap.org)	32.5 KiB	25.6 KiB
	img.leaflet-tile.leaflet-tile-loaded		
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		21.8 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		11.7 KiB
	 ...1014/712.png (b.tile.openstreetmap.org)	32.2 KiB	25.4 KiB
	img.leaflet-tile.leaflet-tile-loaded		
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		21.5 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205).		11.6 KiB

	URL	Resource Size	Est Savings
	Use responsive images to reduce the image download size.		
 img.leaflet-tile.leaflet-tile-loaded	...1015/710.png (a.tile.openstreetmap.org)	31.9 KiB	25.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		21.2 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		11.5 KiB
 img.leaflet-tile.leaflet-tile-loaded	...1013/712.png (a.tile.openstreetmap.org)	29.1 KiB	22.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		18.4 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		10.5 KiB
 img.leaflet-tile.leaflet-tile-loaded	...1015/711.png (b.tile.openstreetmap.org)	27.8 KiB	20.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		17.1 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		10.0 KiB
 img.leaflet-tile.leaflet-tile-loaded	...1014/709.png (b.tile.openstreetmap.org)	26.8 KiB	20.0 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		16.2 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		9.7 KiB

	URL	Resource Size	Est Savings
 img.leaflet-tile.leaflet-tile-loaded	...1015/709.png (c.tile.openstreetmap.org)	26.8 KiB	19.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		16.1 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		9.6 KiB
 img.leaflet-tile.leaflet-tile-loaded	...1013/709.png (a.tile.openstreetmap.org)	26.2 KiB	19.4 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		15.5 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		9.4 KiB
 img.leaflet-tile.leaflet-tile-loaded	...1015/712.png (c.tile.openstreetmap.org)	26.1 KiB	19.3 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		15.4 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		9.4 KiB
	...125/89.png (b.tile.openstreetmap.org)	20.2 KiB	13.4 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		9.5 KiB
	This image file is larger than it needs to be (256x256) for its displayed dimensions (205x205). Use responsive images to reduce the image download size.		7.3 KiB
localhost 1st Party		23.4 KiB	22.6 KiB
 ...img/loto_tracker.webp (localhost)		23.4 KiB	22.6 KiB

URL	Resource Size	Est Savings
img.brand-logo		
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	8.8 KiB
	This image file is larger than it needs to be (300x300) for its displayed dimensions (72x72). Use responsive images to reduce the image download size.	22.1 KiB

▲ Font display — Est savings of 70 ms

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored


URL	Est Savings
localhost 1st Party	
...webfonts/fa-brands-400.woff2 (localhost)	70 ms
...webfonts/fa-solid-900.woff2 (localhost)	20 ms

▲ Layout shift culprits


Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element

Total



div.shell > main.main > section.panel > ::before
<::before>




div.shell



article.result-card

...webfonts/fa-brands-400.woff2 (localhost)



div#map.leaflet-container.leaflet-touch.leaflet-fade-anim.leaflet-grab.leaflet-...




div.topbar-actions

Element



Element

Layout shift score

Total		0.000
	span#secondsBox	0.000

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call

Total reflow time

content.js:13	0 ms
---------------	------

Source


Total reflow time

leaflet.js:5	0 ms
leaflet.js:5	7 ms
leaflet.js:5	0 ms
layout.js:1258	1 ms
[unattributed]	111 ms
ai.js:132	0 ms
content.js:125	0 ms
content.js:11	0 ms

▲ LCP request discovery

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

-  `fetchpriority=high` should be applied
-  Request is discoverable in initial document
-  LCP resources should not use `loading=lazy`




img.leaflet-tile.leaflet-tile-loaded

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **31,178 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting


Document request latency — Est savings of 12 KiB

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

- ✔ Avoids redirects
- ✔ Server responds quickly (observed 5 ms)
- ✗ No compression applied

○ Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element	Value
Total elements		545
DOM depth	span	12
		9
Most children		120

○ INP breakdown


Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

Subpart	Duration
Input delay	0 ms
Processing duration	0 ms
Presentation delay	30 ms
div.lt-mini	

○ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	20 ms
Resource load delay	840 ms
Resource load duration	70 ms
Element render delay	70 ms



img.leaflet-tile.leaflet-tile-loaded

○ 3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
aapbdbdomjkkjkaonfhkkikfgjllcleb	0 KiB	173 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	0 KiB	173 ms
cofdbpoegempjloogbagkncekinflcnj	0 KiB	152 ms
chrome-extension://cofdbpoegempjloogbagkncekinflcnj/build/content.js	0 KiB	152 ms
lhoppojpmngadmnindnejefpokejbdd	0 KiB	107 ms
chrome-extension://lhoppojpmngadmnindnejefpokejbdd/content.bundle.js	0 KiB	85 ms
chrome-extension://lhoppojpmngadmnindnejefpokejbdd/vendor.bundle.js	0 KiB	17 ms
chrome-extension://lhoppojpmngadmnindnejefpokejbdd/browser-polyfill.js	0 KiB	5 ms
efaidnbmnnnibpcajpcglclefindmkaj	0 KiB	47 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/jquery-3.1.1.min.js	0 KiB	21 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/content-script-utils.js	0 KiB	5 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/prompts/ShowOneChild.js	0 KiB	3 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/injectAIMarker.js	0 KiB	3 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/upload-button-analytics.js	0 KiB	2 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/content-script-idle.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/ch-content-script-dend.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/ch-content-script.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/embeddedpdfs/embedded-pdf-touch-point.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/FABManager.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/browser-image-viewer/browser-image-viewer-content-script.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gmail/gmail-compress-pdf-message-view-fte.js	0 KiB	1 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/SidePanel/GenAIWebpageEligibilityService.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gdocs/google-docs-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/embeddedpdfs/embedded-pdf-touch-point-event-listener.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/chatgpt/chatgpt-convert-to-pdf-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gemini/gemini-convert-to-pdf-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gmail/fte/gmail-convert-attachment-card-fte.js	0 KiB	0 ms

3rd party	Transfer size	Main thread time
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/express_chatgpt/chatgpt-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/gemini/gemini-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/SidePanel/AttributionManager.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/express_whatsapp/whatsapp-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/pinterest/pinterest-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/outlook/outlook-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/SidePanel/ActionableCoachmark.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/google-image-preview/google-image-preview-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/gmail/gmail-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/linkedin/linkedin-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/gmail/gmail-image-tools-dropdown-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/browser-image-viewer/browser-image-viewer-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/gdrive/gdrive-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/injectBannerIframe.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/gmail/gmail-compress-pdf-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/browser/js/ch-settings.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/gdrive/gdrive-image-tools-dropdown-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/gdrive/fte/gdrive-convert-attachment-card-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/wikipedia/wikipedia-convert-to-pdf-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/embeddedpdfs/EmbeddedPDFTouchPointCoachMark.js	0 KiB	0 ms

3rd party	Transfer size	Main thread time
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/extract-webpage-html.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/express/google-chat/google-chat-express-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/SidePanel/AnimateCannedQuestions.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/gmail/fte/gmail-email-pdf-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/outlook/outlook-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/addWebpage/KWEligibilityService.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/gmail/fte/gmail-convert-to-pdf-fte.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/SidePanel/Viewport.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/content-util.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/SidePanel/GenAIWebpageBlocklist.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/gmail/GmailPdfToolsFteCoachmark.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/gmail/GmailAcrobatFteCoachmark.js	0 KiB	0 ms
chrome-extension://efaidnbmnnnibpcajpcgklclefindmkaj/content_scripts/gdrive/GDriveAcrobatFteCoachmark.js	0 KiB	0 ms
gighmmpiobklfepjocnamgkkgbiglidom	0 KiB	46 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	0 KiB	24 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/globals-front.js	0 KiB	8 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	0 KiB	4 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/polyfill.js	0 KiB	4 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/adblock-functions.js	0 KiB	2 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/adblock-picreplacement.js	0 KiB	2 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/cookie-banner-detection.preload.js	0 KiB	1 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/contentscript-loader.js	0 KiB	1 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/adblock-uiscripts-rightclick_hook.js	0 KiB	1 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/premium.preload.js	0 KiB	0 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/ext/content.js	0 KiB	0 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/ext/common.js	0 KiB	0 ms

3rd party	Transfer size	Main thread time
ddpokpbjopmeeiioleejjpkonlklgp	0 KiB	46 ms
chrome-extension://ddpokpbjopmeeiioleejjpkonlklgp/content.js	0 KiB	46 ms
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	37 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	19 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	13 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	5 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	0 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	0 ms
eimadpbcbfnmbkopoojfekhnkhdbieeh	0 KiB	19 ms
chrome-extension://eimadpbcbfnmbkopoojfekhnkhdbieeh/inject/index.js	0 KiB	14 ms
chrome-extension://eimadpbcbfnmbkopoojfekhnkhdbieeh/inject/color-scheme-watcher.js	0 KiB	2 ms
chrome-extension://eimadpbcbfnmbkopoojfekhnkhdbieeh/inject/fallback.js	0 KiB	1 ms
chrome-extension://eimadpbcbfnmbkopoojfekhnkhdbieeh/inject/proxy.js	0 KiB	1 ms
flbjommegcjonpdmenkdiocclhjacmbi	0 KiB	13 ms
chrome-extension://flbjommegcjonpdmenkdiocclhjacmbi/content_scripts/headingsmap.js	0 KiB	13 ms
dkagmnknfinalebballociekdnlaniem	0 KiB	2 ms
chrome-extension://dkagmnknfinalebballociekdnlaniem/contentScript.js	0 KiB	2 ms
gdiknemhndplpgnnjjjhphhembfojec	0 KiB	1 ms
chrome-extension://gdiknemhndplpgnnjjjhphhembfojec/content.js	0 KiB	1 ms
openstreetmap.org	376 KiB	0 ms
...1014/711.png (a.tile.openstreetmap.org)	40 KiB	0 ms
...1014/710.png (c.tile.openstreetmap.org)	38 KiB	0 ms
...1013/711.png (c.tile.openstreetmap.org)	36 KiB	0 ms
...1013/710.png (b.tile.openstreetmap.org)	33 KiB	0 ms
...1014/712.png (b.tile.openstreetmap.org)	33 KiB	0 ms
...1015/710.png (a.tile.openstreetmap.org)	32 KiB	0 ms
...1013/712.png (a.tile.openstreetmap.org)	29 KiB	0 ms
...1015/711.png (b.tile.openstreetmap.org)	28 KiB	0 ms
...1014/709.png (b.tile.openstreetmap.org)	27 KiB	0 ms
...1015/709.png (c.tile.openstreetmap.org)	27 KiB	0 ms
...1013/709.png (a.tile.openstreetmap.org)	26 KiB	0 ms
...1015/712.png (c.tile.openstreetmap.org)	26 KiB	0 ms
GitHub Utility	2 KiB	0 ms
...img/marker-icon-red.png (raw.githubusercontent.com)	2 KiB	0 ms
Unpkg Cdn	1 KiB	0 ms
...images/marker-shadow.png (unpkg.com)	1 KiB	0 ms
overpass-api.de	16 KiB	0 ms
/api/interpreter (overpass-api.de)	16 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

 Reduce unused JavaScript — Est savings of 1,995 KiB 

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.
[Learn how to reduce unused JavaScript.](#) FCP LCP Unscored

☒ Show 3rd-party resources (7)

URL	Transfer Size	Est Savings
Unattributable	1,075.3 KiB	680.0 KiB
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	737.6 KiB	422.4 KiB
chrome-extension://eimadpbcbfnmbkopoojfekhnkhdhieeh/inject/index.js	108.6 KiB	93.0 KiB
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	57.6 KiB	52.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	37.2 KiB	33.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/globals-front.js	66.2 KiB	32.7 KiB
chrome-extension://flbjommegcjondmenkdioclhjajacmbi/content_scripts/headingsmap.js	30.2 KiB	26.0 KiB
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	37.9 KiB	20.1 KiB
axe DevTools - Web Accessibility Testing Chrome Extension	804.4 KiB	454.1 KiB
chrome-extension://lhdoppojpmngadmndnejejpokejbdd/axe-versions/latest/axe.js	550.7 KiB	277.9 KiB
chrome-extension://lhdoppojpmngadmndnejejpokejbdd/vendor.bundle.js	133.2 KiB	95.5 KiB
chrome-extension://lhdoppojpmngadmndnejejpokejbdd/content.bundle.js	120.4 KiB	80.7 KiB
localhost 1st Party	533.0 KiB	374.7 KiB
...chartjs/chart.min.js (localhost)	203.6 KiB	181.7 KiB
...leaflet/leaflet.js (localhost)	144.1 KiB	82.6 KiB
...bootstrap/bootstrap.bundle.min.js (localhost)	78.5 KiB	65.9 KiB
...axios/axios.min.js (localhost)	51.3 KiB	22.8 KiB
...js/index.js (localhost)	55.5 KiB	21.7 KiB
DeepL : traduction et rédaction IA Chrome Extension	376.8 KiB	303.3 KiB
chrome-extension://cofdbpoegempjloogbagkncekinflcnj/build/content.js	376.8 KiB	303.3 KiB
Adobe Acrobat : outils de modif., de conversion et de signature de PDF Chrome Extension	239.6 KiB	182.5 KiB

URL	Transfer Size	Est Savings
chrome-extension://efaidnbmnnnibpcajpcgiclfefindmkaj/dist/vendor.js	132.2 KiB	113.9 KiB
chrome-extension://efaidnbmnnnibpcajpcgiclfefindmkaj/dist/FloatingActionButton.js	79.4 KiB	48.0 KiB
chrome-extension://efaidnbmnnnibpcajpcgiclfefindmkaj/libs/jquery-3.1.1.min.js	27.9 KiB	20.6 KiB

▲ Reduce unused CSS — Est savings of 484 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP Unscored

☒ Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
localhost 1st Party	377.4 KiB	356.5 KiB
...bootstrap/bootstrap.min.css (localhost)	227.5 KiB	220.9 KiB
...css/all.min.css (localhost)	100.6 KiB	99.3 KiB
...css/styles.css (localhost)	20.9 KiB	19.3 KiB
...css/index.css (localhost)	28.5 KiB	17.0 KiB
DeepL : traduction et rédaction IA Chrome Extension	130.5 KiB	127.7 KiB
chrome-extension://cofdbpoegempjloogbagkncekinflcnj/build/content.css	130.5 KiB	127.7 KiB

▲ Minify JavaScript — Est savings of 170 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
Unattributable	292.4 KiB	118.2 KiB
chrome-extension://eimadpbcfbfnmbkopoojfekhkhdbieeh/inject/index.js	108.6 KiB	45.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/globals-front.js	66.2 KiB	29.3 KiB
chrome-extension://ddpokpbjopmeeiiolheejjpkonlklgp/content.js	25.7 KiB	11.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	37.2 KiB	5.7 KiB

URL	Transfer Size	Est Savings
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js	10.0 KiB	5.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://eimadpbcfbnmbkopoojfehnkhdhieeh/inject/proxy.js	7.5 KiB	3.0 KiB
localhost 1st Party	129.4 KiB	51.8 KiB
...js/index.js (localhost)	55.6 KiB	25.3 KiB
...js/layout.js (localhost)	50.1 KiB	17.6 KiB
...js/ai.js (localhost)	23.7 KiB	9.0 KiB

■ Minify CSS — Est savings of 29 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	84.4 KiB	28.8 KiB
...css/index.css (localhost)	28.6 KiB	9.3 KiB
...css/styles.css (localhost)	21.1 KiB	8.5 KiB
...css/ai.css (localhost)	14.9 KiB	5.7 KiB
...leaflet/leaflet.css (localhost)	14.6 KiB	3.0 KiB
...css/demo-onboarding.css (localhost)	5.1 KiB	2.3 KiB

■ Avoid enormous network payloads — Total size was 3,965 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

URL	Transfer Size
localhost 1st Party	3,039.1 KiB
...img/loto_tracker.png (localhost)	1,908.4 KiB
...bootstrap/bootstrap.min.css (localhost)	227.6 KiB
...chartjs/chart.min.js (localhost)	203.8 KiB

URL	Transfer Size
...webfonts/fa-solid-900.woff2 (localhost)	152.9 KiB
...leaflet/leaflet.js (localhost)	144.3 KiB
...webfonts/fa-brands-400.woff2 (localhost)	115.3 KiB
...css/all.min.css (localhost)	100.8 KiB
...bootstrap/bootstrap.bundle.min.js (localhost)	78.7 KiB
...js/index.js (localhost)	55.8 KiB
...axios/axios.min.js (localhost)	51.5 KiB

■ Minimize main-thread work — 9.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Other	3,995 ms
Rendering	2,386 ms
Style & Layout	1,525 ms
Script Evaluation	755 ms
Script Parsing & Compilation	336 ms
Parse HTML & CSS	41 ms
Garbage Collection	40 ms


○ User Timing marks and measures — 1 user timing

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

Name	Type	Start Time	Duration
__v3	Mark	0.00 ms	

○ Avoid non-composited animations — 2 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored

Element	Name
	button.btn-primary-app.hero-btn
Unsupported CSS Property: box-shadow	box-shadow
	button#lt-chat-launcher
Unsupported CSS Property: box-shadow	lt-launcher-pulse

○ Avoid long main-thread tasks — 3 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (1)

URL	Start Time	Duration
localhost 1st Party		190 ms
/index.html (localhost)	234 ms	190 ms
Unattributable		171 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	650 ms	171 ms
DeepL : traduction et rédaction IA Chrome Extension		139 ms
chrome-extension://cofdbpoegempjloogbagkncekinflcnj/build/content.js	885 ms	139 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (7) Hide

- Duplicated JavaScript ^

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored
- Legacy JavaScript ^

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored
- Modern HTTP ^

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP Unscored

● Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

meta

● JavaScript execution time — 0.9 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

☒ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	7,359 ms	364 ms	91 ms
/index.html (localhost)	6,990 ms	186 ms	87 ms
...leaflet/leaflet.js (localhost)	187 ms	23 ms	2 ms
...js/index.js (localhost)	101 ms	82 ms	1 ms
...js/layout.js (localhost)	80 ms	74 ms	1 ms
Unattributable	1,262 ms	137 ms	135 ms
Unattributable	902 ms	73 ms	0 ms
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	184 ms	27 ms	0 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	176 ms	38 ms	135 ms
DeepL : traduction et rédaction IA Chrome Extension	184 ms	94 ms	79 ms
chrome-extension://cofdbpoegempjloogbagkncekinflcnj/build/content.js	184 ms	94 ms	79 ms

● Image elements have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

● Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

☐ Interactive controls are keyboard focusable



Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable](#). Unscored

☐ Interactive elements indicate their purpose and state



Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints](#). Unscored

☐ The page has a logical tab order



Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering](#). Unscored

☐ Visual order on the page follows DOM order



DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering](#). Unscored

☐ User focus is not accidentally trapped in a region



A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps](#). Unscored

☐ The user's focus is directed to new content added to the page



If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content](#). Unscored

☐ HTML5 landmark elements are used to improve navigation



Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements](#). Unscored

☐ Offscreen content is hidden from assistive technology



Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content](#). Unscored

☐ Custom controls have associated labels



Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels](#). Unscored

☐ Custom controls have ARIA roles



Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls](#). Unscored

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (27)

Hide

● [aria-*] attributes match their roles



Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles](#).

● [aria-hidden="true"] is not present on the document <body>



Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body](#).

● [role]s have all required [aria-*] attributes



Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes](#).

● [role] values are valid



ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

● [aria-*] attributes have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes](#).

● [aria-*] attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes](#).

● Buttons have an accessible name



When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

● Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

● Form elements have associated labels



Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels](#).

● [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag](#).

● ARIA attributes are used as specified for the element's role ^

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

● Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

● `[aria-hidden="true"]` elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

● Elements use only permitted ARIA attributes ^

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

● Background and foreground colors have a sufficient contrast ratio ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

● `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

● `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

● `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

● Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

● Links have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

● No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

- Touch targets have sufficient size and spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

- Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

- Document has a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

- Deprecated ARIA roles were not used ^

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

- Elements with `role="none"` or `role="presentation"` do not have conflicts ^

There are certain cases where the semantic role of an element with `role="none"` or `role="presentation"` does not resolve to none or presentation. To ensure the element remains removed from the accessibility tree, you should not add any global ARIA attributes to the element or make it focusable. [Learn more about presentation role conflict.](#)

NOT APPLICABLE (36)

Hide

- `[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#) (Unscored)

- `button`, `link`, and `menuitem` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#) (Unscored)

- ARIA `input` fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#) (Unscored)

- ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#) (Unscored)

- ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) (Unscored)

- ☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) (Unscored)

- ☐ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#) (Unscored)

- ☐ Elements with the `role=text` attribute do not have focusable descendants. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. [Learn more about the `role=text` attribute.](#) (Unscored)

- ☐ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) (Unscored)

- ☐ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) (Unscored)

- ☐ ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#) (Unscored)

- ☐ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) (Unscored)

- ☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) (Unscored)

- ☐ Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) (Unscored)

- ☐ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) (Unscored)

- ☐ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) (Unscored)

- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#) (Unscored)

- Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) (Unscored)

- `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) (Unscored)

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#) (Unscored)

- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#) (Unscored)

- The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) (Unscored)

- `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) (Unscored)

- Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#) (Unscored)

- Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) (Unscored)

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) (Unscored)

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) (Unscored)

☐ [lang] attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) (Unscored)

☐ <video> elements contain a <track> element with [kind="captions"] ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) (Unscored)

☐ autocomplete attributes are used correctly ^

The autocomplete attribute values must be valid and correctly applied for screen readers to function correctly. [Learn more about valid autocomplete values.](#) (Unscored)

☐ SVG elements with an img role have an accessible text alternative ^

Ensures SVG elements with an img, graphics-document or graphics-symbol role have an accessible text alternative. [Learn more about SVG alt text.](#) (Unscored)

☐ Tables have different content in the summary attribute and <caption>. ^

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) (Unscored)

☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) (Unscored)

☐ Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) (Unscored)

☐ Image elements do not have [alt] attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) (Unscored)

☐ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) (Unscored)



Best Practices

▲ Uses third-party cookies — 1 cookie found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Name	URL
loto-tracker.fr	
metabase.DEVICE	/widget.html?lat=48.1173&lon=-1.6778&zoom=8 (xn--mto-bretagne-bebb.loto-tracker.fr)

▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
localhost 1st Party	
:8091/health:1	Failed to load resource: net::ERR_CONNECTION_RESET
:8091/ai/latest-draw:1	Failed to load resource: net::ERR_CONNECTION_RESET
:8082/api/protected/userinfo:1	Failed to load resource: the server responded with a status of 401 ()
:8082/api/protected/userinfo:1	Failed to load resource: the server responded with a status of 401 ()
:8082/api/protected/userinfo:1	Failed to load resource: the server responded with a status of 401 ()
:8082/api/protected/userinfo:1	Failed to load resource: the server responded with a status of 401 ()
:8082/api/protected/userinfo:1	Failed to load resource: the server responded with a status of 401 ()
Unattributable	
installHook.js:1	HEALTH CHECK ERROR: TypeError: Failed to fetch at window.fetch (http://localhost:5500/assets/js/layout.js:574:21) at http://localhost:5500/assets/js/ai.js:674:25 at http://localhost:5500/assets/js/ai.js:690:7 at http://localhost:5500/assets/js/ai.js:701:5

▲ Issues were logged in the Issues panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie

Issue type

/widget.html?lat=48.1173&lon=-1.6778&zoom=8 (xn--mto-bretagne-bebb.loto-tracker.fr)
...meteo/bretagne (xn--mto-bretagne-bebb.loto-tracker.fr)
...jsd/main.js (xn--mto-bretagne-bebb.loto-tracker.fr)
...7c8a194018aa/main.js (xn--mto-bretagne-bebb.loto-tracker.fr)
...0.221...:178...:atmJD8dRS.../a0d1c99b2f5deba8 (xn--mto-bretagne-bebb.loto-tracker.fr)

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) Unscored

Name	Version
Leaflet	1.9.4

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS.](#) Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored

Description	Directive	Severity
No HSTS header found		High

Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from

embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

BROWSER COMPATIBILITY

Baseline Features

Lists web features used on the page and their Baseline status as of 2026-03-18. [Learn more about Baseline.](#) Unscored

☒ Show 3rd-party resources (11)

Web-features	Baseline Status	Source
Adobe Acrobat : outils de modif., de conversion et de signature de PDF Chrome Extension		
background-clip-text	Limit ed Availability	jquery-3.1.1.min.js:3
beforeunload	Limit ed Availability	Show On eChild.js:18
font-metric-overrides	Limit ed Availability	express-util.js:18
slot	Widely Available (2020-01-15)	jquery-3.1.1.min.js:2

Web-features	Baseline Status	Source
Unattributable		
ua-client-hints	Limit ed Availa bility	ind ex. js: 7
page-visibility-state	Limit ed Availa bility	
long-animation-frames	Limit ed Availa bility	
layout-instability	Limit ed Availa bility	
requestidlecallback	Limit ed Availa bility	
masks	Newly Availa ble (2023 -12- 07)	
print-color-adjust	Newly Availa ble (2025 -05- 01)	
backdrop-filter	Newly Availa ble (2024 -09- 16)	
zstd	Newly Availa ble (2026 -02- 11)	
http3	Newly Availa ble	

Web-features	Baseline Status	Source
	(2024-09-16)	
scrollbar-width	Newly Available ✓ble (2024-12-11)	
dir-pseudo	Newly Available ✓ble (2023-12-07)	
has	Newly Available ✓ble (2023-12-19)	
nesting	Newly Available ✓ble (2023-12-11)	
template	Widely Available ✓ble (2015-11-12)	global s-front.js:3723
aborting	Widely Available ✓ble (2019-03-25)	
not	Widely Available ✓ble (2021-01-21)	
focus-visible	Widely Available ✓	

Web-features	Baseline Status	Source
	ble (2022-03-14)	
file-selector-button	Widely Available ble (2021-04-26)	
appearance	Widely Available ble (2022-03-14)	
color-scheme	Widely Available ble (2022-02-03)	
outline	Widely Available ble (2023-03-27)	
logical-properties	Widely Available ble (2021-09-20)	
line-break	Widely Available ble (2020-07-28)	
text-indent	Widely Available ble (2015	

Web-features	Baseline Status	Source
	-07-29)	
text-underline-offset	Widely Available (2020-11-19)	
canvas	Widely Available (2015-07-29)	
grid	Widely Available (2017-10-17)	
flexbox	Widely Available (2015-09-30)	
will-change	Widely Available (2020-01-15)	
weak-references	Widely Available (2021-04-26)	
individual-transforms	Widely Available (2022-08-05)	

Web-features	Baseline Status	Source
webp	Widely Available (2020-09-16)	
loto-tracker.fr		
device-posture	Limited Availability	manifest:1
view-transitions	Newly Available (2025-10-14)	manifest:1
barprop	Widely Available (2015-07-29)	manifest:1
pdf-viewer	Widely Available (2023-03-27)	manifest:1
constructed-stylesheets	Widely Available (2023-03-27)	manifest:1
axe DevTools - Web Accessibility Testing Chrome Extension		
float16array	Newly Available (2025-04-04)	vendor.bundle.js:2
lab	Widely Available	axe.js:2

Web-features	Baseline Status	Source
	ble (2023-05-09)	
localhost 1st Party		
nullish-coalescing	Widely Available ble (2020-09-16)	index.html: 1
logical-assignments	Widely Available ble (2020-09-16)	index.html: 2
js-modules	Widely Available ble (2018-05-09)	index.html: 1
request-animation-frame	Widely Available ble (2015-07-29)	leaflet.js: 5
offscreen-canvas	Widely Available ble (2023-03-27)	configuration.browser.mins: 7

PASSED AUDITS (10)

Hide

Uses HTTPS

^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

- Avoids deprecated APIs

^
- Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)
- Allows users to paste into input fields

^
- Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)
- Avoids requesting the geolocation permission on page load

^
- Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)
- Avoids requesting the notification permission on page load

^
- Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)
- Displays images with correct aspect ratio

^
- Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)
- Serves images with appropriate resolution

^
- Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)
- Page has the HTML doctype

^
- Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)
- Properly defines charset

^
- A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)
- Page has valid source maps

^
- Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

☒ Show 3rd-party resources (1)

URL	Map URL
localhost 1st Party	
...leaflet/leaflet.js (localhost)	...leaflet/leaflet.js.map (localhost)
Error: Failed fetching source map (404)	
...chartjs/chart.min.js (localhost)	...chartjs/chart.umd.min.js.map (localhost)
Error: Failed fetching source map (404)	
...canvas-confetti/confetti.browser.min.js (localhost)	/sm/d53f2f2....map (localhost)

URL	Map URL
Error: Failed fetching source map (404)	
...bootstrap/bootstrap.bundle.min.js (localhost)	...bootstrap/bootstrap.bundle.min.js.map (localhost)
Error: Failed fetching source map (404)	
...axios/axios.min.js (localhost)	...axios/axios.min.js.map (localhost)
Error: Failed fetching source map (404)	
Unattributable	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/globals-front.js	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/globals-front.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/cookie-banner-detection.preload.js	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/cookie-banner-detection.preload.js.map
Error: Failed fetching source map (null)	
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js.map
Error: Failed fetching source map (null)	
DeepL : traduction et rédaction IA Chrome Extension	
chrome-extension://cofdbpoegempjloogbagkncekinflcnj/build/content.js	chrome-extension://cofdbpoegempjloogbagkncekinflcnj/build/content.js.map
Error: Failed fetching source map (null)	

NOT APPLICABLE (1)

Hide

- ☐

Redirects HTTP traffic to HTTPS

^

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#).

Unscored



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○ Structured data is valid



Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Hide

● Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

● Document has a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

● Document has a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

● Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

● Links have descriptive text



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

● Links are crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

● robots.txt is valid



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

● Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

● Document has a valid `hreflang` ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

● Document has a valid `rel=canonical` ^

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

📅 Captured at Jun 17, 2026, 1:41 PM GMT+2

🕒 Initial page load

🖥️ Emulated Desktop with Lighthouse 13.2.0

⚡ Custom throttling

🔄 Single page session

🦋 Using Chromium 149.0.0.0 with devtools

Generated by **Lighthouse** 13.2.0 | [File an issue](#)