```
  LOC      OBJECT CODE     ADDR1    ADDR2    STMT

                                                2 ***********************************************************************
                                                3 *
                                                4 *        Zvector E6 instruction tests for VRI-L encoded:
                                                5 *
                                                6 *        E67F VTZ    - Vector Test Zoned
                                                7 *
                                                8 *        James Wekel March 2026
                                                9 ***********************************************************************
                                               10
                                               11 ***********************************************************************
                                               12 *
                                               13 *        basic instruction tests
                                               14 *
                                               15 ***********************************************************************
                                               16 *  This program tests proper functioning of the z/arch E6 VRI-L vector
                                               17 *  test zoned. Exceptions are not tested.
                                               18 *
                                               19 *  PLEASE NOTE that the tests are very SIMPLE TESTS designed to catch
                                               20 *  obvious coding errors.  None of the tests are thorough.  They are
                                               21 *  NOT designed to test all aspects of any of the instructions.
                                               22 *
                                               23 ***********************************************************************
                                               24 *    *
                                               25 *    *Testcase zvector-e6-22-VTZ
                                               26 *    *
                                               27 *    *   Zvector E6 tests for VRI-L encoded instruction:
                                               28 *    *
                                               29 *    *   E67F VTZ    - Vector Test Zoned
                                               30 *    *
                                               31 *    *   # -------------------------------------------------------
                                               32 *    *   #  This tests only the basic function of the instruction.
                                               33 *    *   #  Exceptions are NOT tested.
                                               34 *    *   # -------------------------------------------------------
                                               35 *    *
                                               36 *    mainsize    2
                                               37 *    numcpu      1
                                               38 *    sysclear
                                               39 *    archlvl     z/Arch
                                               40 *
                                               41 *    loadcore    "$(testpath)/zvector-e6-22-VTZ.core" 0x0
                                               42 *
                                               43 *    diag8cmd    enable    # (needed for messages to Hercules console)
                                               44 *    runtest     2
                                               45 *    diag8cmd    disable   # (reset back to default)
                                               46 *
                                               47 *    *Done
                                               48 *
                                               49 ***********************************************************************
```

```
  LOC       OBJECT CODE      ADDR1     ADDR2    STMT

                                                  51 ***********************************************************************
                                                  52 *         FCHECK Macro - Is a Facility Bit set?
                                                  53 *
                                                  54 *         If the facility bit is NOT set, an message is issued and
                                                  55 *         the test is skipped.
                                                  56 *
                                                  57 *         Fcheck uses R0, R1 and R2
                                                  58 *
                                                  59 * eg.     FCHECK 134,'vector-packed-decimal'
                                                  60 ***********************************************************************
                                                  61          MACRO
                                                  62          FCHECK &BITNO,&NOTSETMSG
                                                  63 .*                         &BITNO : facility bit number to check
                                                  64 .*                         &NOTSETMSG : 'facility name'
                                                  65          LCLA  &FBBYTE           Facility bit in Byte
                                                  66          LCLA  &FBBIT            Facility bit within Byte
                                                  67
                                                  68          LCLA  &L(8)
                                                  69 &L(1)    SetA  128,64,32,16,8,4,2,1  bit positions within byte
                                                  70
                                                  71 &FBBYTE  SETA  &BITNO/8
                                                  72 &FBBIT   SETA  &L((&BITNO-(&FBBYTE*8))+1)
                                                  73 .*       MNOTE 0,'checking Bit=&BITNO: FBBYTE=&FBBYTE, FBBIT=&FBBIT'
                                                  74
                                                  75          B     X&SYSNDX
                                                  76 *                                     Fcheck data area
                                                  77 *                                     skip messgae
                                                  78 SKT&SYSNDX DC  C'      Skipping tests: '
                                                  79          DC    C&NOTSETMSG
                                                  80          DC    C' facility (bit &BITNO) is not installed.'
                                                  81 SKL&SYSNDX EQU *-SKT&SYSNDX
                                                  82 *                                     facility bits
                                                  83          DS    FD                      gap
                                                  84 FB&SYSNDX DS   4FD
                                                  85          DS    FD                      gap
                                                  86 *
                                                  87 X&SYSNDX EQU *
                                                  88          LA    R0,((X&SYSNDX-FB&SYSNDX)/8)-1
                                                  89          STFLE FB&SYSNDX               get facility bits
                                                  90
                                                  91          XGR   R0,R0
                                                  92          IC    R0,FB&SYSNDX+&FBBYTE    get fbit byte
                                                  93          N     R0,=F'&FBBIT'           is bit set?
                                                  94          BNZ   XC&SYSNDX
                                                  95 *
                                                  96 * facility bit not set, issue message and exit
                                                  97 *
                                                  98          LA    R0,SKL&SYSNDX           message length
                                                  99          LA    R1,SKT&SYSNDX           message address
                                                 100          BAL   R2,MSG
                                                 101
                                                 102          B     EOJ
                                                 103 XC&SYSNDX EQU *
                                                 104          MEND
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   106 ********************************************************************
                                                   107 *        Low core PSWs
                                                   108 ********************************************************************

                              00000000  00004E77   110 ZVE6TST  START 0
00000000                      00000000             111          USING ZVE6TST,R0            Low core addressability
                                                   112
                              00000140  00000000   113 SVOLDPSW EQU   ZVE6TST+X'140'        z/Arch Supervisor call old PSW

00000000                      00000000  000001A0   115          ORG   ZVE6TST+X'1A0'        z/Architecure RESTART PSW
000001A0  00000001 80000000                        116          DC    X'0000000180000000'
000001A8  00000000 00000200                        117          DC    AD(BEGIN)

000001B0                      000001B0  000001D0   119          ORG   ZVE6TST+X'1D0'        z/Architecure PROGRAM CHECK PSW
000001D0  00020001 80000000                        120          DC    X'0002000180000000'
000001D8  00000000 0000DEAD                        121          DC    AD(X'DEAD')

000001E0                      000001E0  00000200   123          ORG   ZVE6TST+X'200'        Start of actual test program...
                                                   124
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   126 ***********************************************************************
                                                   127 *               The actual "ZVE6TST" program itself...
                                                   128 ***********************************************************************
                                                   129 *
                                                   130 *  Architecture Mode: z/Arch
                                                   131 *  Register Usage:
                                                   132 *
                                                   133 *   R0       (work)
                                                   134 *   R1-4     (work)
                                                   135 *   R5       Testing control table - current test base
                                                   136 *   R6-R7    (work)
                                                   137 *   R8       First base register
                                                   138 *   R9       Second base register
                                                   139 *   R10      Third base register
                                                   140 *   R11      E6TEST call return
                                                   141 *   R12      E6TESTS 'test address' register
                                                   142 *   R13      (work)
                                                   143 *   R14      Subroutine call
                                                   144 *   R15      Secondary Subroutine call or work
                                                   145 *
                                                   146 ***********************************************************************

00000200                     00000200              148          USING  BEGIN,R8        FIRST Base Register
00000200                     00001200              149          USING  BEGIN+4096,R9   SECOND Base Register
00000200                     00002200              150          USING  BEGIN+8192,R10  THIRD Base Register
                                                   151
00000200  0580                                     152 BEGIN    BALR  R8,0             Initalize FIRST base register
00000202  0680                                     153          BCTR  R8,0             Initalize FIRST base register
00000204  0680                                     154          BCTR  R8,0             Initalize FIRST base register
                                                   155
00000206  4190 8800                    00000800    156          LA    R9,2048(,R8)     Initalize SECOND base register
0000020A  4190 9800                    00000800    157          LA    R9,2048(,R9)     Initalize SECOND base register
                                                   158
0000020E  41A0 9800                    00000800    159          LA    R10,2048(,R9)    Initalize THIRD base register
00000212  41A0 A800                    00000800    160          LA    R10,2048(,R10)   Initalize THIRD base register
                                                   161
00000216  B600 82CC                    000004CC    162          STCTL R0,R0,CTLR0      Store CR0 to enable AFP
0000021A  9604 82CD                    000004CD    163          OI    CTLR0+1,X'04'    Turn on AFP bit
0000021E  9602 82CD                    000004CD    164          OI    CTLR0+1,X'02'    Turn on Vector bit
00000222  B700 82CC                    000004CC    165          LCTL  R0,R0,CTLR0      Reload updated CR0
                                                   166
                                                   167 ***********************************************************************
                                                   168 * Is Vector packed-decimal enhancement 3 facility installed  (bit 199)
                                                   169 ***********************************************************************
                                                   170
                                                   171          FCHECK 199,'vector packed-decimal-enhancement 3'
00000226  47F0 80B8                    000002B8    172+         B     X0001
                                                   173+*                                  Fcheck data area
                                                   174+*                                  skip messgae
0000022A  40404040 4040E292                        175+SKT0001  DC    C'     Skipping tests: '
00000240  A58583A3 96994097                        176+         DC    C'vector packed-decimal-enhancement 3'
00000263  40868183 899389A3                        177+         DC    C' facility (bit 199) is not installed.'
                             0000005E  00000001    178+SKL0001  EQU   *-SKT0001
                                                   179+*                                  facility bits
00000288  00000000 00000000                        180+         DS    FD                  gap
00000290  00000000 00000000                        181+FB0001   DS    4FD
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000002B0  00000000 00000000                        182+         DS    FD                           gap
                                                   183+*
                              000002B8  00000001   184+X0001    EQU   *
000002B8  4100 0004                     00000004   185+         LA    R0,((X0001-FB0001)/8)-1
000002BC  B2B0 8090                     00000290   186+         STFLE FB0001                       get facility bits
000002C0  B982 0000                                187+         XGR   R0,R0
000002C4  4300 80A8                     000002A8   188+         IC    R0,FB0001+24                 get fbit byte
000002C8  5400 82D4                     000004D4   189+         N     R0,=F'1'                     is bit set?
000002CC  4770 80E0                     000002E0   190+         BNZ   XC0001
                                                   191+*
                                                   192+* facility bit not set, issue message and exit
                                                   193+*
000002D0  4100 005E                     0000005E   194+         LA    R0,SKL0001                   message length
000002D4  4110 802A                     0000022A   195+         LA    R1,SKT0001                   message address
000002D8  4520 81E8                     000003E8   196+         BAL   R2,MSG
000002DC  47F0 82B0                     000004B0   197+         B     EOJ
                              000002E0  00000001   198+XC0001   EQU   *
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   200 ***********************************************************************
                                                   201 *              Do tests in the E6TESTS table
                                                   202 ***********************************************************************
                                                   203
000002E0  58C0 82D8                      000004D8  204          L     R12,=A(E6TESTS)       get table of test addresses
                                                   205
                               000002E4  00000001  206 NEXTE6   EQU   *
000002E4  5850 C000                      00000000  207          L     R5,0(0,R12)       get test address
000002E8  1255                                     208          LTR   R5,R5                have a test?
000002EA  4780 819E                      0000039E  209          BZ    ENDTEST                 done?
                                                   210
000002EE  B982 0000                                211          XGR   R0,R0             no cc error
                                                   212
000002F2                       00000000            213          USING E6TEST,R5
                                                   214
000002F2  58B0 5000                      00000000  215          L     R11,TSUB          get address of test routine
000002F6  05BB                                     216          BALR  R11,R11           do test
                                                   217
000002F8  E310 5008 0076                 00000008  218          LB    R1,CCMASK         (failure CC mask)
000002FE  8910 0004                      00000004  219          SLL   R1,4              (shift to BC instr CC position)
00000302  4410 810E                      0000030E  220          EX    R1,TESTCC            fail if...
                                                   221
00000306  41C0 C004                      00000004  222          LA    R12,4(0,R12)      next test address
0000030A  47F0 80E4                      000002E4  223          B     NEXTE6
                                                   224
0000030E  4700 8112                      00000312  225 TESTCC   BC    0,CCMSG          (fail if unexpected condition code)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   227 ***********************************************************************
                                                   228 * cc was not as expected
                                                   229 ***********************************************************************
                                00000312  00000001  230 CCMSG    EQU   *
                                                   231 *
                                                   232 * extract CC extracted PSW
                                                   233 *
00000312  5810 500C                      0000000C   234          L     R1,CCPSW
00000316  8810 000C                      0000000C   235          SRL   R1,12
0000031A  5410 82DC                      000004DC   236          N     R1,=XL4'3'
0000031E  4210 5009                      00000009   237          STC   R1,CCFOUND     save cc
                                                   238 *
                                                   239 * FILL IN MESSAGE
                                                   240 *
00000322  4820 5004                      00000004   241          LH    R2,TNUM                  get test number and convert
00000326  4E20 8E89                      00001089   242          CVD   R2,DECNUM
0000032A  D211 8E73 8E5D      00001073  0000105D   243          MVC   PRT3,EDIT
00000330  DE11 8E73 8E89      00001073  00001089   244          ED    PRT3,DECNUM
00000336  D202 8E18 8E80      00001018  00001080   245          MVC   CCPRTNUM(3),PRT3+13     fill in message with test #
                                                   246
0000033C  D207 8E35 5014      00001035  00000014   247          MVC   CCPRTNAME,OPNAME        fill in message with instruction
                                                   248
00000342  B982 0022                                249          XGR   R2,R2                    get CC as U8
00000346  4320 5007                      00000007   250          IC    R2,CC
0000034A  4E20 8E89                      00001089   251          CVD   R2,DECNUM                and convert
0000034E  D211 8E73 8E5D      00001073  0000105D   252          MVC   PRT3,EDIT
00000354  DE11 8E73 8E89      00001073  00001089   253          ED    PRT3,DECNUM
0000035A  D200 8E4B 8E82      0000104B  00001082   254          MVC   CCPRTEXP(1),PRT3+15     fill in message with CC field
                                                   255
00000360  B982 0022                                256          XGR   R2,R2                    get CCFOUND as U8
00000364  4320 5009                      00000009   257          IC    R2,CCFOUND
00000368  4E20 8E89                      00001089   258          CVD   R2,DECNUM                and convert
0000036C  D211 8E73 8E5D      00001073  0000105D   259          MVC   PRT3,EDIT
00000372  DE11 8E73 8E89      00001073  00001089   260          ED    PRT3,DECNUM
00000378  D200 8E5B 8E82      0000105B  00001082   261          MVC   CCPRTGOT(1),PRT3+15    fill in message with ccfound
                                                   262
0000037E  4100 0055                      00000055   263          LA    R0,CCPRTLNG             message length
00000382  4110 8E08                      00001008   264          LA    R1,CCPRTLINE            messagfe address
00000386  45F0 81AC                      000003AC   265          BAL   R15,RPTERROR
                                                   266
0000038A  47F0 818E                      0000038E   267          B     FAILCONT
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   269 ***********************************************************************
                                                   270 * continue after a failed test
                                                   271 ***********************************************************************
                               0000038E  00000001  272 FAILCONT EQU   *
0000038E  5800 82D4                      000004D4  273          L     R0,=F'1'          set GLOBAL failed test indicator
00000392  5000 8E00                      00001000  274          ST    R0,FAILED
                                                   275
00000396  41C0 C004                      00000004  276          LA    R12,4(0,R12)      next test address
0000039A  47F0 80E4                      000002E4  277          B     NEXTE6

                                                   279 ***********************************************************************
                                                   280 * end of testing; set ending psw
                                                   281 ***********************************************************************
                               0000039E  00000001  282 ENDTEST  EQU   *
0000039E  5810 8E00                      00001000  283          L     R1,FAILED         did a test fail?
000003A2  1211                                     284          LTR   R1,R1
000003A4  4780 82B0                      000004B0  285          BZ    EOJ                  No, exit
000003A8  47F0 82C8                      000004C8  286          B     FAILTEST             Yes, exit with BAD PSW
                                                   287
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   289 ***********************************************************************
                                                   290 *        RPTERROR          Report instruction test in error
                                                   291 *                             R0 = MESSGAE LENGTH
                                                   292 *                             R1 = ADDRESS OF MESSAGE
                                                   293 ***********************************************************************

000003AC  50F0 81CC                    000003CC    295 RPTERROR ST    R15,RPTSAVE          Save return address
000003B0  5050 81D0                    000003D0    296          ST    R5,RPTSVR5           Save R5
                                                   297 *
                                                   298 *        Use Hercules Diagnose for Message to console
                                                   299 *
000003B4  9002 81D8                    000003D8    300          STM   R0,R2,RPTDWSAV       save regs used by MSG
000003B8  4520 81E8                    000003E8    301          BAL   R2,MSG               call Hercules console MSG display
000003BC  9802 81D8                    000003D8    302          LM    R0,R2,RPTDWSAV       restore regs


000003C0  5850 81D0                    000003D0    304          L     R5,RPTSVR5           Restore R5
000003C4  58F0 81CC                    000003CC    305          L     R15,RPTSAVE          Restore return address
000003C8  07FF                                     306          BR    R15                  Return to caller

000003CC  00000000                                 308 RPTSAVE  DC    F'0'                 R15 save area
000003D0  00000000                                 309 RPTSVR5  DC    F'0'                 R5 save area

000003D8  00000000 00000000                        311 RPTDWSAV DC    2D'0'                R0-R2 save area for MSG call
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   313 ***********************************************************************
                                                   314 *         Issue HERCULES MESSAGE pointed to by R1, length in R0
                                                   315 *               R2 = return address
                                                   316 ***********************************************************************
                                                   317
000003E8  4900 82E0                     000004E0   318 MSG       CH    R0,=H'0'                 Do we even HAVE a message?
000003EC  07D2                                     319           BNHR  R2                       No, ignore
                                                   320
000003EE  9002 8224                     00000424   321           STM   R0,R2,MSGSAVE            Save registers
                                                   322
000003F2  4900 82E2                     000004E2   323           CH    R0,=AL2(L'MSGMSG)        Message length within limits?
000003F6  47D0 81FE                     000003FE   324           BNH   MSGOK                    Yes, continue
000003FA  4100 005F                     0000005F   325           LA    R0,L'MSGMSG              No, set to maximum
                                                   326
000003FE  1820                                     327 MSGOK     LR    R2,R0                    Copy length to work register
00000400  0620                                     328           BCTR  R2,0                     Minus-1 for execute
00000402  4420 8230                     00000430   329           EX    R2,MSGMVC                Copy message to O/P buffer
                                                   330
00000406  4120 200A                     0000000A   331           LA    R2,1+L'MSGCMD(,R2)       Calculate true command length
0000040A  4110 8236                     00000436   332           LA    R1,MSGCMD                Point to true command
                                                   333
0000040E  83120008                                 334           DC    X'83',X'12',X'0008'      Issue Hercules Diagnose X'008'
00000412  4780 821E                     0000041E   335           BZ    MSGRET                   Return if successful
                                                   336
00000416  1222                                     337           LTR   R2,R2                    Is Diag8 Ry (R2) 0?
00000418  4780 821E                     0000041E   338           BZ    MSGRET                     an error occurred but coninue
                                                   339
0000041C  0000                                     340           DC    H'0'                     CRASH for debugging purposes
                                                   341
0000041E  9802 8224                     00000424   342 MSGRET    LM    R0,R2,MSGSAVE            Restore registers
00000422  07F2                                     343           BR    R2                       Return to caller



00000424  00000000 00000000                        345 MSGSAVE   DC    3F'0'                    Registers save area
00000430  D200 823F 1000      0000043F  00000000   346 MSGMVC    MVC   MSGMSG(0),0(R1)          Executed instruction


00000436  D4E2C7D5 D6C8405C                        348 MSGCMD    DC    C'MSGNOH * '             *** HERCULES MESSAGE COMMAND ***
0000043F  40404040 40404040                        349 MSGMSG    DC    CL95' '                  The message text to be displayed
                                                   350
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   352 ************************************************************************
                                                   353 *        Normal completion or Abnormal termination PSWs
                                                   354 ************************************************************************

000004A0  00020001 80000000                        356 EOJPSW   DC    0D'0',X'0002000180000000',AD(0)

000004B0  B2B2 82A0                     000004A0   358 EOJ      LPSWE EOJPSW                Normal completion

000004B8  00020001 80000000                        360 FAILPSW  DC    0D'0',X'0002000180000000',AD(X'BAD')

000004C8  B2B2 82B8                     000004B8   362 FAILTEST LPSWE FAILPSW               Abnormal termination

                                                   364 ************************************************************************
                                                   365 *        Working Storage
                                                   366 ************************************************************************

000004CC  00000000                                 368 CTLR0    DS    F                 CR0
000004D0  00000000                                 369          DS    F

000004D4                                           371          LTORG ,                 Literals pool
000004D4  00000001                                 372                =F'1'
000004D8  00004C54                                 373                =A(E6TESTS)
000004DC  00000003                                 374                =XL4'3'
000004E0  0000                                     375                =H'0'
000004E2  005F                                     376                =AL2(L'MSGMSG)
                                                   377
                                                   378 *        some constants
                                                   379
                               00000400  00000001  380 K        EQU   1024              One KB
                               00001000  00000001  381 PAGE     EQU   (4*K)             Size of one page
                               00010000  00000001  382 K64      EQU   (64*K)            64 KB
                               00100000  00000001  383 MB       EQU   (K*K)              1 MB
                                                   384
                                                   385
                               AABBCCDD  00000001  386 REG2PATT EQU   X'AABBCCDD'     Polluted Register pattern
                               000000DD  00000001  387 REG2LOW  EQU         X'DD'     (last byte above)
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

                                                  389 *=====================================================================
                                                  390 *
                                                  391 *  NOTE: start data on an address that is easy to display
                                                  392 *        within Hercules
                                                  393 *
                                                  394 *=====================================================================
                                                  395
000004E4                    000004E4  00001000    396          ORG   ZVE6TST+X'1000'
00001000  00000000                                397 FAILED   DC    F'0'                     some test failed?
00001004  00000000                                398 TESTING  DC    F'0'                     current test number

                                                  400 **********************************************************************
                                                  401 *        TEST failed : CC message
                                                  402 **********************************************************************
                                                  403 *
                                                  404 *        failed message and associated editting
                                                  405 *
00001008  40404040 40404040                       406 CCPRTLINE DC   C'         Test # '
00001018  A7A7A7                                  407 CCPRTNUM DC    C'xxx'
0000101B  40A69996 95874083                       408          DC    c' wrong cc for instruction '
00001035  A7A7A7A7 A7A7A7A7                       409 CCPRTNAME DC    CL8'xxxxxxxx'
0000103D  4085A797 8583A385                       410          DC    C' expected: cc='
0000104B  A7                                      411 CCPRTEXP DC    C'x'
0000104C  6B                                      412          DC    C','
0000104D  40998583 8589A585                       413          DC    C' received: cc='
0000105B  A7                                      414 CCPRTGOT DC    C'x'
0000105C  4B                                      415          DC    C'.'
                            00000055  00000001    416 CCPRTLNG   EQU   *-CCPRTLINE
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   418 ***********************************************************************
                                                   419 *        TEST failed : message working storge
                                                   420 ***********************************************************************
0000105D  40212020 20202020                        421 EDIT     DC    XL18'402120202020202020202020202020202020'
                                                   422
0000106F  7E7E7E6E                                 423          DC    C'===>'
00001073  40404040 40404040                        424 PRT3     DC    CL18' '
00001085  4C7E7E7E                                 425          DC    C'<==='
00001089  00000000 00000000                        426 DECNUM   DS    CL16


                                                   428 ***********************************************************************
                                                   429 *        Vector instruction results, pollution and input
                                                   430 ***********************************************************************
000010A0                                           431          DS    0FD
000010A0  AABBCCDD EEFFAABB                        432 R1FUDGE  DC    XL8'AABBCCDDEEFFAABB'                   R1 FUDGE
000010A8  00000000 00000000                        433          DS    XL16                                        gap
000010B8  00000000 00000000                        434 V1OUTPUT DS    XL16                                    V1 OUTPUT
000010C8  00000000 00000000                        435          DS    XL16                                        gap
000010D8  00000000 00000000                        436 R1OUTPUT DS    FD                                      R1 OUTPUT
000010E0  00000000 00000000                        437          DS    XL16                                        gap
000010F0  FFFFFFFF FFFFFFFF                        438 V1FUDGE  DC    XL16'FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF'    V1 FUDGE
00001100  BBBBBBBB BBBBBBBB                        439 V1FUDGEB DC    XL16'BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB'    V1 FUDGE b
00001110  F1F2F3F4 F5F6F7F8                        440 V1INPUT  DC    CL16'1234567890123456'                  V1 input
00001120  F7F8F9F0 F1F2F3F4                        441          DC    CL14'78901234567890'
0000112E  D9                                       442          DC    X'D9'
0000112F  00000000 00000000                        443          DS    XL16                                        gap
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   445 ***********************************************************************
                                                   446 *        E6TEST DSECT
                                                   447 ***********************************************************************

                                                   449 E6TEST   DSECT ,
00000000  00000000                                 450 TSUB     DC    A(0)              pointer  to test
00000004  0000                                     451 TNUM     DC    H'00'             Test Number
00000006  00                                       452          DC    XL1'00'
00000007  00                                       453 CC       DC    HL1'00'           cc
00000008  00                                       454 CCMASK   DC    HL1'00'           not expected CC mask
                                                   455
00000009  00                                       456 CCFOUND  DS    X              extracted cc
0000000C  00000000 00000000                        457 CCPSW    DS    2F             extract PSW after test (has CC)
                                                   458
00000014  40404040 40404040                        459 OPNAME   DC    CL8' '            E6 name
                                                   460
0000001C  00000000                                 461 RELEN    DC    A(0)              RESULT LENGTH
00000020  00000000                                 462 READDR   DC    A(0)              expected result address
                                                   463
                                                   464 **
                                                   465 *        test routine will be here (from VRI_L macro)
                                                   466 * followed by
                                                   467 *        16-byte source v1
                                                   468 *        16-byte source v2
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   470 ***********************************************************************
                                                   471 * (pending VTZ inclusion in SATK ASAM)
                                                   472 *
                                                   473 *     VTZ Macro to help build VTZ instruction
                                                   474 *        VTZ   V1,V2,i3
                                                   475 *
                                                   476 *        Note: v1 and v2 are fixed vector registers
                                                   477 *              i3 can be specified in hex eg. x'1F1F'
                                                   478 ***********************************************************************
                                                   479          MACRO
                                                   480          VTZ   &I3
                                                   481 .*                                      &I3  - i3 for VTZ instruction
                                                   482          LCLA  &V2I3
                                                   483 &V2I3    SETA  +X'200000'+(16*&I3)
                                                   484                                                                SPACE 1
                                                   485          DS    0H                        E67F VTZ    - Vector Test Zoned
                                                   486          DC    X'E6'
                                                   487          DC    X'01'                     v1
                                                   488          DC    HL3'&V2I3'                v2, I3, RXB
                                                   489          DC    X'7F'
                                                   490                                                                SPACE 1
                                                   491          MEND
```

```
  LOC          OBJECT CODE       ADDR1     ADDR2    STMT

                                                    493 ***********************************************************************
                                                    494 *     Macros to help build test tables
                                                    495 *----------------------------------------------------------------------
                                                    496 *     VRI_L Macro to help build test tables
                                                    497 ***********************************************************************
                                                    498          MACRO
                                                    499          VRI_L &INST,&I3,&CC
                                                    500 .*                                  &INST  - instruction under test
                                                    501 .*                                  &CC    - expected CC
                                                    502 .*
                                                    503          LCLA  &XCC(4)  &CC has mask values for FAILED condition codes
                                                    504 &XCC(1)  SETA  7                    CC != 0
                                                    505 &XCC(2)  SETA  11                   CC != 1
                                                    506 &XCC(3)  SETA  13                   CC != 2
                                                    507 &XCC(4)  SETA  14                   CC != 3
                                                    508
                                                    509          GBLA  &TNUM
                                                    510 &TNUM    SETA  &TNUM+1
                                                    511
                                                    512          DS    0FD
                                                    513          USING *,R5                 base for test data and test routine
                                                    514
                                                    515 T&TNUM   DC    A(X&TNUM)            address of test routine
                                                    516          DC    H'&TNUM'             test number
                                                    517          DC    XL1'00'
                                                    518          DC    HL1'&CC'             cc
                                                    519          DC    HL1'&XCC(&CC+1)'     cc failed mask
                                                    520          DS    XL1'0'               extracted cc (CCFOUND)
                                                    521          DS    2F'0'                extract PSW after test (CCPSW)
                                                    522
                                                    523          DC    CL8'&INST'           instruction name
                                                    524
                                                    525          DC    A(16)                result length
                                                    526 REA&TNUM DC    A(RE&TNUM)           result address
                                                    527 .*
                                                    528 *                                   INSTRUCTION UNDER TEST ROUTINE
                                                    529 X&TNUM   DS    0F
                                                    530          LGF   R2,REA&TNUM
                                                    531          VL    V1,0(R2)             get V1 source
                                                    532          LA    R2,16(R2)
                                                    533          VL    V2,0(R2)             get V2 source
                                                    534
                                                    535          &INST &I3                  test instruction
                                                    536
                                                    537          EPSW  R2,R0                exptract psw
                                                    538          ST    R2,CCPSW                 to save CC
                                                    539
                                                    540          BR    R11
                                                    541
                                                    542 RE&TNUM  DC    0F
                                                    543          DROP  R5
                                                    544
                                                    545          MEND
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                   547 ********************************************************************
                                                   548 *     PTTABLE Macro to generate table of pointers to individual tests
                                                   549 ********************************************************************
                                                   550
                                                   551          MACRO
                                                   552          PTTABLE
                                                   553          GBLA  &TNUM
                                                   554          LCLA  &CUR
                                                   555 &CUR     SETA  1
                                                   556 .*
                                                   557 TTABLE   DS    0F
                                                   558 .LOOP    ANOP
                                                   559 .*
                                                   560          DC    A(T&CUR)          address of test
                                                   561 .*
                                                   562 &CUR     SETA  &CUR+1
                                                   563          AIF   (&CUR LE &TNUM).LOOP
                                                   564 *
                                                   565          DC    A(0)              END OF TABLE
                                                   566          DC    A(0)
                                                   567 .*
                                                   568          MEND
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

                                                  570 ***********************************************************************
                                                  571 *        E6 VRI_L tests
                                                  572 ***********************************************************************
                              00000000  00004E77  573 ZVE6TST  CSECT ,
00001140                                          574          DS    0F


                                                  576          PRINT DATA
                                                  577 *
                                                  578 *        E67F VTZ    - Vector Test Zoned
                                                  579 *        VRI_L instr, i3, cc
                                                  580 *                              i3 is in hex x'0000'
                                                  581 *              followed by
                                                  582 *              v1      - 16 byte source
                                                  583 *              v2      - 16 byte source
                                                  584 *----------------------------------------------------------------------
                                                  585 * VTZ    - Vector Test Zoned
                                                  586 *----------------------------------------------------------------------
                                                  587 * ETS-type-zoned format (embedded trailing sign)
                                                  588 *
                                                  589 * VTZ simple - ssc: 0, ls: 0, dsc: 31, stc: 0, dc: 31
                                                  590 *              Sign: A-F
                                                  591 * digits valid,  sign valid
                                                  592          VRI_L VTZ,X'1F1F',0
00001140                                          593+         DS    0FD
00001140                      00001140            594+         USING *,R5                base for test data and test routine
00001140 00001164                                 595+T1       DC    A(X1)               address of test routine
00001144 0001                                     596+         DC    H'1'                test number
00001146 00                                       597+         DC    XL1'00'
00001147 00                                       598+         DC    HL1'0'              cc
00001148 07                                       599+         DC    HL1'7'              cc failed mask
00001149 00                                       600+         DS    XL1'0'              extracted cc (CCFOUND)
0000114C 00000000 00000000                        601+         DS    2F'0'               extract PSW after test (CCPSW)
00001154 E5E3E940 40404040                        602+         DC    CL8'VTZ'            instruction name
0000115C 00000010                                 603+         DC    A(16)               result length
00001160 0000118C                                 604+REA1     DC    A(RE1)              result address
                                                  605+*                                  INSTRUCTION UNDER TEST ROUTINE
00001164                                          606+X1       DS    0F
00001164 E320 5020 0014             00001160      607+         LGF   R2,REA1
0000116A E712 0000 0006             00000000      608+         VL    V1,0(R2)            get V1 source
00001170 4122 0010                  00000010      609+         LA    R2,16(R2)
00001174 E722 0000 0006             00000000      610+         VL    V2,0(R2)            get V2 source

0000117A                                          613+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000117A E6                                       614+         DC    X'E6'
0000117B 01                                       615+         DC    X'01'                     v1
0000117C 21F1F0                                   616+         DC    HL3'2224624'              v2, I3, RXB
0000117F 7F                                       617+         DC    X'7F'

00001180 B98D 0020                                619+         EPSW  R2,R0               exptract psw
00001184 5020 500C                  0000000C      620+         ST    R2,CCPSW                 to save CC
00001188 07FB                                     621+         BR    R11
0000118C                                          622+RE1      DC    0F
0000118C                                          623+         DROP  R5
0000118C F0F0F0F0 F0F0F0F0                        624          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001194 F0F0F0F0 F0F0F0F0
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

0000119C  F0F0F0F0 F0F0F0F0                        625          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0A0'   V2 source
000011A4  F1F2F3F0 F0F0F0A0
                                                   626
                                                   627          VRI_L VTZ,X'1F1F',0
000011B0                                           628+         DS    0FD
000011B0                        000011B0           629+         USING *,R5                  base for test data and test routine
000011B0  000011D4                                 630+T2       DC    A(X2)                 address of test routine
000011B4  0002                                     631+         DC    H'2'                  test number
000011B6  00                                       632+         DC    XL1'00'
000011B7  00                                       633+         DC    HL1'0'                cc
000011B8  07                                       634+         DC    HL1'7'                cc failed mask
000011B9  00                                       635+         DS    XL1'0'                extracted cc (CCFOUND)
000011BC  00000000 00000000                        636+         DS    2F'0'                 extract PSW after test (CCPSW)
000011C4  E5E3E940 40404040                        637+         DC    CL8'VTZ'              instruction name
000011CC  00000010                                 638+         DC    A(16)                 result length
000011D0  000011FC                                 639+REA2     DC    A(RE2)                result address
                                                   640+*                                    INSTRUCTION UNDER TEST ROUTINE
000011D4                                           641+X2       DS    0F
000011D4  E320 5020 0014               000011D0    642+         LGF   R2,REA2
000011DA  E712 0000 0006               00000000    643+         VL    V1,0(R2)              get V1 source
000011E0  4122 0010                    00000010    644+         LA    R2,16(R2)
000011E4  E722 0000 0006               00000000    645+         VL    V2,0(R2)              get V2 source

000011EA                                           648+         DS    0H                          E67F VTZ    - Vector Test Zoned
000011EA  E6                                       649+         DC    X'E6'
000011EB  01                                       650+         DC    X'01'                       v1
000011EC  21F1F0                                   651+         DC    HL3'2224624'                v2, I3, RXB
000011EF  7F                                       652+         DC    X'7F'

000011F0  B98D 0020                                654+         EPSW  R2,R0                 exptract psw
000011F4  5020 500C                    0000000C    655+         ST    R2,CCPSW                  to save CC
000011F8  07FB                                     656+         BR    R11
000011FC                                           657+RE2      DC    0F
000011FC                                           658+         DROP  R5
000011FC  F0F0F0F0 F0F0F0F0                        659          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001204  F0F0F0F0 F0F0F0F0
0000120C  F0F0F0F0 F0F0F0F0                        660          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0B0'   V2 source
00001214  F1F2F3F0 F0F0F0B0
                                                   661
                                                   662          VRI_L VTZ,X'1F1F',0
00001220                                           663+         DS    0FD
00001220                        00001220           664+         USING *,R5                  base for test data and test routine
00001220  00001244                                 665+T3       DC    A(X3)                 address of test routine
00001224  0003                                     666+         DC    H'3'                  test number
00001226  00                                       667+         DC    XL1'00'
00001227  00                                       668+         DC    HL1'0'                cc
00001228  07                                       669+         DC    HL1'7'                cc failed mask
00001229  00                                       670+         DS    XL1'0'                extracted cc (CCFOUND)
0000122C  00000000 00000000                        671+         DS    2F'0'                 extract PSW after test (CCPSW)
00001234  E5E3E940 40404040                        672+         DC    CL8'VTZ'              instruction name
0000123C  00000010                                 673+         DC    A(16)                 result length
00001240  0000126C                                 674+REA3     DC    A(RE3)                result address
                                                   675+*                                    INSTRUCTION UNDER TEST ROUTINE
00001244                                           676+X3       DS    0F
00001244  E320 5020 0014               00001240    677+         LGF   R2,REA3
0000124A  E712 0000 0006               00000000    678+         VL    V1,0(R2)              get V1 source
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

00001250  4122 0010                   00000010   679+            LA    R2,16(R2)
00001254  E722 0000 0006              00000000   680+            VL    V2,0(R2)          get V2 source

0000125A                                         683+            DS    0H                      E67F VTZ    - Vector Test Zoned
0000125A  E6                                     684+            DC    X'E6'
0000125B  01                                     685+            DC    X'01'                   v1
0000125C  21F1F0                                 686+            DC    HL3'2224624'            v2, I3, RXB
0000125F  7F                                     687+            DC    X'7F'

00001260  B98D 0020                              689+            EPSW  R2,R0             exptract psw
00001264  5020 500C                   0000000C   690+            ST    R2,CCPSW              to save CC
00001268  07FB                                   691+            BR    R11
0000126C                                         692+RE3         DC    0F
0000126C                                         693+            DROP  R5
0000126C  F0F0F0F0 F0F0F0F0                      694             DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001274  F0F0F0F0 F0F0F0F0
0000127C  F0F0F0F0 F0F0F0F0                      695             DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0C0'   V2 source
00001284  F1F2F3F0 F0F0F0C0
                                                 696
                                                 697             VRI_L VTZ,X'1F1F',0
00001290                                         698+            DS    0FD
00001290                        00001290         699+            USING *,R5              base for test data and test routine
00001290  000012B4                               700+T4          DC    A(X4)             address of test routine
00001294  0004                                   701+            DC    H'4'              test number
00001296  00                                     702+            DC    XL1'00'
00001297  00                                     703+            DC    HL1'0'            cc
00001298  07                                     704+            DC    HL1'7'            cc failed mask
00001299  00                                     705+            DS    XL1'0'            extracted cc (CCFOUND)
0000129C  00000000 00000000                      706+            DS    2F'0'             extract PSW after test (CCPSW)
000012A4  E5E3E940 40404040                      707+            DC    CL8'VTZ'          instruction name
000012AC  00000010                               708+            DC    A(16)             result length
000012B0  000012DC                               709+REA4        DC    A(RE4)            result address
                                                 710+*                                   INSTRUCTION UNDER TEST ROUTINE
000012B4                                         711+X4          DS    0F
000012B4  E320 5020 0014              000012B0   712+            LGF   R2,REA4
000012BA  E712 0000 0006              00000000   713+            VL    V1,0(R2)          get V1 source
000012C0  4122 0010                   00000010   714+            LA    R2,16(R2)
000012C4  E722 0000 0006              00000000   715+            VL    V2,0(R2)          get V2 source

000012CA                                         718+            DS    0H                      E67F VTZ    - Vector Test Zoned
000012CA  E6                                     719+            DC    X'E6'
000012CB  01                                     720+            DC    X'01'                   v1
000012CC  21F1F0                                 721+            DC    HL3'2224624'            v2, I3, RXB
000012CF  7F                                     722+            DC    X'7F'

000012D0  B98D 0020                              724+            EPSW  R2,R0             exptract psw
000012D4  5020 500C                   0000000C   725+            ST    R2,CCPSW              to save CC
000012D8  07FB                                   726+            BR    R11
000012DC                                         727+RE4         DC    0F
000012DC                                         728+            DROP  R5
000012DC  F0F0F0F0 F0F0F0F0                      729             DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000012E4  F0F0F0F0 F0F0F0F0
000012EC  F0F0F0F0 F0F0F0F0                      730             DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0D0'   V2 source
000012F4  F1F2F3F0 F0F0F0D0
                                                 731
                                                 732             VRI_L VTZ,X'1F1F',0
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00001300                                           733+         DS    0FD
00001300                         00001300          734+         USING *,R5              base for test data and test routine
00001300  00001324                                 735+T5       DC    A(X5)             address of test routine
00001304  0005                                     736+         DC    H'5'              test number
00001306  00                                       737+         DC    XL1'00'
00001307  00                                       738+         DC    HL1'0'            cc
00001308  07                                       739+         DC    HL1'7'            cc failed mask
00001309  00                                       740+         DS    XL1'0'            extracted cc (CCFOUND)
0000130C  00000000 00000000                        741+         DS    2F'0'             extract PSW after test (CCPSW)
00001314  E5E3E940 40404040                        742+         DC    CL8'VTZ'          instruction name
0000131C  00000010                                 743+         DC    A(16)             result length
00001320  0000134C                                 744+REA5     DC    A(RE5)            result address
                                                   745+*                                INSTRUCTION UNDER TEST ROUTINE
00001324                                           746+X5       DS    0F
00001324  E320 5020 0014              00001320     747+         LGF   R2,REA5
0000132A  E712 0000 0006              00000000     748+         VL    V1,0(R2)          get V1 source
00001330  4122 0010                   00000010     749+         LA    R2,16(R2)
00001334  E722 0000 0006              00000000     750+         VL    V2,0(R2)          get V2 source

0000133A                                           753+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000133A  E6                                       754+         DC    X'E6'
0000133B  01                                       755+         DC    X'01'                   v1
0000133C  21F1F0                                   756+         DC    HL3'2224624'            v2, I3, RXB
0000133F  7F                                       757+         DC    X'7F'

00001340  B98D 0020                                759+         EPSW  R2,R0             exptract psw
00001344  5020 500C                   0000000C     760+         ST    R2,CCPSW              to save CC
00001348  07FB                                     761+         BR    R11
0000134C                                           762+RE5      DC    0F
0000134C                                           763+         DROP  R5
0000134C  F0F0F0F0 F0F0F0F0                        764          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001354  F0F0F0F0 F0F0F0F0
0000135C  F0F0F0F0 F0F0F0F0                        765          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0E0'   V2 source
00001364  F1F2F3F0 F0F0F0E0
                                                   766
                                                   767          VRI_L VTZ,X'1F1F',0
00001370                                           768+         DS    0FD
00001370                         00001370          769+         USING *,R5              base for test data and test routine
00001370  00001394                                 770+T6       DC    A(X6)             address of test routine
00001374  0006                                     771+         DC    H'6'              test number
00001376  00                                       772+         DC    XL1'00'
00001377  00                                       773+         DC    HL1'0'            cc
00001378  07                                       774+         DC    HL1'7'            cc failed mask
00001379  00                                       775+         DS    XL1'0'            extracted cc (CCFOUND)
0000137C  00000000 00000000                        776+         DS    2F'0'             extract PSW after test (CCPSW)
00001384  E5E3E940 40404040                        777+         DC    CL8'VTZ'          instruction name
0000138C  00000010                                 778+         DC    A(16)             result length
00001390  000013BC                                 779+REA6     DC    A(RE6)            result address
                                                   780+*                                INSTRUCTION UNDER TEST ROUTINE
00001394                                           781+X6       DS    0F
00001394  E320 5020 0014              00001390     782+         LGF   R2,REA6
0000139A  E712 0000 0006              00000000     783+         VL    V1,0(R2)          get V1 source
000013A0  4122 0010                   00000010     784+         LA    R2,16(R2)
000013A4  E722 0000 0006              00000000     785+         VL    V2,0(R2)          get V2 source

000013AA                                           788+         DS    0H                      E67F VTZ    - Vector Test Zoned
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

000013AA  E6                                       789+         DC    X'E6'
000013AB  01                                       790+         DC    X'01'                     v1
000013AC  21F1F0                                   791+         DC    HL3'2224624'              v2, I3, RXB
000013AF  7F                                       792+         DC    X'7F'

000013B0  B98D 0020                                794+         EPSW  R2,R0             exptract psw
000013B4  5020 500C                     0000000C   795+         ST    R2,CCPSW              to save CC
000013B8  07FB                                     796+         BR    R11
000013BC                                           797+RE6      DC    0F
000013BC                                           798+         DROP  R5
000013BC  F0F0F0F0 F0F0F0F0                        799          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000013C4  F0F0F0F0 F0F0F0F0
000013CC  F0F0F0F0 F0F0F0F0                        800          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
000013D4  F1F2F3F0 F0F0F0F0
                                                   801
                                                   802 * digits valid,  sign invalid
                                                   803          VRI_L VTZ,X'1F1F',1
000013E0                                           804+         DS    0FD
000013E0                      000013E0             805+         USING *,R5              base for test data and test routine
000013E0  00001404                                 806+T7       DC    A(X7)             address of test routine
000013E4  0007                                     807+         DC    H'7'              test number
000013E6  00                                       808+         DC    XL1'00'
000013E7  01                                       809+         DC    HL1'1'            cc
000013E8  0B                                       810+         DC    HL1'11'           cc failed mask
000013E9  00                                       811+         DS    XL1'0'            extracted cc (CCFOUND)
000013EC  00000000 00000000                        812+         DS    2F'0'             extract PSW after test (CCPSW)
000013F4  E5E3E940 40404040                        813+         DC    CL8'VTZ'          instruction name
000013FC  00000010                                 814+         DC    A(16)             result length
00001400  0000142C                                 815+REA7     DC    A(RE7)            result address
                                                   816+*                                INSTRUCTION UNDER TEST ROUTINE
00001404                                           817+X7       DS    0F
00001404  E320 5020 0014                00001400   818+         LGF   R2,REA7
0000140A  E712 0000 0006                00000000   819+         VL    V1,0(R2)          get V1 source
00001410  4122 0010                     00000010   820+         LA    R2,16(R2)
00001414  E722 0000 0006                00000000   821+         VL    V2,0(R2)          get V2 source

0000141A                                           824+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000141A  E6                                       825+         DC    X'E6'
0000141B  01                                       826+         DC    X'01'                     v1
0000141C  21F1F0                                   827+         DC    HL3'2224624'              v2, I3, RXB
0000141F  7F                                       828+         DC    X'7F'

00001420  B98D 0020                                830+         EPSW  R2,R0             exptract psw
00001424  5020 500C                     0000000C   831+         ST    R2,CCPSW              to save CC
00001428  07FB                                     832+         BR    R11
0000142C                                           833+RE7      DC    0F
0000142C                                           834+         DROP  R5
0000142C  F0F0F0F0 F0F0F0F0                        835          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001434  F0F0F0F0 F0F0F0F0
0000143C  F0F0F0F0 F0F0F0F0                        836          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F090'   V2 source
00001444  F0F0F0F0 F0F0F090
                                                   837
                                                   838 * a digit invalid, sign valid
                                                   839          VRI_L VTZ,X'1F1F',2
00001450                                           840+         DS    0FD
00001450                      00001450             841+         USING *,R5              base for test data and test routine
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

00001450  00001474                                842+T8        DC    A(X8)               address of test routine
00001454  0008                                    843+          DC    H'8'                test number
00001456  00                                      844+          DC    XL1'00'
00001457  02                                      845+          DC    HL1'2'              cc
00001458  0D                                      846+          DC    HL1'13'             cc failed mask
00001459  00                                      847+          DS    XL1'0'              extracted cc (CCFOUND)
0000145C  00000000 00000000                       848+          DS    2F'0'               extract PSW after test (CCPSW)
00001464  E5E3E940 40404040                       849+          DC    CL8'VTZ'            instruction name
0000146C  00000010                                850+          DC    A(16)               result length
00001470  0000149C                                851+REA8      DC    A(RE8)              result address
                                                  852+*                                   INSTRUCTION UNDER TEST ROUTINE
00001474                                          853+X8        DS    0F
00001474  E320 5020 0014            00001470      854+          LGF   R2,REA8
0000147A  E712 0000 0006            00000000      855+          VL    V1,0(R2)            get V1 source
00001480  4122 0010                 00000010      856+          LA    R2,16(R2)
00001484  E722 0000 0006            00000000      857+          VL    V2,0(R2)            get V2 source

0000148A                                          860+          DS    0H                        E67F VTZ    - Vector Test Zoned
0000148A  E6                                      861+          DC    X'E6'
0000148B  01                                      862+          DC    X'01'                     v1
0000148C  21F1F0                                  863+          DC    HL3'2224624'              v2, I3, RXB
0000148F  7F                                      864+          DC    X'7F'

00001490  B98D 0020                               866+          EPSW  R2,R0               exptract psw
00001494  5020 500C                 0000000C      867+          ST    R2,CCPSW                to save CC
00001498  07FB                                    868+          BR    R11
0000149C                                          869+RE8       DC    0F
0000149C                                          870+          DROP  R5
0000149C  F0F0F0F0 F0F0F0F0                       871           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000014A4  F0F0F0F0 F0F0F0FF
000014AC  F0F0F0F0 F0F0F0F0                       872           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
000014B4  F0F0F0F0 F0F0F0C0
                                                  873
                                                  874 * a digit invalid,  sign invalid
                                                  875           VRI_L VTZ,X'1F1F',3
000014C0                                          876+          DS    0FD
000014C0                          000014C0        877+          USING *,R5                base for test data and test routine
000014C0  000014E4                                878+T9        DC    A(X9)               address of test routine
000014C4  0009                                    879+          DC    H'9'                test number
000014C6  00                                      880+          DC    XL1'00'
000014C7  03                                      881+          DC    HL1'3'              cc
000014C8  0E                                      882+          DC    HL1'14'             cc failed mask
000014C9  00                                      883+          DS    XL1'0'              extracted cc (CCFOUND)
000014CC  00000000 00000000                       884+          DS    2F'0'               extract PSW after test (CCPSW)
000014D4  E5E3E940 40404040                       885+          DC    CL8'VTZ'            instruction name
000014DC  00000010                                886+          DC    A(16)               result length
000014E0  0000150C                                887+REA9      DC    A(RE9)              result address
                                                  888+*                                   INSTRUCTION UNDER TEST ROUTINE
000014E4                                          889+X9        DS    0F
000014E4  E320 5020 0014            000014E0      890+          LGF   R2,REA9
000014EA  E712 0000 0006            00000000      891+          VL    V1,0(R2)            get V1 source
000014F0  4122 0010                 00000010      892+          LA    R2,16(R2)
000014F4  E722 0000 0006            00000000      893+          VL    V2,0(R2)            get V2 source

000014FA                                          896+          DS    0H                        E67F VTZ    - Vector Test Zoned
000014FA  E6                                      897+          DC    X'E6'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000014FB  01                                       898+          DC    X'01'                  v1
000014FC  21F1F0                                   899+          DC    HL3'2224624'           v2, I3, RXB
000014FF  7F                                       900+          DC    X'7F'

00001500  B98D 0020                                902+          EPSW  R2,R0            exptract psw
00001504  5020 500C                      0000000C  903+          ST    R2,CCPSW             to save CC
00001508  07FB                                     904+          BR    R11
0000150C                                           905+RE9       DC    0F
0000150C                                           906+          DROP  R5
0000150C  F0F0F0F0 F0F0F0F0                        907           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00001514  F0F0F0F0 F0F0F0FF
0000151C  F0F0F0F0 F0F0F0F0                        908           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F000'   V2 source
00001524  F0F0F0F0 F0F0F000
                                                   909
                                                   910 * VTZ     - ssc: 0, ls: 0, dsc: 31, stc: 1, dc: 31
                                                   911 *           non zero: Sign: A-F
                                                   912 *-----------------------------------------------------------------------
                                                   913 * digits valid,  sign valid
                                                   914           VRI_L VTZ,X'1F3F',0
00001530                                           915+          DS    0FD
00001530                     00001530              916+          USING *,R5             base for test data and test routine
00001530  00001554                                 917+T10       DC    A(X10)           address of test routine
00001534  000A                                     918+          DC    H'10'            test number
00001536  00                                       919+          DC    XL1'00'
00001537  00                                       920+          DC    HL1'0'           cc
00001538  07                                       921+          DC    HL1'7'           cc failed mask
00001539  00                                       922+          DS    XL1'0'           extracted cc (CCFOUND)
0000153C  00000000 00000000                        923+          DS    2F'0'            extract PSW after test (CCPSW)
00001544  E5E3E940 40404040                        924+          DC    CL8'VTZ'         instruction name
0000154C  00000010                                 925+          DC    A(16)            result length
00001550  0000157C                                 926+REA10     DC    A(RE10)          result address
                                                   927+*                                INSTRUCTION UNDER TEST ROUTINE
00001554                                           928+X10       DS    0F
00001554  E320 5020 0014                 00001550  929+          LGF   R2,REA10
0000155A  E712 0000 0006                 00000000  930+          VL    V1,0(R2)         get V1 source
00001560  4122 0010                      00000010  931+          LA    R2,16(R2)
00001564  E722 0000 0006                 00000000  932+          VL    V2,0(R2)         get V2 source

0000156A                                           935+          DS    0H                     E67F VTZ    - Vector Test Zoned
0000156A  E6                                       936+          DC    X'E6'
0000156B  01                                       937+          DC    X'01'                  v1
0000156C  21F3F0                                   938+          DC    HL3'2225136'           v2, I3, RXB
0000156F  7F                                       939+          DC    X'7F'

00001570  B98D 0020                                941+          EPSW  R2,R0            exptract psw
00001574  5020 500C                      0000000C  942+          ST    R2,CCPSW             to save CC
00001578  07FB                                     943+          BR    R11
0000157C                                           944+RE10      DC    0F
0000157C                                           945+          DROP  R5
0000157C  F0F0F0F0 F0F0F0F0                        946           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001584  F0F0F0F0 F0F0F0F0
0000158C  F0F0F0F0 F0F0F0F0                        947           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0A0'   V2 source
00001594  F1F2F3F0 F0F0F0A0
                                                   948
                                                   949           VRI_L VTZ,X'1F3F',0
000015A0                                           950+          DS    0FD
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000015A0                     000015A0              951+         USING *,R5               base for test data and test routine
000015A0  000015C4                                 952+T11      DC    A(X11)             address of test routine
000015A4  000B                                     953+         DC    H'11'              test number
000015A6  00                                       954+         DC    XL1'00'
000015A7  00                                       955+         DC    HL1'0'             cc
000015A8  07                                       956+         DC    HL1'7'             cc failed mask
000015A9  00                                       957+         DS    XL1'0'             extracted cc (CCFOUND)
000015AC  00000000 00000000                        958+         DS    2F'0'              extract PSW after test (CCPSW)
000015B4  E5E3E940 40404040                        959+         DC    CL8'VTZ'           instruction name
000015BC  00000010                                 960+         DC    A(16)              result length
000015C0  000015EC                                 961+REA11    DC    A(RE11)            result address
                                                   962+*                                 INSTRUCTION UNDER TEST ROUTINE
000015C4                                           963+X11      DS    0F
000015C4  E320 5020 0014               000015C0    964+         LGF   R2,REA11
000015CA  E712 0000 0006               00000000    965+         VL    V1,0(R2)           get V1 source
000015D0  4122 0010                    00000010    966+         LA    R2,16(R2)
000015D4  E722 0000 0006               00000000    967+         VL    V2,0(R2)           get V2 source

000015DA                                           970+         DS    0H                       E67F VTZ    - Vector Test Zoned
000015DA  E6                                       971+         DC    X'E6'
000015DB  01                                       972+         DC    X'01'                    v1
000015DC  21F3F0                                   973+         DC    HL3'2225136'             v2, I3, RXB
000015DF  7F                                       974+         DC    X'7F'

000015E0  B98D 0020                                976+         EPSW  R2,R0              exptract psw
000015E4  5020 500C                    0000000C    977+         ST    R2,CCPSW               to save CC
000015E8  07FB                                     978+         BR    R11
000015EC                                           979+RE11     DC    0F
000015EC                                           980+         DROP  R5
000015EC  F0F0F0F0 F0F0F0F0                        981          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000015F4  F0F0F0F0 F0F0F0F0
000015FC  F0F0F0F0 F0F0F0F0                        982          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0B0'   V2 source
00001604  F1F2F3F0 F0F0F0B0
                                                   983
                                                   984          VRI_L VTZ,X'1F3F',0
00001610                                           985+         DS    0FD
00001610                     00001610              986+         USING *,R5               base for test data and test routine
00001610  00001634                                 987+T12      DC    A(X12)             address of test routine
00001614  000C                                     988+         DC    H'12'              test number
00001616  00                                       989+         DC    XL1'00'
00001617  00                                       990+         DC    HL1'0'             cc
00001618  07                                       991+         DC    HL1'7'             cc failed mask
00001619  00                                       992+         DS    XL1'0'             extracted cc (CCFOUND)
0000161C  00000000 00000000                        993+         DS    2F'0'              extract PSW after test (CCPSW)
00001624  E5E3E940 40404040                        994+         DC    CL8'VTZ'           instruction name
0000162C  00000010                                 995+         DC    A(16)              result length
00001630  0000165C                                 996+REA12    DC    A(RE12)            result address
                                                   997+*                                 INSTRUCTION UNDER TEST ROUTINE
00001634                                           998+X12      DS    0F
00001634  E320 5020 0014               00001630    999+         LGF   R2,REA12
0000163A  E712 0000 0006               00000000   1000+         VL    V1,0(R2)           get V1 source
00001640  4122 0010                    00000010   1001+         LA    R2,16(R2)
00001644  E722 0000 0006               00000000   1002+         VL    V2,0(R2)           get V2 source

0000164A                                          1005+         DS    0H                       E67F VTZ    - Vector Test Zoned
0000164A  E6                                      1006+         DC    X'E6'
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

0000164B  01                                     1007+         DC    X'01'                   v1
0000164C  21F3F0                                 1008+         DC    HL3'2225136'            v2, I3, RXB
0000164F  7F                                     1009+         DC    X'7F'

00001650  B98D 0020                              1011+         EPSW  R2,R0             exptract psw
00001654  5020 500C                    0000000C  1012+         ST    R2,CCPSW              to save CC
00001658  07FB                                   1013+         BR    R11
0000165C                                         1014+RE12     DC    0F
0000165C                                         1015+         DROP  R5
0000165C  F0F0F0F0 F0F0F0F0                      1016          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001664  F0F0F0F0 F0F0F0F0
0000166C  F0F0F0F0 F0F0F0F0                      1017          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0C0'   V2 source
00001674  F1F2F3F0 F0F0F0C0
                                                 1018
                                                 1019          VRI_L VTZ,X'1F3F',0
00001680                                         1020+         DS    0FD
00001680                     00001680            1021+         USING *,R5              base for test data and test routine
00001680  000016A4                               1022+T13      DC    A(X13)            address of test routine
00001684  000D                                   1023+         DC    H'13'             test number
00001686  00                                     1024+         DC    XL1'00'
00001687  00                                     1025+         DC    HL1'0'            cc
00001688  07                                     1026+         DC    HL1'7'            cc failed mask
00001689  00                                     1027+         DS    XL1'0'            extracted cc (CCFOUND)
0000168C  00000000 00000000                      1028+         DS    2F'0'             extract PSW after test (CCPSW)
00001694  E5E3E940 40404040                      1029+         DC    CL8'VTZ'          instruction name
0000169C  00000010                               1030+         DC    A(16)             result length
000016A0  000016CC                               1031+REA13    DC    A(RE13)           result address
                                                 1032+*                                INSTRUCTION UNDER TEST ROUTINE
000016A4                                         1033+X13      DS    0F
000016A4  E320 5020 0014               000016A0  1034+         LGF   R2,REA13
000016AA  E712 0000 0006               00000000  1035+         VL    V1,0(R2)          get V1 source
000016B0  4122 0010                    00000010  1036+         LA    R2,16(R2)
000016B4  E722 0000 0006               00000000  1037+         VL    V2,0(R2)          get V2 source

000016BA                                         1040+         DS    0H                      E67F VTZ    - Vector Test Zoned
000016BA  E6                                     1041+         DC    X'E6'
000016BB  01                                     1042+         DC    X'01'                   v1
000016BC  21F3F0                                 1043+         DC    HL3'2225136'            v2, I3, RXB
000016BF  7F                                     1044+         DC    X'7F'

000016C0  B98D 0020                              1046+         EPSW  R2,R0             exptract psw
000016C4  5020 500C                    0000000C  1047+         ST    R2,CCPSW              to save CC
000016C8  07FB                                   1048+         BR    R11
000016CC                                         1049+RE13     DC    0F
000016CC                                         1050+         DROP  R5
000016CC  F0F0F0F0 F0F0F0F0                      1051          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000016D4  F0F0F0F0 F0F0F0F0
000016DC  F0F0F0F0 F0F0F0F0                      1052          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0D0'   V2 source
000016E4  F1F2F3F0 F0F0F0D0
                                                 1053
                                                 1054          VRI_L VTZ,X'1F3F',0
000016F0                                         1055+         DS    0FD
000016F0                     000016F0            1056+         USING *,R5              base for test data and test routine
000016F0  00001714                               1057+T14      DC    A(X14)            address of test routine
000016F4  000E                                   1058+         DC    H'14'             test number
000016F6  00                                     1059+         DC    XL1'00'
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

000016F7  00                                      1060+         DC    HL1'0'             cc
000016F8  07                                      1061+         DC    HL1'7'             cc failed mask
000016F9  00                                      1062+         DS    XL1'0'             extracted cc (CCFOUND)
000016FC  00000000 00000000                       1063+         DS    2F'0'              extract PSW after test (CCPSW)
00001704  E5E3E940 40404040                       1064+         DC    CL8'VTZ'           instruction name
0000170C  00000010                                1065+         DC    A(16)              result length
00001710  0000173C                                1066+REA14    DC    A(RE14)            result address
                                                  1067+*                                 INSTRUCTION UNDER TEST ROUTINE
00001714                                          1068+X14      DS    0F
00001714  E320 5020 0014            00001710      1069+         LGF   R2,REA14
0000171A  E712 0000 0006            00000000      1070+         VL    V1,0(R2)           get V1 source
00001720  4122 0010                 00000010      1071+         LA    R2,16(R2)
00001724  E722 0000 0006            00000000      1072+         VL    V2,0(R2)           get V2 source

0000172A                                          1075+         DS    0H                       E67F VTZ    - Vector Test Zoned
0000172A  E6                                      1076+         DC    X'E6'
0000172B  01                                      1077+         DC    X'01'                    v1
0000172C  21F3F0                                  1078+         DC    HL3'2225136'             v2, I3, RXB
0000172F  7F                                      1079+         DC    X'7F'

00001730  B98D 0020                               1081+         EPSW  R2,R0              exptract psw
00001734  5020 500C                 0000000C      1082+         ST    R2,CCPSW               to save CC
00001738  07FB                                    1083+         BR    R11
0000173C                                          1084+RE14     DC    0F
0000173C                                          1085+         DROP  R5
0000173C  F0F0F0F0 F0F0F0F0                       1086          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001744  F0F0F0F0 F0F0F0F0
0000174C  F0F0F0F0 F0F0F0F0                       1087          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0E0'   V2 source
00001754  F1F2F3F0 F0F0F0E0
                                                  1088
                                                  1089          VRI_L VTZ,X'1F3F',0
00001760                                          1090+         DS    0FD
00001760                  00001760                1091+         USING *,R5               base for test data and test routine
00001760  00001784                                1092+T15      DC    A(X15)             address of test routine
00001764  000F                                    1093+         DC    H'15'              test number
00001766  00                                      1094+         DC    XL1'00'
00001767  00                                      1095+         DC    HL1'0'             cc
00001768  07                                      1096+         DC    HL1'7'             cc failed mask
00001769  00                                      1097+         DS    XL1'0'             extracted cc (CCFOUND)
0000176C  00000000 00000000                       1098+         DS    2F'0'              extract PSW after test (CCPSW)
00001774  E5E3E940 40404040                       1099+         DC    CL8'VTZ'           instruction name
0000177C  00000010                                1100+         DC    A(16)              result length
00001780  000017AC                                1101+REA15    DC    A(RE15)            result address
                                                  1102+*                                 INSTRUCTION UNDER TEST ROUTINE
00001784                                          1103+X15      DS    0F
00001784  E320 5020 0014            00001780      1104+         LGF   R2,REA15
0000178A  E712 0000 0006            00000000      1105+         VL    V1,0(R2)           get V1 source
00001790  4122 0010                 00000010      1106+         LA    R2,16(R2)
00001794  E722 0000 0006            00000000      1107+         VL    V2,0(R2)           get V2 source

0000179A                                          1110+         DS    0H                       E67F VTZ    - Vector Test Zoned
0000179A  E6                                      1111+         DC    X'E6'
0000179B  01                                      1112+         DC    X'01'                    v1
0000179C  21F3F0                                  1113+         DC    HL3'2225136'             v2, I3, RXB
0000179F  7F                                      1114+         DC    X'7F'
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

000017A0  B98D 0020                              1116+         EPSW  R2,R0             exptract psw
000017A4  5020 500C                    0000000C  1117+         ST    R2,CCPSW              to save CC
000017A8  07FB                                   1118+         BR    R11
000017AC                                         1119+RE15     DC    0F
000017AC                                         1120+         DROP  R5
000017AC  F0F0F0F0 F0F0F0F0                      1121          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000017B4  F0F0F0F0 F0F0F0F0
000017BC  F0F0F0F0 F0F0F0F0                      1122          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
000017C4  F1F2F3F0 F0F0F0F0
                                                 1123
                                                 1124 * digits valid,  sign invalid
                                                 1125          VRI_L VTZ,X'1F3F',1
000017D0                                         1126+         DS    0FD
000017D0                    000017D0             1127+         USING *,R5              base for test data and test routine
000017D0  000017F4                               1128+T16      DC    A(X16)            address of test routine
000017D4  0010                                   1129+         DC    H'16'             test number
000017D6  00                                     1130+         DC    XL1'00'
000017D7  01                                     1131+         DC    HL1'1'            cc
000017D8  0B                                     1132+         DC    HL1'11'           cc failed mask
000017D9  00                                     1133+         DS    XL1'0'            extracted cc (CCFOUND)
000017DC  00000000 00000000                      1134+         DS    2F'0'             extract PSW after test (CCPSW)
000017E4  E5E3E940 40404040                      1135+         DC    CL8'VTZ'          instruction name
000017EC  00000010                               1136+         DC    A(16)             result length
000017F0  0000181C                               1137+REA16    DC    A(RE16)           result address
                                                 1138+*                                INSTRUCTION UNDER TEST ROUTINE
000017F4                                         1139+X16      DS    0F
000017F4  E320 5020 0014               000017F0  1140+         LGF   R2,REA16
000017FA  E712 0000 0006               00000000  1141+         VL    V1,0(R2)          get V1 source
00001800  4122 0010                    00000010  1142+         LA    R2,16(R2)
00001804  E722 0000 0006               00000000  1143+         VL    V2,0(R2)          get V2 source

0000180A                                         1146+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000180A  E6                                     1147+         DC    X'E6'
0000180B  01                                     1148+         DC    X'01'                   v1
0000180C  21F3F0                                 1149+         DC    HL3'2225136'            v2, I3, RXB
0000180F  7F                                     1150+         DC    X'7F'

00001810  B98D 0020                              1152+         EPSW  R2,R0             exptract psw
00001814  5020 500C                    0000000C  1153+         ST    R2,CCPSW              to save CC
00001818  07FB                                   1154+         BR    R11
0000181C                                         1155+RE16     DC    0F
0000181C                                         1156+         DROP  R5
0000181C  F0F0F0F0 F0F0F0F0                      1157          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001824  F0F0F0F0 F0F0F0F0
0000182C  F0F0F0F0 F0F0F0F0                      1158          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F090'   V2 source
00001834  F1F2F3F0 F0F0F090
                                                 1159
                                                 1160 * a digit invalid, sign valid
                                                 1161          VRI_L VTZ,X'1F3F',2
00001840                                         1162+         DS    0FD
00001840                    00001840             1163+         USING *,R5              base for test data and test routine
00001840  00001864                               1164+T17      DC    A(X17)            address of test routine
00001844  0011                                   1165+         DC    H'17'             test number
00001846  00                                     1166+         DC    XL1'00'
00001847  02                                     1167+         DC    HL1'2'            cc
00001848  0D                                     1168+         DC    HL1'13'           cc failed mask
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00001849  00                                       1169+         DS    XL1'0'              extracted cc (CCFOUND)
0000184C  00000000 00000000                        1170+         DS    2F'0'               extract PSW after test (CCPSW)
00001854  E5E3E940 40404040                        1171+         DC    CL8'VTZ'            instruction name
0000185C  00000010                                 1172+         DC    A(16)               result length
00001860  0000188C                                 1173+REA17    DC    A(RE17)             result address
                                                   1174+*                                  INSTRUCTION UNDER TEST ROUTINE
00001864                                           1175+X17      DS    0F
00001864  E320 5020 0014                 00001860  1176+         LGF   R2,REA17
0000186A  E712 0000 0006                 00000000  1177+         VL    V1,0(R2)            get V1 source
00001870  4122 0010                      00000010  1178+         LA    R2,16(R2)
00001874  E722 0000 0006                 00000000  1179+         VL    V2,0(R2)            get V2 source

0000187A                                           1182+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000187A  E6                                       1183+         DC    X'E6'
0000187B  01                                       1184+         DC    X'01'                     v1
0000187C  21F3F0                                   1185+         DC    HL3'2225136'              v2, I3, RXB
0000187F  7F                                       1186+         DC    X'7F'

00001880  B98D 0020                                1188+         EPSW  R2,R0               exptract psw
00001884  5020 500C                      0000000C  1189+         ST    R2,CCPSW                to save CC
00001888  07FB                                     1190+         BR    R11
0000188C                                           1191+RE17     DC    0F
0000188C                                           1192+         DROP  R5
0000188C  F0F0F0F0 F0F0F0F0                        1193          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00001894  F0F0F0F0 F0F0F0FF
0000189C  F0F0F0F0 F0F0F0F0                        1194          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
000018A4  F1F2F3F0 F0F0F0F0
                                                   1195
                                                   1196 * a digit invalid,  sign invalid
                                                   1197          VRI_L VTZ,X'1F3F',3
000018B0                                           1198+         DS    0FD
000018B0                       000018B0            1199+         USING *,R5                base for test data and test routine
000018B0  000018D4                                 1200+T18      DC    A(X18)              address of test routine
000018B4  0012                                     1201+         DC    H'18'               test number
000018B6  00                                       1202+         DC    XL1'00'
000018B7  03                                       1203+         DC    HL1'3'              cc
000018B8  0E                                       1204+         DC    HL1'14'             cc failed mask
000018B9  00                                       1205+         DS    XL1'0'              extracted cc (CCFOUND)
000018BC  00000000 00000000                        1206+         DS    2F'0'               extract PSW after test (CCPSW)
000018C4  E5E3E940 40404040                        1207+         DC    CL8'VTZ'            instruction name
000018CC  00000010                                 1208+         DC    A(16)               result length
000018D0  000018FC                                 1209+REA18    DC    A(RE18)             result address
                                                   1210+*                                  INSTRUCTION UNDER TEST ROUTINE
000018D4                                           1211+X18      DS    0F
000018D4  E320 5020 0014                 000018D0  1212+         LGF   R2,REA18
000018DA  E712 0000 0006                 00000000  1213+         VL    V1,0(R2)            get V1 source
000018E0  4122 0010                      00000010  1214+         LA    R2,16(R2)
000018E4  E722 0000 0006                 00000000  1215+         VL    V2,0(R2)            get V2 source

000018EA                                           1218+         DS    0H                        E67F VTZ    - Vector Test Zoned
000018EA  E6                                       1219+         DC    X'E6'
000018EB  01                                       1220+         DC    X'01'                     v1
000018EC  21F3F0                                   1221+         DC    HL3'2225136'              v2, I3, RXB
000018EF  7F                                       1222+         DC    X'7F'

000018F0  B98D 0020                                1224+         EPSW  R2,R0               exptract psw
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

000018F4  5020 500C                    0000000C  1225+          ST    R2,CCPSW              to save CC
000018F8  07FB                                   1226+          BR    R11
000018FC                                         1227+RE18      DC    0F
000018FC                                         1228+          DROP  R5
000018FC  F0F0F0F0 F0F0F0F0                      1229           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00001904  F0F0F0F0 F0F0F0FF
0000190C  F0F0F0F0 F0F0F0F0                      1230           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F090'   V2 source
00001914  F1F2F3F0 F0F0F090
                                                 1231
                                                 1232 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 1, dc: 31
                                                 1233 *          zero: Sign: A,C,E,F
                                                 1234 *--------------------------------------------------------------------
                                                 1235 * digits valid,  sign valid
                                                 1236           VRI_L VTZ,X'1F3F',0
00001920                                         1237+          DS    0FD
00001920                      00001920           1238+          USING *,R5                base for test data and test routine
00001920  00001944                               1239+T19       DC    A(X19)              address of test routine
00001924  0013                                   1240+          DC    H'19'               test number
00001926  00                                     1241+          DC    XL1'00'
00001927  00                                     1242+          DC    HL1'0'              cc
00001928  07                                     1243+          DC    HL1'7'              cc failed mask
00001929  00                                     1244+          DS    XL1'0'              extracted cc (CCFOUND)
0000192C  00000000 00000000                      1245+          DS    2F'0'               extract PSW after test (CCPSW)
00001934  E5E3E940 40404040                      1246+          DC    CL8'VTZ'            instruction name
0000193C  00000010                               1247+          DC    A(16)               result length
00001940  0000196C                               1248+REA19     DC    A(RE19)             result address
                                                 1249+*                                   INSTRUCTION UNDER TEST ROUTINE
00001944                                         1250+X19       DS    0F
00001944  E320 5020 0014               00001940  1251+          LGF   R2,REA19
0000194A  E712 0000 0006               00000000  1252+          VL    V1,0(R2)            get V1 source
00001950  4122 0010                    00000010  1253+          LA    R2,16(R2)
00001954  E722 0000 0006               00000000  1254+          VL    V2,0(R2)            get V2 source

0000195A                                         1257+          DS    0H                        E67F VTZ    - Vector Test Zoned
0000195A  E6                                     1258+          DC    X'E6'
0000195B  01                                     1259+          DC    X'01'                     v1
0000195C  21F3F0                                 1260+          DC    HL3'2225136'              v2, I3, RXB
0000195F  7F                                     1261+          DC    X'7F'

00001960  B98D 0020                              1263+          EPSW  R2,R0               exptract psw
00001964  5020 500C                    0000000C  1264+          ST    R2,CCPSW                to save CC
00001968  07FB                                   1265+          BR    R11
0000196C                                         1266+RE19      DC    0F
0000196C                                         1267+          DROP  R5
0000196C  F0F0F0F0 F0F0F0F0                      1268           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001974  F0F0F0F0 F0F0F0F0
0000197C  F0F0F0F0 F0F0F0F0                      1269           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
00001984  F0F0F0F0 F0F0F0A0
                                                 1270
                                                 1271           VRI_L VTZ,X'1F3F',0
00001990                                         1272+          DS    0FD
00001990                      00001990           1273+          USING *,R5                base for test data and test routine
00001990  000019B4                               1274+T20       DC    A(X20)              address of test routine
00001994  0014                                   1275+          DC    H'20'               test number
00001996  00                                     1276+          DC    XL1'00'
00001997  00                                     1277+          DC    HL1'0'              cc
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00001998  07                                      1278+          DC    HL1'7'            cc failed mask
00001999  00                                      1279+          DS    XL1'0'            extracted cc (CCFOUND)
0000199C  00000000 00000000                       1280+          DS    2F'0'             extract PSW after test (CCPSW)
000019A4  E5E3E940 40404040                       1281+          DC    CL8'VTZ'          instruction name
000019AC  00000010                                1282+          DC    A(16)             result length
000019B0  000019DC                                1283+REA20     DC    A(RE20)           result address
                                                  1284+*                                 INSTRUCTION UNDER TEST ROUTINE
000019B4                                          1285+X20       DS    0F
000019B4  E320 5020 0014            000019B0      1286+          LGF   R2,REA20
000019BA  E712 0000 0006            00000000      1287+          VL    V1,0(R2)          get V1 source
000019C0  4122 0010                 00000010      1288+          LA    R2,16(R2)
000019C4  E722 0000 0006            00000000      1289+          VL    V2,0(R2)          get V2 source

000019CA                                          1292+          DS    0H                      E67F VTZ    - Vector Test Zoned
000019CA  E6                                      1293+          DC    X'E6'
000019CB  01                                      1294+          DC    X'01'                   v1
000019CC  21F3F0                                  1295+          DC    HL3'2225136'            v2, I3, RXB
000019CF  7F                                      1296+          DC    X'7F'

000019D0  B98D 0020                               1298+          EPSW  R2,R0             exptract psw
000019D4  5020 500C                 0000000C      1299+          ST    R2,CCPSW              to save CC
000019D8  07FB                                    1300+          BR    R11
000019DC                                          1301+RE20      DC    0F
000019DC                                          1302+          DROP  R5
000019DC  F0F0F0F0 F0F0F0F0                       1303           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000019E4  F0F0F0F0 F0F0F0F0
000019EC  F0F0F0F0 F0F0F0F0                       1304           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
000019F4  F0F0F0F0 F0F0F0C0
                                                  1305
                                                  1306           VRI_L VTZ,X'1F3F',0
00001A00                                          1307+          DS    0FD
00001A00                  00001A00                1308+          USING *,R5              base for test data and test routine
00001A00  00001A24                                1309+T21       DC    A(X21)            address of test routine
00001A04  0015                                    1310+          DC    H'21'             test number
00001A06  00                                      1311+          DC    XL1'00'
00001A07  00                                      1312+          DC    HL1'0'            cc
00001A08  07                                      1313+          DC    HL1'7'            cc failed mask
00001A09  00                                      1314+          DS    XL1'0'            extracted cc (CCFOUND)
00001A0C  00000000 00000000                       1315+          DS    2F'0'             extract PSW after test (CCPSW)
00001A14  E5E3E940 40404040                       1316+          DC    CL8'VTZ'          instruction name
00001A1C  00000010                                1317+          DC    A(16)             result length
00001A20  00001A4C                                1318+REA21     DC    A(RE21)           result address
                                                  1319+*                                 INSTRUCTION UNDER TEST ROUTINE
00001A24                                          1320+X21       DS    0F
00001A24  E320 5020 0014            00001A20      1321+          LGF   R2,REA21
00001A2A  E712 0000 0006            00000000      1322+          VL    V1,0(R2)          get V1 source
00001A30  4122 0010                 00000010      1323+          LA    R2,16(R2)
00001A34  E722 0000 0006            00000000      1324+          VL    V2,0(R2)          get V2 source

00001A3A                                          1327+          DS    0H                      E67F VTZ    - Vector Test Zoned
00001A3A  E6                                      1328+          DC    X'E6'
00001A3B  01                                      1329+          DC    X'01'                   v1
00001A3C  21F3F0                                  1330+          DC    HL3'2225136'            v2, I3, RXB
00001A3F  7F                                      1331+          DC    X'7F'

00001A40  B98D 0020                               1333+          EPSW  R2,R0             exptract psw
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00001A44  5020 500C                    0000000C  1334+          ST    R2,CCPSW              to save CC
00001A48  07FB                                   1335+          BR    R11
00001A4C                                         1336+RE21      DC    0F
00001A4C                                         1337+          DROP  R5
00001A4C  F0F0F0F0 F0F0F0F0                      1338           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001A54  F0F0F0F0 F0F0F0F0
00001A5C  F0F0F0F0 F0F0F0F0                      1339           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0E0'   V2 source
00001A64  F0F0F0F0 F0F0F0E0
                                                 1340
                                                 1341           VRI_L VTZ,X'1F3F',0
00001A70                                         1342+          DS    0FD
00001A70                     00001A70            1343+          USING *,R5               base for test data and test routine
00001A70  00001A94                               1344+T22       DC    A(X22)             address of test routine
00001A74  0016                                   1345+          DC    H'22'              test number
00001A76  00                                     1346+          DC    XL1'00'
00001A77  00                                     1347+          DC    HL1'0'             cc
00001A78  07                                     1348+          DC    HL1'7'             cc failed mask
00001A79  00                                     1349+          DS    XL1'0'             extracted cc (CCFOUND)
00001A7C  00000000 00000000                      1350+          DS    2F'0'              extract PSW after test (CCPSW)
00001A84  E5E3E940 40404040                      1351+          DC    CL8'VTZ'           instruction name
00001A8C  00000010                               1352+          DC    A(16)              result length
00001A90  00001ABC                               1353+REA22     DC    A(RE22)            result address
                                                 1354+*                                  INSTRUCTION UNDER TEST ROUTINE
00001A94                                         1355+X22       DS    0F
00001A94  E320 5020 0014               00001A90  1356+          LGF   R2,REA22
00001A9A  E712 0000 0006               00000000  1357+          VL    V1,0(R2)           get V1 source
00001AA0  4122 0010                    00000010  1358+          LA    R2,16(R2)
00001AA4  E722 0000 0006               00000000  1359+          VL    V2,0(R2)           get V2 source

00001AAA                                         1362+          DS    0H                       E67F VTZ    - Vector Test Zoned
00001AAA  E6                                     1363+          DC    X'E6'
00001AAB  01                                     1364+          DC    X'01'                    v1
00001AAC  21F3F0                                 1365+          DC    HL3'2225136'             v2, I3, RXB
00001AAF  7F                                     1366+          DC    X'7F'

00001AB0  B98D 0020                              1368+          EPSW  R2,R0              exptract psw
00001AB4  5020 500C                    0000000C  1369+          ST    R2,CCPSW              to save CC
00001AB8  07FB                                   1370+          BR    R11
00001ABC                                         1371+RE22      DC    0F
00001ABC                                         1372+          DROP  R5
00001ABC  F0F0F0F0 F0F0F0F0                      1373           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001AC4  F0F0F0F0 F0F0F0F0
00001ACC  F0F0F0F0 F0F0F0F0                      1374           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00001AD4  F0F0F0F0 F0F0F0F0
                                                 1375
                                                 1376 * digits valid,  sign invalid
                                                 1377           VRI_L VTZ,X'1F3F',1
00001AE0                                         1378+          DS    0FD
00001AE0                     00001AE0            1379+          USING *,R5               base for test data and test routine
00001AE0  00001B04                               1380+T23       DC    A(X23)             address of test routine
00001AE4  0017                                   1381+          DC    H'23'              test number
00001AE6  00                                     1382+          DC    XL1'00'
00001AE7  01                                     1383+          DC    HL1'1'             cc
00001AE8  0B                                     1384+          DC    HL1'11'            cc failed mask
00001AE9  00                                     1385+          DS    XL1'0'             extracted cc (CCFOUND)
00001AEC  00000000 00000000                      1386+          DS    2F'0'              extract PSW after test (CCPSW)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00001AF4  E5E3E940 40404040                       1387+          DC    CL8'VTZ'          instruction name
00001AFC  00000010                                1388+          DC    A(16)             result length
00001B00  00001B2C                                1389+REA23     DC    A(RE23)           result address
                                                  1390+*                                 INSTRUCTION UNDER TEST ROUTINE
00001B04                                          1391+X23       DS    0F
00001B04  E320 5020 0014             00001B00     1392+          LGF   R2,REA23
00001B0A  E712 0000 0006             00000000     1393+          VL    V1,0(R2)          get V1 source
00001B10  4122 0010                  00000010     1394+          LA    R2,16(R2)
00001B14  E722 0000 0006             00000000     1395+          VL    V2,0(R2)          get V2 source

00001B1A                                          1398+          DS    0H                      E67F VTZ    - Vector Test Zoned
00001B1A  E6                                      1399+          DC    X'E6'
00001B1B  01                                      1400+          DC    X'01'                   v1
00001B1C  21F3F0                                  1401+          DC    HL3'2225136'            v2, I3, RXB
00001B1F  7F                                      1402+          DC    X'7F'

00001B20  B98D 0020                               1404+          EPSW  R2,R0             exptract psw
00001B24  5020 500C                  0000000C     1405+          ST    R2,CCPSW              to save CC
00001B28  07FB                                    1406+          BR    R11
00001B2C                                          1407+RE23      DC    0F
00001B2C                                          1408+          DROP  R5
00001B2C  F0F0F0F0 F0F0F0F0                       1409           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001B34  F0F0F0F0 F0F0F0F0
00001B3C  F0F0F0F0 F0F0F0F0                       1410           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0B0'   V2 source
00001B44  F0F0F0F0 F0F0F0B0
                                                  1411
                                                  1412           VRI_L VTZ,X'1F3F',1
00001B50                                          1413+          DS    0FD
00001B50                        00001B50          1414+          USING *,R5              base for test data and test routine
00001B50  00001B74                                1415+T24       DC    A(X24)            address of test routine
00001B54  0018                                    1416+          DC    H'24'             test number
00001B56  00                                      1417+          DC    XL1'00'
00001B57  01                                      1418+          DC    HL1'1'            cc
00001B58  0B                                      1419+          DC    HL1'11'           cc failed mask
00001B59  00                                      1420+          DS    XL1'0'            extracted cc (CCFOUND)
00001B5C  00000000 00000000                       1421+          DS    2F'0'             extract PSW after test (CCPSW)
00001B64  E5E3E940 40404040                       1422+          DC    CL8'VTZ'          instruction name
00001B6C  00000010                                1423+          DC    A(16)             result length
00001B70  00001B9C                                1424+REA24     DC    A(RE24)           result address
                                                  1425+*                                 INSTRUCTION UNDER TEST ROUTINE
00001B74                                          1426+X24       DS    0F
00001B74  E320 5020 0014             00001B70     1427+          LGF   R2,REA24
00001B7A  E712 0000 0006             00000000     1428+          VL    V1,0(R2)          get V1 source
00001B80  4122 0010                  00000010     1429+          LA    R2,16(R2)
00001B84  E722 0000 0006             00000000     1430+          VL    V2,0(R2)          get V2 source

00001B8A                                          1433+          DS    0H                      E67F VTZ    - Vector Test Zoned
00001B8A  E6                                      1434+          DC    X'E6'
00001B8B  01                                      1435+          DC    X'01'                   v1
00001B8C  21F3F0                                  1436+          DC    HL3'2225136'            v2, I3, RXB
00001B8F  7F                                      1437+          DC    X'7F'

00001B90  B98D 0020                               1439+          EPSW  R2,R0             exptract psw
00001B94  5020 500C                  0000000C     1440+          ST    R2,CCPSW              to save CC
00001B98  07FB                                    1441+          BR    R11
00001B9C                                          1442+RE24      DC    0F
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00001B9C                                           1443+          DROP  R5
00001B9C  F0F0F0F0 F0F0F0F0                        1444           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001BA4  F0F0F0F0 F0F0F0F0
00001BAC  F0F0F0F0 F0F0F0F0                        1445           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00001BB4  F0F0F0F0 F0F0F0D0
                                                   1446
                                                   1447 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 2, dc: 31
                                                   1448 *          Sign: C, D
                                                   1449 *-------------------------------------------------------------------
                                                   1450 * digits valid,  sign valid
                                                   1451           VRI_L VTZ,X'1F5F',0
00001BC0                                           1452+          DS    0FD
00001BC0                    00001BC0               1453+          USING *,R5                 base for test data and test routine
00001BC0  00001BE4                                 1454+T25       DC    A(X25)               address of test routine
00001BC4  0019                                     1455+          DC    H'25'                test number
00001BC6  00                                       1456+          DC    XL1'00'
00001BC7  00                                       1457+          DC    HL1'0'               cc
00001BC8  07                                       1458+          DC    HL1'7'               cc failed mask
00001BC9  00                                       1459+          DS    XL1'0'               extracted cc (CCFOUND)
00001BCC  00000000 00000000                        1460+          DS    2F'0'                extract PSW after test (CCPSW)
00001BD4  E5E3E940 40404040                        1461+          DC    CL8'VTZ'             instruction name
00001BDC  00000010                                 1462+          DC    A(16)                result length
00001BE0  00001C0C                                 1463+REA25     DC    A(RE25)              result address
                                                   1464+*                                   INSTRUCTION UNDER TEST ROUTINE
00001BE4                                           1465+X25       DS    0F
00001BE4  E320 5020 0014              00001BE0     1466+          LGF   R2,REA25
00001BEA  E712 0000 0006              00000000     1467+          VL    V1,0(R2)             get V1 source
00001BF0  4122 0010                   00000010     1468+          LA    R2,16(R2)
00001BF4  E722 0000 0006              00000000     1469+          VL    V2,0(R2)             get V2 source

00001BFA                                           1472+          DS    0H                         E67F VTZ    - Vector Test Zoned
00001BFA  E6                                       1473+          DC    X'E6'
00001BFB  01                                       1474+          DC    X'01'                      v1
00001BFC  21F5F0                                   1475+          DC    HL3'2225648'               v2, I3, RXB
00001BFF  7F                                       1476+          DC    X'7F'

00001C00  B98D 0020                                1478+          EPSW  R2,R0                exptract psw
00001C04  5020 500C                   0000000C     1479+          ST    R2,CCPSW                 to save CC
00001C08  07FB                                     1480+          BR    R11
00001C0C                                           1481+RE25      DC    0F
00001C0C                                           1482+          DROP  R5
00001C0C  F0F0F0F0 F0F0F0F0                        1483           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001C14  F0F0F0F0 F0F0F0F0
00001C1C  F0F0F0F0 F0F0F0F0                        1484           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
00001C24  F0F0F0F0 F0F0F0C0
                                                   1485
                                                   1486           VRI_L VTZ,X'1F5F',0
00001C30                                           1487+          DS    0FD
00001C30                    00001C30               1488+          USING *,R5                 base for test data and test routine
00001C30  00001C54                                 1489+T26       DC    A(X26)               address of test routine
00001C34  001A                                     1490+          DC    H'26'                test number
00001C36  00                                       1491+          DC    XL1'00'
00001C37  00                                       1492+          DC    HL1'0'               cc
00001C38  07                                       1493+          DC    HL1'7'               cc failed mask
00001C39  00                                       1494+          DS    XL1'0'               extracted cc (CCFOUND)
00001C3C  00000000 00000000                        1495+          DS    2F'0'                extract PSW after test (CCPSW)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00001C44  E5E3E940 40404040                        1496+          DC    CL8'VTZ'            instruction name
00001C4C  00000010                                 1497+          DC    A(16)               result length
00001C50  00001C7C                                 1498+REA26     DC    A(RE26)             result address
                                                   1499+*                                   INSTRUCTION UNDER TEST ROUTINE
00001C54                                           1500+X26       DS    0F
00001C54  E320 5020 0014              00001C50     1501+          LGF   R2,REA26
00001C5A  E712 0000 0006              00000000     1502+          VL    V1,0(R2)            get V1 source
00001C60  4122 0010                   00000010     1503+          LA    R2,16(R2)
00001C64  E722 0000 0006              00000000     1504+          VL    V2,0(R2)            get V2 source

00001C6A                                           1507+          DS    0H                        E67F VTZ    - Vector Test Zoned
00001C6A  E6                                       1508+          DC    X'E6'
00001C6B  01                                       1509+          DC    X'01'                     v1
00001C6C  21F5F0                                   1510+          DC    HL3'2225648'              v2, I3, RXB
00001C6F  7F                                       1511+          DC    X'7F'

00001C70  B98D 0020                                1513+          EPSW  R2,R0               exptract psw
00001C74  5020 500C                   0000000C     1514+          ST    R2,CCPSW                to save CC
00001C78  07FB                                     1515+          BR    R11
00001C7C                                           1516+RE26      DC    0F
00001C7C                                           1517+          DROP  R5
00001C7C  F0F0F0F0 F0F0F0F0                        1518           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001C84  F0F0F0F0 F0F0F0F0
00001C8C  F0F0F0F0 F0F0F0F0                        1519           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00001C94  F0F0F0F0 F0F0F0D0
                                                   1520
                                                   1521 * digits valid,  sign invalid
                                                   1522           VRI_L VTZ,X'1F5F',1
00001CA0                                           1523+          DS    0FD
00001CA0                        00001CA0           1524+          USING *,R5                base for test data and test routine
00001CA0  00001CC4                                 1525+T27       DC    A(X27)              address of test routine
00001CA4  001B                                     1526+          DC    H'27'               test number
00001CA6  00                                       1527+          DC    XL1'00'
00001CA7  01                                       1528+          DC    HL1'1'              cc
00001CA8  0B                                       1529+          DC    HL1'11'             cc failed mask
00001CA9  00                                       1530+          DS    XL1'0'              extracted cc (CCFOUND)
00001CAC  00000000 00000000                        1531+          DS    2F'0'               extract PSW after test (CCPSW)
00001CB4  E5E3E940 40404040                        1532+          DC    CL8'VTZ'            instruction name
00001CBC  00000010                                 1533+          DC    A(16)               result length
00001CC0  00001CEC                                 1534+REA27     DC    A(RE27)             result address
                                                   1535+*                                   INSTRUCTION UNDER TEST ROUTINE
00001CC4                                           1536+X27       DS    0F
00001CC4  E320 5020 0014              00001CC0     1537+          LGF   R2,REA27
00001CCA  E712 0000 0006              00000000     1538+          VL    V1,0(R2)            get V1 source
00001CD0  4122 0010                   00000010     1539+          LA    R2,16(R2)
00001CD4  E722 0000 0006              00000000     1540+          VL    V2,0(R2)            get V2 source

00001CDA                                           1543+          DS    0H                        E67F VTZ    - Vector Test Zoned
00001CDA  E6                                       1544+          DC    X'E6'
00001CDB  01                                       1545+          DC    X'01'                     v1
00001CDC  21F5F0                                   1546+          DC    HL3'2225648'              v2, I3, RXB
00001CDF  7F                                       1547+          DC    X'7F'

00001CE0  B98D 0020                                1549+          EPSW  R2,R0               exptract psw
00001CE4  5020 500C                   0000000C     1550+          ST    R2,CCPSW                to save CC
00001CE8  07FB                                     1551+          BR    R11
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00001CEC                                          1552+RE27     DC    0F
00001CEC                                          1553+         DROP  R5
00001CEC  F0F0F0F0 F0F0F0F0                       1554          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001CF4  F0F0F0F0 F0F0F0F0
00001CFC  F0F0F0F0 F0F0F0F0                       1555          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
00001D04  F0F0F0F0 F0F0F0A0
                                                  1556
                                                  1557          VRI_L VTZ,X'1F5F',1
00001D10                                          1558+         DS    0FD
00001D10                     00001D10             1559+         USING *,R5              base for test data and test routine
00001D10  00001D34                                1560+T28      DC    A(X28)            address of test routine
00001D14  001C                                    1561+         DC    H'28'             test number
00001D16  00                                      1562+         DC    XL1'00'
00001D17  01                                      1563+         DC    HL1'1'            cc
00001D18  0B                                      1564+         DC    HL1'11'           cc failed mask
00001D19  00                                      1565+         DS    XL1'0'            extracted cc (CCFOUND)
00001D1C  00000000 00000000                       1566+         DS    2F'0'             extract PSW after test (CCPSW)
00001D24  E5E3E940 40404040                       1567+         DC    CL8'VTZ'          instruction name
00001D2C  00000010                                1568+         DC    A(16)             result length
00001D30  00001D5C                                1569+REA28    DC    A(RE28)           result address
                                                  1570+*                                INSTRUCTION UNDER TEST ROUTINE
00001D34                                          1571+X28      DS    0F
00001D34  E320 5020 0014               00001D30   1572+         LGF   R2,REA28
00001D3A  E712 0000 0006               00000000   1573+         VL    V1,0(R2)          get V1 source
00001D40  4122 0010                    00000010   1574+         LA    R2,16(R2)
00001D44  E722 0000 0006               00000000   1575+         VL    V2,0(R2)          get V2 source

00001D4A                                          1578+         DS    0H                      E67F VTZ    - Vector Test Zoned
00001D4A  E6                                      1579+         DC    X'E6'
00001D4B  01                                      1580+         DC    X'01'                   v1
00001D4C  21F5F0                                  1581+         DC    HL3'2225648'            v2, I3, RXB
00001D4F  7F                                      1582+         DC    X'7F'

00001D50  B98D 0020                               1584+         EPSW  R2,R0             exptract psw
00001D54  5020 500C                    0000000C   1585+         ST    R2,CCPSW              to save CC
00001D58  07FB                                    1586+         BR    R11
00001D5C                                          1587+RE28     DC    0F
00001D5C                                          1588+         DROP  R5
00001D5C  F0F0F0F0 F0F0F0F0                       1589          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001D64  F0F0F0F0 F0F0F0F0
00001D6C  F0F0F0F0 F0F0F0F0                       1590          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0B0'   V2 source
00001D74  F0F0F0F0 F0F0F0B0
                                                  1591
                                                  1592          VRI_L VTZ,X'1F5F',1
00001D80                                          1593+         DS    0FD
00001D80                     00001D80             1594+         USING *,R5              base for test data and test routine
00001D80  00001DA4                                1595+T29      DC    A(X29)            address of test routine
00001D84  001D                                    1596+         DC    H'29'             test number
00001D86  00                                      1597+         DC    XL1'00'
00001D87  01                                      1598+         DC    HL1'1'            cc
00001D88  0B                                      1599+         DC    HL1'11'           cc failed mask
00001D89  00                                      1600+         DS    XL1'0'            extracted cc (CCFOUND)
00001D8C  00000000 00000000                       1601+         DS    2F'0'             extract PSW after test (CCPSW)
00001D94  E5E3E940 40404040                       1602+         DC    CL8'VTZ'          instruction name
00001D9C  00000010                                1603+         DC    A(16)             result length
00001DA0  00001DCC                                1604+REA29    DC    A(RE29)           result address
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                  1605+*                                INSTRUCTION UNDER TEST ROUTINE
00001DA4                                          1606+X29       DS    0F
00001DA4  E320 5020 0014                00001DA0  1607+          LGF   R2,REA29
00001DAA  E712 0000 0006                00000000  1608+          VL    V1,0(R2)           get V1 source
00001DB0  4122 0010                     00000010  1609+          LA    R2,16(R2)
00001DB4  E722 0000 0006                00000000  1610+          VL    V2,0(R2)           get V2 source

00001DBA                                          1613+          DS    0H                       E67F VTZ    - Vector Test Zoned
00001DBA  E6                                      1614+          DC    X'E6'
00001DBB  01                                      1615+          DC    X'01'                    v1
00001DBC  21F5F0                                  1616+          DC    HL3'2225648'             v2, I3, RXB
00001DBF  7F                                      1617+          DC    X'7F'

00001DC0  B98D 0020                               1619+          EPSW  R2,R0              exptract psw
00001DC4  5020 500C                     0000000C  1620+          ST    R2,CCPSW               to save CC
00001DC8  07FB                                    1621+          BR    R11
00001DCC                                          1622+RE29      DC    0F
00001DCC                                          1623+          DROP  R5
00001DCC  F0F0F0F0 F0F0F0F0                       1624           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001DD4  F0F0F0F0 F0F0F0F0
00001DDC  F0F0F0F0 F0F0F0F0                       1625           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0E0'   V2 source
00001DE4  F0F0F0F0 F0F0F0E0
                                                  1626
                                                  1627           VRI_L VTZ,X'1F5F',1
00001DF0                                          1628+          DS    0FD
00001DF0                      00001DF0            1629+          USING *,R5               base for test data and test routine
00001DF0  00001E14                                1630+T30       DC    A(X30)             address of test routine
00001DF4  001E                                    1631+          DC    H'30'              test number
00001DF6  00                                      1632+          DC    XL1'00'
00001DF7  01                                      1633+          DC    HL1'1'             cc
00001DF8  0B                                      1634+          DC    HL1'11'            cc failed mask
00001DF9  00                                      1635+          DS    XL1'0'             extracted cc (CCFOUND)
00001DFC  00000000 00000000                       1636+          DS    2F'0'              extract PSW after test (CCPSW)
00001E04  E5E3E940 40404040                       1637+          DC    CL8'VTZ'           instruction name
00001E0C  00000010                                1638+          DC    A(16)              result length
00001E10  00001E3C                                1639+REA30     DC    A(RE30)            result address
                                                  1640+*                                INSTRUCTION UNDER TEST ROUTINE
00001E14                                          1641+X30       DS    0F
00001E14  E320 5020 0014                00001E10  1642+          LGF   R2,REA30
00001E1A  E712 0000 0006                00000000  1643+          VL    V1,0(R2)           get V1 source
00001E20  4122 0010                     00000010  1644+          LA    R2,16(R2)
00001E24  E722 0000 0006                00000000  1645+          VL    V2,0(R2)           get V2 source

00001E2A                                          1648+          DS    0H                       E67F VTZ    - Vector Test Zoned
00001E2A  E6                                      1649+          DC    X'E6'
00001E2B  01                                      1650+          DC    X'01'                    v1
00001E2C  21F5F0                                  1651+          DC    HL3'2225648'             v2, I3, RXB
00001E2F  7F                                      1652+          DC    X'7F'

00001E30  B98D 0020                               1654+          EPSW  R2,R0              exptract psw
00001E34  5020 500C                     0000000C  1655+          ST    R2,CCPSW               to save CC
00001E38  07FB                                    1656+          BR    R11
00001E3C                                          1657+RE30      DC    0F
00001E3C                                          1658+          DROP  R5
00001E3C  F0F0F0F0 F0F0F0F0                       1659           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001E44  F0F0F0F0 F0F0F0F0
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00001E4C  F0F0F0F0 F0F0F0F0                        1660          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00001E54  F0F0F0F0 F0F0F0F0
                                                   1661
                                                   1662 * a digit invalid, sign valid
                                                   1663          VRI_L VTZ,X'1F5F',2
00001E60                                           1664+         DS    0FD
00001E60                    00001E60               1665+         USING *,R5             base for test data and test routine
00001E60  00001E84                                 1666+T31      DC    A(X31)           address of test routine
00001E64  001F                                     1667+         DC    H'31'            test number
00001E66  00                                       1668+         DC    XL1'00'
00001E67  02                                       1669+         DC    HL1'2'           cc
00001E68  0D                                       1670+         DC    HL1'13'          cc failed mask
00001E69  00                                       1671+         DS    XL1'0'           extracted cc (CCFOUND)
00001E6C  00000000 00000000                        1672+         DS    2F'0'            extract PSW after test (CCPSW)
00001E74  E5E3E940 40404040                        1673+         DC    CL8'VTZ'         instruction name
00001E7C  00000010                                 1674+         DC    A(16)            result length
00001E80  00001EAC                                 1675+REA31    DC    A(RE31)          result address
                                                   1676+*                               INSTRUCTION UNDER TEST ROUTINE
00001E84                                           1677+X31      DS    0F
00001E84  E320 5020 0014              00001E80     1678+         LGF   R2,REA31
00001E8A  E712 0000 0006              00000000     1679+         VL    V1,0(R2)         get V1 source
00001E90  4122 0010                   00000010     1680+         LA    R2,16(R2)
00001E94  E722 0000 0006              00000000     1681+         VL    V2,0(R2)         get V2 source

00001E9A                                           1684+         DS    0H                     E67F VTZ    - Vector Test Zoned
00001E9A  E6                                       1685+         DC    X'E6'
00001E9B  01                                       1686+         DC    X'01'                  v1
00001E9C  21F5F0                                   1687+         DC    HL3'2225648'           v2, I3, RXB
00001E9F  7F                                       1688+         DC    X'7F'

00001EA0  B98D 0020                                1690+         EPSW  R2,R0            exptract psw
00001EA4  5020 500C                   0000000C     1691+         ST    R2,CCPSW             to save CC
00001EA8  07FB                                     1692+         BR    R11
00001EAC                                           1693+RE31     DC    0F
00001EAC                                           1694+         DROP  R5
00001EAC  F0F0F0F0 F0F0F0F0                        1695          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00001EB4  F0F0F0F0 F0F0F0FF
00001EBC  F0F0F0F0 F0F0F0F0                        1696          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
00001EC4  F0F0F0F0 F0F0F0C0
                                                   1697
                                                   1698 * a digit invalid,  sign invalid
                                                   1699          VRI_L VTZ,X'1F5F',3
00001ED0                                           1700+         DS    0FD
00001ED0                    00001ED0               1701+         USING *,R5             base for test data and test routine
00001ED0  00001EF4                                 1702+T32      DC    A(X32)           address of test routine
00001ED4  0020                                     1703+         DC    H'32'            test number
00001ED6  00                                       1704+         DC    XL1'00'
00001ED7  03                                       1705+         DC    HL1'3'           cc
00001ED8  0E                                       1706+         DC    HL1'14'          cc failed mask
00001ED9  00                                       1707+         DS    XL1'0'           extracted cc (CCFOUND)
00001EDC  00000000 00000000                        1708+         DS    2F'0'            extract PSW after test (CCPSW)
00001EE4  E5E3E940 40404040                        1709+         DC    CL8'VTZ'         instruction name
00001EEC  00000010                                 1710+         DC    A(16)            result length
00001EF0  00001F1C                                 1711+REA32    DC    A(RE32)          result address
                                                   1712+*                               INSTRUCTION UNDER TEST ROUTINE
00001EF4                                           1713+X32      DS    0F
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00001EF4  E320 5020 0014                00001EF0  1714+          LGF   R2,REA32
00001EFA  E712 0000 0006                00000000  1715+          VL    V1,0(R2)          get V1 source
00001F00  4122 0010                     00000010  1716+          LA    R2,16(R2)
00001F04  E722 0000 0006                00000000  1717+          VL    V2,0(R2)          get V2 source

00001F0A                                          1720+          DS    0H                      E67F VTZ    - Vector Test Zoned
00001F0A  E6                                      1721+          DC    X'E6'
00001F0B  01                                      1722+          DC    X'01'                   v1
00001F0C  21F5F0                                  1723+          DC    HL3'2225648'            v2, I3, RXB
00001F0F  7F                                      1724+          DC    X'7F'

00001F10  B98D 0020                               1726+          EPSW  R2,R0             exptract psw
00001F14  5020 500C                     0000000C  1727+          ST    R2,CCPSW              to save CC
00001F18  07FB                                    1728+          BR    R11
00001F1C                                          1729+RE32      DC    0F
00001F1C                                          1730+          DROP  R5
00001F1C  F0F0F0F0 F0F0F0F0                       1731           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00001F24  F0F0F0F0 F0F0F0FF
00001F2C  F0F0F0F0 F0F0F0F0                       1732           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
00001F34  F0F0F0F0 F0F0F0A0
                                                  1733
                                                  1734 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 3, dc: 31
                                                  1735 *          non zero: Sign: C,D
                                                  1736 *-------------------------------------------------------------------
                                                  1737 * digits valid,  sign valid
                                                  1738           VRI_L VTZ,X'1F7F',0
00001F40                                          1739+          DS    0FD
00001F40                       00001F40           1740+          USING *,R5              base for test data and test routine
00001F40  00001F64                                1741+T33       DC    A(X33)            address of test routine
00001F44  0021                                    1742+          DC    H'33'             test number
00001F46  00                                      1743+          DC    XL1'00'
00001F47  00                                      1744+          DC    HL1'0'            cc
00001F48  07                                      1745+          DC    HL1'7'            cc failed mask
00001F49  00                                      1746+          DS    XL1'0'            extracted cc (CCFOUND)
00001F4C  00000000 00000000                       1747+          DS    2F'0'             extract PSW after test (CCPSW)
00001F54  E5E3E940 40404040                       1748+          DC    CL8'VTZ'          instruction name
00001F5C  00000010                                1749+          DC    A(16)             result length
00001F60  00001F8C                                1750+REA33     DC    A(RE33)           result address
                                                  1751+*                               INSTRUCTION UNDER TEST ROUTINE
00001F64                                          1752+X33       DS    0F
00001F64  E320 5020 0014                00001F60  1753+          LGF   R2,REA33
00001F6A  E712 0000 0006                00000000  1754+          VL    V1,0(R2)          get V1 source
00001F70  4122 0010                     00000010  1755+          LA    R2,16(R2)
00001F74  E722 0000 0006                00000000  1756+          VL    V2,0(R2)          get V2 source

00001F7A                                          1759+          DS    0H                      E67F VTZ    - Vector Test Zoned
00001F7A  E6                                      1760+          DC    X'E6'
00001F7B  01                                      1761+          DC    X'01'                   v1
00001F7C  21F7F0                                  1762+          DC    HL3'2226160'            v2, I3, RXB
00001F7F  7F                                      1763+          DC    X'7F'

00001F80  B98D 0020                               1765+          EPSW  R2,R0             exptract psw
00001F84  5020 500C                     0000000C  1766+          ST    R2,CCPSW              to save CC
00001F88  07FB                                    1767+          BR    R11
00001F8C                                          1768+RE33      DC    0F
00001F8C                                          1769+          DROP  R5
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00001F8C  F0F0F0F0 F0F0F0F0                        1770          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00001F94  F0F0F0F0 F0F0F0F0
00001F9C  F0F0F0F0 F0F0F0F0                        1771          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0C0'   V2 source
00001FA4  F1F2F3F0 F0F0F0C0
                                                   1772
                                                   1773          VRI_L VTZ,X'1F7F',0
00001FB0                                           1774+         DS    0FD
00001FB0                      00001FB0             1775+         USING *,R5              base for test data and test routine
00001FB0  00001FD4                                 1776+T34      DC    A(X34)            address of test routine
00001FB4  0022                                     1777+         DC    H'34'             test number
00001FB6  00                                       1778+         DC    XL1'00'
00001FB7  00                                       1779+         DC    HL1'0'            cc
00001FB8  07                                       1780+         DC    HL1'7'            cc failed mask
00001FB9  00                                       1781+         DS    XL1'0'            extracted cc (CCFOUND)
00001FBC  00000000 00000000                        1782+         DS    2F'0'             extract PSW after test (CCPSW)
00001FC4  E5E3E940 40404040                        1783+         DC    CL8'VTZ'          instruction name
00001FCC  00000010                                 1784+         DC    A(16)             result length
00001FD0  00001FFC                                 1785+REA34    DC    A(RE34)           result address
                                                   1786+*                              INSTRUCTION UNDER TEST ROUTINE
00001FD4                                           1787+X34      DS    0F
00001FD4  E320 5020 0014              00001FD0     1788+         LGF   R2,REA34
00001FDA  E712 0000 0006              00000000     1789+         VL    V1,0(R2)          get V1 source
00001FE0  4122 0010                   00000010     1790+         LA    R2,16(R2)
00001FE4  E722 0000 0006              00000000     1791+         VL    V2,0(R2)          get V2 source

00001FEA                                           1794+         DS    0H                      E67F VTZ    - Vector Test Zoned
00001FEA  E6                                       1795+         DC    X'E6'
00001FEB  01                                       1796+         DC    X'01'                   v1
00001FEC  21F7F0                                   1797+         DC    HL3'2226160'            v2, I3, RXB
00001FEF  7F                                       1798+         DC    X'7F'

00001FF0  B98D 0020                                1800+         EPSW  R2,R0             exptract psw
00001FF4  5020 500C                   0000000C     1801+         ST    R2,CCPSW              to save CC
00001FF8  07FB                                     1802+         BR    R11
00001FFC                                           1803+RE34     DC    0F
00001FFC                                           1804+         DROP  R5
00001FFC  F0F0F0F0 F0F0F0F0                        1805          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002004  F0F0F0F0 F0F0F0F0
0000200C  F0F0F0F0 F0F0F0F0                        1806          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0D0'   V2 source
00002014  F1F2F3F0 F0F0F0D0
                                                   1807
                                                   1808 * digits valid,  sign invalid
                                                   1809          VRI_L VTZ,X'1F7F',1
00002020                                           1810+         DS    0FD
00002020                      00002020             1811+         USING *,R5              base for test data and test routine
00002020  00002044                                 1812+T35      DC    A(X35)            address of test routine
00002024  0023                                     1813+         DC    H'35'             test number
00002026  00                                       1814+         DC    XL1'00'
00002027  01                                       1815+         DC    HL1'1'            cc
00002028  0B                                       1816+         DC    HL1'11'           cc failed mask
00002029  00                                       1817+         DS    XL1'0'            extracted cc (CCFOUND)
0000202C  00000000 00000000                        1818+         DS    2F'0'             extract PSW after test (CCPSW)
00002034  E5E3E940 40404040                        1819+         DC    CL8'VTZ'          instruction name
0000203C  00000010                                 1820+         DC    A(16)             result length
00002040  0000206C                                 1821+REA35    DC    A(RE35)           result address
                                                   1822+*                              INSTRUCTION UNDER TEST ROUTINE
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00002044                                           1823+X35      DS    0F
00002044  E320 5020 0014                00002040   1824+         LGF   R2,REA35
0000204A  E712 0000 0006                00000000   1825+         VL    V1,0(R2)          get V1 source
00002050  4122 0010                     00000010   1826+         LA    R2,16(R2)
00002054  E722 0000 0006                00000000   1827+         VL    V2,0(R2)          get V2 source

0000205A                                           1830+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000205A  E6                                       1831+         DC    X'E6'
0000205B  01                                       1832+         DC    X'01'                   v1
0000205C  21F7F0                                   1833+         DC    HL3'2226160'            v2, I3, RXB
0000205F  7F                                       1834+         DC    X'7F'

00002060  B98D 0020                                1836+         EPSW  R2,R0             exptract psw
00002064  5020 500C                     0000000C   1837+         ST    R2,CCPSW              to save CC
00002068  07FB                                     1838+         BR    R11
0000206C                                           1839+RE35     DC    0F
0000206C                                           1840+         DROP  R5
0000206C  F0F0F0F0 F0F0F0F0                        1841          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002074  F0F0F0F0 F0F0F0F0
0000207C  F0F0F0F0 F0F0F0F0                        1842          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0A0'   V2 source
00002084  F1F2F3F0 F0F0F0A0
                                                   1843
                                                   1844          VRI_L VTZ,X'1F7F',1
00002090                                           1845+         DS    0FD
00002090                      00002090             1846+         USING *,R5              base for test data and test routine
00002090  000020B4                                 1847+T36      DC    A(X36)            address of test routine
00002094  0024                                     1848+         DC    H'36'             test number
00002096  00                                       1849+         DC    XL1'00'
00002097  01                                       1850+         DC    HL1'1'            cc
00002098  0B                                       1851+         DC    HL1'11'           cc failed mask
00002099  00                                       1852+         DS    XL1'0'            extracted cc (CCFOUND)
0000209C  00000000 00000000                        1853+         DS    2F'0'             extract PSW after test (CCPSW)
000020A4  E5E3E940 40404040                        1854+         DC    CL8'VTZ'          instruction name
000020AC  00000010                                 1855+         DC    A(16)             result length
000020B0  000020DC                                 1856+REA36    DC    A(RE36)           result address
                                                   1857+*                                INSTRUCTION UNDER TEST ROUTINE
000020B4                                           1858+X36      DS    0F
000020B4  E320 5020 0014                000020B0   1859+         LGF   R2,REA36
000020BA  E712 0000 0006                00000000   1860+         VL    V1,0(R2)          get V1 source
000020C0  4122 0010                     00000010   1861+         LA    R2,16(R2)
000020C4  E722 0000 0006                00000000   1862+         VL    V2,0(R2)          get V2 source

000020CA                                           1865+         DS    0H                      E67F VTZ    - Vector Test Zoned
000020CA  E6                                       1866+         DC    X'E6'
000020CB  01                                       1867+         DC    X'01'                   v1
000020CC  21F7F0                                   1868+         DC    HL3'2226160'            v2, I3, RXB
000020CF  7F                                       1869+         DC    X'7F'

000020D0  B98D 0020                                1871+         EPSW  R2,R0             exptract psw
000020D4  5020 500C                     0000000C   1872+         ST    R2,CCPSW              to save CC
000020D8  07FB                                     1873+         BR    R11
000020DC                                           1874+RE36     DC    0F
000020DC                                           1875+         DROP  R5
000020DC  F0F0F0F0 F0F0F0F0                        1876          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000020E4  F0F0F0F0 F0F0F0F0
000020EC  F0F0F0F0 F0F0F0F0                        1877          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0B0'   V2 source
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

000020F4  F1F2F3F0 F0F0F0B0
                                                  1878
                                                  1879          VRI_L VTZ,X'1F7F',1
00002100                                          1880+         DS    0FD
00002100                     00002100             1881+         USING *,R5              base for test data and test routine
00002100  00002124                                1882+T37      DC    A(X37)            address of test routine
00002104  0025                                    1883+         DC    H'37'             test number
00002106  00                                      1884+         DC    XL1'00'
00002107  01                                      1885+         DC    HL1'1'            cc
00002108  0B                                      1886+         DC    HL1'11'           cc failed mask
00002109  00                                      1887+         DS    XL1'0'            extracted cc (CCFOUND)
0000210C  00000000 00000000                       1888+         DS    2F'0'             extract PSW after test (CCPSW)
00002114  E5E3E940 40404040                       1889+         DC    CL8'VTZ'          instruction name
0000211C  00000010                                1890+         DC    A(16)             result length
00002120  0000214C                                1891+REA37    DC    A(RE37)           result address
                                                  1892+*                                INSTRUCTION UNDER TEST ROUTINE
00002124                                          1893+X37      DS    0F
00002124  E320 5020 0014               00002120   1894+         LGF   R2,REA37
0000212A  E712 0000 0006               00000000   1895+         VL    V1,0(R2)          get V1 source
00002130  4122 0010                    00000010   1896+         LA    R2,16(R2)
00002134  E722 0000 0006               00000000   1897+         VL    V2,0(R2)          get V2 source

0000213A                                          1900+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000213A  E6                                      1901+         DC    X'E6'
0000213B  01                                      1902+         DC    X'01'                   v1
0000213C  21F7F0                                  1903+         DC    HL3'2226160'            v2, I3, RXB
0000213F  7F                                      1904+         DC    X'7F'

00002140  B98D 0020                               1906+         EPSW  R2,R0             exptract psw
00002144  5020 500C                    0000000C   1907+         ST    R2,CCPSW              to save CC
00002148  07FB                                    1908+         BR    R11
0000214C                                          1909+RE37     DC    0F
0000214C                                          1910+         DROP  R5
0000214C  F0F0F0F0 F0F0F0F0                       1911          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002154  F0F0F0F0 F0F0F0F0
0000215C  F0F0F0F0 F0F0F0F0                       1912          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0E0'   V2 source
00002164  F1F2F3F0 F0F0F0E0
                                                  1913
                                                  1914          VRI_L VTZ,X'1F7F',1
00002170                                          1915+         DS    0FD
00002170                     00002170             1916+         USING *,R5              base for test data and test routine
00002170  00002194                                1917+T38      DC    A(X38)            address of test routine
00002174  0026                                    1918+         DC    H'38'             test number
00002176  00                                      1919+         DC    XL1'00'
00002177  01                                      1920+         DC    HL1'1'            cc
00002178  0B                                      1921+         DC    HL1'11'           cc failed mask
00002179  00                                      1922+         DS    XL1'0'            extracted cc (CCFOUND)
0000217C  00000000 00000000                       1923+         DS    2F'0'             extract PSW after test (CCPSW)
00002184  E5E3E940 40404040                       1924+         DC    CL8'VTZ'          instruction name
0000218C  00000010                                1925+         DC    A(16)             result length
00002190  000021BC                                1926+REA38    DC    A(RE38)           result address
                                                  1927+*                                INSTRUCTION UNDER TEST ROUTINE
00002194                                          1928+X38      DS    0F
00002194  E320 5020 0014               00002190   1929+         LGF   R2,REA38
0000219A  E712 0000 0006               00000000   1930+         VL    V1,0(R2)          get V1 source
000021A0  4122 0010                    00000010   1931+         LA    R2,16(R2)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000021A4  E722 0000 0006               00000000  1932+          VL    V2,0(R2)          get V2 source

000021AA                                         1935+          DS    0H                      E67F VTZ    - Vector Test Zoned
000021AA  E6                                     1936+          DC    X'E6'
000021AB  01                                     1937+          DC    X'01'                   v1
000021AC  21F7F0                                 1938+          DC    HL3'2226160'            v2, I3, RXB
000021AF  7F                                     1939+          DC    X'7F'

000021B0  B98D 0020                              1941+          EPSW  R2,R0             exptract psw
000021B4  5020 500C                    0000000C  1942+          ST    R2,CCPSW              to save CC
000021B8  07FB                                   1943+          BR    R11
000021BC                                         1944+RE38      DC    0F
000021BC                                         1945+          DROP  R5
000021BC  F0F0F0F0 F0F0F0F0                      1946           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000021C4  F0F0F0F0 F0F0F0F0
000021CC  F0F0F0F0 F0F0F0F0                      1947           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
000021D4  F1F2F3F0 F0F0F0F0
                                                 1948
                                                 1949 * a digit invalid, sign valid
                                                 1950           VRI_L VTZ,X'1F7F',2
000021E0                                         1951+          DS    0FD
000021E0                     000021E0            1952+          USING *,R5              base for test data and test routine
000021E0  00002204                               1953+T39       DC    A(X39)            address of test routine
000021E4  0027                                   1954+          DC    H'39'             test number
000021E6  00                                     1955+          DC    XL1'00'
000021E7  02                                     1956+          DC    HL1'2'            cc
000021E8  0D                                     1957+          DC    HL1'13'           cc failed mask
000021E9  00                                     1958+          DS    XL1'0'            extracted cc (CCFOUND)
000021EC  00000000 00000000                      1959+          DS    2F'0'             extract PSW after test (CCPSW)
000021F4  E5E3E940 40404040                      1960+          DC    CL8'VTZ'          instruction name
000021FC  00000010                               1961+          DC    A(16)             result length
00002200  0000222C                               1962+REA39     DC    A(RE39)           result address
                                                 1963+*                                 INSTRUCTION UNDER TEST ROUTINE
00002204                                         1964+X39       DS    0F
00002204  E320 A000 0014               00002200  1965+          LGF   R2,REA39
0000220A  E712 0000 0006               00000000  1966+          VL    V1,0(R2)          get V1 source
00002210  4122 0010                    00000010  1967+          LA    R2,16(R2)
00002214  E722 0000 0006               00000000  1968+          VL    V2,0(R2)          get V2 source

0000221A                                         1971+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000221A  E6                                     1972+          DC    X'E6'
0000221B  01                                     1973+          DC    X'01'                   v1
0000221C  21F7F0                                 1974+          DC    HL3'2226160'            v2, I3, RXB
0000221F  7F                                     1975+          DC    X'7F'

00002220  B98D 0020                              1977+          EPSW  R2,R0             exptract psw
00002224  5020 500C                    0000000C  1978+          ST    R2,CCPSW              to save CC
00002228  07FB                                   1979+          BR    R11
0000222C                                         1980+RE39      DC    0F
0000222C                                         1981+          DROP  R5
0000222C  F0F0F0F0 F0F0F0F0                      1982           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00002234  F0F0F0F0 F0F0F0FF
0000223C  F0F0F0F0 F0F0F0F0                      1983           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0C0'   V2 source
00002244  F1F2F3F0 F0F0F0C0
                                                 1984
                                                 1985 * a digit invalid,  sign invalid
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

                                                   1986          VRI_L VTZ,X'1F7F',3
00002250                                           1987+         DS    0FD
00002250                     00002250              1988+         USING *,R5              base for test data and test routine
00002250  00002274                                 1989+T40      DC    A(X40)            address of test routine
00002254  0028                                     1990+         DC    H'40'             test number
00002256  00                                       1991+         DC    XL1'00'
00002257  03                                       1992+         DC    HL1'3'            cc
00002258  0E                                       1993+         DC    HL1'14'           cc failed mask
00002259  00                                       1994+         DS    XL1'0'            extracted cc (CCFOUND)
0000225C  00000000 00000000                        1995+         DS    2F'0'             extract PSW after test (CCPSW)
00002264  E5E3E940 40404040                        1996+         DC    CL8'VTZ'          instruction name
0000226C  00000010                                 1997+         DC    A(16)             result length
00002270  0000229C                                 1998+REA40    DC    A(RE40)           result address
                                                   1999+*                                INSTRUCTION UNDER TEST ROUTINE
00002274                                           2000+X40      DS    0F
00002274  E320 5020 0014               00002270    2001+         LGF   R2,REA40
0000227A  E712 0000 0006               00000000    2002+         VL    V1,0(R2)          get V1 source
00002280  4122 0010                    00000010    2003+         LA    R2,16(R2)
00002284  E722 0000 0006               00000000    2004+         VL    V2,0(R2)          get V2 source

0000228A                                           2007+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000228A  E6                                       2008+         DC    X'E6'
0000228B  01                                       2009+         DC    X'01'                   v1
0000228C  21F7F0                                   2010+         DC    HL3'2226160'            v2, I3, RXB
0000228F  7F                                       2011+         DC    X'7F'

00002290  B98D 0020                                2013+         EPSW  R2,R0             exptract psw
00002294  5020 500C                    0000000C    2014+         ST    R2,CCPSW              to save CC
00002298  07FB                                     2015+         BR    R11
0000229C                                           2016+RE40     DC    0F
0000229C                                           2017+         DROP  R5
0000229C  F0F0F0F0 F0F0F0F0                        2018          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000022A4  F0F0F0F0 F0F0F0FF
000022AC  F0F0F0F0 F0F0F0F0                        2019          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F090'   V2 source
000022B4  F1F2F3F0 F0F0F090
                                                   2020
                                                   2021 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 3, dc: 31
                                                   2022 *          zero: Sign: C
                                                   2023 *-------------------------------------------------------------------
                                                   2024 * digits valid,  sign valid
                                                   2025          VRI_L VTZ,X'1F7F',0
000022C0                                           2026+         DS    0FD
000022C0                     000022C0              2027+         USING *,R5              base for test data and test routine
000022C0  000022E4                                 2028+T41      DC    A(X41)            address of test routine
000022C4  0029                                     2029+         DC    H'41'             test number
000022C6  00                                       2030+         DC    XL1'00'
000022C7  00                                       2031+         DC    HL1'0'            cc
000022C8  07                                       2032+         DC    HL1'7'            cc failed mask
000022C9  00                                       2033+         DS    XL1'0'            extracted cc (CCFOUND)
000022CC  00000000 00000000                        2034+         DS    2F'0'             extract PSW after test (CCPSW)
000022D4  E5E3E940 40404040                        2035+         DC    CL8'VTZ'          instruction name
000022DC  00000010                                 2036+         DC    A(16)             result length
000022E0  0000230C                                 2037+REA41    DC    A(RE41)           result address
                                                   2038+*                                INSTRUCTION UNDER TEST ROUTINE
000022E4                                           2039+X41      DS    0F
000022E4  E320 5020 0014               000022E0    2040+         LGF   R2,REA41
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000022EA  E712 0000 0006                00000000  2041+          VL    V1,0(R2)          get V1 source
000022F0  4122 0010                     00000010  2042+          LA    R2,16(R2)
000022F4  E722 0000 0006                00000000  2043+          VL    V2,0(R2)          get V2 source

000022FA                                          2046+          DS    0H                      E67F VTZ    - Vector Test Zoned
000022FA  E6                                      2047+          DC    X'E6'
000022FB  01                                      2048+          DC    X'01'                   v1
000022FC  21F7F0                                  2049+          DC    HL3'2226160'            v2, I3, RXB
000022FF  7F                                      2050+          DC    X'7F'

00002300  B98D 0020                               2052+          EPSW  R2,R0             exptract psw
00002304  5020 500C                     0000000C  2053+          ST    R2,CCPSW              to save CC
00002308  07FB                                    2054+          BR    R11
0000230C                                          2055+RE41      DC    0F
0000230C                                          2056+          DROP  R5
0000230C  F0F0F0F0 F0F0F0F0                       2057           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002314  F0F0F0F0 F0F0F0F0
0000231C  F0F0F0F0 F0F0F0F0                       2058           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
00002324  F0F0F0F0 F0F0F0C0
                                                  2059
                                                  2060 * digits valid,  sign invalid
                                                  2061           VRI_L VTZ,X'1F7F',1
00002330                                          2062+          DS    0FD
00002330                      00002330            2063+          USING *,R5              base for test data and test routine
00002330  00002354                                2064+T42       DC    A(X42)            address of test routine
00002334  002A                                    2065+          DC    H'42'             test number
00002336  00                                      2066+          DC    XL1'00'
00002337  01                                      2067+          DC    HL1'1'            cc
00002338  0B                                      2068+          DC    HL1'11'           cc failed mask
00002339  00                                      2069+          DS    XL1'0'            extracted cc (CCFOUND)
0000233C  00000000 00000000                       2070+          DS    2F'0'             extract PSW after test (CCPSW)
00002344  E5E3E940 40404040                       2071+          DC    CL8'VTZ'          instruction name
0000234C  00000010                                2072+          DC    A(16)             result length
00002350  0000237C                                2073+REA42     DC    A(RE42)           result address
                                                  2074+*                                 INSTRUCTION UNDER TEST ROUTINE
00002354                                          2075+X42       DS    0F
00002354  E320 5020 0014                00002350  2076+          LGF   R2,REA42
0000235A  E712 0000 0006                00000000  2077+          VL    V1,0(R2)          get V1 source
00002360  4122 0010                     00000010  2078+          LA    R2,16(R2)
00002364  E722 0000 0006                00000000  2079+          VL    V2,0(R2)          get V2 source

0000236A                                          2082+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000236A  E6                                      2083+          DC    X'E6'
0000236B  01                                      2084+          DC    X'01'                   v1
0000236C  21F7F0                                  2085+          DC    HL3'2226160'            v2, I3, RXB
0000236F  7F                                      2086+          DC    X'7F'

00002370  B98D 0020                               2088+          EPSW  R2,R0             exptract psw
00002374  5020 500C                     0000000C  2089+          ST    R2,CCPSW              to save CC
00002378  07FB                                    2090+          BR    R11
0000237C                                          2091+RE42      DC    0F
0000237C                                          2092+          DROP  R5
0000237C  F0F0F0F0 F0F0F0F0                       2093           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002384  F0F0F0F0 F0F0F0F0
0000238C  F0F0F0F0 F0F0F0F0                       2094           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
00002394  F0F0F0F0 F0F0F0A0
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

                                                   2095
                                                   2096          VRI_L VTZ,X'1F7F',1
000023A0                                           2097+         DS    0FD
000023A0                     000023A0              2098+         USING *,R5             base for test data and test routine
000023A0  000023C4                                 2099+T43      DC    A(X43)           address of test routine
000023A4  002B                                     2100+         DC    H'43'            test number
000023A6  00                                       2101+         DC    XL1'00'
000023A7  01                                       2102+         DC    HL1'1'           cc
000023A8  0B                                       2103+         DC    HL1'11'          cc failed mask
000023A9  00                                       2104+         DS    XL1'0'           extracted cc (CCFOUND)
000023AC  00000000 00000000                        2105+         DS    2F'0'            extract PSW after test (CCPSW)
000023B4  E5E3E940 40404040                        2106+         DC    CL8'VTZ'         instruction name
000023BC  00000010                                 2107+         DC    A(16)            result length
000023C0  000023EC                                 2108+REA43    DC    A(RE43)          result address
                                                   2109+*                               INSTRUCTION UNDER TEST ROUTINE
000023C4                                           2110+X43      DS    0F
000023C4  E320 5020 0014              000023C0     2111+         LGF   R2,REA43
000023CA  E712 0000 0006              00000000     2112+         VL    V1,0(R2)         get V1 source
000023D0  4122 0010                   00000010     2113+         LA    R2,16(R2)
000023D4  E722 0000 0006              00000000     2114+         VL    V2,0(R2)         get V2 source

000023DA                                           2117+         DS    0H                     E67F VTZ    - Vector Test Zoned
000023DA  E6                                       2118+         DC    X'E6'
000023DB  01                                       2119+         DC    X'01'                  v1
000023DC  21F7F0                                   2120+         DC    HL3'2226160'           v2, I3, RXB
000023DF  7F                                       2121+         DC    X'7F'

000023E0  B98D 0020                                2123+         EPSW  R2,R0            exptract psw
000023E4  5020 500C                   0000000C     2124+         ST    R2,CCPSW             to save CC
000023E8  07FB                                     2125+         BR    R11
000023EC                                           2126+RE43     DC    0F
000023EC                                           2127+         DROP  R5
000023EC  F0F0F0F0 F0F0F0F0                        2128          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000023F4  F0F0F0F0 F0F0F0F0
000023FC  F0F0F0F0 F0F0F0F0                        2129          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0B0'   V2 source
00002404  F0F0F0F0 F0F0F0B0
                                                   2130
                                                   2131          VRI_L VTZ,X'1F7F',1
00002410                                           2132+         DS    0FD
00002410                     00002410              2133+         USING *,R5             base for test data and test routine
00002410  00002434                                 2134+T44      DC    A(X44)           address of test routine
00002414  002C                                     2135+         DC    H'44'            test number
00002416  00                                       2136+         DC    XL1'00'
00002417  01                                       2137+         DC    HL1'1'           cc
00002418  0B                                       2138+         DC    HL1'11'          cc failed mask
00002419  00                                       2139+         DS    XL1'0'           extracted cc (CCFOUND)
0000241C  00000000 00000000                        2140+         DS    2F'0'            extract PSW after test (CCPSW)
00002424  E5E3E940 40404040                        2141+         DC    CL8'VTZ'         instruction name
0000242C  00000010                                 2142+         DC    A(16)            result length
00002430  0000245C                                 2143+REA44    DC    A(RE44)          result address
                                                   2144+*                               INSTRUCTION UNDER TEST ROUTINE
00002434                                           2145+X44      DS    0F
00002434  E320 5020 0014              00002430     2146+         LGF   R2,REA44
0000243A  E712 0000 0006              00000000     2147+         VL    V1,0(R2)         get V1 source
00002440  4122 0010                   00000010     2148+         LA    R2,16(R2)
00002444  E722 0000 0006              00000000     2149+         VL    V2,0(R2)         get V2 source
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT


0000244A                                           2152+          DS     0H                            E67F VTZ    - Vector Test Zoned
0000244A  E6                                       2153+          DC     X'E6'
0000244B  01                                       2154+          DC     X'01'                         v1
0000244C  21F7F0                                   2155+          DC     HL3'2226160'                  v2, I3, RXB
0000244F  7F                                       2156+          DC     X'7F'

00002450  B98D 0020                                2158+          EPSW   R2,R0                   exptract psw
00002454  5020 500C                      0000000C  2159+          ST     R2,CCPSW                    to save CC
00002458  07FB                                     2160+          BR     R11
0000245C                                           2161+RE44      DC     0F
0000245C                                           2162+          DROP   R5
0000245C  F0F0F0F0 F0F0F0F0                        2163           DC     XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002464  F0F0F0F0 F0F0F0F0
0000246C  F0F0F0F0 F0F0F0F0                        2164           DC     XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00002474  F0F0F0F0 F0F0F0D0
                                                   2165
                                                   2166           VRI_L  VTZ,X'1F7F',1
00002480                                           2167+          DS     0FD
00002480                     00002480              2168+          USING  *,R5                    base for test data and test routine
00002480  000024A4                                 2169+T45       DC     A(X45)                  address of test routine
00002484  002D                                     2170+          DC     H'45'                   test number
00002486  00                                       2171+          DC     XL1'00'
00002487  01                                       2172+          DC     HL1'1'                  cc
00002488  0B                                       2173+          DC     HL1'11'                 cc failed mask
00002489  00                                       2174+          DS     XL1'0'                  extracted cc (CCFOUND)
0000248C  00000000 00000000                        2175+          DS     2F'0'                   extract PSW after test (CCPSW)
00002494  E5E3E940 40404040                        2176+          DC     CL8'VTZ'                instruction name
0000249C  00000010                                 2177+          DC     A(16)                   result length
000024A0  000024CC                                 2178+REA45     DC     A(RE45)                 result address
                                                   2179+*                                      INSTRUCTION UNDER TEST ROUTINE
000024A4                                           2180+X45       DS     0F
000024A4  E320 5020 0014                 000024A0  2181+          LGF    R2,REA45
000024AA  E712 0000 0006                 00000000  2182+          VL     V1,0(R2)                get V1 source
000024B0  4122 0010                      00000010  2183+          LA     R2,16(R2)
000024B4  E722 0000 0006                 00000000  2184+          VL     V2,0(R2)                get V2 source

000024BA                                           2187+          DS     0H                            E67F VTZ    - Vector Test Zoned
000024BA  E6                                       2188+          DC     X'E6'
000024BB  01                                       2189+          DC     X'01'                         v1
000024BC  21F7F0                                   2190+          DC     HL3'2226160'                  v2, I3, RXB
000024BF  7F                                       2191+          DC     X'7F'

000024C0  B98D 0020                                2193+          EPSW   R2,R0                   exptract psw
000024C4  5020 500C                      0000000C  2194+          ST     R2,CCPSW                    to save CC
000024C8  07FB                                     2195+          BR     R11
000024CC                                           2196+RE45      DC     0F
000024CC                                           2197+          DROP   R5
000024CC  F0F0F0F0 F0F0F0F0                        2198           DC     XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000024D4  F0F0F0F0 F0F0F0F0
000024DC  F0F0F0F0 F0F0F0F0                        2199           DC     XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0E0'   V2 source
000024E4  F0F0F0F0 F0F0F0E0
                                                   2200
                                                   2201           VRI_L  VTZ,X'1F7F',1
000024F0                                           2202+          DS     0FD
000024F0                     000024F0              2203+          USING  *,R5                    base for test data and test routine
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000024F0  00002514                              2204+T46      DC    A(X46)            address of test routine
000024F4  002E                                  2205+         DC    H'46'             test number
000024F6  00                                    2206+         DC    XL1'00'
000024F7  01                                    2207+         DC    HL1'1'            cc
000024F8  0B                                    2208+         DC    HL1'11'           cc failed mask
000024F9  00                                    2209+         DS    XL1'0'            extracted cc (CCFOUND)
000024FC  00000000 00000000                     2210+         DS    2F'0'             extract PSW after test (CCPSW)
00002504  E5E3E940 40404040                     2211+         DC    CL8'VTZ'          instruction name
0000250C  00000010                              2212+         DC    A(16)             result length
00002510  0000253C                              2213+REA46    DC    A(RE46)           result address
                                                2214+*                                INSTRUCTION UNDER TEST ROUTINE
00002514                                        2215+X46      DS    0F
00002514  E320 5020 0014              00002510  2216+         LGF   R2,REA46
0000251A  E712 0000 0006              00000000  2217+         VL    V1,0(R2)          get V1 source
00002520  4122 0010                   00000010  2218+         LA    R2,16(R2)
00002524  E722 0000 0006              00000000  2219+         VL    V2,0(R2)          get V2 source

0000252A                                        2222+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000252A  E6                                    2223+         DC    X'E6'
0000252B  01                                    2224+         DC    X'01'                   v1
0000252C  21F7F0                                2225+         DC    HL3'2226160'            v2, I3, RXB
0000252F  7F                                    2226+         DC    X'7F'

00002530  B98D 0020                             2228+         EPSW  R2,R0             exptract psw
00002534  5020 500C                   0000000C  2229+         ST    R2,CCPSW              to save CC
00002538  07FB                                  2230+         BR    R11
0000253C                                        2231+RE46     DC    0F
0000253C                                        2232+         DROP  R5
0000253C  F0F0F0F0 F0F0F0F0                     2233          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002544  F0F0F0F0 F0F0F0F0
0000254C  F0F0F0F0 F0F0F0F0                     2234          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00002554  F0F0F0F0 F0F0F0F0
                                                2235
                                                2236 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 4, dc: 31
                                                2237 *          Sign: F
                                                2238 *----------------------------------------------------------------------
                                                2239 * digits valid,  sign valid
                                                2240          VRI_L VTZ,X'1F9F',0
00002560                                        2241+         DS    0FD
00002560                    00002560            2242+         USING *,R5              base for test data and test routine
00002560  00002584                              2243+T47      DC    A(X47)            address of test routine
00002564  002F                                  2244+         DC    H'47'             test number
00002566  00                                    2245+         DC    XL1'00'
00002567  00                                    2246+         DC    HL1'0'            cc
00002568  07                                    2247+         DC    HL1'7'            cc failed mask
00002569  00                                    2248+         DS    XL1'0'            extracted cc (CCFOUND)
0000256C  00000000 00000000                     2249+         DS    2F'0'             extract PSW after test (CCPSW)
00002574  E5E3E940 40404040                     2250+         DC    CL8'VTZ'          instruction name
0000257C  00000010                              2251+         DC    A(16)             result length
00002580  000025AC                              2252+REA47    DC    A(RE47)           result address
                                                2253+*                                INSTRUCTION UNDER TEST ROUTINE
00002584                                        2254+X47      DS    0F
00002584  E320 5020 0014              00002580  2255+         LGF   R2,REA47
0000258A  E712 0000 0006              00000000  2256+         VL    V1,0(R2)          get V1 source
00002590  4122 0010                   00000010  2257+         LA    R2,16(R2)
00002594  E722 0000 0006              00000000  2258+         VL    V2,0(R2)          get V2 source
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT


0000259A                                          2261+          DS    0H                          E67F VTZ    - Vector Test Zoned
0000259A  E6                                      2262+          DC    X'E6'
0000259B  01                                      2263+          DC    X'01'                       v1
0000259C  21F9F0                                  2264+          DC    HL3'2226672'                v2, I3, RXB
0000259F  7F                                      2265+          DC    X'7F'

000025A0  B98D 0020                               2267+          EPSW  R2,R0                 exptract psw
000025A4  5020 500C                     0000000C  2268+          ST    R2,CCPSW                  to save CC
000025A8  07FB                                    2269+          BR    R11
000025AC                                          2270+RE47      DC    0F
000025AC                                          2271+          DROP  R5
000025AC  F0F0F0F0 F0F0F0F0                       2272           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000025B4  F0F0F0F0 F0F0F0F0
000025BC  F0F0F0F0 F0F0F0F0                       2273           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
000025C4  F0F0F0F0 F0F0F0F0
                                                  2274
                                                  2275 * digits valid,  sign invalid
                                                  2276           VRI_L VTZ,X'1F9F',1
000025D0                                          2277+          DS    0FD
000025D0                      000025D0            2278+          USING *,R5                  base for test data and test routine
000025D0  000025F4                                2279+T48       DC    A(X48)                address of test routine
000025D4  0030                                    2280+          DC    H'48'                 test number
000025D6  00                                      2281+          DC    XL1'00'
000025D7  01                                      2282+          DC    HL1'1'                cc
000025D8  0B                                      2283+          DC    HL1'11'               cc failed mask
000025D9  00                                      2284+          DS    XL1'0'                extracted cc (CCFOUND)
000025DC  00000000 00000000                       2285+          DS    2F'0'                 extract PSW after test (CCPSW)
000025E4  E5E3E940 40404040                       2286+          DC    CL8'VTZ'              instruction name
000025EC  00000010                                2287+          DC    A(16)                 result length
000025F0  0000261C                                2288+REA48     DC    A(RE48)               result address
                                                  2289+*                                     INSTRUCTION UNDER TEST ROUTINE
000025F4                                          2290+X48       DS    0F
000025F4  E320 5020 0014                000025F0  2291+          LGF   R2,REA48
000025FA  E712 0000 0006                00000000  2292+          VL    V1,0(R2)              get V1 source
00002600  4122 0010                     00000010  2293+          LA    R2,16(R2)
00002604  E722 0000 0006                00000000  2294+          VL    V2,0(R2)              get V2 source

0000260A                                          2297+          DS    0H                          E67F VTZ    - Vector Test Zoned
0000260A  E6                                      2298+          DC    X'E6'
0000260B  01                                      2299+          DC    X'01'                       v1
0000260C  21F9F0                                  2300+          DC    HL3'2226672'                v2, I3, RXB
0000260F  7F                                      2301+          DC    X'7F'

00002610  B98D 0020                               2303+          EPSW  R2,R0                 exptract psw
00002614  5020 500C                     0000000C  2304+          ST    R2,CCPSW                  to save CC
00002618  07FB                                    2305+          BR    R11
0000261C                                          2306+RE48      DC    0F
0000261C                                          2307+          DROP  R5
0000261C  F0F0F0F0 F0F0F0F0                       2308           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002624  F0F0F0F0 F0F0F0F0
0000262C  F0F0F0F0 F0F0F0F0                       2309           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
00002634  F0F0F0F0 F0F0F0A0
                                                  2310
                                                  2311           VRI_L VTZ,X'1F9F',1
00002640                                          2312+          DS    0FD
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00002640                     00002640           2313+          USING *,R5                base for test data and test routine
00002640  00002664                              2314+T49       DC    A(X49)              address of test routine
00002644  0031                                  2315+          DC    H'49'               test number
00002646  00                                    2316+          DC    XL1'00'
00002647  01                                    2317+          DC    HL1'1'              cc
00002648  0B                                    2318+          DC    HL1'11'             cc failed mask
00002649  00                                    2319+          DS    XL1'0'              extracted cc (CCFOUND)
0000264C  00000000 00000000                     2320+          DS    2F'0'               extract PSW after test (CCPSW)
00002654  E5E3E940 40404040                     2321+          DC    CL8'VTZ'            instruction name
0000265C  00000010                              2322+          DC    A(16)               result length
00002660  0000268C                              2323+REA49     DC    A(RE49)             result address
                                                2324+*                                   INSTRUCTION UNDER TEST ROUTINE
00002664                                        2325+X49       DS    0F
00002664  E320 5020 0014             00002660   2326+          LGF   R2,REA49
0000266A  E712 0000 0006             00000000   2327+          VL    V1,0(R2)            get V1 source
00002670  4122 0010                  00000010   2328+          LA    R2,16(R2)
00002674  E722 0000 0006             00000000   2329+          VL    V2,0(R2)            get V2 source

0000267A                                        2332+          DS    0H                        E67F VTZ    - Vector Test Zoned
0000267A  E6                                    2333+          DC    X'E6'
0000267B  01                                    2334+          DC    X'01'                     v1
0000267C  21F9F0                                2335+          DC    HL3'2226672'              v2, I3, RXB
0000267F  7F                                    2336+          DC    X'7F'

00002680  B98D 0020                             2338+          EPSW  R2,R0               exptract psw
00002684  5020 500C                  0000000C   2339+          ST    R2,CCPSW                to save CC
00002688  07FB                                  2340+          BR    R11
0000268C                                        2341+RE49      DC    0F
0000268C                                        2342+          DROP  R5
0000268C  F0F0F0F0 F0F0F0F0                     2343           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002694  F0F0F0F0 F0F0F0F0
0000269C  F0F0F0F0 F0F0F0F0                     2344           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0B0'   V2 source
000026A4  F0F0F0F0 F0F0F0B0
                                                2345
                                                2346           VRI_L VTZ,X'1F9F',1
000026B0                                        2347+          DS    0FD
000026B0                     000026B0           2348+          USING *,R5                base for test data and test routine
000026B0  000026D4                              2349+T50       DC    A(X50)              address of test routine
000026B4  0032                                  2350+          DC    H'50'               test number
000026B6  00                                    2351+          DC    XL1'00'
000026B7  01                                    2352+          DC    HL1'1'              cc
000026B8  0B                                    2353+          DC    HL1'11'             cc failed mask
000026B9  00                                    2354+          DS    XL1'0'              extracted cc (CCFOUND)
000026BC  00000000 00000000                     2355+          DS    2F'0'               extract PSW after test (CCPSW)
000026C4  E5E3E940 40404040                     2356+          DC    CL8'VTZ'            instruction name
000026CC  00000010                              2357+          DC    A(16)               result length
000026D0  000026FC                              2358+REA50     DC    A(RE50)             result address
                                                2359+*                                   INSTRUCTION UNDER TEST ROUTINE
000026D4                                        2360+X50       DS    0F
000026D4  E320 5020 0014             000026D0   2361+          LGF   R2,REA50
000026DA  E712 0000 0006             00000000   2362+          VL    V1,0(R2)            get V1 source
000026E0  4122 0010                  00000010   2363+          LA    R2,16(R2)
000026E4  E722 0000 0006             00000000   2364+          VL    V2,0(R2)            get V2 source

000026EA                                        2367+          DS    0H                        E67F VTZ    - Vector Test Zoned
000026EA  E6                                    2368+          DC    X'E6'
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

000026EB  01                                      2369+          DC    X'01'                  v1
000026EC  21F9F0                                  2370+          DC    HL3'2226672'           v2, I3, RXB
000026EF  7F                                      2371+          DC    X'7F'

000026F0  B98D 0020                               2373+          EPSW  R2,R0            exptract psw
000026F4  5020 500C                     0000000C  2374+          ST    R2,CCPSW             to save CC
000026F8  07FB                                    2375+          BR    R11
000026FC                                          2376+RE50      DC    0F
000026FC                                          2377+          DROP  R5
000026FC  F0F0F0F0 F0F0F0F0                       2378           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002704  F0F0F0F0 F0F0F0F0
0000270C  F0F0F0F0 F0F0F0F0                       2379           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
00002714  F0F0F0F0 F0F0F0C0
                                                  2380
                                                  2381           VRI_L VTZ,X'1F9F',1
00002720                                          2382+          DS    0FD
00002720                          00002720        2383+          USING *,R5             base for test data and test routine
00002720  00002744                                2384+T51       DC    A(X51)           address of test routine
00002724  0033                                    2385+          DC    H'51'            test number
00002726  00                                      2386+          DC    XL1'00'
00002727  01                                      2387+          DC    HL1'1'           cc
00002728  0B                                      2388+          DC    HL1'11'          cc failed mask
00002729  00                                      2389+          DS    XL1'0'           extracted cc (CCFOUND)
0000272C  00000000 00000000                       2390+          DS    2F'0'            extract PSW after test (CCPSW)
00002734  E5E3E940 40404040                       2391+          DC    CL8'VTZ'         instruction name
0000273C  00000010                                2392+          DC    A(16)            result length
00002740  0000276C                                2393+REA51     DC    A(RE51)          result address
                                                  2394+*                                INSTRUCTION UNDER TEST ROUTINE
00002744                                          2395+X51       DS    0F
00002744  E320 5020 0014                00002740  2396+          LGF   R2,REA51
0000274A  E712 0000 0006                00000000  2397+          VL    V1,0(R2)         get V1 source
00002750  4122 0010                     00000010  2398+          LA    R2,16(R2)
00002754  E722 0000 0006                00000000  2399+          VL    V2,0(R2)         get V2 source

0000275A                                          2402+          DS    0H                     E67F VTZ    - Vector Test Zoned
0000275A  E6                                      2403+          DC    X'E6'
0000275B  01                                      2404+          DC    X'01'                  v1
0000275C  21F9F0                                  2405+          DC    HL3'2226672'           v2, I3, RXB
0000275F  7F                                      2406+          DC    X'7F'

00002760  B98D 0020                               2408+          EPSW  R2,R0            exptract psw
00002764  5020 500C                     0000000C  2409+          ST    R2,CCPSW             to save CC
00002768  07FB                                    2410+          BR    R11
0000276C                                          2411+RE51      DC    0F
0000276C                                          2412+          DROP  R5
0000276C  F0F0F0F0 F0F0F0F0                       2413           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002774  F0F0F0F0 F0F0F0F0
0000277C  F0F0F0F0 F0F0F0F0                       2414           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00002784  F0F0F0F0 F0F0F0D0
                                                  2415
                                                  2416           VRI_L VTZ,X'1F9F',1
00002790                                          2417+          DS    0FD
00002790                          00002790        2418+          USING *,R5             base for test data and test routine
00002790  000027B4                                2419+T52       DC    A(X52)           address of test routine
00002794  0034                                    2420+          DC    H'52'            test number
00002796  00                                      2421+          DC    XL1'00'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00002797  01                                       2422+          DC    HL1'1'             cc
00002798  0B                                       2423+          DC    HL1'11'            cc failed mask
00002799  00                                       2424+          DS    XL1'0'             extracted cc (CCFOUND)
0000279C  00000000 00000000                        2425+          DS    2F'0'              extract PSW after test (CCPSW)
000027A4  E5E3E940 40404040                        2426+          DC    CL8'VTZ'           instruction name
000027AC  00000010                                 2427+          DC    A(16)              result length
000027B0  000027DC                                 2428+REA52     DC    A(RE52)            result address
                                                   2429+*                                INSTRUCTION UNDER TEST ROUTINE
000027B4                                           2430+X52       DS    0F
000027B4  E320 5020 0014                000027B0   2431+          LGF   R2,REA52
000027BA  E712 0000 0006                00000000   2432+          VL    V1,0(R2)           get V1 source
000027C0  4122 0010                     00000010   2433+          LA    R2,16(R2)
000027C4  E722 0000 0006                00000000   2434+          VL    V2,0(R2)           get V2 source

000027CA                                           2437+          DS    0H                       E67F VTZ    - Vector Test Zoned
000027CA  E6                                       2438+          DC    X'E6'
000027CB  01                                       2439+          DC    X'01'                    v1
000027CC  21F9F0                                   2440+          DC    HL3'2226672'             v2, I3, RXB
000027CF  7F                                       2441+          DC    X'7F'

000027D0  B98D 0020                                2443+          EPSW  R2,R0              exptract psw
000027D4  5020 500C                     0000000C   2444+          ST    R2,CCPSW               to save CC
000027D8  07FB                                     2445+          BR    R11
000027DC                                           2446+RE52      DC    0F
000027DC                                           2447+          DROP  R5
000027DC  F0F0F0F0 F0F0F0F0                        2448           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000027E4  F0F0F0F0 F0F0F0F0
000027EC  F0F0F0F0 F0F0F0F0                        2449           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0E0'   V2 source
000027F4  F0F0F0F0 F0F0F0E0
                                                   2450
                                                   2451 * a digit invalid, sign valid
                                                   2452           VRI_L VTZ,X'1F9F',2
00002800                                           2453+          DS    0FD
00002800                      00002800             2454+          USING *,R5             base for test data and test routine
00002800  00002824                                 2455+T53       DC    A(X53)             address of test routine
00002804  0035                                     2456+          DC    H'53'              test number
00002806  00                                       2457+          DC    XL1'00'
00002807  02                                       2458+          DC    HL1'2'             cc
00002808  0D                                       2459+          DC    HL1'13'            cc failed mask
00002809  00                                       2460+          DS    XL1'0'             extracted cc (CCFOUND)
0000280C  00000000 00000000                        2461+          DS    2F'0'              extract PSW after test (CCPSW)
00002814  E5E3E940 40404040                        2462+          DC    CL8'VTZ'           instruction name
0000281C  00000010                                 2463+          DC    A(16)              result length
00002820  0000284C                                 2464+REA53     DC    A(RE53)            result address
                                                   2465+*                                INSTRUCTION UNDER TEST ROUTINE
00002824                                           2466+X53       DS    0F
00002824  E320 5020 0014                00002820   2467+          LGF   R2,REA53
0000282A  E712 0000 0006                00000000   2468+          VL    V1,0(R2)           get V1 source
00002830  4122 0010                     00000010   2469+          LA    R2,16(R2)
00002834  E722 0000 0006                00000000   2470+          VL    V2,0(R2)           get V2 source

0000283A                                           2473+          DS    0H                       E67F VTZ    - Vector Test Zoned
0000283A  E6                                       2474+          DC    X'E6'
0000283B  01                                       2475+          DC    X'01'                    v1
0000283C  21F9F0                                   2476+          DC    HL3'2226672'             v2, I3, RXB
0000283F  7F                                       2477+          DC    X'7F'
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT


00002840  B98D 0020                              2479+          EPSW  R2,R0              exptract psw
00002844  5020 500C                    0000000C  2480+          ST    R2,CCPSW               to save CC
00002848  07FB                                   2481+          BR    R11
0000284C                                         2482+RE53      DC    0F
0000284C                                         2483+          DROP  R5
0000284C  F0F0F0F0 F0F0F0F0                      2484           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00002854  F0F0F0F0 F0F0F0FF
0000285C  F0F0F0F0 F0F0F0F0                      2485           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00002864  F0F0F0F0 F0F0F0F0
                                                 2486
                                                 2487 * a digit invalid,  sign invalid
                                                 2488           VRI_L VTZ,X'1F9F',3
00002870                                         2489+          DS    0FD
00002870                    00002870             2490+          USING *,R5               base for test data and test routine
00002870  00002894                               2491+T54       DC    A(X54)             address of test routine
00002874  0036                                   2492+          DC    H'54'              test number
00002876  00                                     2493+          DC    XL1'00'
00002877  03                                     2494+          DC    HL1'3'             cc
00002878  0E                                     2495+          DC    HL1'14'            cc failed mask
00002879  00                                     2496+          DS    XL1'0'             extracted cc (CCFOUND)
0000287C  00000000 00000000                      2497+          DS    2F'0'              extract PSW after test (CCPSW)
00002884  E5E3E940 40404040                      2498+          DC    CL8'VTZ'           instruction name
0000288C  00000010                               2499+          DC    A(16)              result length
00002890  000028BC                               2500+REA54     DC    A(RE54)            result address
                                                 2501+*                                  INSTRUCTION UNDER TEST ROUTINE
00002894                                         2502+X54       DS    0F
00002894  E320 5020 0014               00002890  2503+          LGF   R2,REA54
0000289A  E712 0000 0006               00000000  2504+          VL    V1,0(R2)           get V1 source
000028A0  4122 0010                    00000010  2505+          LA    R2,16(R2)
000028A4  E722 0000 0006               00000000  2506+          VL    V2,0(R2)           get V2 source

000028AA                                         2509+          DS    0H                       E67F VTZ    - Vector Test Zoned
000028AA  E6                                     2510+          DC    X'E6'
000028AB  01                                     2511+          DC    X'01'                    v1
000028AC  21F9F0                                 2512+          DC    HL3'2226672'             v2, I3, RXB
000028AF  7F                                     2513+          DC    X'7F'

000028B0  B98D 0020                              2515+          EPSW  R2,R0              exptract psw
000028B4  5020 500C                    0000000C  2516+          ST    R2,CCPSW               to save CC
000028B8  07FB                                   2517+          BR    R11
000028BC                                         2518+RE54      DC    0F
000028BC                                         2519+          DROP  R5
000028BC  F0F0F0F0 F0F0F0F0                      2520           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000028C4  F0F0F0F0 F0F0F0FF
000028CC  F0F0F0F0 F0F0F0F0                      2521           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F090'   V2 source
000028D4  F0F0F0F0 F0F0F090
                                                 2522
                                                 2523 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 5, dc: 31
                                                 2524 *          Sign: F
                                                 2525 *------------------------------------------------------------------
                                                 2526 * digits valid,  sign valid
                                                 2527           VRI_L VTZ,X'1FBF',0
000028E0                                         2528+          DS    0FD
000028E0                    000028E0             2529+          USING *,R5               base for test data and test routine
000028E0  00002904                               2530+T55       DC    A(X55)             address of test routine
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000028E4  0037                                    2531+         DC    H'55'               test number
000028E6  00                                      2532+         DC    XL1'00'
000028E7  00                                      2533+         DC    HL1'0'              cc
000028E8  07                                      2534+         DC    HL1'7'              cc failed mask
000028E9  00                                      2535+         DS    XL1'0'              extracted cc (CCFOUND)
000028EC  00000000 00000000                       2536+         DS    2F'0'               extract PSW after test (CCPSW)
000028F4  E5E3E940 40404040                       2537+         DC    CL8'VTZ'            instruction name
000028FC  00000010                                2538+         DC    A(16)               result length
00002900  0000292C                                2539+REA55    DC    A(RE55)             result address
                                                  2540+*                                  INSTRUCTION UNDER TEST ROUTINE
00002904                                          2541+X55      DS    0F
00002904  E320 5020 0014              00002900    2542+         LGF   R2,REA55
0000290A  E712 0000 0006              00000000    2543+         VL    V1,0(R2)            get V1 source
00002910  4122 0010                   00000010    2544+         LA    R2,16(R2)
00002914  E722 0000 0006              00000000    2545+         VL    V2,0(R2)            get V2 source

0000291A                                          2548+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000291A  E6                                      2549+         DC    X'E6'
0000291B  01                                      2550+         DC    X'01'                     v1
0000291C  21FBF0                                  2551+         DC    HL3'2227184'              v2, I3, RXB
0000291F  7F                                      2552+         DC    X'7F'

00002920  B98D 0020                               2554+         EPSW  R2,R0               exptract psw
00002924  5020 500C                   0000000C    2555+         ST    R2,CCPSW                to save CC
00002928  07FB                                    2556+         BR    R11
0000292C                                          2557+RE55     DC    0F
0000292C                                          2558+         DROP  R5
0000292C  F0F0F0F0 F0F0F0F0                       2559          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002934  F0F0F0F0 F0F0F0F0
0000293C  F0F0F0F0 F0F0F0F0                       2560          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00002944  F0F0F0F0 F0F0F0F0
                                                  2561
                                                  2562 * digits valid,  sign invalid
                                                  2563          VRI_L VTZ,X'1FBF',1
00002950                                          2564+         DS    0FD
00002950                     00002950             2565+         USING *,R5              base for test data and test routine
00002950  00002974                                2566+T56      DC    A(X56)              address of test routine
00002954  0038                                    2567+         DC    H'56'               test number
00002956  00                                      2568+         DC    XL1'00'
00002957  01                                      2569+         DC    HL1'1'              cc
00002958  0B                                      2570+         DC    HL1'11'             cc failed mask
00002959  00                                      2571+         DS    XL1'0'              extracted cc (CCFOUND)
0000295C  00000000 00000000                       2572+         DS    2F'0'               extract PSW after test (CCPSW)
00002964  E5E3E940 40404040                       2573+         DC    CL8'VTZ'            instruction name
0000296C  00000010                                2574+         DC    A(16)               result length
00002970  0000299C                                2575+REA56    DC    A(RE56)             result address
                                                  2576+*                                  INSTRUCTION UNDER TEST ROUTINE
00002974                                          2577+X56      DS    0F
00002974  E320 5020 0014              00002970    2578+         LGF   R2,REA56
0000297A  E712 0000 0006              00000000    2579+         VL    V1,0(R2)            get V1 source
00002980  4122 0010                   00000010    2580+         LA    R2,16(R2)
00002984  E722 0000 0006              00000000    2581+         VL    V2,0(R2)            get V2 source

0000298A                                          2584+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000298A  E6                                      2585+         DC    X'E6'
0000298B  01                                      2586+         DC    X'01'                     v1
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

0000298C  21FBF0                                   2587+          DC    HL3'2227184'             v2, I3, RXB
0000298F  7F                                       2588+          DC    X'7F'

00002990  B98D 0020                                2590+          EPSW  R2,R0               exptract psw
00002994  5020 500C                      0000000C  2591+          ST    R2,CCPSW                to save CC
00002998  07FB                                     2592+          BR    R11
0000299C                                           2593+RE56      DC    0F
0000299C                                           2594+          DROP  R5
0000299C  F0F0F0F0 F0F0F0F0                        2595           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000029A4  F0F0F0F0 F0F0F0F0
000029AC  F0F0F0F0 F0F0F0F0                        2596           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
000029B4  F0F0F0F0 F0F0F0A0
                                                   2597
                                                   2598           VRI_L VTZ,X'1FBF',1
000029C0                                           2599+          DS    0FD
000029C0                       000029C0            2600+          USING *,R5                base for test data and test routine
000029C0  000029E4                                 2601+T57       DC    A(X57)              address of test routine
000029C4  0039                                     2602+          DC    H'57'               test number
000029C6  00                                       2603+          DC    XL1'00'
000029C7  01                                       2604+          DC    HL1'1'              cc
000029C8  0B                                       2605+          DC    HL1'11'             cc failed mask
000029C9  00                                       2606+          DS    XL1'0'              extracted cc (CCFOUND)
000029CC  00000000 00000000                        2607+          DS    2F'0'               extract PSW after test (CCPSW)
000029D4  E5E3E940 40404040                        2608+          DC    CL8'VTZ'            instruction name
000029DC  00000010                                 2609+          DC    A(16)               result length
000029E0  00002A0C                                 2610+REA57     DC    A(RE57)             result address
                                                   2611+*                                   INSTRUCTION UNDER TEST ROUTINE
000029E4                                           2612+X57       DS    0F
000029E4  E320 5020 0014                 000029E0  2613+          LGF   R2,REA57
000029EA  E712 0000 0006                 00000000  2614+          VL    V1,0(R2)            get V1 source
000029F0  4122 0010                      00000010  2615+          LA    R2,16(R2)
000029F4  E722 0000 0006                 00000000  2616+          VL    V2,0(R2)            get V2 source

000029FA                                           2619+          DS    0H                       E67F VTZ    - Vector Test Zoned
000029FA  E6                                       2620+          DC    X'E6'
000029FB  01                                       2621+          DC    X'01'                    v1
000029FC  21FBF0                                   2622+          DC    HL3'2227184'             v2, I3, RXB
000029FF  7F                                       2623+          DC    X'7F'

00002A00  B98D 0020                                2625+          EPSW  R2,R0               exptract psw
00002A04  5020 500C                      0000000C  2626+          ST    R2,CCPSW                to save CC
00002A08  07FB                                     2627+          BR    R11
00002A0C                                           2628+RE57      DC    0F
00002A0C                                           2629+          DROP  R5
00002A0C  F0F0F0F0 F0F0F0F0                        2630           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002A14  F0F0F0F0 F0F0F0F0
00002A1C  F0F0F0F0 F0F0F0F0                        2631           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0B0'   V2 source
00002A24  F0F0F0F0 F0F0F0B0
                                                   2632
                                                   2633           VRI_L VTZ,X'1FBF',1
00002A30                                           2634+          DS    0FD
00002A30                       00002A30            2635+          USING *,R5                base for test data and test routine
00002A30  00002A54                                 2636+T58       DC    A(X58)              address of test routine
00002A34  003A                                     2637+          DC    H'58'               test number
00002A36  00                                       2638+          DC    XL1'00'
00002A37  01                                       2639+          DC    HL1'1'              cc
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

00002A38  0B                                    2640+          DC    HL1'11'           cc failed mask
00002A39  00                                    2641+          DS    XL1'0'            extracted cc (CCFOUND)
00002A3C  00000000 00000000                     2642+          DS    2F'0'             extract PSW after test (CCPSW)
00002A44  E5E3E940 40404040                     2643+          DC    CL8'VTZ'          instruction name
00002A4C  00000010                              2644+          DC    A(16)             result length
00002A50  00002A7C                              2645+REA58     DC    A(RE58)           result address
                                                2646+*                                 INSTRUCTION UNDER TEST ROUTINE
00002A54                                        2647+X58       DS    0F
00002A54  E320 5020 0014              00002A50  2648+          LGF   R2,REA58
00002A5A  E712 0000 0006              00000000  2649+          VL    V1,0(R2)          get V1 source
00002A60  4122 0010                   00000010  2650+          LA    R2,16(R2)
00002A64  E722 0000 0006              00000000  2651+          VL    V2,0(R2)          get V2 source

00002A6A                                        2654+          DS    0H                      E67F VTZ    - Vector Test Zoned
00002A6A  E6                                    2655+          DC    X'E6'
00002A6B  01                                    2656+          DC    X'01'                   v1
00002A6C  21FBF0                                2657+          DC    HL3'2227184'            v2, I3, RXB
00002A6F  7F                                    2658+          DC    X'7F'

00002A70  B98D 0020                             2660+          EPSW  R2,R0             exptract psw
00002A74  5020 500C                   0000000C  2661+          ST    R2,CCPSW              to save CC
00002A78  07FB                                  2662+          BR    R11
00002A7C                                        2663+RE58      DC    0F
00002A7C                                        2664+          DROP  R5
00002A7C  F0F0F0F0 F0F0F0F0                     2665           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002A84  F0F0F0F0 F0F0F0F0
00002A8C  F0F0F0F0 F0F0F0F0                     2666           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
00002A94  F0F0F0F0 F0F0F0C0
                                                2667
                                                2668           VRI_L VTZ,X'1FBF',1
00002AA0                                        2669+          DS    0FD
00002AA0                     00002AA0           2670+          USING *,R5              base for test data and test routine
00002AA0  00002AC4                              2671+T59       DC    A(X59)            address of test routine
00002AA4  003B                                  2672+          DC    H'59'             test number
00002AA6  00                                    2673+          DC    XL1'00'
00002AA7  01                                    2674+          DC    HL1'1'            cc
00002AA8  0B                                    2675+          DC    HL1'11'           cc failed mask
00002AA9  00                                    2676+          DS    XL1'0'            extracted cc (CCFOUND)
00002AAC  00000000 00000000                     2677+          DS    2F'0'             extract PSW after test (CCPSW)
00002AB4  E5E3E940 40404040                     2678+          DC    CL8'VTZ'          instruction name
00002ABC  00000010                              2679+          DC    A(16)             result length
00002AC0  00002AEC                              2680+REA59     DC    A(RE59)           result address
                                                2681+*                                 INSTRUCTION UNDER TEST ROUTINE
00002AC4                                        2682+X59       DS    0F
00002AC4  E320 5020 0014              00002AC0  2683+          LGF   R2,REA59
00002ACA  E712 0000 0006              00000000  2684+          VL    V1,0(R2)          get V1 source
00002AD0  4122 0010                   00000010  2685+          LA    R2,16(R2)
00002AD4  E722 0000 0006              00000000  2686+          VL    V2,0(R2)          get V2 source

00002ADA                                        2689+          DS    0H                      E67F VTZ    - Vector Test Zoned
00002ADA  E6                                    2690+          DC    X'E6'
00002ADB  01                                    2691+          DC    X'01'                   v1
00002ADC  21FBF0                                2692+          DC    HL3'2227184'            v2, I3, RXB
00002ADF  7F                                    2693+          DC    X'7F'

00002AE0  B98D 0020                             2695+          EPSW  R2,R0             exptract psw
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00002AE4  5020 500C                    0000000C  2696+         ST    R2,CCPSW              to save CC
00002AE8  07FB                                   2697+         BR    R11
00002AEC                                         2698+RE59     DC    0F
00002AEC                                         2699+         DROP  R5
00002AEC  F0F0F0F0 F0F0F0F0                      2700          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002AF4  F0F0F0F0 F0F0F0F0
00002AFC  F0F0F0F0 F0F0F0F0                      2701          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00002B04  F0F0F0F0 F0F0F0D0
                                                 2702
                                                 2703          VRI_L VTZ,X'1FBF',1
00002B10                                         2704+         DS    0FD
00002B10                     00002B10            2705+         USING *,R5                base for test data and test routine
00002B10  00002B34                               2706+T60       DC    A(X60)                address of test routine
00002B14  003C                                   2707+         DC    H'60'                 test number
00002B16  00                                     2708+         DC    XL1'00'
00002B17  01                                     2709+         DC    HL1'1'                cc
00002B18  0B                                     2710+         DC    HL1'11'               cc failed mask
00002B19  00                                     2711+         DS    XL1'0'                extracted cc (CCFOUND)
00002B1C  00000000 00000000                      2712+         DS    2F'0'                 extract PSW after test (CCPSW)
00002B24  E5E3E940 40404040                      2713+         DC    CL8'VTZ'              instruction name
00002B2C  00000010                               2714+         DC    A(16)                 result length
00002B30  00002B5C                               2715+REA60     DC    A(RE60)               result address
                                                 2716+*                                    INSTRUCTION UNDER TEST ROUTINE
00002B34                                         2717+X60       DS    0F
00002B34  E320 5020 0014               00002B30  2718+         LGF   R2,REA60
00002B3A  E712 0000 0006               00000000  2719+         VL    V1,0(R2)              get V1 source
00002B40  4122 0010                    00000010  2720+         LA    R2,16(R2)
00002B44  E722 0000 0006               00000000  2721+         VL    V2,0(R2)              get V2 source

00002B4A                                         2724+         DS    0H                          E67F VTZ    - Vector Test Zoned
00002B4A  E6                                     2725+         DC    X'E6'
00002B4B  01                                     2726+         DC    X'01'                       v1
00002B4C  21FBF0                                 2727+         DC    HL3'2227184'                v2, I3, RXB
00002B4F  7F                                     2728+         DC    X'7F'

00002B50  B98D 0020                              2730+         EPSW  R2,R0                 exptract psw
00002B54  5020 500C                    0000000C  2731+         ST    R2,CCPSW                  to save CC
00002B58  07FB                                   2732+         BR    R11
00002B5C                                         2733+RE60     DC    0F
00002B5C                                         2734+         DROP  R5
00002B5C  F0F0F0F0 F0F0F0F0                      2735          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002B64  F0F0F0F0 F0F0F0F0
00002B6C  F0F0F0F0 F0F0F0F0                      2736          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0E0'   V2 source
00002B74  F0F0F0F0 F0F0F0E0
                                                 2737
                                                 2738 * a digit invalid, sign valid
                                                 2739          VRI_L VTZ,X'1FBF',2
00002B80                                         2740+         DS    0FD
00002B80                     00002B80            2741+         USING *,R5                base for test data and test routine
00002B80  00002BA4                               2742+T61       DC    A(X61)                address of test routine
00002B84  003D                                   2743+         DC    H'61'                 test number
00002B86  00                                     2744+         DC    XL1'00'
00002B87  02                                     2745+         DC    HL1'2'                cc
00002B88  0D                                     2746+         DC    HL1'13'               cc failed mask
00002B89  00                                     2747+         DS    XL1'0'                extracted cc (CCFOUND)
00002B8C  00000000 00000000                      2748+         DS    2F'0'                 extract PSW after test (CCPSW)
```

```
  LOC       OBJECT CODE        ADDR1     ADDR2     STMT

00002B94  E5E3E940 40404040                      2749+          DC    CL8'VTZ'          instruction name
00002B9C  00000010                               2750+          DC    A(16)             result length
00002BA0  00002BCC                               2751+REA61     DC    A(RE61)           result address
                                                 2752+*                                 INSTRUCTION UNDER TEST ROUTINE
00002BA4                                         2753+X61       DS    0F
00002BA4  E320 5020 0014                00002BA0 2754+          LGF   R2,REA61
00002BAA  E712 0000 0006                00000000 2755+          VL    V1,0(R2)          get V1 source
00002BB0  4122 0010                     00000010 2756+          LA    R2,16(R2)
00002BB4  E722 0000 0006                00000000 2757+          VL    V2,0(R2)          get V2 source

00002BBA                                         2760+          DS    0H                      E67F VTZ    - Vector Test Zoned
00002BBA  E6                                     2761+          DC    X'E6'
00002BBB  01                                     2762+          DC    X'01'                   v1
00002BBC  21FBF0                                 2763+          DC    HL3'2227184'            v2, I3, RXB
00002BBF  7F                                     2764+          DC    X'7F'

00002BC0  B98D 0020                              2766+          EPSW  R2,R0             exptract psw
00002BC4  5020 500C                     0000000C 2767+          ST    R2,CCPSW              to save CC
00002BC8  07FB                                   2768+          BR    R11
00002BCC                                         2769+RE61      DC    0F
00002BCC                                         2770+          DROP  R5
00002BCC  F0F0F0F0 F0F0F0F0                      2771           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00002BD4  F0F0F0F0 F0F0F0FF
00002BDC  F0F0F0F0 F0F0F0F0                      2772           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00002BE4  F0F0F0F0 F0F0F0F0
                                                 2773
                                                 2774 * a digit invalid,  sign invalid
                                                 2775           VRI_L VTZ,X'1FBF',3
00002BF0                                         2776+          DS    0FD
00002BF0                     00002BF0            2777+          USING *,R5              base for test data and test routine
00002BF0  00002C14                               2778+T62       DC    A(X62)            address of test routine
00002BF4  003E                                   2779+          DC    H'62'             test number
00002BF6  00                                     2780+          DC    XL1'00'
00002BF7  03                                     2781+          DC    HL1'3'            cc
00002BF8  0E                                     2782+          DC    HL1'14'           cc failed mask
00002BF9  00                                     2783+          DS    XL1'0'            extracted cc (CCFOUND)
00002BFC  00000000 00000000                      2784+          DS    2F'0'             extract PSW after test (CCPSW)
00002C04  E5E3E940 40404040                      2785+          DC    CL8'VTZ'          instruction name
00002C0C  00000010                               2786+          DC    A(16)             result length
00002C10  00002C3C                               2787+REA62     DC    A(RE62)           result address
                                                 2788+*                                 INSTRUCTION UNDER TEST ROUTINE
00002C14                                         2789+X62       DS    0F
00002C14  E320 5020 0014                00002C10 2790+          LGF   R2,REA62
00002C1A  E712 0000 0006                00000000 2791+          VL    V1,0(R2)          get V1 source
00002C20  4122 0010                     00000010 2792+          LA    R2,16(R2)
00002C24  E722 0000 0006                00000000 2793+          VL    V2,0(R2)          get V2 source

00002C2A                                         2796+          DS    0H                      E67F VTZ    - Vector Test Zoned
00002C2A  E6                                     2797+          DC    X'E6'
00002C2B  01                                     2798+          DC    X'01'                   v1
00002C2C  21FBF0                                 2799+          DC    HL3'2227184'            v2, I3, RXB
00002C2F  7F                                     2800+          DC    X'7F'

00002C30  B98D 0020                              2802+          EPSW  R2,R0             exptract psw
00002C34  5020 500C                     0000000C 2803+          ST    R2,CCPSW              to save CC
00002C38  07FB                                   2804+          BR    R11
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00002C3C                                        2805+RE62     DC    0F
00002C3C                                        2806+         DROP  R5
00002C3C  F0F0F0F0 F0F0F0F0                     2807          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00002C44  F0F0F0F0 F0F0F0FF
00002C4C  F0F0F0F0 F0F0F0F0                     2808          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F090'   V2 source
00002C54  F0F0F0F0 F0F0F090
                                                2809
                                                2810 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 6, dc: 31
                                                2811 *          Sign: C,D,F
                                                2812 *--------------------------------------------------------------------
                                                2813 * digits valid,  sign valid
                                                2814          VRI_L VTZ,X'1FDF',0
00002C60                                        2815+         DS    0FD
00002C60                     00002C60           2816+         USING *,R5                base for test data and test routine
00002C60  00002C84                              2817+T63      DC    A(X63)              address of test routine
00002C64  003F                                  2818+         DC    H'63'               test number
00002C66  00                                    2819+         DC    XL1'00'
00002C67  00                                    2820+         DC    HL1'0'              cc
00002C68  07                                    2821+         DC    HL1'7'              cc failed mask
00002C69  00                                    2822+         DS    XL1'0'              extracted cc (CCFOUND)
00002C6C  00000000 00000000                     2823+         DS    2F'0'               extract PSW after test (CCPSW)
00002C74  E5E3E940 40404040                     2824+         DC    CL8'VTZ'            instruction name
00002C7C  00000010                              2825+         DC    A(16)               result length
00002C80  00002CAC                              2826+REA63    DC    A(RE63)             result address
                                                2827+*                                  INSTRUCTION UNDER TEST ROUTINE
00002C84                                        2828+X63      DS    0F
00002C84  E320 5020 0014           00002C80     2829+         LGF   R2,REA63
00002C8A  E712 0000 0006           00000000     2830+         VL    V1,0(R2)            get V1 source
00002C90  4122 0010                00000010     2831+         LA    R2,16(R2)
00002C94  E722 0000 0006           00000000     2832+         VL    V2,0(R2)            get V2 source

00002C9A                                        2835+         DS    0H                        E67F VTZ    - Vector Test Zoned
00002C9A  E6                                    2836+         DC    X'E6'
00002C9B  01                                    2837+         DC    X'01'                     v1
00002C9C  21FDF0                                2838+         DC    HL3'2227696'              v2, I3, RXB
00002C9F  7F                                    2839+         DC    X'7F'

00002CA0  B98D 0020                             2841+         EPSW  R2,R0               exptract psw
00002CA4  5020 500C                0000000C     2842+         ST    R2,CCPSW                to save CC
00002CA8  07FB                                  2843+         BR    R11
00002CAC                                        2844+RE63     DC    0F
00002CAC                                        2845+         DROP  R5
00002CAC  F0F0F0F0 F0F0F0F0                     2846          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002CB4  F0F0F0F0 F0F0F0F0
00002CBC  F0F0F0F0 F0F0F0F0                     2847          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
00002CC4  F0F0F0F0 F0F0F0C0
                                                2848
                                                2849          VRI_L VTZ,X'1FDF',0
00002CD0                                        2850+         DS    0FD
00002CD0                     00002CD0           2851+         USING *,R5                base for test data and test routine
00002CD0  00002CF4                              2852+T64      DC    A(X64)              address of test routine
00002CD4  0040                                  2853+         DC    H'64'               test number
00002CD6  00                                    2854+         DC    XL1'00'
00002CD7  00                                    2855+         DC    HL1'0'              cc
00002CD8  07                                    2856+         DC    HL1'7'              cc failed mask
00002CD9  00                                    2857+         DS    XL1'0'              extracted cc (CCFOUND)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00002CDC  00000000 00000000                        2858+         DS    2F'0'              extract PSW after test (CCPSW)
00002CE4  E5E3E940 40404040                        2859+         DC    CL8'VTZ'           instruction name
00002CEC  00000010                                 2860+         DC    A(16)              result length
00002CF0  00002D1C                                 2861+REA64    DC    A(RE64)            result address
                                                   2862+*                                 INSTRUCTION UNDER TEST ROUTINE
00002CF4                                           2863+X64      DS    0F
00002CF4  E320 5020 0014                 00002CF0  2864+         LGF   R2,REA64
00002CFA  E712 0000 0006                 00000000  2865+         VL    V1,0(R2)           get V1 source
00002D00  4122 0010                      00000010  2866+         LA    R2,16(R2)
00002D04  E722 0000 0006                 00000000  2867+         VL    V2,0(R2)           get V2 source

00002D0A                                           2870+         DS    0H                       E67F VTZ    - Vector Test Zoned
00002D0A  E6                                       2871+         DC    X'E6'
00002D0B  01                                       2872+         DC    X'01'                    v1
00002D0C  21FDF0                                   2873+         DC    HL3'2227696'             v2, I3, RXB
00002D0F  7F                                       2874+         DC    X'7F'

00002D10  B98D 0020                                2876+         EPSW  R2,R0              exptract psw
00002D14  5020 500C                      0000000C  2877+         ST    R2,CCPSW               to save CC
00002D18  07FB                                     2878+         BR    R11
00002D1C                                           2879+RE64     DC    0F
00002D1C                                           2880+         DROP  R5
00002D1C  F0F0F0F0 F0F0F0F0                        2881          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002D24  F0F0F0F0 F0F0F0F0
00002D2C  F0F0F0F0 F0F0F0F0                        2882          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00002D34  F0F0F0F0 F0F0F0D0
                                                   2883
                                                   2884          VRI_L VTZ,X'1FDF',0
00002D40                                           2885+         DS    0FD
00002D40                       00002D40            2886+         USING *,R5               base for test data and test routine
00002D40  00002D64                                 2887+T65      DC    A(X65)             address of test routine
00002D44  0041                                     2888+         DC    H'65'              test number
00002D46  00                                       2889+         DC    XL1'00'
00002D47  00                                       2890+         DC    HL1'0'             cc
00002D48  07                                       2891+         DC    HL1'7'             cc failed mask
00002D49  00                                       2892+         DS    XL1'0'             extracted cc (CCFOUND)
00002D4C  00000000 00000000                        2893+         DS    2F'0'              extract PSW after test (CCPSW)
00002D54  E5E3E940 40404040                        2894+         DC    CL8'VTZ'           instruction name
00002D5C  00000010                                 2895+         DC    A(16)              result length
00002D60  00002D8C                                 2896+REA65    DC    A(RE65)            result address
                                                   2897+*                                 INSTRUCTION UNDER TEST ROUTINE
00002D64                                           2898+X65      DS    0F
00002D64  E320 5020 0014                 00002D60  2899+         LGF   R2,REA65
00002D6A  E712 0000 0006                 00000000  2900+         VL    V1,0(R2)           get V1 source
00002D70  4122 0010                      00000010  2901+         LA    R2,16(R2)
00002D74  E722 0000 0006                 00000000  2902+         VL    V2,0(R2)           get V2 source

00002D7A                                           2905+         DS    0H                       E67F VTZ    - Vector Test Zoned
00002D7A  E6                                       2906+         DC    X'E6'
00002D7B  01                                       2907+         DC    X'01'                    v1
00002D7C  21FDF0                                   2908+         DC    HL3'2227696'             v2, I3, RXB
00002D7F  7F                                       2909+         DC    X'7F'

00002D80  B98D 0020                                2911+         EPSW  R2,R0              exptract psw
00002D84  5020 500C                      0000000C  2912+         ST    R2,CCPSW               to save CC
00002D88  07FB                                     2913+         BR    R11
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00002D8C                                           2914+RE65     DC    0F
00002D8C                                           2915+         DROP  R5
00002D8C  F0F0F0F0 F0F0F0F0                        2916          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002D94  F0F0F0F0 F0F0F0F0
00002D9C  F0F0F0F0 F0F0F0F0                        2917          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00002DA4  F0F0F0F0 F0F0F0F0
                                                   2918
                                                   2919 * digits valid,  sign invalid
                                                   2920          VRI_L VTZ,X'1FDF',1
00002DB0                                           2921+         DS    0FD
00002DB0                     00002DB0              2922+         USING *,R5               base for test data and test routine
00002DB0  00002DD4                                 2923+T66      DC    A(X66)             address of test routine
00002DB4  0042                                     2924+         DC    H'66'              test number
00002DB6  00                                       2925+         DC    XL1'00'
00002DB7  01                                       2926+         DC    HL1'1'             cc
00002DB8  0B                                       2927+         DC    HL1'11'            cc failed mask
00002DB9  00                                       2928+         DS    XL1'0'             extracted cc (CCFOUND)
00002DBC  00000000 00000000                        2929+         DS    2F'0'              extract PSW after test (CCPSW)
00002DC4  E5E3E940 40404040                        2930+         DC    CL8'VTZ'           instruction name
00002DCC  00000010                                 2931+         DC    A(16)              result length
00002DD0  00002DFC                                 2932+REA66    DC    A(RE66)            result address
                                                   2933+*                                 INSTRUCTION UNDER TEST ROUTINE
00002DD4                                           2934+X66      DS    0F
00002DD4  E320 5020 0014               00002DD0    2935+         LGF   R2,REA66
00002DDA  E712 0000 0006               00000000    2936+         VL    V1,0(R2)           get V1 source
00002DE0  4122 0010                    00000010    2937+         LA    R2,16(R2)
00002DE4  E722 0000 0006               00000000    2938+         VL    V2,0(R2)           get V2 source

00002DEA                                           2941+         DS    0H                       E67F VTZ    - Vector Test Zoned
00002DEA  E6                                       2942+         DC    X'E6'
00002DEB  01                                       2943+         DC    X'01'                    v1
00002DEC  21FDF0                                   2944+         DC    HL3'2227696'             v2, I3, RXB
00002DEF  7F                                       2945+         DC    X'7F'

00002DF0  B98D 0020                                2947+         EPSW  R2,R0              exptract psw
00002DF4  5020 500C                    0000000C    2948+         ST    R2,CCPSW               to save CC
00002DF8  07FB                                     2949+         BR    R11
00002DFC                                           2950+RE66     DC    0F
00002DFC                                           2951+         DROP  R5
00002DFC  F0F0F0F0 F0F0F0F0                        2952          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002E04  F0F0F0F0 F0F0F0F0
00002E0C  F0F0F0F0 F0F0F0F0                        2953          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
00002E14  F0F0F0F0 F0F0F0A0
                                                   2954
                                                   2955          VRI_L VTZ,X'1FDF',1
00002E20                                           2956+         DS    0FD
00002E20                     00002E20              2957+         USING *,R5               base for test data and test routine
00002E20  00002E44                                 2958+T67      DC    A(X67)             address of test routine
00002E24  0043                                     2959+         DC    H'67'              test number
00002E26  00                                       2960+         DC    XL1'00'
00002E27  01                                       2961+         DC    HL1'1'             cc
00002E28  0B                                       2962+         DC    HL1'11'            cc failed mask
00002E29  00                                       2963+         DS    XL1'0'             extracted cc (CCFOUND)
00002E2C  00000000 00000000                        2964+         DS    2F'0'              extract PSW after test (CCPSW)
00002E34  E5E3E940 40404040                        2965+         DC    CL8'VTZ'           instruction name
00002E3C  00000010                                 2966+         DC    A(16)              result length
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00002E40  00002E6C                                 2967+REA67     DC    A(RE67)             result address
                                                   2968+*                                   INSTRUCTION UNDER TEST ROUTINE
00002E44                                           2969+X67       DS    0F
00002E44  E320 5020 0014                 00002E40  2970+          LGF   R2,REA67
00002E4A  E712 0000 0006                 00000000  2971+          VL    V1,0(R2)            get V1 source
00002E50  4122 0010                      00000010  2972+          LA    R2,16(R2)
00002E54  E722 0000 0006                 00000000  2973+          VL    V2,0(R2)            get V2 source

00002E5A                                           2976+          DS    0H                        E67F VTZ    - Vector Test Zoned
00002E5A  E6                                       2977+          DC    X'E6'
00002E5B  01                                       2978+          DC    X'01'                     v1
00002E5C  21FDF0                                   2979+          DC    HL3'2227696'              v2, I3, RXB
00002E5F  7F                                       2980+          DC    X'7F'

00002E60  B98D 0020                                2982+          EPSW  R2,R0               exptract psw
00002E64  5020 500C                      0000000C  2983+          ST    R2,CCPSW                to save CC
00002E68  07FB                                     2984+          BR    R11
00002E6C                                           2985+RE67      DC    0F
00002E6C                                           2986+          DROP  R5
00002E6C  F0F0F0F0 F0F0F0F0                        2987           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00002E74  F0F0F0F0 F0F0F0F0
00002E7C  F0F0F0F0 F0F0F0F0                        2988           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0B0'   V2 source
00002E84  F0F0F0F0 F0F0F0B0
                                                   2989
                                                   2990           VRI_L VTZ,X'1FDF',1
00002E90                                           2991+          DS    0FD
00002E90                       00002E90            2992+          USING *,R5                base for test data and test routine
00002E90  00002EB4                                 2993+T68       DC    A(X68)              address of test routine
00002E94  0044                                     2994+          DC    H'68'               test number
00002E96  00                                       2995+          DC    XL1'00'
00002E97  01                                       2996+          DC    HL1'1'              cc
00002E98  0B                                       2997+          DC    HL1'11'             cc failed mask
00002E99  00                                       2998+          DS    XL1'0'              extracted cc (CCFOUND)
00002E9C  00000000 00000000                        2999+          DS    2F'0'               extract PSW after test (CCPSW)
00002EA4  E5E3E940 40404040                        3000+          DC    CL8'VTZ'            instruction name
00002EAC  00000010                                 3001+          DC    A(16)               result length
00002EB0  00002EDC                                 3002+REA68     DC    A(RE68)             result address
                                                   3003+*                                   INSTRUCTION UNDER TEST ROUTINE
00002EB4                                           3004+X68       DS    0F
00002EB4  E320 5020 0014                 00002EB0  3005+          LGF   R2,REA68
00002EBA  E712 0000 0006                 00000000  3006+          VL    V1,0(R2)            get V1 source
00002EC0  4122 0010                      00000010  3007+          LA    R2,16(R2)
00002EC4  E722 0000 0006                 00000000  3008+          VL    V2,0(R2)            get V2 source

00002ECA                                           3011+          DS    0H                        E67F VTZ    - Vector Test Zoned
00002ECA  E6                                       3012+          DC    X'E6'
00002ECB  01                                       3013+          DC    X'01'                     v1
00002ECC  21FDF0                                   3014+          DC    HL3'2227696'              v2, I3, RXB
00002ECF  7F                                       3015+          DC    X'7F'

00002ED0  B98D 0020                                3017+          EPSW  R2,R0               exptract psw
00002ED4  5020 500C                      0000000C  3018+          ST    R2,CCPSW                to save CC
00002ED8  07FB                                     3019+          BR    R11
00002EDC                                           3020+RE68      DC    0F
00002EDC                                           3021+          DROP  R5
00002EDC  F0F0F0F0 F0F0F0F0                        3022           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00002EE4  F0F0F0F0 F0F0F0F0
00002EEC  F0F0F0F0 F0F0F0F0                        3023          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0E0'   V2 source
00002EF4  F0F0F0F0 F0F0F0E0
                                                   3024
                                                   3025 * a digit invalid, sign valid
                                                   3026          VRI_L VTZ,X'1FDF',2
00002F00                                           3027+         DS    0FD
00002F00                     00002F00              3028+         USING *,R5               base for test data and test routine
00002F00  00002F24                                 3029+T69      DC    A(X69)             address of test routine
00002F04  0045                                     3030+         DC    H'69'              test number
00002F06  00                                       3031+         DC    XL1'00'
00002F07  02                                       3032+         DC    HL1'2'             cc
00002F08  0D                                       3033+         DC    HL1'13'            cc failed mask
00002F09  00                                       3034+         DS    XL1'0'             extracted cc (CCFOUND)
00002F0C  00000000 00000000                        3035+         DS    2F'0'              extract PSW after test (CCPSW)
00002F14  E5E3E940 40404040                        3036+         DC    CL8'VTZ'           instruction name
00002F1C  00000010                                 3037+         DC    A(16)              result length
00002F20  00002F4C                                 3038+REA69    DC    A(RE69)            result address
                                                   3039+*                                 INSTRUCTION UNDER TEST ROUTINE
00002F24                                           3040+X69      DS    0F
00002F24  E320 5020 0014               00002F20    3041+         LGF   R2,REA69
00002F2A  E712 0000 0006               00000000    3042+         VL    V1,0(R2)           get V1 source
00002F30  4122 0010                    00000010    3043+         LA    R2,16(R2)
00002F34  E722 0000 0006               00000000    3044+         VL    V2,0(R2)           get V2 source

00002F3A                                           3047+         DS    0H                       E67F VTZ    - Vector Test Zoned
00002F3A  E6                                       3048+         DC    X'E6'
00002F3B  01                                       3049+         DC    X'01'                    v1
00002F3C  21FDF0                                   3050+         DC    HL3'2227696'             v2, I3, RXB
00002F3F  7F                                       3051+         DC    X'7F'

00002F40  B98D 0020                                3053+         EPSW  R2,R0              exptract psw
00002F44  5020 500C                    0000000C    3054+         ST    R2,CCPSW               to save CC
00002F48  07FB                                     3055+         BR    R11
00002F4C                                           3056+RE69     DC    0F
00002F4C                                           3057+         DROP  R5
00002F4C  F0F0F0F0 F0F0F0F0                        3058          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00002F54  F0F0F0F0 F0F0F0FF
00002F5C  F0F0F0F0 F0F0F0F0                        3059          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00002F64  F0F0F0F0 F0F0F0D0
                                                   3060
                                                   3061 * a digit invalid,  sign invalid
                                                   3062          VRI_L VTZ,X'1FDF',3
00002F70                                           3063+         DS    0FD
00002F70                     00002F70              3064+         USING *,R5               base for test data and test routine
00002F70  00002F94                                 3065+T70      DC    A(X70)             address of test routine
00002F74  0046                                     3066+         DC    H'70'              test number
00002F76  00                                       3067+         DC    XL1'00'
00002F77  03                                       3068+         DC    HL1'3'             cc
00002F78  0E                                       3069+         DC    HL1'14'            cc failed mask
00002F79  00                                       3070+         DS    XL1'0'             extracted cc (CCFOUND)
00002F7C  00000000 00000000                        3071+         DS    2F'0'              extract PSW after test (CCPSW)
00002F84  E5E3E940 40404040                        3072+         DC    CL8'VTZ'           instruction name
00002F8C  00000010                                 3073+         DC    A(16)              result length
00002F90  00002FBC                                 3074+REA70    DC    A(RE70)            result address
                                                   3075+*                                 INSTRUCTION UNDER TEST ROUTINE
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00002F94                                          3076+X70      DS    0F
00002F94  E320 5020 0014                00002F90  3077+         LGF   R2,REA70
00002F9A  E712 0000 0006                00000000  3078+         VL    V1,0(R2)          get V1 source
00002FA0  4122 0010                     00000010  3079+         LA    R2,16(R2)
00002FA4  E722 0000 0006                00000000  3080+         VL    V2,0(R2)          get V2 source

00002FAA                                          3083+         DS    0H                      E67F VTZ    - Vector Test Zoned
00002FAA  E6                                      3084+         DC    X'E6'
00002FAB  01                                      3085+         DC    X'01'                   v1
00002FAC  21FDF0                                  3086+         DC    HL3'2227696'            v2, I3, RXB
00002FAF  7F                                      3087+         DC    X'7F'

00002FB0  B98D 0020                               3089+         EPSW  R2,R0             exptract psw
00002FB4  5020 500C                     0000000C  3090+         ST    R2,CCPSW              to save CC
00002FB8  07FB                                    3091+         BR    R11
00002FBC                                          3092+RE70     DC    0F
00002FBC                                          3093+         DROP  R5
00002FBC  F0F0F0F0 F0F0F0F0                       3094          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00002FC4  F0F0F0F0 F0F0F0FF
00002FCC  F0F0F0F0 F0F0F0F0                       3095          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
00002FD4  F0F0F0F0 F0F0F0A0
                                                  3096
                                                  3097 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 7, dc: 31
                                                  3098 *          non zero: Sign: C,D,F
                                                  3099 *-------------------------------------------------------------------
                                                  3100 * digits valid,  sign valid
                                                  3101          VRI_L VTZ,X'1FFF',0
00002FE0                                          3102+         DS    0FD
00002FE0                      00002FE0            3103+         USING *,R5              base for test data and test routine
00002FE0  00003004                                3104+T71      DC    A(X71)            address of test routine
00002FE4  0047                                    3105+         DC    H'71'             test number
00002FE6  00                                      3106+         DC    XL1'00'
00002FE7  00                                      3107+         DC    HL1'0'            cc
00002FE8  07                                      3108+         DC    HL1'7'            cc failed mask
00002FE9  00                                      3109+         DS    XL1'0'            extracted cc (CCFOUND)
00002FEC  00000000 00000000                       3110+         DS    2F'0'             extract PSW after test (CCPSW)
00002FF4  E5E3E940 40404040                       3111+         DC    CL8'VTZ'          instruction name
00002FFC  00000010                                3112+         DC    A(16)             result length
00003000  0000302C                                3113+REA71    DC    A(RE71)           result address
                                                  3114+*                              INSTRUCTION UNDER TEST ROUTINE
00003004                                          3115+X71      DS    0F
00003004  E320 5020 0014                00003000  3116+         LGF   R2,REA71
0000300A  E712 0000 0006                00000000  3117+         VL    V1,0(R2)          get V1 source
00003010  4122 0010                     00000010  3118+         LA    R2,16(R2)
00003014  E722 0000 0006                00000000  3119+         VL    V2,0(R2)          get V2 source

0000301A                                          3122+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000301A  E6                                      3123+         DC    X'E6'
0000301B  01                                      3124+         DC    X'01'                   v1
0000301C  21FFF0                                  3125+         DC    HL3'2228208'            v2, I3, RXB
0000301F  7F                                      3126+         DC    X'7F'

00003020  B98D 0020                               3128+         EPSW  R2,R0             exptract psw
00003024  5020 500C                     0000000C  3129+         ST    R2,CCPSW              to save CC
00003028  07FB                                    3130+         BR    R11
0000302C                                          3131+RE71     DC    0F
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

0000302C                                           3132+          DROP  R5
0000302C  F0F0F0F0 F0F0F0F0                        3133           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003034  F0F0F0F0 F0F0F0F0
0000303C  F0F0F0F0 F0F0F0F0                        3134           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0C0'   V2 source
00003044  F1F2F3F0 F0F0F0C0
                                                   3135
                                                   3136           VRI_L VTZ,X'1FFF',0
00003050                                           3137+          DS    0FD
00003050                    00003050               3138+          USING *,R5                base for test data and test routine
00003050  00003074                                 3139+T72       DC    A(X72)              address of test routine
00003054  0048                                     3140+          DC    H'72'               test number
00003056  00                                       3141+          DC    XL1'00'
00003057  00                                       3142+          DC    HL1'0'              cc
00003058  07                                       3143+          DC    HL1'7'              cc failed mask
00003059  00                                       3144+          DS    XL1'0'              extracted cc (CCFOUND)
0000305C  00000000 00000000                        3145+          DS    2F'0'               extract PSW after test (CCPSW)
00003064  E5E3E940 40404040                        3146+          DC    CL8'VTZ'            instruction name
0000306C  00000010                                 3147+          DC    A(16)               result length
00003070  0000309C                                 3148+REA72     DC    A(RE72)             result address
                                                   3149+*                                   INSTRUCTION UNDER TEST ROUTINE
00003074                                           3150+X72       DS    0F
00003074  E320 5020 0014              00003070     3151+          LGF   R2,REA72
0000307A  E712 0000 0006              00000000     3152+          VL    V1,0(R2)            get V1 source
00003080  4122 0010                   00000010     3153+          LA    R2,16(R2)
00003084  E722 0000 0006              00000000     3154+          VL    V2,0(R2)            get V2 source

0000308A                                           3157+          DS    0H                        E67F VTZ    - Vector Test Zoned
0000308A  E6                                       3158+          DC    X'E6'
0000308B  01                                       3159+          DC    X'01'                     v1
0000308C  21FFF0                                   3160+          DC    HL3'2228208'              v2, I3, RXB
0000308F  7F                                       3161+          DC    X'7F'

00003090  B98D 0020                                3163+          EPSW  R2,R0               exptract psw
00003094  5020 500C                   0000000C     3164+          ST    R2,CCPSW                to save CC
00003098  07FB                                     3165+          BR    R11
0000309C                                           3166+RE72      DC    0F
0000309C                                           3167+          DROP  R5
0000309C  F0F0F0F0 F0F0F0F0                        3168           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000030A4  F0F0F0F0 F0F0F0F0
000030AC  F0F0F0F0 F0F0F0F0                        3169           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0D0'   V2 source
000030B4  F1F2F3F0 F0F0F0D0
                                                   3170
                                                   3171           VRI_L VTZ,X'1FFF',0
000030C0                                           3172+          DS    0FD
000030C0                    000030C0               3173+          USING *,R5                base for test data and test routine
000030C0  000030E4                                 3174+T73       DC    A(X73)              address of test routine
000030C4  0049                                     3175+          DC    H'73'               test number
000030C6  00                                       3176+          DC    XL1'00'
000030C7  00                                       3177+          DC    HL1'0'              cc
000030C8  07                                       3178+          DC    HL1'7'              cc failed mask
000030C9  00                                       3179+          DS    XL1'0'              extracted cc (CCFOUND)
000030CC  00000000 00000000                        3180+          DS    2F'0'               extract PSW after test (CCPSW)
000030D4  E5E3E940 40404040                        3181+          DC    CL8'VTZ'            instruction name
000030DC  00000010                                 3182+          DC    A(16)               result length
000030E0  0000310C                                 3183+REA73     DC    A(RE73)             result address
                                                   3184+*                                   INSTRUCTION UNDER TEST ROUTINE
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

000030E4                                          3185+X73      DS    0F
000030E4  E320 5020 0014                000030E0  3186+         LGF   R2,REA73
000030EA  E712 0000 0006                00000000  3187+         VL    V1,0(R2)          get V1 source
000030F0  4122 0010                     00000010  3188+         LA    R2,16(R2)
000030F4  E722 0000 0006                00000000  3189+         VL    V2,0(R2)          get V2 source

000030FA                                          3192+         DS    0H                      E67F VTZ    - Vector Test Zoned
000030FA  E6                                      3193+         DC    X'E6'
000030FB  01                                      3194+         DC    X'01'                   v1
000030FC  21FFF0                                  3195+         DC    HL3'2228208'            v2, I3, RXB
000030FF  7F                                      3196+         DC    X'7F'

00003100  B98D 0020                               3198+         EPSW  R2,R0             exptract psw
00003104  5020 500C                     0000000C  3199+         ST    R2,CCPSW              to save CC
00003108  07FB                                    3200+         BR    R11
0000310C                                          3201+RE73     DC    0F
0000310C                                          3202+         DROP  R5
0000310C  F0F0F0F0 F0F0F0F0                       3203          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003114  F0F0F0F0 F0F0F0F0
0000311C  F0F0F0F0 F0F0F0F0                       3204          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003124  F1F2F3F0 F0F0F0F0
                                                  3205
                                                  3206 * digits valid,  sign invalid
                                                  3207          VRI_L VTZ,X'1FFF',1
00003130                                          3208+         DS    0FD
00003130                       00003130           3209+         USING *,R5              base for test data and test routine
00003130  00003154                                3210+T74      DC    A(X74)            address of test routine
00003134  004A                                    3211+         DC    H'74'             test number
00003136  00                                      3212+         DC    XL1'00'
00003137  01                                      3213+         DC    HL1'1'            cc
00003138  0B                                      3214+         DC    HL1'11'           cc failed mask
00003139  00                                      3215+         DS    XL1'0'            extracted cc (CCFOUND)
0000313C  00000000 00000000                       3216+         DS    2F'0'             extract PSW after test (CCPSW)
00003144  E5E3E940 40404040                       3217+         DC    CL8'VTZ'          instruction name
0000314C  00000010                                3218+         DC    A(16)             result length
00003150  0000317C                                3219+REA74    DC    A(RE74)           result address
                                                  3220+*                                INSTRUCTION UNDER TEST ROUTINE
00003154                                          3221+X74      DS    0F
00003154  E320 5020 0014                00003150  3222+         LGF   R2,REA74
0000315A  E712 0000 0006                00000000  3223+         VL    V1,0(R2)          get V1 source
00003160  4122 0010                     00000010  3224+         LA    R2,16(R2)
00003164  E722 0000 0006                00000000  3225+         VL    V2,0(R2)          get V2 source

0000316A                                          3228+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000316A  E6                                      3229+         DC    X'E6'
0000316B  01                                      3230+         DC    X'01'                   v1
0000316C  21FFF0                                  3231+         DC    HL3'2228208'            v2, I3, RXB
0000316F  7F                                      3232+         DC    X'7F'

00003170  B98D 0020                               3234+         EPSW  R2,R0             exptract psw
00003174  5020 500C                     0000000C  3235+         ST    R2,CCPSW              to save CC
00003178  07FB                                    3236+         BR    R11
0000317C                                          3237+RE74     DC    0F
0000317C                                          3238+         DROP  R5
0000317C  F0F0F0F0 F0F0F0F0                       3239          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003184  F0F0F0F0 F0F0F0F0
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

0000318C  F0F0F0F0 F0F0F0F0                       3240          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0A0'   V2 source
00003194  F1F2F3F0 F0F0F0A0
                                                  3241
                                                  3242          VRI_L VTZ,X'1FFF',1
000031A0                                          3243+         DS    0FD
000031A0                     000031A0             3244+         USING *,R5                base for test data and test routine
000031A0  000031C4                                3245+T75      DC    A(X75)              address of test routine
000031A4  004B                                    3246+         DC    H'75'               test number
000031A6  00                                      3247+         DC    XL1'00'
000031A7  01                                      3248+         DC    HL1'1'              cc
000031A8  0B                                      3249+         DC    HL1'11'             cc failed mask
000031A9  00                                      3250+         DS    XL1'0'              extracted cc (CCFOUND)
000031AC  00000000 00000000                       3251+         DS    2F'0'               extract PSW after test (CCPSW)
000031B4  E5E3E940 40404040                       3252+         DC    CL8'VTZ'            instruction name
000031BC  00000010                                3253+         DC    A(16)               result length
000031C0  000031EC                                3254+REA75    DC    A(RE75)             result address
                                                  3255+*                                  INSTRUCTION UNDER TEST ROUTINE
000031C4                                          3256+X75      DS    0F
000031C4  E320 5020 0014              000031C0    3257+         LGF   R2,REA75
000031CA  E712 0000 0006              00000000    3258+         VL    V1,0(R2)            get V1 source
000031D0  4122 0010                   00000010    3259+         LA    R2,16(R2)
000031D4  E722 0000 0006              00000000    3260+         VL    V2,0(R2)            get V2 source

000031DA                                          3263+         DS    0H                        E67F VTZ    - Vector Test Zoned
000031DA  E6                                      3264+         DC    X'E6'
000031DB  01                                      3265+         DC    X'01'                     v1
000031DC  21FFF0                                  3266+         DC    HL3'2228208'              v2, I3, RXB
000031DF  7F                                      3267+         DC    X'7F'

000031E0  B98D 0020                               3269+         EPSW  R2,R0               exptract psw
000031E4  5020 500C                   0000000C    3270+         ST    R2,CCPSW                to save CC
000031E8  07FB                                    3271+         BR    R11
000031EC                                          3272+RE75     DC    0F
000031EC                                          3273+         DROP  R5
000031EC  F0F0F0F0 F0F0F0F0                       3274          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000031F4  F0F0F0F0 F0F0F0F0
000031FC  F0F0F0F0 F0F0F0F0                       3275          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0B0'   V2 source
00003204  F1F2F3F0 F0F0F0B0
                                                  3276
                                                  3277          VRI_L VTZ,X'1FFF',1
00003210                                          3278+         DS    0FD
00003210                     00003210             3279+         USING *,R5                base for test data and test routine
00003210  00003234                                3280+T76      DC    A(X76)              address of test routine
00003214  004C                                    3281+         DC    H'76'               test number
00003216  00                                      3282+         DC    XL1'00'
00003217  01                                      3283+         DC    HL1'1'              cc
00003218  0B                                      3284+         DC    HL1'11'             cc failed mask
00003219  00                                      3285+         DS    XL1'0'              extracted cc (CCFOUND)
0000321C  00000000 00000000                       3286+         DS    2F'0'               extract PSW after test (CCPSW)
00003224  E5E3E940 40404040                       3287+         DC    CL8'VTZ'            instruction name
0000322C  00000010                                3288+         DC    A(16)               result length
00003230  0000325C                                3289+REA76    DC    A(RE76)             result address
                                                  3290+*                                  INSTRUCTION UNDER TEST ROUTINE
00003234                                          3291+X76      DS    0F
00003234  E320 5020 0014              00003230    3292+         LGF   R2,REA76
0000323A  E712 0000 0006              00000000    3293+         VL    V1,0(R2)            get V1 source
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00003240  4122 0010                     00000010  3294+          LA    R2,16(R2)
00003244  E722 0000 0006                00000000  3295+          VL    V2,0(R2)          get V2 source

0000324A                                          3298+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000324A  E6                                      3299+          DC    X'E6'
0000324B  01                                      3300+          DC    X'01'                   v1
0000324C  21FFF0                                  3301+          DC    HL3'2228208'            v2, I3, RXB
0000324F  7F                                      3302+          DC    X'7F'

00003250  B98D 0020                               3304+          EPSW  R2,R0             exptract psw
00003254  5020 500C                     0000000C  3305+          ST    R2,CCPSW              to save CC
00003258  07FB                                    3306+          BR    R11
0000325C                                          3307+RE76      DC    0F
0000325C                                          3308+          DROP  R5
0000325C  F0F0F0F0 F0F0F0F0                       3309           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003264  F0F0F0F0 F0F0F0F0
0000326C  F0F0F0F0 F0F0F0F0                       3310           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0E0'   V2 source
00003274  F1F2F3F0 F0F0F0E0
                                                  3311
                                                  3312 * a digit invalid, sign valid
                                                  3313           VRI_L VTZ,X'1FFF',2
00003280                                          3314+          DS    0FD
00003280                       00003280           3315+          USING *,R5              base for test data and test routine
00003280  000032A4                                3316+T77       DC    A(X77)            address of test routine
00003284  004D                                    3317+          DC    H'77'             test number
00003286  00                                      3318+          DC    XL1'00'
00003287  02                                      3319+          DC    HL1'2'            cc
00003288  0D                                      3320+          DC    HL1'13'           cc failed mask
00003289  00                                      3321+          DS    XL1'0'            extracted cc (CCFOUND)
0000328C  00000000 00000000                       3322+          DS    2F'0'             extract PSW after test (CCPSW)
00003294  E5E3E940 40404040                       3323+          DC    CL8'VTZ'          instruction name
0000329C  00000010                                3324+          DC    A(16)             result length
000032A0  000032CC                                3325+REA77     DC    A(RE77)           result address
                                                  3326+*                                 INSTRUCTION UNDER TEST ROUTINE
000032A4                                          3327+X77       DS    0F
000032A4  E320 5020 0014                000032A0  3328+          LGF   R2,REA77
000032AA  E712 0000 0006                00000000  3329+          VL    V1,0(R2)          get V1 source
000032B0  4122 0010                     00000010  3330+          LA    R2,16(R2)
000032B4  E722 0000 0006                00000000  3331+          VL    V2,0(R2)          get V2 source

000032BA                                          3334+          DS    0H                      E67F VTZ    - Vector Test Zoned
000032BA  E6                                      3335+          DC    X'E6'
000032BB  01                                      3336+          DC    X'01'                   v1
000032BC  21FFF0                                  3337+          DC    HL3'2228208'            v2, I3, RXB
000032BF  7F                                      3338+          DC    X'7F'

000032C0  B98D 0020                               3340+          EPSW  R2,R0             exptract psw
000032C4  5020 500C                     0000000C  3341+          ST    R2,CCPSW              to save CC
000032C8  07FB                                    3342+          BR    R11
000032CC                                          3343+RE77      DC    0F
000032CC                                          3344+          DROP  R5
000032CC  F0F0F0F0 F0F0F0F0                       3345           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000032D4  F0F0F0F0 F0F0F0FF
000032DC  F0F0F0F0 F0F0F0F0                       3346           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
000032E4  F1F2F3F0 F0F0F0F0
                                                  3347
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

                                                   3348 * a digit invalid,  sign invalid
                                                   3349          VRI_L VTZ,X'1FFF',3
000032F0                                           3350+         DS    0FD
000032F0                       000032F0            3351+         USING *,R5              base for test data and test routine
000032F0  00003314                                 3352+T78      DC    A(X78)            address of test routine
000032F4  004E                                     3353+         DC    H'78'             test number
000032F6  00                                       3354+         DC    XL1'00'
000032F7  03                                       3355+         DC    HL1'3'            cc
000032F8  0E                                       3356+         DC    HL1'14'           cc failed mask
000032F9  00                                       3357+         DS    XL1'0'            extracted cc (CCFOUND)
000032FC  00000000 00000000                        3358+         DS    2F'0'             extract PSW after test (CCPSW)
00003304  E5E3E940 40404040                        3359+         DC    CL8'VTZ'          instruction name
0000330C  00000010                                 3360+         DC    A(16)             result length
00003310  0000333C                                 3361+REA78    DC    A(RE78)           result address
                                                   3362+*                                INSTRUCTION UNDER TEST ROUTINE
00003314                                           3363+X78      DS    0F
00003314  E320 5020 0014              00003310     3364+         LGF   R2,REA78
0000331A  E712 0000 0006              00000000     3365+         VL    V1,0(R2)          get V1 source
00003320  4122 0010                   00000010     3366+         LA    R2,16(R2)
00003324  E722 0000 0006              00000000     3367+         VL    V2,0(R2)          get V2 source

0000332A                                           3370+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000332A  E6                                       3371+         DC    X'E6'
0000332B  01                                       3372+         DC    X'01'                   v1
0000332C  21FFF0                                   3373+         DC    HL3'2228208'            v2, I3, RXB
0000332F  7F                                       3374+         DC    X'7F'

00003330  B98D 0020                                3376+         EPSW  R2,R0             exptract psw
00003334  5020 500C                   0000000C     3377+         ST    R2,CCPSW              to save CC
00003338  07FB                                     3378+         BR    R11
0000333C                                           3379+RE78     DC    0F
0000333C                                           3380+         DROP  R5
0000333C  F0F0F0F0 F0F0F0F0                        3381          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00003344  F0F0F0F0 F0F0F0FF
0000334C  F0F0F0F0 F0F0F0F0                        3382          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F090'   V2 source
00003354  F1F2F3F0 F0F0F090
                                                   3383
                                                   3384 * VTZ    - ssc: 0, ls: 0, dsc: 31, stc: 7, dc: 31
                                                   3385 *          zero: Sign: C,F
                                                   3386 *--------------------------------------------------------------------
                                                   3387 * digits valid,  sign valid
                                                   3388          VRI_L VTZ,X'1FFF',0
00003360                                           3389+         DS    0FD
00003360                       00003360            3390+         USING *,R5              base for test data and test routine
00003360  00003384                                 3391+T79      DC    A(X79)            address of test routine
00003364  004F                                     3392+         DC    H'79'             test number
00003366  00                                       3393+         DC    XL1'00'
00003367  00                                       3394+         DC    HL1'0'            cc
00003368  07                                       3395+         DC    HL1'7'            cc failed mask
00003369  00                                       3396+         DS    XL1'0'            extracted cc (CCFOUND)
0000336C  00000000 00000000                        3397+         DS    2F'0'             extract PSW after test (CCPSW)
00003374  E5E3E940 40404040                        3398+         DC    CL8'VTZ'          instruction name
0000337C  00000010                                 3399+         DC    A(16)             result length
00003380  000033AC                                 3400+REA79    DC    A(RE79)           result address
                                                   3401+*                                INSTRUCTION UNDER TEST ROUTINE
00003384                                           3402+X79      DS    0F
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00003384  E320 5020 0014               00003380  3403+         LGF   R2,REA79
0000338A  E712 0000 0006               00000000  3404+         VL    V1,0(R2)          get V1 source
00003390  4122 0010                    00000010  3405+         LA    R2,16(R2)
00003394  E722 0000 0006               00000000  3406+         VL    V2,0(R2)          get V2 source

0000339A                                         3409+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000339A  E6                                     3410+         DC    X'E6'
0000339B  01                                     3411+         DC    X'01'                   v1
0000339C  21FFF0                                 3412+         DC    HL3'2228208'            v2, I3, RXB
0000339F  7F                                     3413+         DC    X'7F'

000033A0  B98D 0020                              3415+         EPSW  R2,R0             exptract psw
000033A4  5020 500C                    0000000C  3416+         ST    R2,CCPSW              to save CC
000033A8  07FB                                   3417+         BR    R11
000033AC                                         3418+RE79     DC    0F
000033AC                                         3419+         DROP  R5
000033AC  F0F0F0F0 F0F0F0F0                      3420          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000033B4  F0F0F0F0 F0F0F0F0
000033BC  F0F0F0F0 F0F0F0F0                      3421          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
000033C4  F0F0F0F0 F0F0F0C0
                                                 3422
                                                 3423          VRI_L VTZ,X'1FFF',0
000033D0                                         3424+         DS    0FD
000033D0                     000033D0            3425+         USING *,R5              base for test data and test routine
000033D0  000033F4                               3426+T80      DC    A(X80)            address of test routine
000033D4  0050                                   3427+         DC    H'80'             test number
000033D6  00                                     3428+         DC    XL1'00'
000033D7  00                                     3429+         DC    HL1'0'            cc
000033D8  07                                     3430+         DC    HL1'7'            cc failed mask
000033D9  00                                     3431+         DS    XL1'0'            extracted cc (CCFOUND)
000033DC  00000000 00000000                      3432+         DS    2F'0'             extract PSW after test (CCPSW)
000033E4  E5E3E940 40404040                      3433+         DC    CL8'VTZ'          instruction name
000033EC  00000010                               3434+         DC    A(16)             result length
000033F0  0000341C                               3435+REA80    DC    A(RE80)           result address
                                                 3436+*                                INSTRUCTION UNDER TEST ROUTINE
000033F4                                         3437+X80      DS    0F
000033F4  E320 5020 0014               000033F0  3438+         LGF   R2,REA80
000033FA  E712 0000 0006               00000000  3439+         VL    V1,0(R2)          get V1 source
00003400  4122 0010                    00000010  3440+         LA    R2,16(R2)
00003404  E722 0000 0006               00000000  3441+         VL    V2,0(R2)          get V2 source

0000340A                                         3444+         DS    0H                      E67F VTZ    - Vector Test Zoned
0000340A  E6                                     3445+         DC    X'E6'
0000340B  01                                     3446+         DC    X'01'                   v1
0000340C  21FFF0                                 3447+         DC    HL3'2228208'            v2, I3, RXB
0000340F  7F                                     3448+         DC    X'7F'

00003410  B98D 0020                              3450+         EPSW  R2,R0             exptract psw
00003414  5020 500C                    0000000C  3451+         ST    R2,CCPSW              to save CC
00003418  07FB                                   3452+         BR    R11
0000341C                                         3453+RE80     DC    0F
0000341C                                         3454+         DROP  R5
0000341C  F0F0F0F0 F0F0F0F0                      3455          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003424  F0F0F0F0 F0F0F0F0
0000342C  F0F0F0F0 F0F0F0F0                      3456          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00003434  F0F0F0F0 F0F0F0F0
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

                                                  3457
                                                  3458 * digits valid,  sign invalid
                                                  3459          VRI_L VTZ,X'1FFF',1
00003440                                          3460+         DS    0FD
00003440                      00003440            3461+         USING *,R5                base for test data and test routine
00003440  00003464                                3462+T81      DC    A(X81)              address of test routine
00003444  0051                                    3463+         DC    H'81'               test number
00003446  00                                      3464+         DC    XL1'00'
00003447  01                                      3465+         DC    HL1'1'              cc
00003448  0B                                      3466+         DC    HL1'11'             cc failed mask
00003449  00                                      3467+         DS    XL1'0'              extracted cc (CCFOUND)
0000344C  00000000 00000000                       3468+         DS    2F'0'               extract PSW after test (CCPSW)
00003454  E5E3E940 40404040                       3469+         DC    CL8'VTZ'            instruction name
0000345C  00000010                                3470+         DC    A(16)               result length
00003460  0000348C                                3471+REA81    DC    A(RE81)             result address
                                                  3472+*                                  INSTRUCTION UNDER TEST ROUTINE
00003464                                          3473+X81      DS    0F
00003464  E320 5020 0014            00003460      3474+         LGF   R2,REA81
0000346A  E712 0000 0006            00000000      3475+         VL    V1,0(R2)            get V1 source
00003470  4122 0010                 00000010      3476+         LA    R2,16(R2)
00003474  E722 0000 0006            00000000      3477+         VL    V2,0(R2)            get V2 source

0000347A                                          3480+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000347A  E6                                      3481+         DC    X'E6'
0000347B  01                                      3482+         DC    X'01'                     v1
0000347C  21FFF0                                  3483+         DC    HL3'2228208'              v2, I3, RXB
0000347F  7F                                      3484+         DC    X'7F'

00003480  B98D 0020                               3486+         EPSW  R2,R0               exptract psw
00003484  5020 500C                 0000000C      3487+         ST    R2,CCPSW                to save CC
00003488  07FB                                    3488+         BR    R11
0000348C                                          3489+RE81     DC    0F
0000348C                                          3490+         DROP  R5
0000348C  F0F0F0F0 F0F0F0F0                       3491          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003494  F0F0F0F0 F0F0F0F0
0000349C  F0F0F0F0 F0F0F0F0                       3492          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0A0'   V2 source
000034A4  F0F0F0F0 F0F0F0A0
                                                  3493
                                                  3494          VRI_L VTZ,X'1FFF',1
000034B0                                          3495+         DS    0FD
000034B0                      000034B0            3496+         USING *,R5                base for test data and test routine
000034B0  000034D4                                3497+T82      DC    A(X82)              address of test routine
000034B4  0052                                    3498+         DC    H'82'               test number
000034B6  00                                      3499+         DC    XL1'00'
000034B7  01                                      3500+         DC    HL1'1'              cc
000034B8  0B                                      3501+         DC    HL1'11'             cc failed mask
000034B9  00                                      3502+         DS    XL1'0'              extracted cc (CCFOUND)
000034BC  00000000 00000000                       3503+         DS    2F'0'               extract PSW after test (CCPSW)
000034C4  E5E3E940 40404040                       3504+         DC    CL8'VTZ'            instruction name
000034CC  00000010                                3505+         DC    A(16)               result length
000034D0  000034FC                                3506+REA82    DC    A(RE82)             result address
                                                  3507+*                                  INSTRUCTION UNDER TEST ROUTINE
000034D4                                          3508+X82      DS    0F
000034D4  E320 5020 0014            000034D0      3509+         LGF   R2,REA82
000034DA  E712 0000 0006            00000000      3510+         VL    V1,0(R2)            get V1 source
000034E0  4122 0010                 00000010      3511+         LA    R2,16(R2)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

000034E4  E722 0000 0006                00000000  3512+          VL    V2,0(R2)          get V2 source

000034EA                                          3515+          DS    0H                      E67F VTZ    - Vector Test Zoned
000034EA  E6                                      3516+          DC    X'E6'
000034EB  01                                      3517+          DC    X'01'                   v1
000034EC  21FFF0                                  3518+          DC    HL3'2228208'            v2, I3, RXB
000034EF  7F                                      3519+          DC    X'7F'

000034F0  B98D 0020                               3521+          EPSW  R2,R0             exptract psw
000034F4  5020 500C                     0000000C  3522+          ST    R2,CCPSW              to save CC
000034F8  07FB                                    3523+          BR    R11
000034FC                                          3524+RE82      DC    0F
000034FC                                          3525+          DROP  R5
000034FC  F0F0F0F0 F0F0F0F0                       3526           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003504  F0F0F0F0 F0F0F0F0
0000350C  F0F0F0F0 F0F0F0F0                       3527           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0B0'   V2 source
00003514  F0F0F0F0 F0F0F0B0
                                                  3528
                                                  3529           VRI_L VTZ,X'1FFF',1
00003520                                          3530+          DS    0FD
00003520                      00003520            3531+          USING *,R5              base for test data and test routine
00003520  00003544                                3532+T83       DC    A(X83)            address of test routine
00003524  0053                                    3533+          DC    H'83'             test number
00003526  00                                      3534+          DC    XL1'00'
00003527  01                                      3535+          DC    HL1'1'            cc
00003528  0B                                      3536+          DC    HL1'11'           cc failed mask
00003529  00                                      3537+          DS    XL1'0'            extracted cc (CCFOUND)
0000352C  00000000 00000000                       3538+          DS    2F'0'             extract PSW after test (CCPSW)
00003534  E5E3E940 40404040                       3539+          DC    CL8'VTZ'          instruction name
0000353C  00000010                                3540+          DC    A(16)             result length
00003540  0000356C                                3541+REA83     DC    A(RE83)           result address
                                                  3542+*                                 INSTRUCTION UNDER TEST ROUTINE
00003544                                          3543+X83       DS    0F
00003544  E320 5020 0014                00003540  3544+          LGF   R2,REA83
0000354A  E712 0000 0006                00000000  3545+          VL    V1,0(R2)          get V1 source
00003550  4122 0010                     00000010  3546+          LA    R2,16(R2)
00003554  E722 0000 0006                00000000  3547+          VL    V2,0(R2)          get V2 source

0000355A                                          3550+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000355A  E6                                      3551+          DC    X'E6'
0000355B  01                                      3552+          DC    X'01'                   v1
0000355C  21FFF0                                  3553+          DC    HL3'2228208'            v2, I3, RXB
0000355F  7F                                      3554+          DC    X'7F'

00003560  B98D 0020                               3556+          EPSW  R2,R0             exptract psw
00003564  5020 500C                     0000000C  3557+          ST    R2,CCPSW              to save CC
00003568  07FB                                    3558+          BR    R11
0000356C                                          3559+RE83      DC    0F
0000356C                                          3560+          DROP  R5
0000356C  F0F0F0F0 F0F0F0F0                       3561           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003574  F0F0F0F0 F0F0F0F0
0000357C  F0F0F0F0 F0F0F0F0                       3562           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0D0'   V2 source
00003584  F0F0F0F0 F0F0F0D0
                                                  3563
                                                  3564           VRI_L VTZ,X'1FFF',1
00003590                                          3565+          DS    0FD
```

```
  LOC        OBJECT CODE        ADDR1     ADDR2    STMT

00003590                     00003590              3566+         USING *,R5              base for test data and test routine
00003590  000035B4                                 3567+T84      DC    A(X84)            address of test routine
00003594  0054                                     3568+         DC    H'84'             test number
00003596  00                                       3569+         DC    XL1'00'
00003597  01                                       3570+         DC    HL1'1'            cc
00003598  0B                                       3571+         DC    HL1'11'           cc failed mask
00003599  00                                       3572+         DS    XL1'0'            extracted cc (CCFOUND)
0000359C  00000000 00000000                        3573+         DS    2F'0'             extract PSW after test (CCPSW)
000035A4  E5E3E940 40404040                        3574+         DC    CL8'VTZ'          instruction name
000035AC  00000010                                 3575+         DC    A(16)             result length
000035B0  000035DC                                 3576+REA84    DC    A(RE84)           result address
                                                   3577+*                                INSTRUCTION UNDER TEST ROUTINE
000035B4                                           3578+X84      DS    0F
000035B4  E320 5020 0014              000035B0     3579+         LGF   R2,REA84
000035BA  E712 0000 0006              00000000     3580+         VL    V1,0(R2)          get V1 source
000035C0  4122 0010                   00000010     3581+         LA    R2,16(R2)
000035C4  E722 0000 0006              00000000     3582+         VL    V2,0(R2)          get V2 source

000035CA                                           3585+         DS    0H                      E67F VTZ    - Vector Test Zoned
000035CA  E6                                       3586+         DC    X'E6'
000035CB  01                                       3587+         DC    X'01'                   v1
000035CC  21FFF0                                   3588+         DC    HL3'2228208'            v2, I3, RXB
000035CF  7F                                       3589+         DC    X'7F'

000035D0  B98D 0020                                3591+         EPSW  R2,R0             exptract psw
000035D4  5020 500C                   0000000C     3592+         ST    R2,CCPSW              to save CC
000035D8  07FB                                     3593+         BR    R11
000035DC                                           3594+RE84     DC    0F
000035DC                                           3595+         DROP  R5
000035DC  F0F0F0F0 F0F0F0F0                        3596          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000035E4  F0F0F0F0 F0F0F0F0
000035EC  F0F0F0F0 F0F0F0F0                        3597          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0E0'   V2 source
000035F4  F0F0F0F0 F0F0F0E0
                                                   3598
                                                   3599 *-----------------------------------------------------------------------
                                                   3600 * SETS-type-zoned format (spaced embedded trailing sign)
                                                   3601 *-----------------------------------------------------------------------
                                                   3602 *
                                                   3603 * VTZ simple - ssc: 0, ls: 0, dsc: 3, stc: 0, dc: 31
                                                   3604 *                  Sign: A-F
                                                   3605 * digits valid,  sign valid
                                                   3606          VRI_L VTZ,X'031F',0
00003600                                           3607+         DS    0FD
00003600                     00003600              3608+         USING *,R5              base for test data and test routine
00003600  00003624                                 3609+T85      DC    A(X85)            address of test routine
00003604  0055                                     3610+         DC    H'85'             test number
00003606  00                                       3611+         DC    XL1'00'
00003607  00                                       3612+         DC    HL1'0'            cc
00003608  07                                       3613+         DC    HL1'7'            cc failed mask
00003609  00                                       3614+         DS    XL1'0'            extracted cc (CCFOUND)
0000360C  00000000 00000000                        3615+         DS    2F'0'             extract PSW after test (CCPSW)
00003614  E5E3E940 40404040                        3616+         DC    CL8'VTZ'          instruction name
0000361C  00000010                                 3617+         DC    A(16)             result length
00003620  0000364C                                 3618+REA85    DC    A(RE85)           result address
                                                   3619+*                                INSTRUCTION UNDER TEST ROUTINE
00003624                                           3620+X85      DS    0F
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00003624  E320 5020 0014                00003620  3621+          LGF   R2,REA85
0000362A  E712 0000 0006                00000000  3622+          VL    V1,0(R2)          get V1 source
00003630  4122 0010                     00000010  3623+          LA    R2,16(R2)
00003634  E722 0000 0006                00000000  3624+          VL    V2,0(R2)          get V2 source

0000363A                                          3627+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000363A  E6                                      3628+          DC    X'E6'
0000363B  01                                      3629+          DC    X'01'                   v1
0000363C  2031F0                                  3630+          DC    HL3'2109936'            v2, I3, RXB
0000363F  7F                                      3631+          DC    X'7F'

00003640  B98D 0020                               3633+          EPSW  R2,R0             exptract psw
00003644  5020 500C                     0000000C  3634+          ST    R2,CCPSW              to save CC
00003648  07FB                                    3635+          BR    R11
0000364C                                          3636+RE85      DC    0F
0000364C                                          3637+          DROP  R5
0000364C  F0F0F0F0 F0F0F0F0                       3638           DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
00003654  40404040 40404040
0000365C  F0F0F0F0 F0F0F0F0                       3639           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0A0'   V2 source
00003664  F1F2F3F0 F0F0F0A0
                                                  3640
                                                  3641           VRI_L VTZ,X'031F',0
00003670                                          3642+          DS    0FD
00003670                      00003670            3643+          USING *,R5              base for test data and test routine
00003670  00003694                                3644+T86       DC    A(X86)            address of test routine
00003674  0056                                    3645+          DC    H'86'             test number
00003676  00                                      3646+          DC    XL1'00'
00003677  00                                      3647+          DC    HL1'0'            cc
00003678  07                                      3648+          DC    HL1'7'            cc failed mask
00003679  00                                      3649+          DS    XL1'0'            extracted cc (CCFOUND)
0000367C  00000000 00000000                       3650+          DS    2F'0'             extract PSW after test (CCPSW)
00003684  E5E3E940 40404040                       3651+          DC    CL8'VTZ'          instruction name
0000368C  00000010                                3652+          DC    A(16)             result length
00003690  000036BC                                3653+REA86     DC    A(RE86)           result address
                                                  3654+*                                 INSTRUCTION UNDER TEST ROUTINE
00003694                                          3655+X86       DS    0F
00003694  E320 5020 0014                00003690  3656+          LGF   R2,REA86
0000369A  E712 0000 0006                00000000  3657+          VL    V1,0(R2)          get V1 source
000036A0  4122 0010                     00000010  3658+          LA    R2,16(R2)
000036A4  E722 0000 0006                00000000  3659+          VL    V2,0(R2)          get V2 source

000036AA                                          3662+          DS    0H                      E67F VTZ    - Vector Test Zoned
000036AA  E6                                      3663+          DC    X'E6'
000036AB  01                                      3664+          DC    X'01'                   v1
000036AC  2031F0                                  3665+          DC    HL3'2109936'            v2, I3, RXB
000036AF  7F                                      3666+          DC    X'7F'

000036B0  B98D 0020                               3668+          EPSW  R2,R0             exptract psw
000036B4  5020 500C                     0000000C  3669+          ST    R2,CCPSW              to save CC
000036B8  07FB                                    3670+          BR    R11
000036BC                                          3671+RE86      DC    0F
000036BC                                          3672+          DROP  R5
000036BC  F0F0F0F0 F0F0F0F0                       3673           DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
000036C4  40404040 40404040
000036CC  F0F0F0F0 F0F0F0F0                       3674           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0B0'   V2 source
000036D4  F1F2F3F0 F0F0F0B0
```

```
  LOC        OBJECT CODE        ADDR1     ADDR2     STMT

                                                    3675
                                                    3676          VRI_L VTZ,X'031F',0
000036E0                                            3677+         DS    0FD
000036E0                       000036E0             3678+         USING *,R5                  base for test data and test routine
000036E0  00003704                                  3679+T87      DC    A(X87)                address of test routine
000036E4  0057                                      3680+         DC    H'87'                 test number
000036E6  00                                        3681+         DC    XL1'00'
000036E7  00                                        3682+         DC    HL1'0'                cc
000036E8  07                                        3683+         DC    HL1'7'                cc failed mask
000036E9  00                                        3684+         DS    XL1'0'                extracted cc (CCFOUND)
000036EC  00000000 00000000                         3685+         DS    2F'0'                 extract PSW after test (CCPSW)
000036F4  E5E3E940 40404040                         3686+         DC    CL8'VTZ'              instruction name
000036FC  00000010                                  3687+         DC    A(16)                 result length
00003700  0000372C                                  3688+REA87    DC    A(RE87)               result address
                                                    3689+*                                  INSTRUCTION UNDER TEST ROUTINE
00003704                                            3690+X87      DS    0F
00003704  E320 5020 0014                  00003700  3691+         LGF   R2,REA87
0000370A  E712 0000 0006                  00000000  3692+         VL    V1,0(R2)              get V1 source
00003710  4122 0010                       00000010  3693+         LA    R2,16(R2)
00003714  E722 0000 0006                  00000000  3694+         VL    V2,0(R2)              get V2 source

0000371A                                            3697+         DS    0H                          E67F VTZ    - Vector Test Zoned
0000371A  E6                                        3698+         DC    X'E6'
0000371B  01                                        3699+         DC    X'01'                       v1
0000371C  2031F0                                    3700+         DC    HL3'2109936'                v2, I3, RXB
0000371F  7F                                        3701+         DC    X'7F'

00003720  B98D 0020                                 3703+         EPSW  R2,R0                 exptract psw
00003724  5020 500C                       0000000C  3704+         ST    R2,CCPSW                  to save CC
00003728  07FB                                      3705+         BR    R11
0000372C                                            3706+RE87     DC    0F
0000372C                                            3707+         DROP  R5
0000372C  F0F0F0F0 F0F0F0F0                         3708          DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
00003734  40404040 40404040
0000373C  F0F0F0F0 F0F0F0F0                         3709          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0C0'   V2 source
00003744  F1F2F3F0 F0F0F0C0
                                                    3710
                                                    3711          VRI_L VTZ,X'031F',0
00003750                                            3712+         DS    0FD
00003750                       00003750             3713+         USING *,R5                  base for test data and test routine
00003750  00003774                                  3714+T88      DC    A(X88)                address of test routine
00003754  0058                                      3715+         DC    H'88'                 test number
00003756  00                                        3716+         DC    XL1'00'
00003757  00                                        3717+         DC    HL1'0'                cc
00003758  07                                        3718+         DC    HL1'7'                cc failed mask
00003759  00                                        3719+         DS    XL1'0'                extracted cc (CCFOUND)
0000375C  00000000 00000000                         3720+         DS    2F'0'                 extract PSW after test (CCPSW)
00003764  E5E3E940 40404040                         3721+         DC    CL8'VTZ'              instruction name
0000376C  00000010                                  3722+         DC    A(16)                 result length
00003770  0000379C                                  3723+REA88    DC    A(RE88)               result address
                                                    3724+*                                  INSTRUCTION UNDER TEST ROUTINE
00003774                                            3725+X88      DS    0F
00003774  E320 5020 0014                  00003770  3726+         LGF   R2,REA88
0000377A  E712 0000 0006                  00000000  3727+         VL    V1,0(R2)              get V1 source
00003780  4122 0010                       00000010  3728+         LA    R2,16(R2)
00003784  E722 0000 0006                  00000000  3729+         VL    V2,0(R2)              get V2 source
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT


0000378A                                           3732+          DS    0H                              E67F VTZ    - Vector Test Zoned
0000378A  E6                                       3733+          DC    X'E6'
0000378B  01                                       3734+          DC    X'01'                           v1
0000378C  2031F0                                   3735+          DC    HL3'2109936'                    v2, I3, RXB
0000378F  7F                                       3736+          DC    X'7F'

00003790  B98D 0020                                3738+          EPSW  R2,R0                 exptract psw
00003794  5020 500C                      0000000C  3739+          ST    R2,CCPSW                  to save CC
00003798  07FB                                     3740+          BR    R11
0000379C                                           3741+RE88      DC    0F
0000379C                                           3742+          DROP  R5
0000379C  F0F0F0F0 F0F0F0F0                        3743           DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
000037A4  40404040 40404040
000037AC  F0F0F0F0 F0F0F0F0                        3744           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0D0'   V2 source
000037B4  F1F2F3F0 F0F0F0D0
                                                   3745
                                                   3746           VRI_L VTZ,X'031F',0
000037C0                                           3747+          DS    0FD
000037C0                       000037C0            3748+          USING *,R5                  base for test data and test routine
000037C0  000037E4                                 3749+T89       DC    A(X89)                address of test routine
000037C4  0059                                     3750+          DC    H'89'                 test number
000037C6  00                                       3751+          DC    XL1'00'
000037C7  00                                       3752+          DC    HL1'0'                cc
000037C8  07                                       3753+          DC    HL1'7'                cc failed mask
000037C9  00                                       3754+          DS    XL1'0'                extracted cc (CCFOUND)
000037CC  00000000 00000000                        3755+          DS    2F'0'                 extract PSW after test (CCPSW)
000037D4  E5E3E940 40404040                        3756+          DC    CL8'VTZ'              instruction name
000037DC  00000010                                 3757+          DC    A(16)                 result length
000037E0  0000380C                                 3758+REA89     DC    A(RE89)               result address
                                                   3759+*                                   INSTRUCTION UNDER TEST ROUTINE
000037E4                                           3760+X89       DS    0F
000037E4  E320 5020 0014                 000037E0  3761+          LGF   R2,REA89
000037EA  E712 0000 0006                 00000000  3762+          VL    V1,0(R2)              get V1 source
000037F0  4122 0010                      00000010  3763+          LA    R2,16(R2)
000037F4  E722 0000 0006                 00000000  3764+          VL    V2,0(R2)              get V2 source

000037FA                                           3767+          DS    0H                              E67F VTZ    - Vector Test Zoned
000037FA  E6                                       3768+          DC    X'E6'
000037FB  01                                       3769+          DC    X'01'                           v1
000037FC  2031F0                                   3770+          DC    HL3'2109936'                    v2, I3, RXB
000037FF  7F                                       3771+          DC    X'7F'

00003800  B98D 0020                                3773+          EPSW  R2,R0                 exptract psw
00003804  5020 500C                      0000000C  3774+          ST    R2,CCPSW                  to save CC
00003808  07FB                                     3775+          BR    R11
0000380C                                           3776+RE89      DC    0F
0000380C                                           3777+          DROP  R5
0000380C  F0F0F0F0 F0F0F0F0                        3778           DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
00003814  40404040 40404040
0000381C  F0F0F0F0 F0F0F0F0                        3779           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0E0'   V2 source
00003824  F1F2F3F0 F0F0F0E0
                                                   3780
                                                   3781           VRI_L VTZ,X'031F',0
00003830                                           3782+          DS    0FD
00003830                       00003830            3783+          USING *,R5                  base for test data and test routine
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00003830  00003854                                3784+T90      DC    A(X90)             address of test routine
00003834  005A                                    3785+         DC    H'90'              test number
00003836  00                                      3786+         DC    XL1'00'
00003837  00                                      3787+         DC    HL1'0'             cc
00003838  07                                      3788+         DC    HL1'7'             cc failed mask
00003839  00                                      3789+         DS    XL1'0'             extracted cc (CCFOUND)
0000383C  00000000 00000000                       3790+         DS    2F'0'              extract PSW after test (CCPSW)
00003844  E5E3E940 40404040                       3791+         DC    CL8'VTZ'           instruction name
0000384C  00000010                                3792+         DC    A(16)              result length
00003850  0000387C                                3793+REA90    DC    A(RE90)            result address
                                                  3794+*                                 INSTRUCTION UNDER TEST ROUTINE
00003854                                          3795+X90      DS    0F
00003854  E320 5020 0014             00003850     3796+         LGF   R2,REA90
0000385A  E712 0000 0006             00000000     3797+         VL    V1,0(R2)           get V1 source
00003860  4122 0010                  00000010     3798+         LA    R2,16(R2)
00003864  E722 0000 0006             00000000     3799+         VL    V2,0(R2)           get V2 source

0000386A                                          3802+         DS    0H                       E67F VTZ    - Vector Test Zoned
0000386A  E6                                      3803+         DC    X'E6'
0000386B  01                                      3804+         DC    X'01'                    v1
0000386C  2031F0                                  3805+         DC    HL3'2109936'             v2, I3, RXB
0000386F  7F                                      3806+         DC    X'7F'

00003870  B98D 0020                               3808+         EPSW  R2,R0              exptract psw
00003874  5020 500C                  0000000C     3809+         ST    R2,CCPSW               to save CC
00003878  07FB                                    3810+         BR    R11
0000387C                                          3811+RE90     DC    0F
0000387C                                          3812+         DROP  R5
0000387C  F0F0F0F0 F0F0F0F0                       3813          DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
00003884  40404040 40404040
0000388C  F0F0F0F0 F0F0F0F0                       3814          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003894  F1F2F3F0 F0F0F0F0
                                                  3815
                                                  3816          VRI_L VTZ,X'031F',0
000038A0                                          3817+         DS    0FD
000038A0                           000038A0       3818+         USING *,R5               base for test data and test routine
000038A0  000038C4                                3819+T91      DC    A(X91)             address of test routine
000038A4  005B                                    3820+         DC    H'91'              test number
000038A6  00                                      3821+         DC    XL1'00'
000038A7  00                                      3822+         DC    HL1'0'             cc
000038A8  07                                      3823+         DC    HL1'7'             cc failed mask
000038A9  00                                      3824+         DS    XL1'0'             extracted cc (CCFOUND)
000038AC  00000000 00000000                       3825+         DS    2F'0'              extract PSW after test (CCPSW)
000038B4  E5E3E940 40404040                       3826+         DC    CL8'VTZ'           instruction name
000038BC  00000010                                3827+         DC    A(16)              result length
000038C0  000038EC                                3828+REA91    DC    A(RE91)            result address
                                                  3829+*                                 INSTRUCTION UNDER TEST ROUTINE
000038C4                                          3830+X91      DS    0F
000038C4  E320 5020 0014             000038C0     3831+         LGF   R2,REA91
000038CA  E712 0000 0006             00000000     3832+         VL    V1,0(R2)           get V1 source
000038D0  4122 0010                  00000010     3833+         LA    R2,16(R2)
000038D4  E722 0000 0006             00000000     3834+         VL    V2,0(R2)           get V2 source

000038DA                                          3837+         DS    0H                       E67F VTZ    - Vector Test Zoned
000038DA  E6                                      3838+         DC    X'E6'
000038DB  01                                      3839+         DC    X'01'                    v1
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

000038DC  2031F0                                   3840+          DC    HL3'2109936'            v2, I3, RXB
000038DF  7F                                       3841+          DC    X'7F'

000038E0  B98D 0020                                3843+          EPSW  R2,R0             exptract psw
000038E4  5020 500C                      0000000C  3844+          ST    R2,CCPSW              to save CC
000038E8  07FB                                     3845+          BR    R11
000038EC                                           3846+RE91      DC    0F
000038EC                                           3847+          DROP  R5
000038EC  F0F0F0F0 F0F0F0F0                        3848           DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
000038F4  40404040 40404040
000038FC  F0F0F0F0 F0F0F0F0                        3849           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F34040F0F0F0'   V2 source
00003904  F1F2F340 40F0F0F0
                                                   3850
                                                   3851 * digits valid,  sign invalid
                                                   3852           VRI_L VTZ,X'031F',1
00003910                                           3853+          DS    0FD
00003910                       00003910            3854+          USING *,R5              base for test data and test routine
00003910  00003934                                 3855+T92       DC    A(X92)            address of test routine
00003914  005C                                     3856+          DC    H'92'             test number
00003916  00                                       3857+          DC    XL1'00'
00003917  01                                       3858+          DC    HL1'1'            cc
00003918  0B                                       3859+          DC    HL1'11'           cc failed mask
00003919  00                                       3860+          DS    XL1'0'            extracted cc (CCFOUND)
0000391C  00000000 00000000                        3861+          DS    2F'0'             extract PSW after test (CCPSW)
00003924  E5E3E940 40404040                        3862+          DC    CL8'VTZ'          instruction name
0000392C  00000010                                 3863+          DC    A(16)             result length
00003930  0000395C                                 3864+REA92     DC    A(RE92)           result address
                                                   3865+*                                 INSTRUCTION UNDER TEST ROUTINE
00003934                                           3866+X92       DS    0F
00003934  E320 5020 0014                 00003930  3867+          LGF   R2,REA92
0000393A  E712 0000 0006                 00000000  3868+          VL    V1,0(R2)          get V1 source
00003940  4122 0010                      00000010  3869+          LA    R2,16(R2)
00003944  E722 0000 0006                 00000000  3870+          VL    V2,0(R2)          get V2 source

0000394A                                           3873+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000394A  E6                                       3874+          DC    X'E6'
0000394B  01                                       3875+          DC    X'01'                   v1
0000394C  2031F0                                   3876+          DC    HL3'2109936'            v2, I3, RXB
0000394F  7F                                       3877+          DC    X'7F'

00003950  B98D 0020                                3879+          EPSW  R2,R0             exptract psw
00003954  5020 500C                      0000000C  3880+          ST    R2,CCPSW              to save CC
00003958  07FB                                     3881+          BR    R11
0000395C                                           3882+RE92      DC    0F
0000395C                                           3883+          DROP  R5
0000395C  F0F0F0F0 F0F0F0F0                        3884           DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
00003964  40404040 40404040
0000396C  F0F0F0F0 F0F0F0F0                        3885           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F090'   V2 source
00003974  F0F0F0F0 F0F0F090
                                                   3886
                                                   3887 * a digit invalid, sign valid
                                                   3888           VRI_L VTZ,X'031F',2
00003980                                           3889+          DS    0FD
00003980                       00003980            3890+          USING *,R5              base for test data and test routine
00003980  000039A4                                 3891+T93       DC    A(X93)            address of test routine
00003984  005D                                     3892+          DC    H'93'             test number
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

00003986  00                                      3893+          DC    XL1'00'
00003987  02                                      3894+          DC    HL1'2'             cc
00003988  0D                                      3895+          DC    HL1'13'            cc failed mask
00003989  00                                      3896+          DS    XL1'0'             extracted cc (CCFOUND)
0000398C  00000000 00000000                       3897+          DS    2F'0'              extract PSW after test (CCPSW)
00003994  E5E3E940 40404040                       3898+          DC    CL8'VTZ'           instruction name
0000399C  00000010                                3899+          DC    A(16)              result length
000039A0  000039CC                                3900+REA93     DC    A(RE93)            result address
                                                  3901+*                                  INSTRUCTION UNDER TEST ROUTINE
000039A4                                          3902+X93       DS    0F
000039A4  E320 5020 0014                000039A0  3903+          LGF   R2,REA93
000039AA  E712 0000 0006                00000000  3904+          VL    V1,0(R2)           get V1 source
000039B0  4122 0010                     00000010  3905+          LA    R2,16(R2)
000039B4  E722 0000 0006                00000000  3906+          VL    V2,0(R2)           get V2 source

000039BA                                          3909+          DS    0H                       E67F VTZ    - Vector Test Zoned
000039BA  E6                                      3910+          DC    X'E6'
000039BB  01                                      3911+          DC    X'01'                    v1
000039BC  2031F0                                  3912+          DC    HL3'2109936'             v2, I3, RXB
000039BF  7F                                      3913+          DC    X'7F'

000039C0  B98D 0020                               3915+          EPSW  R2,R0              exptract psw
000039C4  5020 500C                     0000000C  3916+          ST    R2,CCPSW               to save CC
000039C8  07FB                                    3917+          BR    R11
000039CC                                          3918+RE93      DC    0F
000039CC                                          3919+          DROP  R5
000039CC  F0F0F0F0 F0F0F0F0                       3920           DC    XL16'F0F0F0F0F0F0F0F0 4040404040404040'   V1 source
000039D4  40404040 40404040
000039DC  F0F0F0F0 F0F0F0F0                       3921           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F04040C0'   V2 source
000039E4  F0F0F0F0 F04040C0
                                                  3922
                                                  3923           VRI_L VTZ,X'031F',2
000039F0                                          3924+          DS    0FD
000039F0                      000039F0            3925+          USING *,R5               base for test data and test routine
000039F0  00003A14                                3926+T94       DC    A(X94)             address of test routine
000039F4  005E                                    3927+          DC    H'94'              test number
000039F6  00                                      3928+          DC    XL1'00'
000039F7  02                                      3929+          DC    HL1'2'             cc
000039F8  0D                                      3930+          DC    HL1'13'            cc failed mask
000039F9  00                                      3931+          DS    XL1'0'             extracted cc (CCFOUND)
000039FC  00000000 00000000                       3932+          DS    2F'0'              extract PSW after test (CCPSW)
00003A04  E5E3E940 40404040                       3933+          DC    CL8'VTZ'           instruction name
00003A0C  00000010                                3934+          DC    A(16)              result length
00003A10  00003A3C                                3935+REA94     DC    A(RE94)            result address
                                                  3936+*                                  INSTRUCTION UNDER TEST ROUTINE
00003A14                                          3937+X94       DS    0F
00003A14  E320 5020 0014                00003A10  3938+          LGF   R2,REA94
00003A1A  E712 0000 0006                00000000  3939+          VL    V1,0(R2)           get V1 source
00003A20  4122 0010                     00000010  3940+          LA    R2,16(R2)
00003A24  E722 0000 0006                00000000  3941+          VL    V2,0(R2)           get V2 source

00003A2A                                          3944+          DS    0H                       E67F VTZ    - Vector Test Zoned
00003A2A  E6                                      3945+          DC    X'E6'
00003A2B  01                                      3946+          DC    X'01'                    v1
00003A2C  2031F0                                  3947+          DC    HL3'2109936'             v2, I3, RXB
00003A2F  7F                                      3948+          DC    X'7F'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00003A30  B98D 0020                               3950+         EPSW  R2,R0              exptract psw
00003A34  5020 500C                     0000000C  3951+         ST    R2,CCPSW               to save CC
00003A38  07FB                                    3952+         BR    R11
00003A3C                                          3953+RE94     DC    0F
00003A3C                                          3954+         DROP  R5
00003A3C  F0F0F0F0 F0F0F0F0                       3955          DC    XL16'F0F0F0F0F0F0F0F0 404040404040404F'   V1 source
00003A44  40404040 4040404F
00003A4C  F0F0F0F0 F0F0F0F0                       3956          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0C0'   V2 source
00003A54  F0F0F0F0 F0F0F0C0
                                                  3957
                                                  3958          VRI_L VTZ,X'031F',2
00003A60                                          3959+         DS    0FD
00003A60                      00003A60            3960+         USING *,R5               base for test data and test routine
00003A60  00003A84                                3961+T95      DC    A(X95)             address of test routine
00003A64  005F                                    3962+         DC    H'95'              test number
00003A66  00                                      3963+         DC    XL1'00'
00003A67  02                                      3964+         DC    HL1'2'             cc
00003A68  0D                                      3965+         DC    HL1'13'            cc failed mask
00003A69  00                                      3966+         DS    XL1'0'             extracted cc (CCFOUND)
00003A6C  00000000 00000000                       3967+         DS    2F'0'              extract PSW after test (CCPSW)
00003A74  E5E3E940 40404040                       3968+         DC    CL8'VTZ'           instruction name
00003A7C  00000010                                3969+         DC    A(16)              result length
00003A80  00003AAC                                3970+REA95    DC    A(RE95)            result address
                                                  3971+*                                 INSTRUCTION UNDER TEST ROUTINE
00003A84                                          3972+X95      DS    0F
00003A84  E320 5020 0014                00003A80  3973+         LGF   R2,REA95
00003A8A  E712 0000 0006                00000000  3974+         VL    V1,0(R2)           get V1 source
00003A90  4122 0010                     00000010  3975+         LA    R2,16(R2)
00003A94  E722 0000 0006                00000000  3976+         VL    V2,0(R2)           get V2 source

00003A9A                                          3979+         DS    0H                       E67F VTZ    - Vector Test Zoned
00003A9A  E6                                      3980+         DC    X'E6'
00003A9B  01                                      3981+         DC    X'01'                    v1
00003A9C  2031F0                                  3982+         DC    HL3'2109936'             v2, I3, RXB
00003A9F  7F                                      3983+         DC    X'7F'

00003AA0  B98D 0020                               3985+         EPSW  R2,R0              exptract psw
00003AA4  5020 500C                     0000000C  3986+         ST    R2,CCPSW               to save CC
00003AA8  07FB                                    3987+         BR    R11
00003AAC                                          3988+RE95     DC    0F
00003AAC                                          3989+         DROP  R5
00003AAC  F0F0F0F0 F0F0F0F0                       3990          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003AB4  F0F0F0F0 F0F0F0F0
00003ABC  F0F0F0F0 F0F0F0F0                       3991          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F04040A0'   V2 source
00003AC4  F0F0F0F0 F04040A0
                                                  3992
                                                  3993 * a digit invalid,  sign invalid
                                                  3994          VRI_L VTZ,X'031F',3
00003AD0                                          3995+         DS    0FD
00003AD0                      00003AD0            3996+         USING *,R5               base for test data and test routine
00003AD0  00003AF4                                3997+T96      DC    A(X96)             address of test routine
00003AD4  0060                                    3998+         DC    H'96'              test number
00003AD6  00                                      3999+         DC    XL1'00'
00003AD7  03                                      4000+         DC    HL1'3'             cc
00003AD8  0E                                      4001+         DC    HL1'14'            cc failed mask
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00003AD9  00                                      4002+          DS    XL1'0'              extracted cc (CCFOUND)
00003ADC  00000000 00000000                       4003+          DS    2F'0'               extract PSW after test (CCPSW)
00003AE4  E5E3E940 40404040                       4004+          DC    CL8'VTZ'            instruction name
00003AEC  00000010                                4005+          DC    A(16)               result length
00003AF0  00003B1C                                4006+REA96     DC    A(RE96)             result address
                                                  4007+*                                   INSTRUCTION UNDER TEST ROUTINE
00003AF4                                          4008+X96       DS    0F
00003AF4  E320 5020 0014             00003AF0     4009+          LGF   R2,REA96
00003AFA  E712 0000 0006             00000000     4010+          VL    V1,0(R2)            get V1 source
00003B00  4122 0010                  00000010     4011+          LA    R2,16(R2)
00003B04  E722 0000 0006             00000000     4012+          VL    V2,0(R2)            get V2 source

00003B0A                                          4015+          DS    0H                        E67F VTZ    - Vector Test Zoned
00003B0A  E6                                      4016+          DC    X'E6'
00003B0B  01                                      4017+          DC    X'01'                     v1
00003B0C  2031F0                                  4018+          DC    HL3'2109936'              v2, I3, RXB
00003B0F  7F                                      4019+          DC    X'7F'

00003B10  B98D 0020                               4021+          EPSW  R2,R0               exptract psw
00003B14  5020 500C                  0000000C     4022+          ST    R2,CCPSW                to save CC
00003B18  07FB                                    4023+          BR    R11
00003B1C                                          4024+RE96      DC    0F
00003B1C                                          4025+          DROP  R5
00003B1C  F0F0F0F0 F0F0F0F0                       4026           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003B24  F0F0F0F0 F0F0F0F0
00003B2C  F0F0F0F0 F0F0F0F0                       4027           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0404000'   V2 source
00003B34  F0F0F0F0 F0404000
                                                  4028
                                                  4029 *---------------------------------------------------------------------
                                                  4030 * ELS-type-zoned format (embedded leading sign)
                                                  4031 *---------------------------------------------------------------------
                                                  4032 *
                                                  4033 * VTZ simple - ssc: 0, ls: 1, dsc: 31, stc: 0, dc: 31
                                                  4034 *               Sign: A-F
                                                  4035 * digits valid,  sign valid
                                                  4036           VRI_L VTZ,X'3F1F',0
00003B40                                          4037+          DS    0FD
00003B40                        00003B40          4038+          USING *,R5                base for test data and test routine
00003B40  00003B64                                4039+T97       DC    A(X97)              address of test routine
00003B44  0061                                    4040+          DC    H'97'               test number
00003B46  00                                      4041+          DC    XL1'00'
00003B47  00                                      4042+          DC    HL1'0'              cc
00003B48  07                                      4043+          DC    HL1'7'              cc failed mask
00003B49  00                                      4044+          DS    XL1'0'              extracted cc (CCFOUND)
00003B4C  00000000 00000000                       4045+          DS    2F'0'               extract PSW after test (CCPSW)
00003B54  E5E3E940 40404040                       4046+          DC    CL8'VTZ'            instruction name
00003B5C  00000010                                4047+          DC    A(16)               result length
00003B60  00003B8C                                4048+REA97     DC    A(RE97)             result address
                                                  4049+*                                   INSTRUCTION UNDER TEST ROUTINE
00003B64                                          4050+X97       DS    0F
00003B64  E320 5020 0014             00003B60     4051+          LGF   R2,REA97
00003B6A  E712 0000 0006             00000000     4052+          VL    V1,0(R2)            get V1 source
00003B70  4122 0010                  00000010     4053+          LA    R2,16(R2)
00003B74  E722 0000 0006             00000000     4054+          VL    V2,0(R2)            get V2 source

00003B7A                                          4057+          DS    0H                        E67F VTZ    - Vector Test Zoned
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00003B7A  E6                                       4058+          DC    X'E6'
00003B7B  01                                       4059+          DC    X'01'                     v1
00003B7C  23F1F0                                   4060+          DC    HL3'2355696'              v2, I3, RXB
00003B7F  7F                                       4061+          DC    X'7F'

00003B80  B98D 0020                                4063+          EPSW  R2,R0                 exptract psw
00003B84  5020 500C                      0000000C  4064+          ST    R2,CCPSW                  to save CC
00003B88  07FB                                     4065+          BR    R11
00003B8C                                           4066+RE97      DC    0F
00003B8C                                           4067+          DROP  R5
00003B8C  A0F0F0F0 F0F0F0F0                        4068           DC    XL16'A0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003B94  F0F0F0F0 F0F0F0F0
00003B9C  F0F0F0F0 F0F0F0F0                        4069           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003BA4  F1F2F3F0 F0F0F0F0
                                                   4070
                                                   4071           VRI_L VTZ,X'3F1F',0
00003BB0                                           4072+          DS    0FD
00003BB0                       00003BB0            4073+          USING *,R5                  base for test data and test routine
00003BB0  00003BD4                                 4074+T98       DC    A(X98)                address of test routine
00003BB4  0062                                     4075+          DC    H'98'                 test number
00003BB6  00                                       4076+          DC    XL1'00'
00003BB7  00                                       4077+          DC    HL1'0'                cc
00003BB8  07                                       4078+          DC    HL1'7'                cc failed mask
00003BB9  00                                       4079+          DS    XL1'0'                extracted cc (CCFOUND)
00003BBC  00000000 00000000                        4080+          DS    2F'0'                 extract PSW after test (CCPSW)
00003BC4  E5E3E940 40404040                        4081+          DC    CL8'VTZ'              instruction name
00003BCC  00000010                                 4082+          DC    A(16)                 result length
00003BD0  00003BFC                                 4083+REA98     DC    A(RE98)               result address
                                                   4084+*                                   INSTRUCTION UNDER TEST ROUTINE
00003BD4                                           4085+X98       DS    0F
00003BD4  E320 5020 0014                 00003BD0  4086+          LGF   R2,REA98
00003BDA  E712 0000 0006                 00000000  4087+          VL    V1,0(R2)              get V1 source
00003BE0  4122 0010                      00000010  4088+          LA    R2,16(R2)
00003BE4  E722 0000 0006                 00000000  4089+          VL    V2,0(R2)              get V2 source

00003BEA                                           4092+          DS    0H                        E67F VTZ    - Vector Test Zoned
00003BEA  E6                                       4093+          DC    X'E6'
00003BEB  01                                       4094+          DC    X'01'                     v1
00003BEC  23F1F0                                   4095+          DC    HL3'2355696'              v2, I3, RXB
00003BEF  7F                                       4096+          DC    X'7F'

00003BF0  B98D 0020                                4098+          EPSW  R2,R0                 exptract psw
00003BF4  5020 500C                      0000000C  4099+          ST    R2,CCPSW                  to save CC
00003BF8  07FB                                     4100+          BR    R11
00003BFC                                           4101+RE98      DC    0F
00003BFC                                           4102+          DROP  R5
00003BFC  B0F0F0F0 F0F0F0F0                        4103           DC    XL16'B0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003C04  F0F0F0F0 F0F0F0F0
00003C0C  F0F0F0F0 F0F0F0F0                        4104           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003C14  F1F2F3F0 F0F0F0F0
                                                   4105
                                                   4106           VRI_L VTZ,X'3F1F',0
00003C20                                           4107+          DS    0FD
00003C20                       00003C20            4108+          USING *,R5                  base for test data and test routine
00003C20  00003C44                                 4109+T99       DC    A(X99)                address of test routine
00003C24  0063                                     4110+          DC    H'99'                 test number
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00003C26  00                                       4111+          DC    XL1'00'
00003C27  00                                       4112+          DC    HL1'0'                cc
00003C28  07                                       4113+          DC    HL1'7'                cc failed mask
00003C29  00                                       4114+          DS    XL1'0'                extracted cc (CCFOUND)
00003C2C  00000000 00000000                        4115+          DS    2F'0'                 extract PSW after test (CCPSW)
00003C34  E5E3E940 40404040                        4116+          DC    CL8'VTZ'              instruction name
00003C3C  00000010                                 4117+          DC    A(16)                 result length
00003C40  00003C6C                                 4118+REA99     DC    A(RE99)               result address
                                                   4119+*                                     INSTRUCTION UNDER TEST ROUTINE
00003C44                                           4120+X99       DS    0F
00003C44  E320 5020 0014            00003C40       4121+          LGF   R2,REA99
00003C4A  E712 0000 0006            00000000       4122+          VL    V1,0(R2)              get V1 source
00003C50  4122 0010                 00000010       4123+          LA    R2,16(R2)
00003C54  E722 0000 0006            00000000       4124+          VL    V2,0(R2)              get V2 source

00003C5A                                           4127+          DS    0H                          E67F VTZ    - Vector Test Zoned
00003C5A  E6                                       4128+          DC    X'E6'
00003C5B  01                                       4129+          DC    X'01'                       v1
00003C5C  23F1F0                                   4130+          DC    HL3'2355696'                v2, I3, RXB
00003C5F  7F                                       4131+          DC    X'7F'

00003C60  B98D 0020                                4133+          EPSW  R2,R0                 exptract psw
00003C64  5020 500C                 0000000C       4134+          ST    R2,CCPSW                  to save CC
00003C68  07FB                                     4135+          BR    R11
00003C6C                                           4136+RE99      DC    0F
00003C6C                                           4137+          DROP  R5
00003C6C  C0F0F0F0 F0F0F0F0                        4138           DC    XL16'C0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003C74  F0F0F0F0 F0F0F0F0
00003C7C  F0F0F0F0 F0F0F0F0                        4139           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003C84  F1F2F3F0 F0F0F0F0
                                                   4140
                                                   4141           VRI_L VTZ,X'3F1F',0
00003C90                                           4142+          DS    0FD
00003C90                          00003C90         4143+          USING *,R5                  base for test data and test routine
00003C90  00003CB4                                 4144+T100      DC    A(X100)               address of test routine
00003C94  0064                                     4145+          DC    H'100'                test number
00003C96  00                                       4146+          DC    XL1'00'
00003C97  00                                       4147+          DC    HL1'0'                cc
00003C98  07                                       4148+          DC    HL1'7'                cc failed mask
00003C99  00                                       4149+          DS    XL1'0'                extracted cc (CCFOUND)
00003C9C  00000000 00000000                        4150+          DS    2F'0'                 extract PSW after test (CCPSW)
00003CA4  E5E3E940 40404040                        4151+          DC    CL8'VTZ'              instruction name
00003CAC  00000010                                 4152+          DC    A(16)                 result length
00003CB0  00003CDC                                 4153+REA100    DC    A(RE100)              result address
                                                   4154+*                                     INSTRUCTION UNDER TEST ROUTINE
00003CB4                                           4155+X100      DS    0F
00003CB4  E320 5020 0014            00003CB0       4156+          LGF   R2,REA100
00003CBA  E712 0000 0006            00000000       4157+          VL    V1,0(R2)              get V1 source
00003CC0  4122 0010                 00000010       4158+          LA    R2,16(R2)
00003CC4  E722 0000 0006            00000000       4159+          VL    V2,0(R2)              get V2 source

00003CCA                                           4162+          DS    0H                          E67F VTZ    - Vector Test Zoned
00003CCA  E6                                       4163+          DC    X'E6'
00003CCB  01                                       4164+          DC    X'01'                       v1
00003CCC  23F1F0                                   4165+          DC    HL3'2355696'                v2, I3, RXB
00003CCF  7F                                       4166+          DC    X'7F'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT


00003CD0  B98D 0020                               4168+          EPSW  R2,R0              exptract psw
00003CD4  5020 500C                     0000000C  4169+          ST    R2,CCPSW               to save CC
00003CD8  07FB                                    4170+          BR    R11
00003CDC                                          4171+RE100     DC    0F
00003CDC                                          4172+          DROP  R5
00003CDC  D0F0F0F0 F0F0F0F0                       4173           DC    XL16'D0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003CE4  F0F0F0F0 F0F0F0F0
00003CEC  F0F0F0F0 F0F0F0F0                       4174           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003CF4  F1F2F3F0 F0F0F0F0
                                                  4175
                                                  4176           VRI_L VTZ,X'3F1F',0
00003D00                                          4177+          DS    0FD
00003D00                      00003D00            4178+          USING *,R5               base for test data and test routine
00003D00  00003D24                                4179+T101      DC    A(X101)            address of test routine
00003D04  0065                                    4180+          DC    H'101'             test number
00003D06  00                                      4181+          DC    XL1'00'
00003D07  00                                      4182+          DC    HL1'0'             cc
00003D08  07                                      4183+          DC    HL1'7'             cc failed mask
00003D09  00                                      4184+          DS    XL1'0'             extracted cc (CCFOUND)
00003D0C  00000000 00000000                       4185+          DS    2F'0'              extract PSW after test (CCPSW)
00003D14  E5E3E940 40404040                       4186+          DC    CL8'VTZ'           instruction name
00003D1C  00000010                                4187+          DC    A(16)              result length
00003D20  00003D4C                                4188+REA101    DC    A(RE101)           result address
                                                  4189+*                                  INSTRUCTION UNDER TEST ROUTINE
00003D24                                          4190+X101      DS    0F
00003D24  E320 5020 0014                00003D20  4191+          LGF   R2,REA101
00003D2A  E712 0000 0006                00000000  4192+          VL    V1,0(R2)           get V1 source
00003D30  4122 0010                     00000010  4193+          LA    R2,16(R2)
00003D34  E722 0000 0006                00000000  4194+          VL    V2,0(R2)           get V2 source

00003D3A                                          4197+          DS    0H                       E67F VTZ    - Vector Test Zoned
00003D3A  E6                                      4198+          DC    X'E6'
00003D3B  01                                      4199+          DC    X'01'                    v1
00003D3C  23F1F0                                  4200+          DC    HL3'2355696'             v2, I3, RXB
00003D3F  7F                                      4201+          DC    X'7F'

00003D40  B98D 0020                               4203+          EPSW  R2,R0              exptract psw
00003D44  5020 500C                     0000000C  4204+          ST    R2,CCPSW               to save CC
00003D48  07FB                                    4205+          BR    R11
00003D4C                                          4206+RE101     DC    0F
00003D4C                                          4207+          DROP  R5
00003D4C  E0F0F0F0 F0F0F0F0                       4208           DC    XL16'E0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003D54  F0F0F0F0 F0F0F0F0
00003D5C  F0F0F0F0 F0F0F0F0                       4209           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003D64  F1F2F3F0 F0F0F0F0
                                                  4210
                                                  4211           VRI_L VTZ,X'3F1F',0
00003D70                                          4212+          DS    0FD
00003D70                      00003D70            4213+          USING *,R5               base for test data and test routine
00003D70  00003D94                                4214+T102      DC    A(X102)            address of test routine
00003D74  0066                                    4215+          DC    H'102'             test number
00003D76  00                                      4216+          DC    XL1'00'
00003D77  00                                      4217+          DC    HL1'0'             cc
00003D78  07                                      4218+          DC    HL1'7'             cc failed mask
00003D79  00                                      4219+          DS    XL1'0'             extracted cc (CCFOUND)
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2    STMT

00003D7C  00000000 00000000                      4220+          DS    2F'0'               extract PSW after test (CCPSW)
00003D84  E5E3E940 40404040                      4221+          DC    CL8'VTZ'            instruction name
00003D8C  00000010                               4222+          DC    A(16)               result length
00003D90  00003DBC                               4223+REA102    DC    A(RE102)            result address
                                                 4224+*                                   INSTRUCTION UNDER TEST ROUTINE
00003D94                                         4225+X102      DS    0F
00003D94  E320 5020 0014              00003D90   4226+          LGF   R2,REA102
00003D9A  E712 0000 0006              00000000   4227+          VL    V1,0(R2)            get V1 source
00003DA0  4122 0010                   00000010   4228+          LA    R2,16(R2)
00003DA4  E722 0000 0006              00000000   4229+          VL    V2,0(R2)            get V2 source

00003DAA                                         4232+          DS    0H                        E67F VTZ    - Vector Test Zoned
00003DAA  E6                                     4233+          DC    X'E6'
00003DAB  01                                     4234+          DC    X'01'                     v1
00003DAC  23F1F0                                 4235+          DC    HL3'2355696'              v2, I3, RXB
00003DAF  7F                                     4236+          DC    X'7F'

00003DB0  B98D 0020                              4238+          EPSW  R2,R0               exptract psw
00003DB4  5020 500C                   0000000C   4239+          ST    R2,CCPSW                to save CC
00003DB8  07FB                                   4240+          BR    R11
00003DBC                                         4241+RE102     DC    0F
00003DBC                                         4242+          DROP  R5
00003DBC  F0F0F0F0 F0F0F0F0                      4243           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003DC4  F0F0F0F0 F0F0F0F0
00003DCC  F0F0F0F0 F0F0F0F0                      4244           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00003DD4  F1F2F3F0 F0F0F0F0
                                                 4245
                                                 4246 * digits valid,  sign invalid
                                                 4247           VRI_L VTZ,X'3F1F',1
00003DE0                                         4248+          DS    0FD
00003DE0                    00003DE0             4249+          USING *,R5                base for test data and test routine
00003DE0  00003E04                               4250+T103      DC    A(X103)             address of test routine
00003DE4  0067                                   4251+          DC    H'103'              test number
00003DE6  00                                     4252+          DC    XL1'00'
00003DE7  01                                     4253+          DC    HL1'1'              cc
00003DE8  0B                                     4254+          DC    HL1'11'             cc failed mask
00003DE9  00                                     4255+          DS    XL1'0'              extracted cc (CCFOUND)
00003DEC  00000000 00000000                      4256+          DS    2F'0'               extract PSW after test (CCPSW)
00003DF4  E5E3E940 40404040                      4257+          DC    CL8'VTZ'            instruction name
00003DFC  00000010                               4258+          DC    A(16)               result length
00003E00  00003E2C                               4259+REA103    DC    A(RE103)            result address
                                                 4260+*                                   INSTRUCTION UNDER TEST ROUTINE
00003E04                                         4261+X103      DS    0F
00003E04  E320 5020 0014              00003E00   4262+          LGF   R2,REA103
00003E0A  E712 0000 0006              00000000   4263+          VL    V1,0(R2)            get V1 source
00003E10  4122 0010                   00000010   4264+          LA    R2,16(R2)
00003E14  E722 0000 0006              00000000   4265+          VL    V2,0(R2)            get V2 source

00003E1A                                         4268+          DS    0H                        E67F VTZ    - Vector Test Zoned
00003E1A  E6                                     4269+          DC    X'E6'
00003E1B  01                                     4270+          DC    X'01'                     v1
00003E1C  23F1F0                                 4271+          DC    HL3'2355696'              v2, I3, RXB
00003E1F  7F                                     4272+          DC    X'7F'

00003E20  B98D 0020                              4274+          EPSW  R2,R0               exptract psw
00003E24  5020 500C                   0000000C   4275+          ST    R2,CCPSW                to save CC
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00003E28  07FB                                     4276+         BR    R11
00003E2C                                           4277+RE103    DC    0F
00003E2C                                           4278+         DROP  R5
00003E2C  F090F0F0 F0F0F0F0                        4279          DC    XL16'F090F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003E34  F0F0F0F0 F0F0F0F0
00003E3C  F0F0F0F0 F0F0F0F0                        4280          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00003E44  F0F0F0F0 F0F0F0F0
                                                   4281
                                                   4282 * a digit invalid, sign valid
                                                   4283          VRI_L VTZ,X'3F1F',2
00003E50                                           4284+         DS    0FD
00003E50                     00003E50              4285+         USING *,R5              base for test data and test routine
00003E50  00003E74                                 4286+T104     DC    A(X104)           address of test routine
00003E54  0068                                     4287+         DC    H'104'            test number
00003E56  00                                       4288+         DC    XL1'00'
00003E57  02                                       4289+         DC    HL1'2'            cc
00003E58  0D                                       4290+         DC    HL1'13'           cc failed mask
00003E59  00                                       4291+         DS    XL1'0'            extracted cc (CCFOUND)
00003E5C  00000000 00000000                        4292+         DS    2F'0'             extract PSW after test (CCPSW)
00003E64  E5E3E940 40404040                        4293+         DC    CL8'VTZ'          instruction name
00003E6C  00000010                                 4294+         DC    A(16)             result length
00003E70  00003E9C                                 4295+REA104   DC    A(RE104)          result address
                                                   4296+*                                INSTRUCTION UNDER TEST ROUTINE
00003E74                                           4297+X104     DS    0F
00003E74  E320 5020 0014             00003E70      4298+         LGF   R2,REA104
00003E7A  E712 0000 0006             00000000      4299+         VL    V1,0(R2)          get V1 source
00003E80  4122 0010                  00000010      4300+         LA    R2,16(R2)
00003E84  E722 0000 0006             00000000      4301+         VL    V2,0(R2)          get V2 source

00003E8A                                           4304+         DS    0H                      E67F VTZ    - Vector Test Zoned
00003E8A  E6                                       4305+         DC    X'E6'
00003E8B  01                                       4306+         DC    X'01'                   v1
00003E8C  23F1F0                                   4307+         DC    HL3'2355696'            v2, I3, RXB
00003E8F  7F                                       4308+         DC    X'7F'

00003E90  B98D 0020                                4310+         EPSW  R2,R0             exptract psw
00003E94  5020 500C                  0000000C      4311+         ST    R2,CCPSW              to save CC
00003E98  07FB                                     4312+         BR    R11
00003E9C                                           4313+RE104    DC    0F
00003E9C                                           4314+         DROP  R5
00003E9C  F0F0F0F0 F0F0F0F0                        4315          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00003EA4  F0F0F0F0 F0F0F0FF
00003EAC  F0F0F0F0 F0F0F0F0                        4316          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00003EB4  F0F0F0F0 F0F0F0F0
                                                   4317
                                                   4318 * a digit invalid,  sign invalid
                                                   4319          VRI_L VTZ,X'3F1F',3
00003EC0                                           4320+         DS    0FD
00003EC0                     00003EC0              4321+         USING *,R5              base for test data and test routine
00003EC0  00003EE4                                 4322+T105     DC    A(X105)           address of test routine
00003EC4  0069                                     4323+         DC    H'105'            test number
00003EC6  00                                       4324+         DC    XL1'00'
00003EC7  03                                       4325+         DC    HL1'3'            cc
00003EC8  0E                                       4326+         DC    HL1'14'           cc failed mask
00003EC9  00                                       4327+         DS    XL1'0'            extracted cc (CCFOUND)
00003ECC  00000000 00000000                        4328+         DS    2F'0'             extract PSW after test (CCPSW)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

00003ED4  E5E3E940 40404040                      4329+          DC    CL8'VTZ'          instruction name
00003EDC  00000010                               4330+          DC    A(16)             result length
00003EE0  00003F0C                               4331+REA105    DC    A(RE105)          result address
                                                 4332+*                                 INSTRUCTION UNDER TEST ROUTINE
00003EE4                                         4333+X105      DS    0F
00003EE4  E320 5020 0014             00003EE0    4334+          LGF   R2,REA105
00003EEA  E712 0000 0006             00000000    4335+          VL    V1,0(R2)          get V1 source
00003EF0  4122 0010                  00000010    4336+          LA    R2,16(R2)
00003EF4  E722 0000 0006             00000000    4337+          VL    V2,0(R2)          get V2 source

00003EFA                                         4340+          DS    0H                      E67F VTZ    - Vector Test Zoned
00003EFA  E6                                     4341+          DC    X'E6'
00003EFB  01                                     4342+          DC    X'01'                   v1
00003EFC  23F1F0                                 4343+          DC    HL3'2355696'            v2, I3, RXB
00003EFF  7F                                     4344+          DC    X'7F'

00003F00  B98D 0020                              4346+          EPSW  R2,R0             exptract psw
00003F04  5020 500C                  0000000C    4347+          ST    R2,CCPSW              to save CC
00003F08  07FB                                   4348+          BR    R11
00003F0C                                         4349+RE105     DC    0F
00003F0C                                         4350+          DROP  R5
00003F0C  009FF0F0 F0F0F0F0                      4351           DC    XL16'009FF0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00003F14  F0F0F0F0 F0F0F0FF
00003F1C  F0F0F0F0 F0F0F0F0                      4352           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00003F24  F0F0F0F0 F0F0F0F0
                                                 4353
                                                 4354 *--------------------------------------------------------------------
                                                 4355 * STS-type-zoned format (separate trailing sign)
                                                 4356 *--------------------------------------------------------------------
                                                 4357 *
                                                 4358 * VTZ simple - ssc: 1, ls: 0, dsc: 31, stc: 2, dc: 31
                                                 4359 *                  Sign: x'4E', x'60'
                                                 4360 * digits valid,  sign valid
                                                 4361           VRI_L VTZ,X'5F5F',0
00003F30                                         4362+          DS    0FD
00003F30                   00003F30              4363+          USING *,R5              base for test data and test routine
00003F30  00003F54                               4364+T106      DC    A(X106)           address of test routine
00003F34  006A                                   4365+          DC    H'106'            test number
00003F36  00                                     4366+          DC    XL1'00'
00003F37  00                                     4367+          DC    HL1'0'            cc
00003F38  07                                     4368+          DC    HL1'7'            cc failed mask
00003F39  00                                     4369+          DS    XL1'0'            extracted cc (CCFOUND)
00003F3C  00000000 00000000                      4370+          DS    2F'0'             extract PSW after test (CCPSW)
00003F44  E5E3E940 40404040                      4371+          DC    CL8'VTZ'          instruction name
00003F4C  00000010                               4372+          DC    A(16)             result length
00003F50  00003F7C                               4373+REA106    DC    A(RE106)          result address
                                                 4374+*                                 INSTRUCTION UNDER TEST ROUTINE
00003F54                                         4375+X106      DS    0F
00003F54  E320 5020 0014             00003F50    4376+          LGF   R2,REA106
00003F5A  E712 0000 0006             00000000    4377+          VL    V1,0(R2)          get V1 source
00003F60  4122 0010                  00000010    4378+          LA    R2,16(R2)
00003F64  E722 0000 0006             00000000    4379+          VL    V2,0(R2)          get V2 source

00003F6A                                         4382+          DS    0H                      E67F VTZ    - Vector Test Zoned
00003F6A  E6                                     4383+          DC    X'E6'
00003F6B  01                                     4384+          DC    X'01'                   v1
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00003F6C  25F5F0                                   4385+          DC    HL3'2487792'             v2, I3, RXB
00003F6F  7F                                       4386+          DC    X'7F'

00003F70  B98D 0020                                4388+          EPSW  R2,R0             exptract psw
00003F74  5020 500C                      0000000C  4389+          ST    R2,CCPSW              to save CC
00003F78  07FB                                     4390+          BR    R11
00003F7C                                           4391+RE106     DC    0F
00003F7C                                           4392+          DROP  R5
00003F7C  F0F0F0F0 F0F0F0F0                        4393           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003F84  F0F0F0F0 F0F0F0F0
00003F8C  F0F0F0F0 F0F0F0F0                        4394           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F04E'   V2 source
00003F94  F1F2F3F0 F0F0F04E
                                                   4395
                                                   4396           VRI_L VTZ,X'5F5F',0
00003FA0                                           4397+          DS    0FD
00003FA0                         00003FA0          4398+          USING *,R5              base for test data and test routine
00003FA0  00003FC4                                 4399+T107      DC    A(X107)           address of test routine
00003FA4  006B                                     4400+          DC    H'107'            test number
00003FA6  00                                       4401+          DC    XL1'00'
00003FA7  00                                       4402+          DC    HL1'0'            cc
00003FA8  07                                       4403+          DC    HL1'7'            cc failed mask
00003FA9  00                                       4404+          DS    XL1'0'            extracted cc (CCFOUND)
00003FAC  00000000 00000000                        4405+          DS    2F'0'             extract PSW after test (CCPSW)
00003FB4  E5E3E940 40404040                        4406+          DC    CL8'VTZ'          instruction name
00003FBC  00000010                                 4407+          DC    A(16)             result length
00003FC0  00003FEC                                 4408+REA107    DC    A(RE107)          result address
                                                   4409+*                               INSTRUCTION UNDER TEST ROUTINE
00003FC4                                           4410+X107      DS    0F
00003FC4  E320 5020 0014                 00003FC0  4411+          LGF   R2,REA107
00003FCA  E712 0000 0006                 00000000  4412+          VL    V1,0(R2)          get V1 source
00003FD0  4122 0010                      00000010  4413+          LA    R2,16(R2)
00003FD4  E722 0000 0006                 00000000  4414+          VL    V2,0(R2)          get V2 source

00003FDA                                           4417+          DS    0H                      E67F VTZ    - Vector Test Zoned
00003FDA  E6                                       4418+          DC    X'E6'
00003FDB  01                                       4419+          DC    X'01'                   v1
00003FDC  25F5F0                                   4420+          DC    HL3'2487792'            v2, I3, RXB
00003FDF  7F                                       4421+          DC    X'7F'

00003FE0  B98D 0020                                4423+          EPSW  R2,R0             exptract psw
00003FE4  5020 500C                      0000000C  4424+          ST    R2,CCPSW              to save CC
00003FE8  07FB                                     4425+          BR    R11
00003FEC                                           4426+RE107     DC    0F
00003FEC                                           4427+          DROP  R5
00003FEC  F0F0F0F0 F0F0F0F0                        4428           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00003FF4  F0F0F0F0 F0F0F0F0
00003FFC  F0F0F0F0 F0F0F0F0                        4429           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F060'   V2 source
00004004  F1F2F3F0 F0F0F060
                                                   4430
                                                   4431 * digits valid,  sign invalid
                                                   4432           VRI_L VTZ,X'5F5F',1
00004010                                           4433+          DS    0FD
00004010                         00004010          4434+          USING *,R5              base for test data and test routine
00004010  00004034                                 4435+T108      DC    A(X108)           address of test routine
00004014  006C                                     4436+          DC    H'108'            test number
00004016  00                                       4437+          DC    XL1'00'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00004017  01                                       4438+          DC    HL1'1'            cc
00004018  0B                                       4439+          DC    HL1'11'           cc failed mask
00004019  00                                       4440+          DS    XL1'0'            extracted cc (CCFOUND)
0000401C  00000000 00000000                        4441+          DS    2F'0'             extract PSW after test (CCPSW)
00004024  E5E3E940 40404040                        4442+          DC    CL8'VTZ'          instruction name
0000402C  00000010                                 4443+          DC    A(16)             result length
00004030  0000405C                                 4444+REA108    DC    A(RE108)          result address
                                                   4445+*                               INSTRUCTION UNDER TEST ROUTINE
00004034                                           4446+X108      DS    0F
00004034  E320 5020 0014                 00004030  4447+          LGF   R2,REA108
0000403A  E712 0000 0006                 00000000  4448+          VL    V1,0(R2)          get V1 source
00004040  4122 0010                      00000010  4449+          LA    R2,16(R2)
00004044  E722 0000 0006                 00000000  4450+          VL    V2,0(R2)          get V2 source

0000404A                                           4453+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000404A  E6                                       4454+          DC    X'E6'
0000404B  01                                       4455+          DC    X'01'                   v1
0000404C  25F5F0                                   4456+          DC    HL3'2487792'            v2, I3, RXB
0000404F  7F                                       4457+          DC    X'7F'

00004050  B98D 0020                                4459+          EPSW  R2,R0             exptract psw
00004054  5020 500C                      0000000C  4460+          ST    R2,CCPSW              to save CC
00004058  07FB                                     4461+          BR    R11
0000405C                                           4462+RE108     DC    0F
0000405C                                           4463+          DROP  R5
0000405C  F0F0F0F0 F0F0F0F0                        4464           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004064  F0F0F0F0 F0F0F0F0
0000406C  F0F0F0F0 F0F0F0F0                        4465           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004074  F0F0F0F0 F0F0F0F0
                                                   4466
                                                   4467 * a digit invalid, sign valid
                                                   4468           VRI_L VTZ,X'5F5F',2
00004080                                           4469+          DS    0FD
00004080                     00004080              4470+          USING *,R5              base for test data and test routine
00004080  000040A4                                 4471+T109      DC    A(X109)           address of test routine
00004084  006D                                     4472+          DC    H'109'            test number
00004086  00                                       4473+          DC    XL1'00'
00004087  02                                       4474+          DC    HL1'2'            cc
00004088  0D                                       4475+          DC    HL1'13'           cc failed mask
00004089  00                                       4476+          DS    XL1'0'            extracted cc (CCFOUND)
0000408C  00000000 00000000                        4477+          DS    2F'0'             extract PSW after test (CCPSW)
00004094  E5E3E940 40404040                        4478+          DC    CL8'VTZ'          instruction name
0000409C  00000010                                 4479+          DC    A(16)             result length
000040A0  000040CC                                 4480+REA109    DC    A(RE109)          result address
                                                   4481+*                               INSTRUCTION UNDER TEST ROUTINE
000040A4                                           4482+X109      DS    0F
000040A4  E320 5020 0014                 000040A0  4483+          LGF   R2,REA109
000040AA  E712 0000 0006                 00000000  4484+          VL    V1,0(R2)          get V1 source
000040B0  4122 0010                      00000010  4485+          LA    R2,16(R2)
000040B4  E722 0000 0006                 00000000  4486+          VL    V2,0(R2)          get V2 source

000040BA                                           4489+          DS    0H                      E67F VTZ    - Vector Test Zoned
000040BA  E6                                       4490+          DC    X'E6'
000040BB  01                                       4491+          DC    X'01'                   v1
000040BC  25F5F0                                   4492+          DC    HL3'2487792'            v2, I3, RXB
000040BF  7F                                       4493+          DC    X'7F'
```

```
  LOC        OBJECT CODE        ADDR1     ADDR2     STMT

000040C0  B98D 0020                                 4495+          EPSW  R2,R0                 exptract psw
000040C4  5020 500C                       0000000C  4496+          ST    R2,CCPSW                  to save CC
000040C8  07FB                                      4497+          BR    R11
000040CC                                            4498+RE109     DC    0F
000040CC                                            4499+          DROP  R5
000040CC  F0F0F0F0 F0F0F0F0                         4500           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000040D4  F0F0F0F0 F0F0F0FF
000040DC  F0F0F0F0 F0F0F0F0                         4501           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F04E'   V2 source
000040E4  F0F0F0F0 F0F0F04E
                                                    4502
                                                    4503           VRI_L VTZ,X'5F5F',2
000040F0                                            4504+          DS    0FD
000040F0                        000040F0            4505+          USING *,R5                  base for test data and test routine
000040F0  00004114                                  4506+T110      DC    A(X110)               address of test routine
000040F4  006E                                      4507+          DC    H'110'                test number
000040F6  00                                        4508+          DC    XL1'00'
000040F7  02                                        4509+          DC    HL1'2'                cc
000040F8  0D                                        4510+          DC    HL1'13'               cc failed mask
000040F9  00                                        4511+          DS    XL1'0'                extracted cc (CCFOUND)
000040FC  00000000 00000000                         4512+          DS    2F'0'                 extract PSW after test (CCPSW)
00004104  E5E3E940 40404040                         4513+          DC    CL8'VTZ'              instruction name
0000410C  00000010                                  4514+          DC    A(16)                 result length
00004110  0000413C                                  4515+REA110    DC    A(RE110)              result address
                                                    4516+*                                     INSTRUCTION UNDER TEST ROUTINE
00004114                                            4517+X110      DS    0F
00004114  E320 5020 0014                  00004110  4518+          LGF   R2,REA110
0000411A  E712 0000 0006                  00000000  4519+          VL    V1,0(R2)              get V1 source
00004120  4122 0010                       00000010  4520+          LA    R2,16(R2)
00004124  E722 0000 0006                  00000000  4521+          VL    V2,0(R2)              get V2 source

0000412A                                            4524+          DS    0H                          E67F VTZ    - Vector Test Zoned
0000412A  E6                                        4525+          DC    X'E6'
0000412B  01                                        4526+          DC    X'01'                       v1
0000412C  25F5F0                                    4527+          DC    HL3'2487792'                v2, I3, RXB
0000412F  7F                                        4528+          DC    X'7F'

00004130  B98D 0020                                 4530+          EPSW  R2,R0                 exptract psw
00004134  5020 500C                       0000000C  4531+          ST    R2,CCPSW                  to save CC
00004138  07FB                                      4532+          BR    R11
0000413C                                            4533+RE110     DC    0F
0000413C                                            4534+          DROP  R5
0000413C  40F0F0F0 F0F0F0F0                         4535           DC    XL16'40F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004144  F0F0F0F0 F0F0F0FF
0000414C  F0F0F0F0 F0F0F0F0                         4536           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F060'   V2 source
00004154  F0F0F0F0 F0F0F060
                                                    4537
                                                    4538 * a digit invalid,  sign invalid
                                                    4539           VRI_L VTZ,X'5F5F',3
00004160                                            4540+          DS    0FD
00004160                        00004160            4541+          USING *,R5                  base for test data and test routine
00004160  00004184                                  4542+T111      DC    A(X111)               address of test routine
00004164  006F                                      4543+          DC    H'111'                test number
00004166  00                                        4544+          DC    XL1'00'
00004167  03                                        4545+          DC    HL1'3'                cc
00004168  0E                                        4546+          DC    HL1'14'               cc failed mask
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

00004169  00                                      4547+          DS    XL1'0'              extracted cc (CCFOUND)
0000416C  00000000 00000000                       4548+          DS    2F'0'               extract PSW after test (CCPSW)
00004174  E5E3E940 40404040                       4549+          DC    CL8'VTZ'            instruction name
0000417C  00000010                                4550+          DC    A(16)               result length
00004180  000041AC                                4551+REA111    DC    A(RE111)            result address
                                                  4552+*                                   INSTRUCTION UNDER TEST ROUTINE
00004184                                          4553+X111      DS    0F
00004184  E320 5020 0014              00004180    4554+          LGF   R2,REA111
0000418A  E712 0000 0006              00000000    4555+          VL    V1,0(R2)            get V1 source
00004190  4122 0010                   00000010    4556+          LA    R2,16(R2)
00004194  E722 0000 0006              00000000    4557+          VL    V2,0(R2)            get V2 source

0000419A                                          4560+          DS    0H                        E67F VTZ    - Vector Test Zoned
0000419A  E6                                      4561+          DC    X'E6'
0000419B  01                                      4562+          DC    X'01'                     v1
0000419C  25F5F0                                  4563+          DC    HL3'2487792'              v2, I3, RXB
0000419F  7F                                      4564+          DC    X'7F'

000041A0  B98D 0020                               4566+          EPSW  R2,R0               exptract psw
000041A4  5020 500C                   0000000C    4567+          ST    R2,CCPSW                to save CC
000041A8  07FB                                    4568+          BR    R11
000041AC                                          4569+RE111     DC    0F
000041AC                                          4570+          DROP  R5
000041AC  00F0F0F0 F0F0F0F0                       4571           DC    XL16'00F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000041B4  F0F0F0F0 F0F0F0FF
000041BC  F0F0F0F0 F0F0F0F0                       4572           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
000041C4  F0F0F0F0 F0F0F0F0
                                                  4573
                                                  4574 *
                                                  4575 * VTZ simple - ssc: 1, ls: 0, dsc: 31, stc: 3, dc: 31
                                                  4576 *            non-zero Sign: x'4E', x'60'
                                                  4577 *---------------------------------------------------------------------
                                                  4578 * digits valid,  sign valid
                                                  4579           VRI_L VTZ,X'5F7F',0
000041D0                                          4580+          DS    0FD
000041D0                    000041D0              4581+          USING *,R5                base for test data and test routine
000041D0  000041F4                                4582+T112      DC    A(X112)             address of test routine
000041D4  0070                                    4583+          DC    H'112'              test number
000041D6  00                                      4584+          DC    XL1'00'
000041D7  00                                      4585+          DC    HL1'0'              cc
000041D8  07                                      4586+          DC    HL1'7'              cc failed mask
000041D9  00                                      4587+          DS    XL1'0'              extracted cc (CCFOUND)
000041DC  00000000 00000000                       4588+          DS    2F'0'               extract PSW after test (CCPSW)
000041E4  E5E3E940 40404040                       4589+          DC    CL8'VTZ'            instruction name
000041EC  00000010                                4590+          DC    A(16)               result length
000041F0  0000421C                                4591+REA112    DC    A(RE112)            result address
                                                  4592+*                                   INSTRUCTION UNDER TEST ROUTINE
000041F4                                          4593+X112      DS    0F
000041F4  E320 5020 0014              000041F0    4594+          LGF   R2,REA112
000041FA  E712 0000 0006              00000000    4595+          VL    V1,0(R2)            get V1 source
00004200  4122 0010                   00000010    4596+          LA    R2,16(R2)
00004204  E722 0000 0006              00000000    4597+          VL    V2,0(R2)            get V2 source

0000420A                                          4600+          DS    0H                        E67F VTZ    - Vector Test Zoned
0000420A  E6                                      4601+          DC    X'E6'
0000420B  01                                      4602+          DC    X'01'                     v1
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

0000420C  25F7F0                                   4603+          DC    HL3'2488304'            v2, I3, RXB
0000420F  7F                                       4604+          DC    X'7F'

00004210  B98D 0020                                4606+          EPSW  R2,R0                exptract psw
00004214  5020 500C                      0000000C  4607+          ST    R2,CCPSW                 to save CC
00004218  07FB                                     4608+          BR    R11
0000421C                                           4609+RE112     DC    0F
0000421C                                           4610+          DROP  R5
0000421C  F0F0F0F0 F0F0F0F0                        4611           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004224  F0F0F0F0 F0F0F0F0
0000422C  F0F0F0F0 F0F0F0F0                        4612           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F04E'   V2 source
00004234  F1F2F3F0 F0F0F04E
                                                   4613
                                                   4614           VRI_L VTZ,X'5F7F',0
00004240                                           4615+          DS    0FD
00004240                        00004240           4616+          USING *,R5                 base for test data and test routine
00004240  00004264                                 4617+T113      DC    A(X113)              address of test routine
00004244  0071                                     4618+          DC    H'113'               test number
00004246  00                                       4619+          DC    XL1'00'
00004247  00                                       4620+          DC    HL1'0'               cc
00004248  07                                       4621+          DC    HL1'7'               cc failed mask
00004249  00                                       4622+          DS    XL1'0'               extracted cc (CCFOUND)
0000424C  00000000 00000000                        4623+          DS    2F'0'                extract PSW after test (CCPSW)
00004254  E5E3E940 40404040                        4624+          DC    CL8'VTZ'             instruction name
0000425C  00000010                                 4625+          DC    A(16)                result length
00004260  0000428C                                 4626+REA113    DC    A(RE113)             result address
                                                   4627+*                                    INSTRUCTION UNDER TEST ROUTINE
00004264                                           4628+X113      DS    0F
00004264  E320 5020 0014                 00004260  4629+          LGF   R2,REA113
0000426A  E712 0000 0006                 00000000  4630+          VL    V1,0(R2)             get V1 source
00004270  4122 0010                      00000010  4631+          LA    R2,16(R2)
00004274  E722 0000 0006                 00000000  4632+          VL    V2,0(R2)             get V2 source

0000427A                                           4635+          DS    0H                         E67F VTZ    - Vector Test Zoned
0000427A  E6                                       4636+          DC    X'E6'
0000427B  01                                       4637+          DC    X'01'                      v1
0000427C  25F7F0                                   4638+          DC    HL3'2488304'               v2, I3, RXB
0000427F  7F                                       4639+          DC    X'7F'

00004280  B98D 0020                                4641+          EPSW  R2,R0                exptract psw
00004284  5020 500C                      0000000C  4642+          ST    R2,CCPSW                 to save CC
00004288  07FB                                     4643+          BR    R11
0000428C                                           4644+RE113     DC    0F
0000428C                                           4645+          DROP  R5
0000428C  F0F0F0F0 F0F0F0F0                        4646           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004294  F0F0F0F0 F0F0F0F0
0000429C  F0F0F0F0 F0F0F0F0                        4647           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F060'   V2 source
000042A4  F1F2F3F0 F0F0F060
                                                   4648
                                                   4649 * digits valid,  sign invalid
                                                   4650           VRI_L VTZ,X'5F7F',1
000042B0                                           4651+          DS    0FD
000042B0                        000042B0           4652+          USING *,R5                 base for test data and test routine
000042B0  000042D4                                 4653+T114      DC    A(X114)              address of test routine
000042B4  0072                                     4654+          DC    H'114'               test number
000042B6  00                                       4655+          DC    XL1'00'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000042B7  01                                      4656+          DC    HL1'1'            cc
000042B8  0B                                      4657+          DC    HL1'11'           cc failed mask
000042B9  00                                      4658+          DS    XL1'0'            extracted cc (CCFOUND)
000042BC  00000000 00000000                       4659+          DS    2F'0'             extract PSW after test (CCPSW)
000042C4  E5E3E940 40404040                       4660+          DC    CL8'VTZ'          instruction name
000042CC  00000010                                4661+          DC    A(16)             result length
000042D0  000042FC                                4662+REA114    DC    A(RE114)          result address
                                                  4663+*                                 INSTRUCTION UNDER TEST ROUTINE
000042D4                                          4664+X114      DS    0F
000042D4  E320 5020 0014              000042D0    4665+          LGF   R2,REA114
000042DA  E712 0000 0006              00000000    4666+          VL    V1,0(R2)          get V1 source
000042E0  4122 0010                   00000010    4667+          LA    R2,16(R2)
000042E4  E722 0000 0006              00000000    4668+          VL    V2,0(R2)          get V2 source

000042EA                                          4671+          DS    0H                      E67F VTZ    - Vector Test Zoned
000042EA  E6                                      4672+          DC    X'E6'
000042EB  01                                      4673+          DC    X'01'                   v1
000042EC  25F7F0                                  4674+          DC    HL3'2488304'            v2, I3, RXB
000042EF  7F                                      4675+          DC    X'7F'

000042F0  B98D 0020                               4677+          EPSW  R2,R0             exptract psw
000042F4  5020 500C                   0000000C    4678+          ST    R2,CCPSW              to save CC
000042F8  07FB                                    4679+          BR    R11
000042FC                                          4680+RE114     DC    0F
000042FC                                          4681+          DROP  R5
000042FC  F0F0F0F0 F0F0F0F0                       4682           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004304  F0F0F0F0 F0F0F0F0
0000430C  F0F0F0F0 F0F0F0F0                       4683           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004314  F0F0F0F0 F0F0F0F0
                                                  4684
                                                  4685 * a digit invalid, sign valid
                                                  4686           VRI_L VTZ,X'5F7F',2
00004320                                          4687+          DS    0FD
00004320                     00004320             4688+          USING *,R5              base for test data and test routine
00004320  00004344                                4689+T115      DC    A(X115)           address of test routine
00004324  0073                                    4690+          DC    H'115'            test number
00004326  00                                      4691+          DC    XL1'00'
00004327  02                                      4692+          DC    HL1'2'            cc
00004328  0D                                      4693+          DC    HL1'13'           cc failed mask
00004329  00                                      4694+          DS    XL1'0'            extracted cc (CCFOUND)
0000432C  00000000 00000000                       4695+          DS    2F'0'             extract PSW after test (CCPSW)
00004334  E5E3E940 40404040                       4696+          DC    CL8'VTZ'          instruction name
0000433C  00000010                                4697+          DC    A(16)             result length
00004340  0000436C                                4698+REA115    DC    A(RE115)          result address
                                                  4699+*                                 INSTRUCTION UNDER TEST ROUTINE
00004344                                          4700+X115      DS    0F
00004344  E320 5020 0014              00004340    4701+          LGF   R2,REA115
0000434A  E712 0000 0006              00000000    4702+          VL    V1,0(R2)          get V1 source
00004350  4122 0010                   00000010    4703+          LA    R2,16(R2)
00004354  E722 0000 0006              00000000    4704+          VL    V2,0(R2)          get V2 source

0000435A                                          4707+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000435A  E6                                      4708+          DC    X'E6'
0000435B  01                                      4709+          DC    X'01'                   v1
0000435C  25F7F0                                  4710+          DC    HL3'2488304'            v2, I3, RXB
0000435F  7F                                      4711+          DC    X'7F'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT


00004360  B98D 0020                               4713+          EPSW  R2,R0              exptract psw
00004364  5020 500C                     0000000C  4714+          ST    R2,CCPSW               to save CC
00004368  07FB                                    4715+          BR    R11
0000436C                                          4716+RE115     DC    0F
0000436C                                          4717+          DROP  R5
0000436C  F0F0F0F0 F0F0F0F0                       4718           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004374  F0F0F0F0 F0F0F0FF
0000437C  F0F0F0F0 F0F0F0F0                       4719           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F04E'   V2 source
00004384  F0F0F0F0 F0F0F04E
                                                  4720
                                                  4721           VRI_L VTZ,X'5F7F',2
00004390                                          4722+          DS    0FD
00004390                      00004390            4723+          USING *,R5               base for test data and test routine
00004390  000043B4                                4724+T116      DC    A(X116)            address of test routine
00004394  0074                                    4725+          DC    H'116'             test number
00004396  00                                      4726+          DC    XL1'00'
00004397  02                                      4727+          DC    HL1'2'             cc
00004398  0D                                      4728+          DC    HL1'13'            cc failed mask
00004399  00                                      4729+          DS    XL1'0'             extracted cc (CCFOUND)
0000439C  00000000 00000000                       4730+          DS    2F'0'              extract PSW after test (CCPSW)
000043A4  E5E3E940 40404040                       4731+          DC    CL8'VTZ'           instruction name
000043AC  00000010                                4732+          DC    A(16)              result length
000043B0  000043DC                                4733+REA116    DC    A(RE116)           result address
                                                  4734+*                                  INSTRUCTION UNDER TEST ROUTINE
000043B4                                          4735+X116      DS    0F
000043B4  E320 5020 0014                000043B0  4736+          LGF   R2,REA116
000043BA  E712 0000 0006                00000000  4737+          VL    V1,0(R2)           get V1 source
000043C0  4122 0010                     00000010  4738+          LA    R2,16(R2)
000043C4  E722 0000 0006                00000000  4739+          VL    V2,0(R2)           get V2 source

000043CA                                          4742+          DS    0H                           E67F VTZ    - Vector Test Zoned
000043CA  E6                                      4743+          DC    X'E6'
000043CB  01                                      4744+          DC    X'01'                        v1
000043CC  25F7F0                                  4745+          DC    HL3'2488304'                 v2, I3, RXB
000043CF  7F                                      4746+          DC    X'7F'

000043D0  B98D 0020                               4748+          EPSW  R2,R0              exptract psw
000043D4  5020 500C                     0000000C  4749+          ST    R2,CCPSW               to save CC
000043D8  07FB                                    4750+          BR    R11
000043DC                                          4751+RE116     DC    0F
000043DC                                          4752+          DROP  R5
000043DC  40F0F0F0 F0F0F0F0                       4753           DC    XL16'40F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000043E4  F0F0F0F0 F0F0F0FF
000043EC  F0F0F0F0 F0F0F0F0                       4754           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F060'   V2 source
000043F4  F0F0F0F0 F0F0F060
                                                  4755
                                                  4756 * a digit invalid,  sign invalid
                                                  4757           VRI_L VTZ,X'5F7F',3
00004400                                          4758+          DS    0FD
00004400                      00004400            4759+          USING *,R5               base for test data and test routine
00004400  00004424                                4760+T117      DC    A(X117)            address of test routine
00004404  0075                                    4761+          DC    H'117'             test number
00004406  00                                      4762+          DC    XL1'00'
00004407  03                                      4763+          DC    HL1'3'             cc
00004408  0E                                      4764+          DC    HL1'14'            cc failed mask
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00004409  00                                       4765+         DS    XL1'0'              extracted cc (CCFOUND)
0000440C  00000000 00000000                        4766+         DS    2F'0'               extract PSW after test (CCPSW)
00004414  E5E3E940 40404040                        4767+         DC    CL8'VTZ'            instruction name
0000441C  00000010                                 4768+         DC    A(16)               result length
00004420  0000444C                                 4769+REA117   DC    A(RE117)            result address
                                                   4770+*                                  INSTRUCTION UNDER TEST ROUTINE
00004424                                           4771+X117     DS    0F
00004424  E320 5020 0014             00004420      4772+         LGF   R2,REA117
0000442A  E712 0000 0006             00000000      4773+         VL    V1,0(R2)            get V1 source
00004430  4122 0010                  00000010      4774+         LA    R2,16(R2)
00004434  E722 0000 0006             00000000      4775+         VL    V2,0(R2)            get V2 source

0000443A                                           4778+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000443A  E6                                       4779+         DC    X'E6'
0000443B  01                                       4780+         DC    X'01'                     v1
0000443C  25F7F0                                   4781+         DC    HL3'2488304'              v2, I3, RXB
0000443F  7F                                       4782+         DC    X'7F'

00004440  B98D 0020                                4784+         EPSW  R2,R0               exptract psw
00004444  5020 500C                  0000000C      4785+         ST    R2,CCPSW                to save CC
00004448  07FB                                     4786+         BR    R11
0000444C                                           4787+RE117    DC    0F
0000444C                                           4788+         DROP  R5
0000444C  00F0F0F0 F0F0F0F0                        4789          DC    XL16'00F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004454  F0F0F0F0 F0F0F0FF
0000445C  F0F0F0F0 F0F0F0F0                        4790          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004464  F0F0F0F0 F0F0F0F0
                                                   4791
                                                   4792 * VTZ simple - ssc: 1, ls: 0, dsc: 31, stc: 3, dc: 31
                                                   4793 *               zero Sign: x'4E'
                                                   4794 *-------------------------------------------------------------------
                                                   4795 * digits valid,  sign valid
                                                   4796          VRI_L VTZ,X'5F7F',0
00004470                                           4797+         DS    0FD
00004470                           00004470        4798+         USING *,R5                base for test data and test routine
00004470  00004494                                 4799+T118     DC    A(X118)             address of test routine
00004474  0076                                     4800+         DC    H'118'              test number
00004476  00                                       4801+         DC    XL1'00'
00004477  00                                       4802+         DC    HL1'0'              cc
00004478  07                                       4803+         DC    HL1'7'              cc failed mask
00004479  00                                       4804+         DS    XL1'0'              extracted cc (CCFOUND)
0000447C  00000000 00000000                        4805+         DS    2F'0'               extract PSW after test (CCPSW)
00004484  E5E3E940 40404040                        4806+         DC    CL8'VTZ'            instruction name
0000448C  00000010                                 4807+         DC    A(16)               result length
00004490  000044BC                                 4808+REA118   DC    A(RE118)            result address
                                                   4809+*                                  INSTRUCTION UNDER TEST ROUTINE
00004494                                           4810+X118     DS    0F
00004494  E320 5020 0014             00004490      4811+         LGF   R2,REA118
0000449A  E712 0000 0006             00000000      4812+         VL    V1,0(R2)            get V1 source
000044A0  4122 0010                  00000010      4813+         LA    R2,16(R2)
000044A4  E722 0000 0006             00000000      4814+         VL    V2,0(R2)            get V2 source

000044AA                                           4817+         DS    0H                        E67F VTZ    - Vector Test Zoned
000044AA  E6                                       4818+         DC    X'E6'
000044AB  01                                       4819+         DC    X'01'                     v1
000044AC  25F7F0                                   4820+         DC    HL3'2488304'              v2, I3, RXB
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

000044AF  7F                                     4821+          DC    X'7F'

000044B0  B98D 0020                              4823+          EPSW  R2,R0                 exptract psw
000044B4  5020 500C                    0000000C  4824+          ST    R2,CCPSW                  to save CC
000044B8  07FB                                   4825+          BR    R11
000044BC                                         4826+RE118     DC    0F
000044BC                                         4827+          DROP  R5
000044BC  F0F0F0F0 F0F0F0F0                      4828           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000044C4  F0F0F0F0 F0F0F0F0
000044CC  F0F0F0F0 F0F0F0F0                      4829           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F04E'   V2 source
000044D4  F1F2F3F0 F0F0F04E
                                                 4830
                                                 4831 * digits valid,  sign invalid
                                                 4832           VRI_L VTZ,X'5F7F',1
000044E0                                         4833+          DS    0FD
000044E0                     000044E0            4834+          USING *,R5                  base for test data and test routine
000044E0  00004504                               4835+T119      DC    A(X119)               address of test routine
000044E4  0077                                   4836+          DC    H'119'                test number
000044E6  00                                     4837+          DC    XL1'00'
000044E7  01                                     4838+          DC    HL1'1'                cc
000044E8  0B                                     4839+          DC    HL1'11'               cc failed mask
000044E9  00                                     4840+          DS    XL1'0'                extracted cc (CCFOUND)
000044EC  00000000 00000000                      4841+          DS    2F'0'                 extract PSW after test (CCPSW)
000044F4  E5E3E940 40404040                      4842+          DC    CL8'VTZ'              instruction name
000044FC  00000010                               4843+          DC    A(16)                 result length
00004500  0000452C                               4844+REA119     DC    A(RE119)              result address
                                                 4845+*                                     INSTRUCTION UNDER TEST ROUTINE
00004504                                         4846+X119      DS    0F
00004504  E320 5020 0014               00004500  4847+          LGF   R2,REA119
0000450A  E712 0000 0006               00000000  4848+          VL    V1,0(R2)              get V1 source
00004510  4122 0010                    00000010  4849+          LA    R2,16(R2)
00004514  E722 0000 0006               00000000  4850+          VL    V2,0(R2)              get V2 source

0000451A                                         4853+          DS    0H                          E67F VTZ    - Vector Test Zoned
0000451A  E6                                     4854+          DC    X'E6'
0000451B  01                                     4855+          DC    X'01'                       v1
0000451C  25F7F0                                 4856+          DC    HL3'2488304'                v2, I3, RXB
0000451F  7F                                     4857+          DC    X'7F'

00004520  B98D 0020                              4859+          EPSW  R2,R0                 exptract psw
00004524  5020 500C                    0000000C  4860+          ST    R2,CCPSW                  to save CC
00004528  07FB                                   4861+          BR    R11
0000452C                                         4862+RE119     DC    0F
0000452C                                         4863+          DROP  R5
0000452C  F0F0F0F0 F0F0F0F0                      4864           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004534  F0F0F0F0 F0F0F0F0
0000453C  F0F0F0F0 F0F0F0F0                      4865           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004544  F0F0F0F0 F0F0F0F0
                                                 4866
                                                 4867           VRI_L VTZ,X'5F7F',1
00004550                                         4868+          DS    0FD
00004550                     00004550            4869+          USING *,R5                  base for test data and test routine
00004550  00004574                               4870+T120      DC    A(X120)               address of test routine
00004554  0078                                   4871+          DC    H'120'                test number
00004556  00                                     4872+          DC    XL1'00'
00004557  01                                     4873+          DC    HL1'1'                cc
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00004558  0B                                      4874+          DC    HL1'11'             cc failed mask
00004559  00                                      4875+          DS    XL1'0'              extracted cc (CCFOUND)
0000455C  00000000 00000000                       4876+          DS    2F'0'               extract PSW after test (CCPSW)
00004564  E5E3E940 40404040                       4877+          DC    CL8'VTZ'            instruction name
0000456C  00000010                                4878+          DC    A(16)               result length
00004570  0000459C                                4879+REA120    DC    A(RE120)            result address
                                                  4880+*                                   INSTRUCTION UNDER TEST ROUTINE
00004574                                          4881+X120      DS    0F
00004574  E320 5020 0014             00004570     4882+          LGF   R2,REA120
0000457A  E712 0000 0006             00000000     4883+          VL    V1,0(R2)            get V1 source
00004580  4122 0010                  00000010     4884+          LA    R2,16(R2)
00004584  E722 0000 0006             00000000     4885+          VL    V2,0(R2)            get V2 source

0000458A                                          4888+          DS    0H                        E67F VTZ    - Vector Test Zoned
0000458A  E6                                      4889+          DC    X'E6'
0000458B  01                                      4890+          DC    X'01'                     v1
0000458C  25F7F0                                  4891+          DC    HL3'2488304'              v2, I3, RXB
0000458F  7F                                      4892+          DC    X'7F'

00004590  B98D 0020                               4894+          EPSW  R2,R0               exptract psw
00004594  5020 500C                  0000000C     4895+          ST    R2,CCPSW                to save CC
00004598  07FB                                    4896+          BR    R11
0000459C                                          4897+RE120     DC    0F
0000459C                                          4898+          DROP  R5
0000459C  F0F0F0F0 F0F0F0F0                       4899           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000045A4  F0F0F0F0 F0F0F0F0
000045AC  F0F0F0F0 F0F0F0F0                       4900           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F060'   V2 source
000045B4  F0F0F0F0 F0F0F060
                                                  4901
                                                  4902 *----------------------------------------------------------------------
                                                  4903 * SLS-type-zoned format (separate leading sign)
                                                  4904 *----------------------------------------------------------------------
                                                  4905 *
                                                  4906 * VTZ        - ssc: 1, ls: 1, dsc: 31, stc: 2, dc: 31
                                                  4907 *                 Sign: x'4E', x'60'
                                                  4908 * digits valid,  sign valid
                                                  4909           VRI_L VTZ,X'7F5F',0
000045C0                                          4910+          DS    0FD
000045C0                   000045C0               4911+          USING *,R5                base for test data and test routine
000045C0  000045E4                                4912+T121      DC    A(X121)             address of test routine
000045C4  0079                                    4913+          DC    H'121'              test number
000045C6  00                                      4914+          DC    XL1'00'
000045C7  00                                      4915+          DC    HL1'0'              cc
000045C8  07                                      4916+          DC    HL1'7'              cc failed mask
000045C9  00                                      4917+          DS    XL1'0'              extracted cc (CCFOUND)
000045CC  00000000 00000000                       4918+          DS    2F'0'               extract PSW after test (CCPSW)
000045D4  E5E3E940 40404040                       4919+          DC    CL8'VTZ'            instruction name
000045DC  00000010                                4920+          DC    A(16)               result length
000045E0  0000460C                                4921+REA121    DC    A(RE121)            result address
                                                  4922+*                                   INSTRUCTION UNDER TEST ROUTINE
000045E4                                          4923+X121      DS    0F
000045E4  E320 5020 0014             000045E0     4924+          LGF   R2,REA121
000045EA  E712 0000 0006             00000000     4925+          VL    V1,0(R2)            get V1 source
000045F0  4122 0010                  00000010     4926+          LA    R2,16(R2)
000045F4  E722 0000 0006             00000000     4927+          VL    V2,0(R2)            get V2 source
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

000045FA                                           4930+          DS    0H                              E67F VTZ    - Vector Test Zoned
000045FA  E6                                       4931+          DC    X'E6'
000045FB  01                                       4932+          DC    X'01'                           v1
000045FC  27F5F0                                   4933+          DC    HL3'2618864'                    v2, I3, RXB
000045FF  7F                                       4934+          DC    X'7F'

00004600  B98D 0020                                4936+          EPSW  R2,R0                     exptract psw
00004604  5020 500C                      0000000C  4937+          ST    R2,CCPSW                      to save CC
00004608  07FB                                     4938+          BR    R11
0000460C                                           4939+RE121     DC    0F
0000460C                                           4940+          DROP  R5
0000460C  4EF0F0F0 F0F0F0F0                        4941           DC    XL16'4EF0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004614  F0F0F0F0 F0F0F0F0
0000461C  F0F0F0F0 F0F0F0F0                        4942           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00004624  F1F2F3F0 F0F0F0F0
                                                   4943
                                                   4944           VRI_L VTZ,X'7F5F',0
00004630                                           4945+          DS    0FD
00004630                       00004630            4946+          USING *,R5                      base for test data and test routine
00004630  00004654                                 4947+T122      DC    A(X122)                   address of test routine
00004634  007A                                     4948+          DC    H'122'                    test number
00004636  00                                       4949+          DC    XL1'00'
00004637  00                                       4950+          DC    HL1'0'                    cc
00004638  07                                       4951+          DC    HL1'7'                    cc failed mask
00004639  00                                       4952+          DS    XL1'0'                    extracted cc (CCFOUND)
0000463C  00000000 00000000                        4953+          DS    2F'0'                     extract PSW after test (CCPSW)
00004644  E5E3E940 40404040                        4954+          DC    CL8'VTZ'                  instruction name
0000464C  00000010                                 4955+          DC    A(16)                     result length
00004650  0000467C                                 4956+REA122    DC    A(RE122)                  result address
                                                   4957+*                                        INSTRUCTION UNDER TEST ROUTINE
00004654                                           4958+X122      DS    0F
00004654  E320 5020 0014                 00004650  4959+          LGF   R2,REA122
0000465A  E712 0000 0006                 00000000  4960+          VL    V1,0(R2)                  get V1 source
00004660  4122 0010                      00000010  4961+          LA    R2,16(R2)
00004664  E722 0000 0006                 00000000  4962+          VL    V2,0(R2)                  get V2 source

0000466A                                           4965+          DS    0H                              E67F VTZ    - Vector Test Zoned
0000466A  E6                                       4966+          DC    X'E6'
0000466B  01                                       4967+          DC    X'01'                           v1
0000466C  27F5F0                                   4968+          DC    HL3'2618864'                    v2, I3, RXB
0000466F  7F                                       4969+          DC    X'7F'

00004670  B98D 0020                                4971+          EPSW  R2,R0                     exptract psw
00004674  5020 500C                      0000000C  4972+          ST    R2,CCPSW                      to save CC
00004678  07FB                                     4973+          BR    R11
0000467C                                           4974+RE122     DC    0F
0000467C                                           4975+          DROP  R5
0000467C  60F0F0F0 F0F0F0F0                        4976           DC    XL16'60F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004684  F0F0F0F0 F0F0F0F0
0000468C  F0F0F0F0 F0F0F0F0                        4977           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00004694  F1F2F3F0 F0F0F0F0
                                                   4978
                                                   4979 * digits valid,  sign invalid
                                                   4980           VRI_L VTZ,X'7F5F',1
000046A0                                           4981+          DS    0FD
000046A0                       000046A0            4982+          USING *,R5                      base for test data and test routine
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000046A0  000046C4                                4983+T123     DC    A(X123)             address of test routine
000046A4  007B                                    4984+         DC    H'123'              test number
000046A6  00                                      4985+         DC    XL1'00'
000046A7  01                                      4986+         DC    HL1'1'              cc
000046A8  0B                                      4987+         DC    HL1'11'             cc failed mask
000046A9  00                                      4988+         DS    XL1'0'              extracted cc (CCFOUND)
000046AC  00000000 00000000                       4989+         DS    2F'0'               extract PSW after test (CCPSW)
000046B4  E5E3E940 40404040                       4990+         DC    CL8'VTZ'            instruction name
000046BC  00000010                                4991+         DC    A(16)               result length
000046C0  000046EC                                4992+REA123   DC    A(RE123)            result address
                                                  4993+*                                  INSTRUCTION UNDER TEST ROUTINE
000046C4                                          4994+X123     DS    0F
000046C4  E320 5020 0014             000046C0     4995+         LGF   R2,REA123
000046CA  E712 0000 0006             00000000     4996+         VL    V1,0(R2)            get V1 source
000046D0  4122 0010                  00000010     4997+         LA    R2,16(R2)
000046D4  E722 0000 0006             00000000     4998+         VL    V2,0(R2)            get V2 source

000046DA                                          5001+         DS    0H                        E67F VTZ    - Vector Test Zoned
000046DA  E6                                      5002+         DC    X'E6'
000046DB  01                                      5003+         DC    X'01'                     v1
000046DC  27F5F0                                  5004+         DC    HL3'2618864'              v2, I3, RXB
000046DF  7F                                      5005+         DC    X'7F'

000046E0  B98D 0020                               5007+         EPSW  R2,R0               exptract psw
000046E4  5020 500C                  0000000C     5008+         ST    R2,CCPSW                to save CC
000046E8  07FB                                    5009+         BR    R11
000046EC                                          5010+RE123    DC    0F
000046EC                                          5011+         DROP  R5
000046EC  F0F0F0F0 F0F0F0F0                       5012          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000046F4  F0F0F0F0 F0F0F0F0
000046FC  F0F0F0F0 F0F0F0F0                       5013          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004704  F0F0F0F0 F0F0F0F0
                                                  5014
                                                  5015 * a digit invalid, sign valid
                                                  5016          VRI_L VTZ,X'7F5F',2
00004710                                          5017+         DS    0FD
00004710                           00004710       5018+         USING *,R5                base for test data and test routine
00004710  00004734                                5019+T124     DC    A(X124)             address of test routine
00004714  007C                                    5020+         DC    H'124'              test number
00004716  00                                      5021+         DC    XL1'00'
00004717  02                                      5022+         DC    HL1'2'              cc
00004718  0D                                      5023+         DC    HL1'13'             cc failed mask
00004719  00                                      5024+         DS    XL1'0'              extracted cc (CCFOUND)
0000471C  00000000 00000000                       5025+         DS    2F'0'               extract PSW after test (CCPSW)
00004724  E5E3E940 40404040                       5026+         DC    CL8'VTZ'            instruction name
0000472C  00000010                                5027+         DC    A(16)               result length
00004730  0000475C                                5028+REA124   DC    A(RE124)            result address
                                                  5029+*                                  INSTRUCTION UNDER TEST ROUTINE
00004734                                          5030+X124     DS    0F
00004734  E320 5020 0014             00004730     5031+         LGF   R2,REA124
0000473A  E712 0000 0006             00000000     5032+         VL    V1,0(R2)            get V1 source
00004740  4122 0010                  00000010     5033+         LA    R2,16(R2)
00004744  E722 0000 0006             00000000     5034+         VL    V2,0(R2)            get V2 source

0000474A                                          5037+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000474A  E6                                      5038+         DC    X'E6'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

0000474B  01                                       5039+         DC    X'01'                     v1
0000474C  27F5F0                                   5040+         DC    HL3'2618864'              v2, I3, RXB
0000474F  7F                                       5041+         DC    X'7F'

00004750  B98D 0020                                5043+         EPSW  R2,R0              exptract psw
00004754  5020 500C                      0000000C  5044+         ST    R2,CCPSW               to save CC
00004758  07FB                                     5045+         BR    R11
0000475C                                           5046+RE124    DC    0F
0000475C                                           5047+         DROP  R5
0000475C  4EF0F0F0 F0F0F0F0                        5048          DC    XL16'4EF0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004764  F0F0F0F0 F0F0F0FF
0000476C  F0F0F0F0 F0F0F0F0                        5049          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F04E'   V2 source
00004774  F0F0F0F0 F0F0F04E
                                                   5050
                                                   5051          VRI_L VTZ,X'7F5F',2
00004780                                           5052+         DS    0FD
00004780                       00004780            5053+         USING *,R5               base for test data and test routine
00004780  000047A4                                 5054+T125     DC    A(X125)            address of test routine
00004784  007D                                     5055+         DC    H'125'             test number
00004786  00                                       5056+         DC    XL1'00'
00004787  02                                       5057+         DC    HL1'2'             cc
00004788  0D                                       5058+         DC    HL1'13'            cc failed mask
00004789  00                                       5059+         DS    XL1'0'             extracted cc (CCFOUND)
0000478C  00000000 00000000                        5060+         DS    2F'0'              extract PSW after test (CCPSW)
00004794  E5E3E940 40404040                        5061+         DC    CL8'VTZ'           instruction name
0000479C  00000010                                 5062+         DC    A(16)              result length
000047A0  000047CC                                 5063+REA125   DC    A(RE125)           result address
                                                   5064+*                                 INSTRUCTION UNDER TEST ROUTINE
000047A4                                           5065+X125     DS    0F
000047A4  E320 5020 0014                 000047A0  5066+         LGF   R2,REA125
000047AA  E712 0000 0006                 00000000  5067+         VL    V1,0(R2)           get V1 source
000047B0  4122 0010                      00000010  5068+         LA    R2,16(R2)
000047B4  E722 0000 0006                 00000000  5069+         VL    V2,0(R2)           get V2 source

000047BA                                           5072+         DS    0H                        E67F VTZ    - Vector Test Zoned
000047BA  E6                                       5073+         DC    X'E6'
000047BB  01                                       5074+         DC    X'01'                     v1
000047BC  27F5F0                                   5075+         DC    HL3'2618864'              v2, I3, RXB
000047BF  7F                                       5076+         DC    X'7F'

000047C0  B98D 0020                                5078+         EPSW  R2,R0              exptract psw
000047C4  5020 500C                      0000000C  5079+         ST    R2,CCPSW               to save CC
000047C8  07FB                                     5080+         BR    R11
000047CC                                           5081+RE125    DC    0F
000047CC                                           5082+         DROP  R5
000047CC  60F0F0F0 F0F0F0F0                        5083          DC    XL16'60F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
000047D4  F0F0F0F0 F0F0F0FF
000047DC  F0F0F0F0 F0F0F0F0                        5084          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F060'   V2 source
000047E4  F0F0F0F0 F0F0F060
                                                   5085
                                                   5086 * a digit invalid,  sign invalid
                                                   5087          VRI_L VTZ,X'7F5F',3
000047F0                                           5088+         DS    0FD
000047F0                       000047F0            5089+         USING *,R5               base for test data and test routine
000047F0  00004814                                 5090+T126     DC    A(X126)            address of test routine
000047F4  007E                                     5091+         DC    H'126'             test number
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000047F6  00                                      5092+          DC    XL1'00'
000047F7  03                                      5093+          DC    HL1'3'             cc
000047F8  0E                                      5094+          DC    HL1'14'            cc failed mask
000047F9  00                                      5095+          DS    XL1'0'             extracted cc (CCFOUND)
000047FC  00000000 00000000                       5096+          DS    2F'0'              extract PSW after test (CCPSW)
00004804  E5E3E940 40404040                       5097+          DC    CL8'VTZ'           instruction name
0000480C  00000010                                5098+          DC    A(16)              result length
00004810  0000483C                                5099+REA126    DC    A(RE126)           result address
                                                  5100+*                                  INSTRUCTION UNDER TEST ROUTINE
00004814                                          5101+X126      DS    0F
00004814  E320 5020 0014             00004810     5102+          LGF   R2,REA126
0000481A  E712 0000 0006             00000000     5103+          VL    V1,0(R2)           get V1 source
00004820  4122 0010                  00000010     5104+          LA    R2,16(R2)
00004824  E722 0000 0006             00000000     5105+          VL    V2,0(R2)           get V2 source

0000482A                                          5108+          DS    0H                       E67F VTZ    - Vector Test Zoned
0000482A  E6                                      5109+          DC    X'E6'
0000482B  01                                      5110+          DC    X'01'                    v1
0000482C  27F5F0                                  5111+          DC    HL3'2618864'             v2, I3, RXB
0000482F  7F                                      5112+          DC    X'7F'

00004830  B98D 0020                               5114+          EPSW  R2,R0              exptract psw
00004834  5020 500C                  0000000C     5115+          ST    R2,CCPSW               to save CC
00004838  07FB                                    5116+          BR    R11
0000483C                                          5117+RE126     DC    0F
0000483C                                          5118+          DROP  R5
0000483C  F0F0F0F0 F0F0F0F0                       5119           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004844  F0F0F0F0 F0F0F0FF
0000484C  F0F0F0F0 F0F0F0F0                       5120           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004854  F0F0F0F0 F0F0F0F0
                                                  5121
                                                  5122 * VTZ        - ssc: 1, ls: 1, dsc: 31, stc: 3, dc: 31
                                                  5123 *              non-zero Sign: x'4E', x'60'
                                                  5124 *-------------------------------------------------------------------
                                                  5125 * digits valid,  sign valid
                                                  5126           VRI_L VTZ,X'7F7F',0
00004860                                          5127+          DS    0FD
00004860                     00004860             5128+          USING *,R5               base for test data and test routine
00004860  00004884                                5129+T127      DC    A(X127)            address of test routine
00004864  007F                                    5130+          DC    H'127'             test number
00004866  00                                      5131+          DC    XL1'00'
00004867  00                                      5132+          DC    HL1'0'             cc
00004868  07                                      5133+          DC    HL1'7'             cc failed mask
00004869  00                                      5134+          DS    XL1'0'             extracted cc (CCFOUND)
0000486C  00000000 00000000                       5135+          DS    2F'0'              extract PSW after test (CCPSW)
00004874  E5E3E940 40404040                       5136+          DC    CL8'VTZ'           instruction name
0000487C  00000010                                5137+          DC    A(16)              result length
00004880  000048AC                                5138+REA127    DC    A(RE127)           result address
                                                  5139+*                                  INSTRUCTION UNDER TEST ROUTINE
00004884                                          5140+X127      DS    0F
00004884  E320 5020 0014             00004880     5141+          LGF   R2,REA127
0000488A  E712 0000 0006             00000000     5142+          VL    V1,0(R2)           get V1 source
00004890  4122 0010                  00000010     5143+          LA    R2,16(R2)
00004894  E722 0000 0006             00000000     5144+          VL    V2,0(R2)           get V2 source

0000489A                                          5147+          DS    0H                       E67F VTZ    - Vector Test Zoned
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

0000489A  E6                                      5148+         DC    X'E6'
0000489B  01                                      5149+         DC    X'01'                     v1
0000489C  27F7F0                                  5150+         DC    HL3'2619376'              v2, I3, RXB
0000489F  7F                                      5151+         DC    X'7F'

000048A0  B98D 0020                               5153+         EPSW  R2,R0               exptract psw
000048A4  5020 500C                     0000000C  5154+         ST    R2,CCPSW                to save CC
000048A8  07FB                                    5155+         BR    R11
000048AC                                          5156+RE127    DC    0F
000048AC                                          5157+         DROP  R5
000048AC  4EF0F0F0 F0F0F0F0                       5158          DC    XL16'4EF0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
000048B4  F0F0F0F0 F0F0F0F0
000048BC  F0F0F0F0 F0F0F0F0                       5159          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
000048C4  F1F2F3F0 F0F0F0F0
                                                  5160
                                                  5161          VRI_L VTZ,X'7F7F',0
000048D0                                          5162+         DS    0FD
000048D0                      000048D0            5163+         USING *,R5              base for test data and test routine
000048D0  000048F4                                5164+T128     DC    A(X128)             address of test routine
000048D4  0080                                    5165+         DC    H'128'              test number
000048D6  00                                      5166+         DC    XL1'00'
000048D7  00                                      5167+         DC    HL1'0'              cc
000048D8  07                                      5168+         DC    HL1'7'              cc failed mask
000048D9  00                                      5169+         DS    XL1'0'              extracted cc (CCFOUND)
000048DC  00000000 00000000                       5170+         DS    2F'0'               extract PSW after test (CCPSW)
000048E4  E5E3E940 40404040                       5171+         DC    CL8'VTZ'            instruction name
000048EC  00000010                                5172+         DC    A(16)               result length
000048F0  0000491C                                5173+REA128   DC    A(RE128)            result address
                                                  5174+*                                  INSTRUCTION UNDER TEST ROUTINE
000048F4                                          5175+X128     DS    0F
000048F4  E320 5020 0014                000048F0  5176+         LGF   R2,REA128
000048FA  E712 0000 0006                00000000  5177+         VL    V1,0(R2)            get V1 source
00004900  4122 0010                     00000010  5178+         LA    R2,16(R2)
00004904  E722 0000 0006                00000000  5179+         VL    V2,0(R2)            get V2 source

0000490A                                          5182+         DS    0H                        E67F VTZ    - Vector Test Zoned
0000490A  E6                                      5183+         DC    X'E6'
0000490B  01                                      5184+         DC    X'01'                     v1
0000490C  27F7F0                                  5185+         DC    HL3'2619376'              v2, I3, RXB
0000490F  7F                                      5186+         DC    X'7F'

00004910  B98D 0020                               5188+         EPSW  R2,R0               exptract psw
00004914  5020 500C                     0000000C  5189+         ST    R2,CCPSW                to save CC
00004918  07FB                                    5190+         BR    R11
0000491C                                          5191+RE128    DC    0F
0000491C                                          5192+         DROP  R5
0000491C  60F0F0F0 F0F0F0F0                       5193          DC    XL16'60F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004924  F0F0F0F0 F0F0F0F0
0000492C  F0F0F0F0 F0F0F0F0                       5194          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00004934  F1F2F3F0 F0F0F0F0
                                                  5195
                                                  5196 * digits valid,  sign invalid
                                                  5197          VRI_L VTZ,X'7F7F',1
00004940                                          5198+         DS    0FD
00004940                      00004940            5199+         USING *,R5              base for test data and test routine
00004940  00004964                                5200+T129     DC    A(X129)             address of test routine
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00004944  0081                                     5201+          DC    H'129'            test number
00004946  00                                       5202+          DC    XL1'00'
00004947  01                                       5203+          DC    HL1'1'            cc
00004948  0B                                       5204+          DC    HL1'11'           cc failed mask
00004949  00                                       5205+          DS    XL1'0'            extracted cc (CCFOUND)
0000494C  00000000 00000000                        5206+          DS    2F'0'             extract PSW after test (CCPSW)
00004954  E5E3E940 40404040                        5207+          DC    CL8'VTZ'          instruction name
0000495C  00000010                                 5208+          DC    A(16)             result length
00004960  0000498C                                 5209+REA129    DC    A(RE129)          result address
                                                   5210+*                               INSTRUCTION UNDER TEST ROUTINE
00004964                                           5211+X129      DS    0F
00004964  E320 5020 0014             00004960      5212+          LGF   R2,REA129
0000496A  E712 0000 0006             00000000      5213+          VL    V1,0(R2)          get V1 source
00004970  4122 0010                  00000010      5214+          LA    R2,16(R2)
00004974  E722 0000 0006             00000000      5215+          VL    V2,0(R2)          get V2 source

0000497A                                           5218+          DS    0H                      E67F VTZ    - Vector Test Zoned
0000497A  E6                                       5219+          DC    X'E6'
0000497B  01                                       5220+          DC    X'01'                   v1
0000497C  27F7F0                                   5221+          DC    HL3'2619376'            v2, I3, RXB
0000497F  7F                                       5222+          DC    X'7F'

00004980  B98D 0020                                5224+          EPSW  R2,R0             exptract psw
00004984  5020 500C                  0000000C      5225+          ST    R2,CCPSW              to save CC
00004988  07FB                                     5226+          BR    R11
0000498C                                           5227+RE129     DC    0F
0000498C                                           5228+          DROP  R5
0000498C  F0F0F0F0 F0F0F0F0                        5229           DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004994  F0F0F0F0 F0F0F0F0
0000499C  F0F0F0F0 F0F0F0F0                        5230           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
000049A4  F1F2F3F0 F0F0F0F0
                                                   5231
                                                   5232 * a digit invalid, sign valid
                                                   5233           VRI_L VTZ,X'7F7F',2
000049B0                                           5234+          DS    0FD
000049B0                    000049B0               5235+          USING *,R5              base for test data and test routine
000049B0  000049D4                                 5236+T130      DC    A(X130)           address of test routine
000049B4  0082                                     5237+          DC    H'130'            test number
000049B6  00                                       5238+          DC    XL1'00'
000049B7  02                                       5239+          DC    HL1'2'            cc
000049B8  0D                                       5240+          DC    HL1'13'           cc failed mask
000049B9  00                                       5241+          DS    XL1'0'            extracted cc (CCFOUND)
000049BC  00000000 00000000                        5242+          DS    2F'0'             extract PSW after test (CCPSW)
000049C4  E5E3E940 40404040                        5243+          DC    CL8'VTZ'          instruction name
000049CC  00000010                                 5244+          DC    A(16)             result length
000049D0  000049FC                                 5245+REA130    DC    A(RE130)          result address
                                                   5246+*                               INSTRUCTION UNDER TEST ROUTINE
000049D4                                           5247+X130      DS    0F
000049D4  E320 5020 0014             000049D0      5248+          LGF   R2,REA130
000049DA  E712 0000 0006             00000000      5249+          VL    V1,0(R2)          get V1 source
000049E0  4122 0010                  00000010      5250+          LA    R2,16(R2)
000049E4  E722 0000 0006             00000000      5251+          VL    V2,0(R2)          get V2 source

000049EA                                           5254+          DS    0H                      E67F VTZ    - Vector Test Zoned
000049EA  E6                                       5255+          DC    X'E6'
000049EB  01                                       5256+          DC    X'01'                   v1
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2    STMT

000049EC  27F7F0                                  5257+          DC    HL3'2619376'              v2, I3, RXB
000049EF  7F                                      5258+          DC    X'7F'

000049F0  B98D 0020                               5260+          EPSW  R2,R0                exptract psw
000049F4  5020 500C                     0000000C  5261+          ST    R2,CCPSW                 to save CC
000049F8  07FB                                    5262+          BR    R11
000049FC                                          5263+RE130     DC    0F
000049FC                                          5264+          DROP  R5
000049FC  4EF0F0F0 F0F0F0F0                       5265           DC    XL16'4EF0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004A04  F0F0F0F0 F0F0F0FF
00004A0C  F0F0F0F0 F0F0F0F0                       5266           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00004A14  F1F2F3F0 F0F0F0F0
                                                  5267
                                                  5268           VRI_L VTZ,X'7F7F',2
00004A20                                          5269+          DS    0FD
00004A20                     00004A20             5270+          USING *,R5                 base for test data and test routine
00004A20  00004A44                                5271+T131      DC    A(X131)              address of test routine
00004A24  0083                                    5272+          DC    H'131'               test number
00004A26  00                                      5273+          DC    XL1'00'
00004A27  02                                      5274+          DC    HL1'2'               cc
00004A28  0D                                      5275+          DC    HL1'13'              cc failed mask
00004A29  00                                      5276+          DS    XL1'0'               extracted cc (CCFOUND)
00004A2C  00000000 00000000                       5277+          DS    2F'0'                extract PSW after test (CCPSW)
00004A34  E5E3E940 40404040                       5278+          DC    CL8'VTZ'             instruction name
00004A3C  00000010                                5279+          DC    A(16)                result length
00004A40  00004A6C                                5280+REA131    DC    A(RE131)             result address
                                                  5281+*                                    INSTRUCTION UNDER TEST ROUTINE
00004A44                                          5282+X131      DS    0F
00004A44  E320 5020 0014                00004A40  5283+          LGF   R2,REA131
00004A4A  E712 0000 0006                00000000  5284+          VL    V1,0(R2)             get V1 source
00004A50  4122 0010                     00000010  5285+          LA    R2,16(R2)
00004A54  E722 0000 0006                00000000  5286+          VL    V2,0(R2)             get V2 source

00004A5A                                          5289+          DS    0H                        E67F VTZ    - Vector Test Zoned
00004A5A  E6                                      5290+          DC    X'E6'
00004A5B  01                                      5291+          DC    X'01'                     v1
00004A5C  27F7F0                                  5292+          DC    HL3'2619376'              v2, I3, RXB
00004A5F  7F                                      5293+          DC    X'7F'

00004A60  B98D 0020                               5295+          EPSW  R2,R0                exptract psw
00004A64  5020 500C                     0000000C  5296+          ST    R2,CCPSW                 to save CC
00004A68  07FB                                    5297+          BR    R11
00004A6C                                          5298+RE131     DC    0F
00004A6C                                          5299+          DROP  R5
00004A6C  60F0F0F0 F0F0F0F0                       5300           DC    XL16'60F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004A74  F0F0F0F0 F0F0F0FF
00004A7C  F0F0F0F0 F0F0F0F0                       5301           DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00004A84  F1F2F3F0 F0F0F0F0
                                                  5302
                                                  5303 * a digit invalid,  sign invalid
                                                  5304           VRI_L VTZ,X'7F7F',3
00004A90                                          5305+          DS    0FD
00004A90                     00004A90             5306+          USING *,R5                 base for test data and test routine
00004A90  00004AB4                                5307+T132      DC    A(X132)              address of test routine
00004A94  0084                                    5308+          DC    H'132'               test number
00004A96  00                                      5309+          DC    XL1'00'
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00004A97  03                                       5310+         DC    HL1'3'            cc
00004A98  0E                                       5311+         DC    HL1'14'           cc failed mask
00004A99  00                                       5312+         DS    XL1'0'            extracted cc (CCFOUND)
00004A9C  00000000 00000000                        5313+         DS    2F'0'             extract PSW after test (CCPSW)
00004AA4  E5E3E940 40404040                        5314+         DC    CL8'VTZ'          instruction name
00004AAC  00000010                                 5315+         DC    A(16)             result length
00004AB0  00004ADC                                 5316+REA132   DC    A(RE132)          result address
                                                   5317+*                                INSTRUCTION UNDER TEST ROUTINE
00004AB4                                           5318+X132     DS    0F
00004AB4  E320 5020 0014              00004AB0     5319+         LGF   R2,REA132
00004ABA  E712 0000 0006              00000000     5320+         VL    V1,0(R2)          get V1 source
00004AC0  4122 0010                   00000010     5321+         LA    R2,16(R2)
00004AC4  E722 0000 0006              00000000     5322+         VL    V2,0(R2)          get V2 source

00004ACA                                           5325+         DS    0H                      E67F VTZ    - Vector Test Zoned
00004ACA  E6                                       5326+         DC    X'E6'
00004ACB  01                                       5327+         DC    X'01'                   v1
00004ACC  27F7F0                                   5328+         DC    HL3'2619376'            v2, I3, RXB
00004ACF  7F                                       5329+         DC    X'7F'

00004AD0  B98D 0020                                5331+         EPSW  R2,R0             exptract psw
00004AD4  5020 500C                   0000000C     5332+         ST    R2,CCPSW              to save CC
00004AD8  07FB                                     5333+         BR    R11
00004ADC                                           5334+RE132    DC    0F
00004ADC                                           5335+         DROP  R5
00004ADC  00F0F0F0 F0F0F0F0                        5336          DC    XL16'00F0F0F0F0F0F0F0 F0F0F0F0F0F0F0FF'   V1 source
00004AE4  F0F0F0F0 F0F0F0FF
00004AEC  F0F0F0F0 F0F0F0F0                        5337          DC    XL16'F0F0F0F0F0F0F0F0 F1F2F3F0F0F0F0F0'   V2 source
00004AF4  F1F2F3F0 F0F0F0F0
                                                   5338
                                                   5339 * VTZ        - ssc: 1, ls: 1, dsc: 31, stc: 3, dc: 31
                                                   5340 *              zero Sign: x'4E'
                                                   5341 *-------------------------------------------------------------------
                                                   5342 * digits valid,  sign valid
                                                   5343          VRI_L VTZ,X'7F7F',0
00004B00                                           5344+         DS    0FD
00004B00                     00004B00              5345+         USING *,R5              base for test data and test routine
00004B00  00004B24                                 5346+T133     DC    A(X133)           address of test routine
00004B04  0085                                     5347+         DC    H'133'            test number
00004B06  00                                       5348+         DC    XL1'00'
00004B07  00                                       5349+         DC    HL1'0'            cc
00004B08  07                                       5350+         DC    HL1'7'            cc failed mask
00004B09  00                                       5351+         DS    XL1'0'            extracted cc (CCFOUND)
00004B0C  00000000 00000000                        5352+         DS    2F'0'             extract PSW after test (CCPSW)
00004B14  E5E3E940 40404040                        5353+         DC    CL8'VTZ'          instruction name
00004B1C  00000010                                 5354+         DC    A(16)             result length
00004B20  00004B4C                                 5355+REA133   DC    A(RE133)          result address
                                                   5356+*                                INSTRUCTION UNDER TEST ROUTINE
00004B24                                           5357+X133     DS    0F
00004B24  E320 5020 0014              00004B20     5358+         LGF   R2,REA133
00004B2A  E712 0000 0006              00000000     5359+         VL    V1,0(R2)          get V1 source
00004B30  4122 0010                   00000010     5360+         LA    R2,16(R2)
00004B34  E722 0000 0006              00000000     5361+         VL    V2,0(R2)          get V2 source

00004B3A                                           5364+         DS    0H                      E67F VTZ    - Vector Test Zoned
00004B3A  E6                                       5365+         DC    X'E6'
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

00004B3B  01                                      5366+         DC    X'01'                     v1
00004B3C  27F7F0                                  5367+         DC    HL3'2619376'              v2, I3, RXB
00004B3F  7F                                      5368+         DC    X'7F'

00004B40  B98D 0020                               5370+         EPSW  R2,R0               exptract psw
00004B44  5020 500C                     0000000C  5371+         ST    R2,CCPSW                to save CC
00004B48  07FB                                    5372+         BR    R11
00004B4C                                          5373+RE133    DC    0F
00004B4C                                          5374+         DROP  R5
00004B4C  4EF0F0F0 F0F0F0F0                       5375          DC    XL16'4EF0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004B54  F0F0F0F0 F0F0F0F0
00004B5C  F0F0F0F0 F0F0F0F0                       5376          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004B64  F0F0F0F0 F0F0F0F0
                                                  5377
                                                  5378 * digits valid,  sign invalid
                                                  5379          VRI_L VTZ,X'7F7F',1
00004B70                                          5380+         DS    0FD
00004B70                      00004B70            5381+         USING *,R5              base for test data and test routine
00004B70  00004B94                                5382+T134     DC    A(X134)             address of test routine
00004B74  0086                                    5383+         DC    H'134'              test number
00004B76  00                                      5384+         DC    XL1'00'
00004B77  01                                      5385+         DC    HL1'1'              cc
00004B78  0B                                      5386+         DC    HL1'11'             cc failed mask
00004B79  00                                      5387+         DS    XL1'0'              extracted cc (CCFOUND)
00004B7C  00000000 00000000                       5388+         DS    2F'0'               extract PSW after test (CCPSW)
00004B84  E5E3E940 40404040                       5389+         DC    CL8'VTZ'            instruction name
00004B8C  00000010                                5390+         DC    A(16)               result length
00004B90  00004BBC                                5391+REA134   DC    A(RE134)            result address
                                                  5392+*                                INSTRUCTION UNDER TEST ROUTINE
00004B94                                          5393+X134     DS    0F
00004B94  E320 5020 0014                00004B90  5394+         LGF   R2,REA134
00004B9A  E712 0000 0006                00000000  5395+         VL    V1,0(R2)            get V1 source
00004BA0  4122 0010                     00000010  5396+         LA    R2,16(R2)
00004BA4  E722 0000 0006                00000000  5397+         VL    V2,0(R2)            get V2 source

00004BAA                                          5400+         DS    0H                        E67F VTZ    - Vector Test Zoned
00004BAA  E6                                      5401+         DC    X'E6'
00004BAB  01                                      5402+         DC    X'01'                     v1
00004BAC  27F7F0                                  5403+         DC    HL3'2619376'              v2, I3, RXB
00004BAF  7F                                      5404+         DC    X'7F'

00004BB0  B98D 0020                               5406+         EPSW  R2,R0               exptract psw
00004BB4  5020 500C                     0000000C  5407+         ST    R2,CCPSW                to save CC
00004BB8  07FB                                    5408+         BR    R11
00004BBC                                          5409+RE134    DC    0F
00004BBC                                          5410+         DROP  R5
00004BBC  F0F0F0F0 F0F0F0F0                       5411          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004BC4  F0F0F0F0 F0F0F0F0
00004BCC  F0F0F0F0 F0F0F0F0                       5412          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004BD4  F0F0F0F0 F0F0F0F0
                                                  5413
                                                  5414          VRI_L VTZ,X'7F7F',1
00004BE0                                          5415+         DS    0FD
00004BE0                      00004BE0            5416+         USING *,R5              base for test data and test routine
00004BE0  00004C04                                5417+T135     DC    A(X135)             address of test routine
00004BE4  0087                                    5418+         DC    H'135'              test number
```

```
  LOC        OBJECT CODE        ADDR1     ADDR2     STMT

00004BE6  00                                        5419+         DC    XL1'00'
00004BE7  01                                        5420+         DC    HL1'1'            cc
00004BE8  0B                                        5421+         DC    HL1'11'           cc failed mask
00004BE9  00                                        5422+         DS    XL1'0'            extracted cc (CCFOUND)
00004BEC  00000000 00000000                         5423+         DS    2F'0'             extract PSW after test (CCPSW)
00004BF4  E5E3E940 40404040                         5424+         DC    CL8'VTZ'          instruction name
00004BFC  00000010                                  5425+         DC    A(16)             result length
00004C00  00004C2C                                  5426+REA135   DC    A(RE135)          result address
                                                    5427+*                              INSTRUCTION UNDER TEST ROUTINE
00004C04                                            5428+X135     DS    0F
00004C04  E320 5020 0014               00004C00     5429+         LGF   R2,REA135
00004C0A  E712 0000 0006               00000000     5430+         VL    V1,0(R2)          get V1 source
00004C10  4122 0010                    00000010     5431+         LA    R2,16(R2)
00004C14  E722 0000 0006               00000000     5432+         VL    V2,0(R2)          get V2 source

00004C1A                                            5435+         DS    0H                      E67F VTZ    - Vector Test Zoned
00004C1A  E6                                        5436+         DC    X'E6'
00004C1B  01                                        5437+         DC    X'01'                   v1
00004C1C  27F7F0                                    5438+         DC    HL3'2619376'            v2, I3, RXB
00004C1F  7F                                        5439+         DC    X'7F'

00004C20  B98D 0020                                 5441+         EPSW  R2,R0             exptract psw
00004C24  5020 500C                    0000000C     5442+         ST    R2,CCPSW              to save CC
00004C28  07FB                                      5443+         BR    R11
00004C2C                                            5444+RE135    DC    0F
00004C2C                                            5445+         DROP  R5
00004C2C  60F0F0F0 F0F0F0F0                         5446          DC    XL16'60F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V1 source
00004C34  F0F0F0F0 F0F0F0F0
00004C3C  F0F0F0F0 F0F0F0F0                         5447          DC    XL16'F0F0F0F0F0F0F0F0 F0F0F0F0F0F0F0F0'   V2 source
00004C44  F0F0F0F0 F0F0F0F0
                                                    5448
                                                    5449
00004C4C  00000000                                  5450          DC    F'0'                    END OF TABLE
00004C50  00000000                                  5451          DC    F'0'
                                                    5452 *
                                                    5453 * table of pointers to individual tests
                                                    5454 *
00004C54                                            5455 E6TESTS  DS    0F
                                                    5456          PTTABLE
00004C54                                            5457+TTABLE   DS    0F
00004C54  00001140                                  5458+         DC    A(T1)             address of test
00004C58  000011B0                                  5459+         DC    A(T2)             address of test
00004C5C  00001220                                  5460+         DC    A(T3)             address of test
00004C60  00001290                                  5461+         DC    A(T4)             address of test
00004C64  00001300                                  5462+         DC    A(T5)             address of test
00004C68  00001370                                  5463+         DC    A(T6)             address of test
00004C6C  000013E0                                  5464+         DC    A(T7)             address of test
00004C70  00001450                                  5465+         DC    A(T8)             address of test
00004C74  000014C0                                  5466+         DC    A(T9)             address of test
00004C78  00001530                                  5467+         DC    A(T10)            address of test
00004C7C  000015A0                                  5468+         DC    A(T11)            address of test
00004C80  00001610                                  5469+         DC    A(T12)            address of test
00004C84  00001680                                  5470+         DC    A(T13)            address of test
00004C88  000016F0                                  5471+         DC    A(T14)            address of test
00004C8C  00001760                                  5472+         DC    A(T15)            address of test
00004C90  000017D0                                  5473+         DC    A(T16)            address of test
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00004C94  00001840                                 5474+          DC    A(T17)              address of test
00004C98  000018B0                                 5475+          DC    A(T18)              address of test
00004C9C  00001920                                 5476+          DC    A(T19)              address of test
00004CA0  00001990                                 5477+          DC    A(T20)              address of test
00004CA4  00001A00                                 5478+          DC    A(T21)              address of test
00004CA8  00001A70                                 5479+          DC    A(T22)              address of test
00004CAC  00001AE0                                 5480+          DC    A(T23)              address of test
00004CB0  00001B50                                 5481+          DC    A(T24)              address of test
00004CB4  00001BC0                                 5482+          DC    A(T25)              address of test
00004CB8  00001C30                                 5483+          DC    A(T26)              address of test
00004CBC  00001CA0                                 5484+          DC    A(T27)              address of test
00004CC0  00001D10                                 5485+          DC    A(T28)              address of test
00004CC4  00001D80                                 5486+          DC    A(T29)              address of test
00004CC8  00001DF0                                 5487+          DC    A(T30)              address of test
00004CCC  00001E60                                 5488+          DC    A(T31)              address of test
00004CD0  00001ED0                                 5489+          DC    A(T32)              address of test
00004CD4  00001F40                                 5490+          DC    A(T33)              address of test
00004CD8  00001FB0                                 5491+          DC    A(T34)              address of test
00004CDC  00002020                                 5492+          DC    A(T35)              address of test
00004CE0  00002090                                 5493+          DC    A(T36)              address of test
00004CE4  00002100                                 5494+          DC    A(T37)              address of test
00004CE8  00002170                                 5495+          DC    A(T38)              address of test
00004CEC  000021E0                                 5496+          DC    A(T39)              address of test
00004CF0  00002250                                 5497+          DC    A(T40)              address of test
00004CF4  000022C0                                 5498+          DC    A(T41)              address of test
00004CF8  00002330                                 5499+          DC    A(T42)              address of test
00004CFC  000023A0                                 5500+          DC    A(T43)              address of test
00004D00  00002410                                 5501+          DC    A(T44)              address of test
00004D04  00002480                                 5502+          DC    A(T45)              address of test
00004D08  000024F0                                 5503+          DC    A(T46)              address of test
00004D0C  00002560                                 5504+          DC    A(T47)              address of test
00004D10  000025D0                                 5505+          DC    A(T48)              address of test
00004D14  00002640                                 5506+          DC    A(T49)              address of test
00004D18  000026B0                                 5507+          DC    A(T50)              address of test
00004D1C  00002720                                 5508+          DC    A(T51)              address of test
00004D20  00002790                                 5509+          DC    A(T52)              address of test
00004D24  00002800                                 5510+          DC    A(T53)              address of test
00004D28  00002870                                 5511+          DC    A(T54)              address of test
00004D2C  000028E0                                 5512+          DC    A(T55)              address of test
00004D30  00002950                                 5513+          DC    A(T56)              address of test
00004D34  000029C0                                 5514+          DC    A(T57)              address of test
00004D38  00002A30                                 5515+          DC    A(T58)              address of test
00004D3C  00002AA0                                 5516+          DC    A(T59)              address of test
00004D40  00002B10                                 5517+          DC    A(T60)              address of test
00004D44  00002B80                                 5518+          DC    A(T61)              address of test
00004D48  00002BF0                                 5519+          DC    A(T62)              address of test
00004D4C  00002C60                                 5520+          DC    A(T63)              address of test
00004D50  00002CD0                                 5521+          DC    A(T64)              address of test
00004D54  00002D40                                 5522+          DC    A(T65)              address of test
00004D58  00002DB0                                 5523+          DC    A(T66)              address of test
00004D5C  00002E20                                 5524+          DC    A(T67)              address of test
00004D60  00002E90                                 5525+          DC    A(T68)              address of test
00004D64  00002F00                                 5526+          DC    A(T69)              address of test
00004D68  00002F70                                 5527+          DC    A(T70)              address of test
00004D6C  00002FE0                                 5528+          DC    A(T71)              address of test
00004D70  00003050                                 5529+          DC    A(T72)              address of test
```

```
  LOC       OBJECT CODE       ADDR1     ADDR2     STMT

00004D74  000030C0                                5530+          DC    A(T73)             address of test
00004D78  00003130                                5531+          DC    A(T74)             address of test
00004D7C  000031A0                                5532+          DC    A(T75)             address of test
00004D80  00003210                                5533+          DC    A(T76)             address of test
00004D84  00003280                                5534+          DC    A(T77)             address of test
00004D88  000032F0                                5535+          DC    A(T78)             address of test
00004D8C  00003360                                5536+          DC    A(T79)             address of test
00004D90  000033D0                                5537+          DC    A(T80)             address of test
00004D94  00003440                                5538+          DC    A(T81)             address of test
00004D98  000034B0                                5539+          DC    A(T82)             address of test
00004D9C  00003520                                5540+          DC    A(T83)             address of test
00004DA0  00003590                                5541+          DC    A(T84)             address of test
00004DA4  00003600                                5542+          DC    A(T85)             address of test
00004DA8  00003670                                5543+          DC    A(T86)             address of test
00004DAC  000036E0                                5544+          DC    A(T87)             address of test
00004DB0  00003750                                5545+          DC    A(T88)             address of test
00004DB4  000037C0                                5546+          DC    A(T89)             address of test
00004DB8  00003830                                5547+          DC    A(T90)             address of test
00004DBC  000038A0                                5548+          DC    A(T91)             address of test
00004DC0  00003910                                5549+          DC    A(T92)             address of test
00004DC4  00003980                                5550+          DC    A(T93)             address of test
00004DC8  000039F0                                5551+          DC    A(T94)             address of test
00004DCC  00003A60                                5552+          DC    A(T95)             address of test
00004DD0  00003AD0                                5553+          DC    A(T96)             address of test
00004DD4  00003B40                                5554+          DC    A(T97)             address of test
00004DD8  00003BB0                                5555+          DC    A(T98)             address of test
00004DDC  00003C20                                5556+          DC    A(T99)             address of test
00004DE0  00003C90                                5557+          DC    A(T100)            address of test
00004DE4  00003D00                                5558+          DC    A(T101)            address of test
00004DE8  00003D70                                5559+          DC    A(T102)            address of test
00004DEC  00003DE0                                5560+          DC    A(T103)            address of test
00004DF0  00003E50                                5561+          DC    A(T104)            address of test
00004DF4  00003EC0                                5562+          DC    A(T105)            address of test
00004DF8  00003F30                                5563+          DC    A(T106)            address of test
00004DFC  00003FA0                                5564+          DC    A(T107)            address of test
00004E00  00004010                                5565+          DC    A(T108)            address of test
00004E04  00004080                                5566+          DC    A(T109)            address of test
00004E08  000040F0                                5567+          DC    A(T110)            address of test
00004E0C  00004160                                5568+          DC    A(T111)            address of test
00004E10  000041D0                                5569+          DC    A(T112)            address of test
00004E14  00004240                                5570+          DC    A(T113)            address of test
00004E18  000042B0                                5571+          DC    A(T114)            address of test
00004E1C  00004320                                5572+          DC    A(T115)            address of test
00004E20  00004390                                5573+          DC    A(T116)            address of test
00004E24  00004400                                5574+          DC    A(T117)            address of test
00004E28  00004470                                5575+          DC    A(T118)            address of test
00004E2C  000044E0                                5576+          DC    A(T119)            address of test
00004E30  00004550                                5577+          DC    A(T120)            address of test
00004E34  000045C0                                5578+          DC    A(T121)            address of test
00004E38  00004630                                5579+          DC    A(T122)            address of test
00004E3C  000046A0                                5580+          DC    A(T123)            address of test
00004E40  00004710                                5581+          DC    A(T124)            address of test
00004E44  00004780                                5582+          DC    A(T125)            address of test
00004E48  000047F0                                5583+          DC    A(T126)            address of test
00004E4C  00004860                                5584+          DC    A(T127)            address of test
00004E50  000048D0                                5585+          DC    A(T128)            address of test
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

00004E54  00004940                                 5586+           DC    A(T129)             address of test
00004E58  000049B0                                 5587+           DC    A(T130)             address of test
00004E5C  00004A20                                 5588+           DC    A(T131)             address of test
00004E60  00004A90                                 5589+           DC    A(T132)             address of test
00004E64  00004B00                                 5590+           DC    A(T133)             address of test
00004E68  00004B70                                 5591+           DC    A(T134)             address of test
00004E6C  00004BE0                                 5592+           DC    A(T135)             address of test
                                                   5593+*
00004E70  00000000                                 5594+           DC    A(0)                END OF TABLE
00004E74  00000000                                 5595+           DC    A(0)
```

```
  LOC        OBJECT CODE       ADDR1     ADDR2     STMT

                                                   5597 *******************************************************************
                                                   5598 *        Register equates
                                                   5599 *******************************************************************

                              00000000  00000001  5601 R0        EQU   0
                              00000001  00000001  5602 R1        EQU   1
                              00000002  00000001  5603 R2        EQU   2
                              00000003  00000001  5604 R3        EQU   3
                              00000004  00000001  5605 R4        EQU   4
                              00000005  00000001  5606 R5        EQU   5
                              00000006  00000001  5607 R6        EQU   6
                              00000007  00000001  5608 R7        EQU   7
                              00000008  00000001  5609 R8        EQU   8
                              00000009  00000001  5610 R9        EQU   9
                              0000000A  00000001  5611 R10       EQU   10
                              0000000B  00000001  5612 R11       EQU   11
                              0000000C  00000001  5613 R12       EQU   12
                              0000000D  00000001  5614 R13       EQU   13
                              0000000E  00000001  5615 R14       EQU   14
                              0000000F  00000001  5616 R15       EQU   15




                                                   5618 *******************************************************************
                                                   5619 *        Register equates
                                                   5620 *******************************************************************

                              00000000  00000001  5622 V0        EQU   0
                              00000001  00000001  5623 V1        EQU   1
                              00000002  00000001  5624 V2        EQU   2
                              00000003  00000001  5625 V3        EQU   3
                              00000004  00000001  5626 V4        EQU   4
                              00000005  00000001  5627 V5        EQU   5
                              00000006  00000001  5628 V6        EQU   6
                              00000007  00000001  5629 V7        EQU   7
                              00000008  00000001  5630 V8        EQU   8
                              00000009  00000001  5631 V9        EQU   9
                              0000000A  00000001  5632 V10       EQU   10
                              0000000B  00000001  5633 V11       EQU   11
                              0000000C  00000001  5634 V12       EQU   12
                              0000000D  00000001  5635 V13       EQU   13
                              0000000E  00000001  5636 V14       EQU   14
                              0000000F  00000001  5637 V15       EQU   15
                              00000010  00000001  5638 V16       EQU   16
                              00000011  00000001  5639 V17       EQU   17
                              00000012  00000001  5640 V18       EQU   18
                              00000013  00000001  5641 V19       EQU   19
                              00000014  00000001  5642 V20       EQU   20
                              00000015  00000001  5643 V21       EQU   21
```

```
  LOC        OBJECT CODE        ADDR1     ADDR2    STMT

                              00000016  00000001  5644 V22         EQU   22
                              00000017  00000001  5645 V23         EQU   23
                              00000018  00000001  5646 V24         EQU   24
                              00000019  00000001  5647 V25         EQU   25
                              0000001A  00000001  5648 V26         EQU   26
                              0000001B  00000001  5649 V27         EQU   27
                              0000001C  00000001  5650 V28         EQU   28
                              0000001D  00000001  5651 V29         EQU   29
                              0000001E  00000001  5652 V30         EQU   30
                              0000001F  00000001  5653 V31         EQU   31
                                                  5654
                                                  5655             END
```

```
     SYMBOL        TYPE   VALUE      LENGTH    DEFN  REFERENCES

BEGIN               I    00000200         2    152   117   148   149   150
CC                  U    00000007         1    453   250
CCFOUND             X    00000009         1    456   237   257
CCMASK              U    00000008         1    454   218
CCMSG               U    00000312         1    230   225
CCPRTEXP            C    0000104B         1    411   254
CCPRTGOT            C    0000105B         1    414   261
CCPRTLINE           C    00001008        16    406   416   264
CCPRTLNG            U    00000055         1    416   263
CCPRTNAME           C    00001035         8    409   247
CCPRTNUM            C    00001018         3    407   245
CCPSW               F    0000000C         4    457   234   620   655   690   725   760   795   831   867   903   942   977  1012
                                                    1047  1082  1117  1153  1189  1225  1264  1299  1334  1369  1405  1440  1479
                                                    1514  1550  1585  1620  1655  1691  1727  1766  1801  1837  1872  1907  1942
                                                    1978  2014  2053  2089  2124  2159  2194  2229  2268  2304  2339  2374  2409
                                                    2444  2480  2516  2555  2591  2626  2661  2696  2731  2767  2803  2842  2877
                                                    2912  2948  2983  3018  3054  3090  3129  3164  3199  3235  3270  3305  3341
                                                    3377  3416  3451  3487  3522  3557  3592  3634  3669  3704  3739  3774  3809
                                                    3844  3880  3916  3951  3986  4022  4064  4099  4134  4169  4204  4239  4275
                                                    4311  4347  4389  4424  4460  4496  4531  4567  4607  4642  4678  4714  4749
                                                    4785  4824  4860  4895  4937  4972  5008  5044  5079  5115  5154  5189  5225
                                                    5261  5296  5332  5371  5407  5442
CTLR0               F    000004CC         4    368   162   163   164   165
DECNUM              C    00001089        16    426   242   244   251   253   258   260
E6TEST              4    00000000        36    449   213
E6TESTS             F    00004C54         4   5455   204
EDIT                X    0000105D        18    421   243   252   259
ENDTEST             U    0000039E         1    282   209
EOJ                 I    000004B0         4    358   197   285
EOJPSW              D    000004A0         8    356   358
FAILCONT            U    0000038E         1    272   267
FAILED              F    00001000         4    397   274   283
FAILPSW             D    000004B8         8    360   362
FAILTEST            I    000004C8         4    362   286
FB0001              F    00000290         8    181   185   186   188
IMAGE               1    00000000     20088      0
K                   U    00000400         1    380   381   382   383
K64                 U    00010000         1    382
MB                  U    00100000         1    383
MSG                 I    000003E8         4    318   196   301
MSGCMD              C    00000436         9    348   331   332
MSGMSG              C    0000043F        95    349   325   346   323
MSGMVC              I    00000430         6    346   329
MSGOK               I    000003FE         2    327   324
MSGRET              I    0000041E         4    342   335   338
MSGSAVE             F    00000424         4    345   321   342
NEXTE6              U    000002E4         1    206   223   277
OPNAME              C    00000014         8    459   247
PAGE                U    00001000         1    381
PRT3                C    00001073        18    424   243   244   245   252   253   254   259   260   261
R0                  U    00000000         1   5601   111   162   165   185   187   188   189   194   211   263   273   274   300
                                                     302   318   321   323   325   327   342   619   654   689   724   759   794
                                                     830   866   902   941   976  1011  1046  1081  1116  1152  1188  1224  1263
                                                    1298  1333  1368  1404  1439  1478  1513  1549  1584  1619  1654  1690  1726
                                                    1765  1800  1836  1871  1906  1941  1977  2013  2052  2088  2123  2158  2193
                                                    2228  2267  2303  2338  2373  2408  2443  2479  2515  2554  2590  2625  2660
```

```
     SYMBOL        TYPE   VALUE      LENGTH    DEFN  REFERENCES

                                                     2695  2730  2766  2802  2841  2876  2911  2947  2982  3017  3053  3089  3128
                                                     3163  3198  3234  3269  3304  3340  3376  3415  3450  3486  3521  3556  3591
                                                     3633  3668  3703  3738  3773  3808  3843  3879  3915  3950  3985  4021  4063
                                                     4098  4133  4168  4203  4238  4274  4310  4346  4388  4423  4459  4495  4530
                                                     4566  4606  4641  4677  4713  4748  4784  4823  4859  4894  4936  4971  5007
                                                     5043  5078  5114  5153  5188  5224  5260  5295  5331  5370  5406  5441
R1                  U    00000001          1  5602    195   218   219   220   234   235   236   237   264   283   284   332   346
R10                 U    0000000A          1  5611    150   159   160
R11                 U    0000000B          1  5612    215   216   621   656   691   726   761   796   832   868   904   943   978
                                                     1013  1048  1083  1118  1154  1190  1226  1265  1300  1335  1370  1406  1441
                                                     1480  1515  1551  1586  1621  1656  1692  1728  1767  1802  1838  1873  1908
                                                     1943  1979  2015  2054  2090  2125  2160  2195  2230  2269  2305  2340  2375
                                                     2410  2445  2481  2517  2556  2592  2627  2662  2697  2732  2768  2804  2843
                                                     2878  2913  2949  2984  3019  3055  3091  3130  3165  3200  3236  3271  3306
                                                     3342  3378  3417  3452  3488  3523  3558  3593  3635  3670  3705  3740  3775
                                                     3810  3845  3881  3917  3952  3987  4023  4065  4100  4135  4170  4205  4240
                                                     4276  4312  4348  4390  4425  4461  4497  4532  4568  4608  4643  4679  4715
                                                     4750  4786  4825  4861  4896  4938  4973  5009  5045  5080  5116  5155  5190
                                                     5226  5262  5297  5333  5372  5408  5443
R12                 U    0000000C          1  5613    204   207   222   276
R13                 U    0000000D          1  5614
R14                 U    0000000E          1  5615
R15                 U    0000000F          1  5616    265   295   305   306
R1FUDGE             X    000010A0          8   432
R1OUTPUT            F    000010D8          8   436
R2                  U    00000002          1  5603    196   241   242   249   250   251   256   257   258   300   301   302   319
                                                      321   327   328   329   331   337   342   343   607   608   609   610   619
                                                      620   642   643   644   645   654   655   677   678   679   680   689   690
                                                      712   713   714   715   724   725   747   748   749   750   759   760   782
                                                      783   784   785   794   795   818   819   820   821   830   831   854   855
                                                      856   857   866   867   890   891   892   893   902   903   929   930   931
                                                      932   941   942   964   965   966   967   976   977   999  1000  1001  1002
                                                     1011  1012  1034  1035  1036  1037  1046  1047  1069  1070  1071  1072  1081
                                                     1082  1104  1105  1106  1107  1116  1117  1140  1141  1142  1143  1152  1153
                                                     1176  1177  1178  1179  1188  1189  1212  1213  1214  1215  1224  1225  1251
                                                     1252  1253  1254  1263  1264  1286  1287  1288  1289  1298  1299  1321  1322
                                                     1323  1324  1333  1334  1356  1357  1358  1359  1368  1369  1392  1393  1394
                                                     1395  1404  1405  1427  1428  1429  1430  1439  1440  1466  1467  1468  1469
                                                     1478  1479  1501  1502  1503  1504  1513  1514  1537  1538  1539  1540  1549
                                                     1550  1572  1573  1574  1575  1584  1585  1607  1608  1609  1610  1619  1620
                                                     1642  1643  1644  1645  1654  1655  1678  1679  1680  1681  1690  1691  1714
                                                     1715  1716  1717  1726  1727  1753  1754  1755  1756  1765  1766  1788  1789
                                                     1790  1791  1800  1801  1824  1825  1826  1827  1836  1837  1859  1860  1861
                                                     1862  1871  1872  1894  1895  1896  1897  1906  1907  1929  1930  1931  1932
                                                     1941  1942  1965  1966  1967  1968  1977  1978  2001  2002  2003  2004  2013
                                                     2014  2040  2041  2042  2043  2052  2053  2076  2077  2078  2079  2088  2089
                                                     2111  2112  2113  2114  2123  2124  2146  2147  2148  2149  2158  2159  2181
                                                     2182  2183  2184  2193  2194  2216  2217  2218  2219  2228  2229  2255  2256
                                                     2257  2258  2267  2268  2291  2292  2293  2294  2303  2304  2326  2327  2328
                                                     2329  2338  2339  2361  2362  2363  2364  2373  2374  2396  2397  2398  2399
                                                     2408  2409  2431  2432  2433  2434  2443  2444  2467  2468  2469  2470  2479
                                                     2480  2503  2504  2505  2506  2515  2516  2542  2543  2544  2545  2554  2555
                                                     2578  2579  2580  2581  2590  2591  2613  2614  2615  2616  2625  2626  2648
                                                     2649  2650  2651  2660  2661  2683  2684  2685  2686  2695  2696  2718  2719
                                                     2720  2721  2730  2731  2754  2755  2756  2757  2766  2767  2790  2791  2792
                                                     2793  2802  2803  2829  2830  2831  2832  2841  2842  2864  2865  2866  2867
```

```
     SYMBOL        TYPE  VALUE       LENGTH    DEFN  REFERENCES

                                                     2876  2877  2899  2900  2901  2902  2911  2912  2935  2936  2937  2938  2947
                                                     2948  2970  2971  2972  2973  2982  2983  3005  3006  3007  3008  3017  3018
                                                     3041  3042  3043  3044  3053  3054  3077  3078  3079  3080  3089  3090  3116
                                                     3117  3118  3119  3128  3129  3151  3152  3153  3154  3163  3164  3186  3187
                                                     3188  3189  3198  3199  3222  3223  3224  3225  3234  3235  3257  3258  3259
                                                     3260  3269  3270  3292  3293  3294  3295  3304  3305  3328  3329  3330  3331
                                                     3340  3341  3364  3365  3366  3367  3376  3377  3403  3404  3405  3406  3415
                                                     3416  3438  3439  3440  3441  3450  3451  3474  3475  3476  3477  3486  3487
                                                     3509  3510  3511  3512  3521  3522  3544  3545  3546  3547  3556  3557  3579
                                                     3580  3581  3582  3591  3592  3621  3622  3623  3624  3633  3634  3656  3657
                                                     3658  3659  3668  3669  3691  3692  3693  3694  3703  3704  3726  3727  3728
                                                     3729  3738  3739  3761  3762  3763  3764  3773  3774  3796  3797  3798  3799
                                                     3808  3809  3831  3832  3833  3834  3843  3844  3867  3868  3869  3870  3879
                                                     3880  3903  3904  3905  3906  3915  3916  3938  3939  3940  3941  3950  3951
                                                     3973  3974  3975  3976  3985  3986  4009  4010  4011  4012  4021  4022  4051
                                                     4052  4053  4054  4063  4064  4086  4087  4088  4089  4098  4099  4121  4122
                                                     4123  4124  4133  4134  4156  4157  4158  4159  4168  4169  4191  4192  4193
                                                     4194  4203  4204  4226  4227  4228  4229  4238  4239  4262  4263  4264  4265
                                                     4274  4275  4298  4299  4300  4301  4310  4311  4334  4335  4336  4337  4346
                                                     4347  4376  4377  4378  4379  4388  4389  4411  4412  4413  4414  4423  4424
                                                     4447  4448  4449  4450  4459  4460  4483  4484  4485  4486  4495  4496  4518
                                                     4519  4520  4521  4530  4531  4554  4555  4556  4557  4566  4567  4594  4595
                                                     4596  4597  4606  4607  4629  4630  4631  4632  4641  4642  4665  4666  4667
                                                     4668  4677  4678  4701  4702  4703  4704  4713  4714  4736  4737  4738  4739
                                                     4748  4749  4772  4773  4774  4775  4784  4785  4811  4812  4813  4814  4823
                                                     4824  4847  4848  4849  4850  4859  4860  4882  4883  4884  4885  4894  4895
                                                     4924  4925  4926  4927  4936  4937  4959  4960  4961  4962  4971  4972  4995
                                                     4996  4997  4998  5007  5008  5031  5032  5033  5034  5043  5044  5066  5067
                                                     5068  5069  5078  5079  5102  5103  5104  5105  5114  5115  5141  5142  5143
                                                     5144  5153  5154  5176  5177  5178  5179  5188  5189  5212  5213  5214  5215
                                                     5224  5225  5248  5249  5250  5251  5260  5261  5283  5284  5285  5286  5295
                                                     5296  5319  5320  5321  5322  5331  5332  5358  5359  5360  5361  5370  5371
                                                     5394  5395  5396  5397  5406  5407  5429  5430  5431  5432  5441  5442
R3                  U    00000003         1  5604
R4                  U    00000004         1  5605
R5                  U    00000005         1  5606   207   208   213   296   304   594   623   629   658   664   693   699   728
                                                      734   763   769   798   805   834   841   870   877   906   916   945   951
                                                      980   986  1015  1021  1050  1056  1085  1091  1120  1127  1156  1163  1192
                                                     1199  1228  1238  1267  1273  1302  1308  1337  1343  1372  1379  1408  1414
                                                     1443  1453  1482  1488  1517  1524  1553  1559  1588  1594  1623  1629  1658
                                                     1665  1694  1701  1730  1740  1769  1775  1804  1811  1840  1846  1875  1881
                                                     1910  1916  1945  1952  1981  1988  2017  2027  2056  2063  2092  2098  2127
                                                     2133  2162  2168  2197  2203  2232  2242  2271  2278  2307  2313  2342  2348
                                                     2377  2383  2412  2418  2447  2454  2483  2490  2519  2529  2558  2565  2594
                                                     2600  2629  2635  2664  2670  2699  2705  2734  2741  2770  2777  2806  2816
                                                     2845  2851  2880  2886  2915  2922  2951  2957  2986  2992  3021  3028  3057
                                                     3064  3093  3103  3132  3138  3167  3173  3202  3209  3238  3244  3273  3279
                                                     3308  3315  3344  3351  3380  3390  3419  3425  3454  3461  3490  3496  3525
                                                     3531  3560  3566  3595  3608  3637  3643  3672  3678  3707  3713  3742  3748
                                                     3777  3783  3812  3818  3847  3854  3883  3890  3919  3925  3954  3960  3989
                                                     3996  4025  4038  4067  4073  4102  4108  4137  4143  4172  4178  4207  4213
                                                     4242  4249  4278  4285  4314  4321  4350  4363  4392  4398  4427  4434  4463
                                                     4470  4499  4505  4534  4541  4570  4581  4610  4616  4645  4652  4681  4688
                                                     4717  4723  4752  4759  4788  4798  4827  4834  4863  4869  4898  4911  4940
                                                     4946  4975  4982  5011  5018  5047  5053  5082  5089  5118  5128  5157  5163
                                                     5192  5199  5228  5235  5264  5270  5299  5306  5335  5345  5374  5381  5410
```

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
					5416 5445
R6	U	00000006	1	5607	
R7	U	00000007	1	5608	
R8	U	00000008	1	5609	148 152 153 154 156
R9	U	00000009	1	5610	149 156 157 159
RE1	F	0000118C	4	622	604
RE10	F	0000157C	4	944	926
RE100	F	00003CDC	4	4171	4153
RE101	F	00003D4C	4	4206	4188
RE102	F	00003DBC	4	4241	4223
RE103	F	00003E2C	4	4277	4259
RE104	F	00003E9C	4	4313	4295
RE105	F	00003F0C	4	4349	4331
RE106	F	00003F7C	4	4391	4373
RE107	F	00003FEC	4	4426	4408
RE108	F	0000405C	4	4462	4444
RE109	F	000040CC	4	4498	4480
RE11	F	000015EC	4	979	961
RE110	F	0000413C	4	4533	4515
RE111	F	000041AC	4	4569	4551
RE112	F	0000421C	4	4609	4591
RE113	F	0000428C	4	4644	4626
RE114	F	000042FC	4	4680	4662
RE115	F	0000436C	4	4716	4698
RE116	F	000043DC	4	4751	4733
RE117	F	0000444C	4	4787	4769
RE118	F	000044BC	4	4826	4808
RE119	F	0000452C	4	4862	4844
RE12	F	0000165C	4	1014	996
RE120	F	0000459C	4	4897	4879
RE121	F	0000460C	4	4939	4921
RE122	F	0000467C	4	4974	4956
RE123	F	000046EC	4	5010	4992
RE124	F	0000475C	4	5046	5028
RE125	F	000047CC	4	5081	5063
RE126	F	0000483C	4	5117	5099
RE127	F	000048AC	4	5156	5138
RE128	F	0000491C	4	5191	5173
RE129	F	0000498C	4	5227	5209
RE13	F	000016CC	4	1049	1031
RE130	F	000049FC	4	5263	5245
RE131	F	00004A6C	4	5298	5280
RE132	F	00004ADC	4	5334	5316
RE133	F	00004B4C	4	5373	5355
RE134	F	00004BBC	4	5409	5391
RE135	F	00004C2C	4	5444	5426
RE14	F	0000173C	4	1084	1066
RE15	F	000017AC	4	1119	1101
RE16	F	0000181C	4	1155	1137
RE17	F	0000188C	4	1191	1173
RE18	F	000018FC	4	1227	1209
RE19	F	0000196C	4	1266	1248
RE2	F	000011FC	4	657	639
RE20	F	000019DC	4	1301	1283
RE21	F	00001A4C	4	1336	1318
RE22	F	00001ABC	4	1371	1353

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
RE23	F	00001B2C	4	1407	1389
RE24	F	00001B9C	4	1442	1424
RE25	F	00001C0C	4	1481	1463
RE26	F	00001C7C	4	1516	1498
RE27	F	00001CEC	4	1552	1534
RE28	F	00001D5C	4	1587	1569
RE29	F	00001DCC	4	1622	1604
RE3	F	0000126C	4	692	674
RE30	F	00001E3C	4	1657	1639
RE31	F	00001EAC	4	1693	1675
RE32	F	00001F1C	4	1729	1711
RE33	F	00001F8C	4	1768	1750
RE34	F	00001FFC	4	1803	1785
RE35	F	0000206C	4	1839	1821
RE36	F	000020DC	4	1874	1856
RE37	F	0000214C	4	1909	1891
RE38	F	000021BC	4	1944	1926
RE39	F	0000222C	4	1980	1962
RE4	F	000012DC	4	727	709
RE40	F	0000229C	4	2016	1998
RE41	F	0000230C	4	2055	2037
RE42	F	0000237C	4	2091	2073
RE43	F	000023EC	4	2126	2108
RE44	F	0000245C	4	2161	2143
RE45	F	000024CC	4	2196	2178
RE46	F	0000253C	4	2231	2213
RE47	F	000025AC	4	2270	2252
RE48	F	0000261C	4	2306	2288
RE49	F	0000268C	4	2341	2323
RE5	F	0000134C	4	762	744
RE50	F	000026FC	4	2376	2358
RE51	F	0000276C	4	2411	2393
RE52	F	000027DC	4	2446	2428
RE53	F	0000284C	4	2482	2464
RE54	F	000028BC	4	2518	2500
RE55	F	0000292C	4	2557	2539
RE56	F	0000299C	4	2593	2575
RE57	F	00002A0C	4	2628	2610
RE58	F	00002A7C	4	2663	2645
RE59	F	00002AEC	4	2698	2680
RE6	F	000013BC	4	797	779
RE60	F	00002B5C	4	2733	2715
RE61	F	00002BCC	4	2769	2751
RE62	F	00002C3C	4	2805	2787
RE63	F	00002CAC	4	2844	2826
RE64	F	00002D1C	4	2879	2861
RE65	F	00002D8C	4	2914	2896
RE66	F	00002DFC	4	2950	2932
RE67	F	00002E6C	4	2985	2967
RE68	F	00002EDC	4	3020	3002
RE69	F	00002F4C	4	3056	3038
RE7	F	0000142C	4	833	815
RE70	F	00002FBC	4	3092	3074
RE71	F	0000302C	4	3131	3113
RE72	F	0000309C	4	3166	3148
RE73	F	0000310C	4	3201	3183

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
RE74	F	0000317C	4	3237	3219
RE75	F	000031EC	4	3272	3254
RE76	F	0000325C	4	3307	3289
RE77	F	000032CC	4	3343	3325
RE78	F	0000333C	4	3379	3361
RE79	F	000033AC	4	3418	3400
RE8	F	0000149C	4	869	851
RE80	F	0000341C	4	3453	3435
RE81	F	0000348C	4	3489	3471
RE82	F	000034FC	4	3524	3506
RE83	F	0000356C	4	3559	3541
RE84	F	000035DC	4	3594	3576
RE85	F	0000364C	4	3636	3618
RE86	F	000036BC	4	3671	3653
RE87	F	0000372C	4	3706	3688
RE88	F	0000379C	4	3741	3723
RE89	F	0000380C	4	3776	3758
RE9	F	0000150C	4	905	887
RE90	F	0000387C	4	3811	3793
RE91	F	000038EC	4	3846	3828
RE92	F	0000395C	4	3882	3864
RE93	F	000039CC	4	3918	3900
RE94	F	00003A3C	4	3953	3935
RE95	F	00003AAC	4	3988	3970
RE96	F	00003B1C	4	4024	4006
RE97	F	00003B8C	4	4066	4048
RE98	F	00003BFC	4	4101	4083
RE99	F	00003C6C	4	4136	4118
REA1	A	00001160	4	604	607
REA10	A	00001550	4	926	929
REA100	A	00003CB0	4	4153	4156
REA101	A	00003D20	4	4188	4191
REA102	A	00003D90	4	4223	4226
REA103	A	00003E00	4	4259	4262
REA104	A	00003E70	4	4295	4298
REA105	A	00003EE0	4	4331	4334
REA106	A	00003F50	4	4373	4376
REA107	A	00003FC0	4	4408	4411
REA108	A	00004030	4	4444	4447
REA109	A	000040A0	4	4480	4483
REA11	A	000015C0	4	961	964
REA110	A	00004110	4	4515	4518
REA111	A	00004180	4	4551	4554
REA112	A	000041F0	4	4591	4594
REA113	A	00004260	4	4626	4629
REA114	A	000042D0	4	4662	4665
REA115	A	00004340	4	4698	4701
REA116	A	000043B0	4	4733	4736
REA117	A	00004420	4	4769	4772
REA118	A	00004490	4	4808	4811
REA119	A	00004500	4	4844	4847
REA12	A	00001630	4	996	999
REA120	A	00004570	4	4879	4882
REA121	A	000045E0	4	4921	4924
REA122	A	00004650	4	4956	4959
REA123	A	000046C0	4	4992	4995

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
REA124	A	00004730	4	5028	5031
REA125	A	000047A0	4	5063	5066
REA126	A	00004810	4	5099	5102
REA127	A	00004880	4	5138	5141
REA128	A	000048F0	4	5173	5176
REA129	A	00004960	4	5209	5212
REA13	A	000016A0	4	1031	1034
REA130	A	000049D0	4	5245	5248
REA131	A	00004A40	4	5280	5283
REA132	A	00004AB0	4	5316	5319
REA133	A	00004B20	4	5355	5358
REA134	A	00004B90	4	5391	5394
REA135	A	00004C00	4	5426	5429
REA14	A	00001710	4	1066	1069
REA15	A	00001780	4	1101	1104
REA16	A	000017F0	4	1137	1140
REA17	A	00001860	4	1173	1176
REA18	A	000018D0	4	1209	1212
REA19	A	00001940	4	1248	1251
REA2	A	000011D0	4	639	642
REA20	A	000019B0	4	1283	1286
REA21	A	00001A20	4	1318	1321
REA22	A	00001A90	4	1353	1356
REA23	A	00001B00	4	1389	1392
REA24	A	00001B70	4	1424	1427
REA25	A	00001BE0	4	1463	1466
REA26	A	00001C50	4	1498	1501
REA27	A	00001CC0	4	1534	1537
REA28	A	00001D30	4	1569	1572
REA29	A	00001DA0	4	1604	1607
REA3	A	00001240	4	674	677
REA30	A	00001E10	4	1639	1642
REA31	A	00001E80	4	1675	1678
REA32	A	00001EF0	4	1711	1714
REA33	A	00001F60	4	1750	1753
REA34	A	00001FD0	4	1785	1788
REA35	A	00002040	4	1821	1824
REA36	A	000020B0	4	1856	1859
REA37	A	00002120	4	1891	1894
REA38	A	00002190	4	1926	1929
REA39	A	00002200	4	1962	1965
REA4	A	000012B0	4	709	712
REA40	A	00002270	4	1998	2001
REA41	A	000022E0	4	2037	2040
REA42	A	00002350	4	2073	2076
REA43	A	000023C0	4	2108	2111
REA44	A	00002430	4	2143	2146
REA45	A	000024A0	4	2178	2181
REA46	A	00002510	4	2213	2216
REA47	A	00002580	4	2252	2255
REA48	A	000025F0	4	2288	2291
REA49	A	00002660	4	2323	2326
REA5	A	00001320	4	744	747
REA50	A	000026D0	4	2358	2361
REA51	A	00002740	4	2393	2396
REA52	A	000027B0	4	2428	2431

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
REA53	A	00002820	4	2464	2467
REA54	A	00002890	4	2500	2503
REA55	A	00002900	4	2539	2542
REA56	A	00002970	4	2575	2578
REA57	A	000029E0	4	2610	2613
REA58	A	00002A50	4	2645	2648
REA59	A	00002AC0	4	2680	2683
REA6	A	00001390	4	779	782
REA60	A	00002B30	4	2715	2718
REA61	A	00002BA0	4	2751	2754
REA62	A	00002C10	4	2787	2790
REA63	A	00002C80	4	2826	2829
REA64	A	00002CF0	4	2861	2864
REA65	A	00002D60	4	2896	2899
REA66	A	00002DD0	4	2932	2935
REA67	A	00002E40	4	2967	2970
REA68	A	00002EB0	4	3002	3005
REA69	A	00002F20	4	3038	3041
REA7	A	00001400	4	815	818
REA70	A	00002F90	4	3074	3077
REA71	A	00003000	4	3113	3116
REA72	A	00003070	4	3148	3151
REA73	A	000030E0	4	3183	3186
REA74	A	00003150	4	3219	3222
REA75	A	000031C0	4	3254	3257
REA76	A	00003230	4	3289	3292
REA77	A	000032A0	4	3325	3328
REA78	A	00003310	4	3361	3364
REA79	A	00003380	4	3400	3403
REA8	A	00001470	4	851	854
REA80	A	000033F0	4	3435	3438
REA81	A	00003460	4	3471	3474
REA82	A	000034D0	4	3506	3509
REA83	A	00003540	4	3541	3544
REA84	A	000035B0	4	3576	3579
REA85	A	00003620	4	3618	3621
REA86	A	00003690	4	3653	3656
REA87	A	00003700	4	3688	3691
REA88	A	00003770	4	3723	3726
REA89	A	000037E0	4	3758	3761
REA9	A	000014E0	4	887	890
REA90	A	00003850	4	3793	3796
REA91	A	000038C0	4	3828	3831
REA92	A	00003930	4	3864	3867
REA93	A	000039A0	4	3900	3903
REA94	A	00003A10	4	3935	3938
REA95	A	00003A80	4	3970	3973
REA96	A	00003AF0	4	4006	4009
REA97	A	00003B60	4	4048	4051
REA98	A	00003BD0	4	4083	4086
REA99	A	00003C40	4	4118	4121
READDR	A	00000020	4	462	
REG2LOW	U	000000DD	1	387	
REG2PATT	U	AABBCCDD	1	386	
RELEN	A	0000001C	4	461	
RPTDWSAV	D	000003D8	8	311	300 302

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES	
RPTERROR	I	000003AC	4	295	265	
RPTSAVE	F	000003CC	4	308	295	305
RPTSVR5	F	000003D0	4	309	296	304
SKL0001	U	0000005E	1	178	194	
SKT0001	C	0000022A	22	175	178	195
SVOLDPSW	U	00000140	0	113		
T1	A	00001140	4	595	5458	
T10	A	00001530	4	917	5467	
T100	A	00003C90	4	4144	5557	
T101	A	00003D00	4	4179	5558	
T102	A	00003D70	4	4214	5559	
T103	A	00003DE0	4	4250	5560	
T104	A	00003E50	4	4286	5561	
T105	A	00003EC0	4	4322	5562	
T106	A	00003F30	4	4364	5563	
T107	A	00003FA0	4	4399	5564	
T108	A	00004010	4	4435	5565	
T109	A	00004080	4	4471	5566	
T11	A	000015A0	4	952	5468	
T110	A	000040F0	4	4506	5567	
T111	A	00004160	4	4542	5568	
T112	A	000041D0	4	4582	5569	
T113	A	00004240	4	4617	5570	
T114	A	000042B0	4	4653	5571	
T115	A	00004320	4	4689	5572	
T116	A	00004390	4	4724	5573	
T117	A	00004400	4	4760	5574	
T118	A	00004470	4	4799	5575	
T119	A	000044E0	4	4835	5576	
T12	A	00001610	4	987	5469	
T120	A	00004550	4	4870	5577	
T121	A	000045C0	4	4912	5578	
T122	A	00004630	4	4947	5579	
T123	A	000046A0	4	4983	5580	
T124	A	00004710	4	5019	5581	
T125	A	00004780	4	5054	5582	
T126	A	000047F0	4	5090	5583	
T127	A	00004860	4	5129	5584	
T128	A	000048D0	4	5164	5585	
T129	A	00004940	4	5200	5586	
T13	A	00001680	4	1022	5470	
T130	A	000049B0	4	5236	5587	
T131	A	00004A20	4	5271	5588	
T132	A	00004A90	4	5307	5589	
T133	A	00004B00	4	5346	5590	
T134	A	00004B70	4	5382	5591	
T135	A	00004BE0	4	5417	5592	
T14	A	000016F0	4	1057	5471	
T15	A	00001760	4	1092	5472	
T16	A	000017D0	4	1128	5473	
T17	A	00001840	4	1164	5474	
T18	A	000018B0	4	1200	5475	
T19	A	00001920	4	1239	5476	
T2	A	000011B0	4	630	5459	
T20	A	00001990	4	1274	5477	
T21	A	00001A00	4	1309	5478	

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
T22	A	00001A70	4	1344	5479
T23	A	00001AE0	4	1380	5480
T24	A	00001B50	4	1415	5481
T25	A	00001BC0	4	1454	5482
T26	A	00001C30	4	1489	5483
T27	A	00001CA0	4	1525	5484
T28	A	00001D10	4	1560	5485
T29	A	00001D80	4	1595	5486
T3	A	00001220	4	665	5460
T30	A	00001DF0	4	1630	5487
T31	A	00001E60	4	1666	5488
T32	A	00001ED0	4	1702	5489
T33	A	00001F40	4	1741	5490
T34	A	00001FB0	4	1776	5491
T35	A	00002020	4	1812	5492
T36	A	00002090	4	1847	5493
T37	A	00002100	4	1882	5494
T38	A	00002170	4	1917	5495
T39	A	000021E0	4	1953	5496
T4	A	00001290	4	700	5461
T40	A	00002250	4	1989	5497
T41	A	000022C0	4	2028	5498
T42	A	00002330	4	2064	5499
T43	A	000023A0	4	2099	5500
T44	A	00002410	4	2134	5501
T45	A	00002480	4	2169	5502
T46	A	000024F0	4	2204	5503
T47	A	00002560	4	2243	5504
T48	A	000025D0	4	2279	5505
T49	A	00002640	4	2314	5506
T5	A	00001300	4	735	5462
T50	A	000026B0	4	2349	5507
T51	A	00002720	4	2384	5508
T52	A	00002790	4	2419	5509
T53	A	00002800	4	2455	5510
T54	A	00002870	4	2491	5511
T55	A	000028E0	4	2530	5512
T56	A	00002950	4	2566	5513
T57	A	000029C0	4	2601	5514
T58	A	00002A30	4	2636	5515
T59	A	00002AA0	4	2671	5516
T6	A	00001370	4	770	5463
T60	A	00002B10	4	2706	5517
T61	A	00002B80	4	2742	5518
T62	A	00002BF0	4	2778	5519
T63	A	00002C60	4	2817	5520
T64	A	00002CD0	4	2852	5521
T65	A	00002D40	4	2887	5522
T66	A	00002DB0	4	2923	5523
T67	A	00002E20	4	2958	5524
T68	A	00002E90	4	2993	5525
T69	A	00002F00	4	3029	5526
T7	A	000013E0	4	806	5464
T70	A	00002F70	4	3065	5527
T71	A	00002FE0	4	3104	5528
T72	A	00003050	4	3139	5529

```
     SYMBOL        TYPE   VALUE      LENGTH    DEFN  REFERENCES

T73                 A     000030C0          4  3174  5530
T74                 A     00003130          4  3210  5531
T75                 A     000031A0          4  3245  5532
T76                 A     00003210          4  3280  5533
T77                 A     00003280          4  3316  5534
T78                 A     000032F0          4  3352  5535
T79                 A     00003360          4  3391  5536
T8                  A     00001450          4   842  5465
T80                 A     000033D0          4  3426  5537
T81                 A     00003440          4  3462  5538
T82                 A     000034B0          4  3497  5539
T83                 A     00003520          4  3532  5540
T84                 A     00003590          4  3567  5541
T85                 A     00003600          4  3609  5542
T86                 A     00003670          4  3644  5543
T87                 A     000036E0          4  3679  5544
T88                 A     00003750          4  3714  5545
T89                 A     000037C0          4  3749  5546
T9                  A     000014C0          4   878  5466
T90                 A     00003830          4  3784  5547
T91                 A     000038A0          4  3819  5548
T92                 A     00003910          4  3855  5549
T93                 A     00003980          4  3891  5550
T94                 A     000039F0          4  3926  5551
T95                 A     00003A60          4  3961  5552
T96                 A     00003AD0          4  3997  5553
T97                 A     00003B40          4  4039  5554
T98                 A     00003BB0          4  4074  5555
T99                 A     00003C20          4  4109  5556
TESTCC              I     0000030E          4   225   220
TESTING             F     00001004          4   398
TNUM                H     00000004          2   451   241
TSUB                A     00000000          4   450   215
TTABLE              F     00004C54          4  5457
V0                  U     00000000          1  5622
V1                  U     00000001          1  5623   608   643   678   713   748   783   819   855   891   930   965  1000  1035
                                                     1070  1105  1141  1177  1213  1252  1287  1322  1357  1393  1428  1467  1502
                                                     1538  1573  1608  1643  1679  1715  1754  1789  1825  1860  1895  1930  1966
                                                     2002  2041  2077  2112  2147  2182  2217  2256  2292  2327  2362  2397  2432
                                                     2468  2504  2543  2579  2614  2649  2684  2719  2755  2791  2830  2865  2900
                                                     2936  2971  3006  3042  3078  3117  3152  3187  3223  3258  3293  3329  3365
                                                     3404  3439  3475  3510  3545  3580  3622  3657  3692  3727  3762  3797  3832
                                                     3868  3904  3939  3974  4010  4052  4087  4122  4157  4192  4227  4263  4299
                                                     4335  4377  4412  4448  4484  4519  4555  4595  4630  4666  4702  4737  4773
                                                     4812  4848  4883  4925  4960  4996  5032  5067  5103  5142  5177  5213  5249
                                                     5284  5320  5359  5395  5430
V10                 U     0000000A          1  5632
V11                 U     0000000B          1  5633
V12                 U     0000000C          1  5634
V13                 U     0000000D          1  5635
V14                 U     0000000E          1  5636
V15                 U     0000000F          1  5637
V16                 U     00000010          1  5638
V17                 U     00000011          1  5639
V18                 U     00000012          1  5640
V19                 U     00000013          1  5641
```

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
V1FUDGE	X	000010F0	16	438	
V1FUDGEB	X	00001100	16	439	
V1INPUT	C	00001110	16	440	
V1OUTPUT	X	000010B8	16	434	
V2	U	00000002	1	5624	610 645 680 715 750 785 821 857 893 932 967 1002 1037
					1072 1107 1143 1179 1215 1254 1289 1324 1359 1395 1430 1469 1504
					1540 1575 1610 1645 1681 1717 1756 1791 1827 1862 1897 1932 1968
					2004 2043 2079 2114 2149 2184 2219 2258 2294 2329 2364 2399 2434
					2470 2506 2545 2581 2616 2651 2686 2721 2757 2793 2832 2867 2902
					2938 2973 3008 3044 3080 3119 3154 3189 3225 3260 3295 3331 3367
					3406 3441 3477 3512 3547 3582 3624 3659 3694 3729 3764 3799 3834
					3870 3906 3941 3976 4012 4054 4089 4124 4159 4194 4229 4265 4301
					4337 4379 4414 4450 4486 4521 4557 4597 4632 4668 4704 4739 4775
					4814 4850 4885 4927 4962 4998 5034 5069 5105 5144 5179 5215 5251
					5286 5322 5361 5397 5432
V20	U	00000014	1	5642	
V21	U	00000015	1	5643	
V22	U	00000016	1	5644	
V23	U	00000017	1	5645	
V24	U	00000018	1	5646	
V25	U	00000019	1	5647	
V26	U	0000001A	1	5648	
V27	U	0000001B	1	5649	
V28	U	0000001C	1	5650	
V29	U	0000001D	1	5651	
V3	U	00000003	1	5625	
V30	U	0000001E	1	5652	
V31	U	0000001F	1	5653	
V4	U	00000004	1	5626	
V5	U	00000005	1	5627	
V6	U	00000006	1	5628	
V7	U	00000007	1	5629	
V8	U	00000008	1	5630	
V9	U	00000009	1	5631	
X0001	U	000002B8	1	184	172 185
X1	F	00001164	4	606	595
X10	F	00001554	4	928	917
X100	F	00003CB4	4	4155	4144
X101	F	00003D24	4	4190	4179
X102	F	00003D94	4	4225	4214
X103	F	00003E04	4	4261	4250
X104	F	00003E74	4	4297	4286
X105	F	00003EE4	4	4333	4322
X106	F	00003F54	4	4375	4364
X107	F	00003FC4	4	4410	4399
X108	F	00004034	4	4446	4435
X109	F	000040A4	4	4482	4471
X11	F	000015C4	4	963	952
X110	F	00004114	4	4517	4506
X111	F	00004184	4	4553	4542
X112	F	000041F4	4	4593	4582
X113	F	00004264	4	4628	4617
X114	F	000042D4	4	4664	4653
X115	F	00004344	4	4700	4689
X116	F	000043B4	4	4735	4724
X117	F	00004424	4	4771	4760

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
X118	F	00004494	4	4810	4799
X119	F	00004504	4	4846	4835
X12	F	00001634	4	998	987
X120	F	00004574	4	4881	4870
X121	F	000045E4	4	4923	4912
X122	F	00004654	4	4958	4947
X123	F	000046C4	4	4994	4983
X124	F	00004734	4	5030	5019
X125	F	000047A4	4	5065	5054
X126	F	00004814	4	5101	5090
X127	F	00004884	4	5140	5129
X128	F	000048F4	4	5175	5164
X129	F	00004964	4	5211	5200
X13	F	000016A4	4	1033	1022
X130	F	000049D4	4	5247	5236
X131	F	00004A44	4	5282	5271
X132	F	00004AB4	4	5318	5307
X133	F	00004B24	4	5357	5346
X134	F	00004B94	4	5393	5382
X135	F	00004C04	4	5428	5417
X14	F	00001714	4	1068	1057
X15	F	00001784	4	1103	1092
X16	F	000017F4	4	1139	1128
X17	F	00001864	4	1175	1164
X18	F	000018D4	4	1211	1200
X19	F	00001944	4	1250	1239
X2	F	000011D4	4	641	630
X20	F	000019B4	4	1285	1274
X21	F	00001A24	4	1320	1309
X22	F	00001A94	4	1355	1344
X23	F	00001B04	4	1391	1380
X24	F	00001B74	4	1426	1415
X25	F	00001BE4	4	1465	1454
X26	F	00001C54	4	1500	1489
X27	F	00001CC4	4	1536	1525
X28	F	00001D34	4	1571	1560
X29	F	00001DA4	4	1606	1595
X3	F	00001244	4	676	665
X30	F	00001E14	4	1641	1630
X31	F	00001E84	4	1677	1666
X32	F	00001EF4	4	1713	1702
X33	F	00001F64	4	1752	1741
X34	F	00001FD4	4	1787	1776
X35	F	00002044	4	1823	1812
X36	F	000020B4	4	1858	1847
X37	F	00002124	4	1893	1882
X38	F	00002194	4	1928	1917
X39	F	00002204	4	1964	1953
X4	F	000012B4	4	711	700
X40	F	00002274	4	2000	1989
X41	F	000022E4	4	2039	2028
X42	F	00002354	4	2075	2064
X43	F	000023C4	4	2110	2099
X44	F	00002434	4	2145	2134
X45	F	000024A4	4	2180	2169
X46	F	00002514	4	2215	2204

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
X47	F	00002584	4	2254	2243
X48	F	000025F4	4	2290	2279
X49	F	00002664	4	2325	2314
X5	F	00001324	4	746	735
X50	F	000026D4	4	2360	2349
X51	F	00002744	4	2395	2384
X52	F	000027B4	4	2430	2419
X53	F	00002824	4	2466	2455
X54	F	00002894	4	2502	2491
X55	F	00002904	4	2541	2530
X56	F	00002974	4	2577	2566
X57	F	000029E4	4	2612	2601
X58	F	00002A54	4	2647	2636
X59	F	00002AC4	4	2682	2671
X6	F	00001394	4	781	770
X60	F	00002B34	4	2717	2706
X61	F	00002BA4	4	2753	2742
X62	F	00002C14	4	2789	2778
X63	F	00002C84	4	2828	2817
X64	F	00002CF4	4	2863	2852
X65	F	00002D64	4	2898	2887
X66	F	00002DD4	4	2934	2923
X67	F	00002E44	4	2969	2958
X68	F	00002EB4	4	3004	2993
X69	F	00002F24	4	3040	3029
X7	F	00001404	4	817	806
X70	F	00002F94	4	3076	3065
X71	F	00003004	4	3115	3104
X72	F	00003074	4	3150	3139
X73	F	000030E4	4	3185	3174
X74	F	00003154	4	3221	3210
X75	F	000031C4	4	3256	3245
X76	F	00003234	4	3291	3280
X77	F	000032A4	4	3327	3316
X78	F	00003314	4	3363	3352
X79	F	00003384	4	3402	3391
X8	F	00001474	4	853	842
X80	F	000033F4	4	3437	3426
X81	F	00003464	4	3473	3462
X82	F	000034D4	4	3508	3497
X83	F	00003544	4	3543	3532
X84	F	000035B4	4	3578	3567
X85	F	00003624	4	3620	3609
X86	F	00003694	4	3655	3644
X87	F	00003704	4	3690	3679
X88	F	00003774	4	3725	3714
X89	F	000037E4	4	3760	3749
X9	F	000014E4	4	889	878
X90	F	00003854	4	3795	3784
X91	F	000038C4	4	3830	3819
X92	F	00003934	4	3866	3855
X93	F	000039A4	4	3902	3891
X94	F	00003A14	4	3937	3926
X95	F	00003A84	4	3972	3961
X96	F	00003AF4	4	4008	3997
X97	F	00003B64	4	4050	4039

SYMBOL	TYPE	VALUE	LENGTH	DEFN	REFERENCES
X98	F	00003BD4	4	4085	4074
X99	F	00003C44	4	4120	4109
XC0001	U	000002E0	1	198	190
ZVE6TST	J	00000000	20088	110	113 115 119 123 396 111
=A(E6TESTS)	A	000004D8	4	373	204
=AL2(L'MSGMSG)	R	000004E2	2	376	323
=F'1'	F	000004D4	4	372	189 273
=H'0'	H	000004E0	2	375	318
=XL4'3'	X	000004DC	4	374	236

```
 MACRO   DEFN  REFERENCES

FCHECK     62    171
PTTABLE   552   5456
VRI_L     499    592    627    662    697    732    767    803    839    875    914    949    984   1019   1054   1089   1125   1161
                1197   1236   1271   1306   1341   1377   1412   1451   1486   1522   1557   1592   1627   1663   1699   1738   1773
                1809   1844   1879   1914   1950   1986   2025   2061   2096   2131   2166   2201   2240   2276   2311   2346   2381
                2416   2452   2488   2527   2563   2598   2633   2668   2703   2739   2775   2814   2849   2884   2920   2955   2990
                3026   3062   3101   3136   3171   3207   3242   3277   3313   3349   3388   3423   3459   3494   3529   3564   3606
                3641   3676   3711   3746   3781   3816   3852   3888   3923   3958   3994   4036   4071   4106   4141   4176   4211
                4247   4283   4319   4361   4396   4432   4468   4503   4539   4579   4614   4650   4686   4721   4757   4796   4832
                4867   4909   4944   4980   5016   5051   5087   5126   5161   5197   5233   5268   5304   5343   5379   5414
VTZ       480    611    646    681    716    751    786    822    858    894    933    968   1003   1038   1073   1108   1144   1180
                1216   1255   1290   1325   1360   1396   1431   1470   1505   1541   1576   1611   1646   1682   1718   1757   1792
                1828   1863   1898   1933   1969   2005   2044   2080   2115   2150   2185   2220   2259   2295   2330   2365   2400
                2435   2471   2507   2546   2582   2617   2652   2687   2722   2758   2794   2833   2868   2903   2939   2974   3009
                3045   3081   3120   3155   3190   3226   3261   3296   3332   3368   3407   3442   3478   3513   3548   3583   3625
                3660   3695   3730   3765   3800   3835   3871   3907   3942   3977   4013   4055   4090   4125   4160   4195   4230
                4266   4302   4338   4380   4415   4451   4487   4522   4558   4598   4633   4669   4705   4740   4776   4815   4851
                4886   4928   4963   4999   5035   5070   5106   5145   5180   5216   5252   5287   5323   5362   5398   5433
```

```
   DESC      SYMBOL   SIZE     POS         ADDR

Entry: 0

Image      IMAGE    20088  0000-4E77  0000-4E77
  Region            20088  0000-4E77  0000-4E77
    CSECT  ZVE6TST  20088  0000-4E77  0000-4E77
```

STMT	FILE NAME
1	/devstor/sharedvfp/tests/zvector-e6-22-VTZ.asm

** NO ERRORS FOUND **