

# Daily Attention Agent V1

## New Name: Executive Assistant Agent V1

This is an **Executive Assistant Agent**, it needs:

1. **A capability model (what it can do)**
2. **A connector/tool abstraction (so Jira/Slack can plug in)**
3. **A reliable execution contract with Mr. Elite (how it runs, what it outputs, what it never does)**

Below is the **proper PRD** you can hand to interns and expect production-grade output.

---

## PRD

### Daily Attention Agent (Executive Assistant Agent) V1

“What needs my attention today across all tools?”

---

## 1. Agent Identity

### 1.1 What is the Daily Attention Agent

The **Daily Attention Agent** is an **Executive Assistant Agent** that continuously converts your operational data across tools into:

- **Attention items:** things that need review / response / decision
- **Risks:** things likely to break or cause loss if ignored
- **Opportunities:** things that can move faster with a quick action
- **Optimization suggestions:** hygiene improvements in how you run your day
- **Action-ready payloads:** structured tasks that other agents can execute (draft-only unless approved)

This agent is the “**attention router**” of GeniOS.

It does not replace other agents.

It **feeds** them with high-quality, ranked, structured work.

---

### 1.2 Why this agent exists

Founders don’t need “more automation.”

They need:

- a system that **tells them what matters**
- across tools
- **before** it becomes a fire.

Daily Attention Agent solves:

- follow-up debt
- missed commitments
- meeting prep failures
- task drift
- unseen blockers across Jira/Slack/email/calendar

---

## 2. Capability Model (What capabilities this agent has)

### 2.1 Core Capabilities (V1)

These are non-negotiable capabilities the agent MUST have to qualify as an executive assistant.

#### Capability A: Signal Ingestion

Pulls signals from connected tools:

- Gmail
- Google Calendar
- (optional next) Slack, Jira, Notion, Linear, Trello

#### Capability B: Signal Normalization

Converts raw tool data into a common internal format:

- message
- event
- task
- mention
- blocker
- deadline
- commitment

#### Capability C: Priority + Risk Scoring

Assigns priority using:

- time sensitivity
- sender role (VIP list)
- keywords + intent ("urgent", "approval", "deadline")
- staleness (how long pending)
- business impact tags (hiring, sales, investor, ops)

#### Capability D: Attention Brief Generation

Produces a structured brief:

- top attention items
- what changed since yesterday
- pending decisions
- risks and blockers
- recommended next actions

#### Capability E: Draft & Handoff Packaging

Creates "execution-ready" payloads:

- email reply draft request
- meeting reschedule suggestion request
- Jira comment draft
- Slack follow-up draft

But does NOT execute. Execution is routed via Mr. Elite.

---

## 2.2 Advanced Capabilities (V1.1–V2)

These should be designed as plug-in upgrades, not baked into V1.

- Cross-tool linking (email ↔ Jira ticket ↔ Slack thread ↔ calendar meeting)
  - Pattern detection (consistent meeting overload, constant late replies, repeat blockers)
  - Personalized priorities (based on role, stage, goals)
  - Team attention view (for managers)
- 

## 3. Scope, Out of Scope, Boundaries

### 3.1 In Scope (V1)

- Read-only scanning of:
    - Gmail (threads/messages)
    - Calendar (events)
  - Basic classification + ranking
  - Brief generation + structured output
  - Draft suggestions (reply/agenda/follow-up)
  - Handoff payload creation for other agents
- 

### 3.2 Out of Scope (V1)

- Sending emails
  - Rescheduling calendar events
  - Writing to Jira/Slack directly
  - Auto-deleting, auto-archiving, auto-labeling
  - Making business decisions without asking
- 

### 3.3 Boundaries (hard rules)

- **No side effects without approval**
- **No hallucinated claims**
- **No “pretend context”**
- **No leaking sensitive content**
- **No acting like it saw something it didn’t fetch**

If the tool data isn’t available, the agent must say:

- “Partial results due to missing access or quota.”
- 

## 4. How it will be used (User Workflows)

### 4.1 Daily Routine (Scheduled)

- User opens dashboard each morning
- Sees “Daily Attention Brief”
- Clicks top items
- Approves drafts or routes them to execution agents

Example:

- “Draft a follow-up email for this thread”
- “Prepare agenda for this meeting”

- "Create Jira update request"
- 

## 4.2 On-demand Commands

User examples:

- "What needs my attention today?"
  - "Anything urgent in email + calendar?"
  - "Show me blockers across Jira + Slack"
  - "What commitments did I miss?"
- 

## 4.3 Pre-meeting Mode

User examples:

- "What should I prep before my 2PM call?"
- "Summarize context for this meeting"

(DAA identifies the meeting, collects related signals, outputs prep items)

---

# 5. Applications (Case Studies)

## Case Study 1: Founder + Sales threads

Signals:

- 3 prospect emails awaiting reply
- 1 customer escalation
- 1 calendar demo in 2 hours

Output:

- Priority list with reasons
  - Draft reply suggestions
  - Pre-demo checklist
- 

## Case Study 2: Product sprint using Jira + Slack (future integration)

Signals:

- Jira ticket blocked for 3 days
- Slack mentions from engineer about dependency
- Standup meeting in calendar

Output:

- "Top blocker: ticket ABC stuck due to dependency"
  - "Suggested message to unblock"
  - "Recommended agenda items for standup"
- 

## Case Study 3: Hiring ops

Signals:

- Candidate replied but no confirmation sent
- Interview overlap on calendar
- 2 reviewers didn't submit feedback

Output:

- "Interview scheduling risk"

- "Pending reviewer feedback"
  - "Draft follow-ups"
- 

## 6. How this agent connects to Mr. Elite (Orchestrator Contract)

### 6.1 Relationship

Daily Attention Agent is a **Read + Analyze agent**.

Mr. Elite is the **Control + Execute orchestrator**.

DAA produces:

- "what to do"  
Mr. Elite decides:
  - "do we do it now, and how safely"
- 

### 6.2 Mr. Elite → DAA input contract

Mr. Elite passes:

- user\_id, workspace\_id
  - connected\_tools list
  - time window
  - VIP config + keywords config
  - depth mode (quick/deep)
  - output mode (brief only / brief + drafts)
- 

### 6.3 DAA → Mr. Elite output contract

DAA returns structured JSON containing:

- attention\_items (ranked)
- risks
- opportunities
- suggested\_actions (with payloads)
- drafts (optional)
- confidence + warnings
- evidence pointers (tool record IDs)

Mr. Elite then:

- displays results
  - routes any "execute" request to correct agent
- 

## 7. Prompt Types (How Mr. Elite will call it)

### Type 1: Scheduled system prompt

- "Generate the morning attention brief for user X, quick mode, email+calendar."

### Type 2: User prompt

- "What needs my attention today across email and calendar?"
- "Show me anything pending from yesterday."

### Type 3: Tool expansion prompt

- "Add Jira and Slack into today's scan and show blockers."

#### Type 4: Refinement prompt

- "Only hiring related"
  - "Only urgent + high impact"
  - "Ignore newsletters"
- 

## 8. Skills inside the agent (Internal "skills", not human skills)

This is the part you were asking for: **capabilities as skills**.

### Skill 1: Email Signal Extraction

- pending reply detection
- urgency keyword detection
- direct question extraction
- VIP sender detection
- thread staleness detection

### Skill 2: Calendar Risk Detection

- conflicts and overlaps
- missing prep notes
- back-to-back meeting overload
- meetings with unknown attendees
- missing link/location

### Skill 3: Cross-tool Attention Modeling (designed for future)

- represent Jira ticket as "attention item"
- represent Slack mention as "attention item"
- normalize everything into one ranked queue

### Skill 4: Prioritization Engine

- score and rank items with transparent reasons
- downgrade noise (newsletters, FYI threads)

### Skill 5: Draft Generator (optional toggle)

- reply drafts
- follow-up drafts
- agenda drafts

All drafts must be labeled as drafts.

### Skill 6: Evidence and Explainability

Every item must include:

- tool name
  - record id
  - snippet evidence
  - why it was flagged
- 

## 9. Edge Cases (must handle)



## Tool access issues

- Gmail access revoked
- Calendar permission missing
- Slack/Jira token expired

Expected behavior:

- produce partial brief
- show warnings
- never fake results

## Data noise

- newsletter spam
- automated notifications
- duplicated threads
- repeated calendar invites

Expected behavior:

- detect and downrank noise
- group similar items

## Priority ambiguity

- unclear whether reply is required

Expected behavior:

- label as “possible follow-up”
  - ask user once to confirm preference rules
- 

# 10. Guardrails (Production rules)

## Guardrail 1: No side effects

DAA cannot send or modify anything.

## Guardrail 2: Evidence-first

Every alert must cite:

- tool record id
- timestamp
- sender/owner
- short snippet

## Guardrail 3: Privacy

- store minimal data
- strip bodies
- short snippets only
- secure workspace separation

## Guardrail 4: No hallucination

If uncertain:

- mark low confidence
- ask clarification

- don't claim

## Guardrail 5: Rate limits & cost caps

- cap number of threads
  - cap token budget
  - degrade gracefully
- 

# 11. Execution: How it works end-to-end

## Step 1: Trigger

- scheduled or user request

## Step 2: Fetch signals

- pull tool data via connectors

## Step 3: Normalize

- convert into unified "attention objects"

## Step 4: Score and rank

- rule score + LLM score

## Step 5: Generate brief + payloads

- daily brief
- action payloads

## Step 6: Validate output

- JSON schema validation
- guardrail validation
- confidence tags

## Step 7: Store + display

- save daily brief + action items
- show in dashboard

## Step 8: Handoff execution

When user clicks "execute", Mr. Elite routes to:

- Email Agent
- Calendar Agent
- Jira Agent
- Slack Agent

DAA stays read/analyze only.

---

This must be built as:

- a **capability-based executive assistant**
- with **tool-agnostic normalization**
- with **strict output schema**
- with **handoff payloads**
- and **trustable evidence**



That's what makes it production-ready.

=====

DAILY ATTENTION AGENT (EXECUTIVE ASSISTANT) — HIGH LEVEL DESIGN (HLD) v1

=====

Purpose

Convert cross-tool operational signals into a ranked "Attention Queue"

+ a daily brief + action-ready payloads for Mr. Elite to route and execute.

Core Principle


Reliability > Smartness


Evidence-backed alerts only

Draft-only, no side effects


=====

1) HIGH LEVEL ARCHITECTURE (Components)







2) END-TO-END FLOW (Arrow Diagram)



3) FLOW CHART (Text Flowchart)





4) SCOPE + BOUNDARIES (V1)

-----

IN SCOPE (V1)

- Read-only scanning:  
Gmail + Calendar
- Detect and rank:  
pending replies, staleness, urgent asks, meeting risks, conflicts
- Generate:  
daily brief + attention queue + optional drafts
- Provide:  
execution-ready payloads for Mr. Elite (handoff format)
- Logging:  
run logs, metrics, confidence + warnings

#### OUT OF SCOPE (V1)

- Any side-effect action:  
send email, reschedule, delete, archive, label changes, post to Slack, edit Jira
- Full cross-tool correlation:  
linking a specific email thread to a Jira ticket automatically (future)
- Deep personalization:  
learning user preferences automatically without explicit config (future)

#### BOUNDARIES (Hard Rules)

- Draft-only: zero side effects inside DAA
- Evidence-first: every alert must cite tool record IDs + snippet + timestamp
- No hallucinations: if uncertain ⇒ low confidence + "possible"
- Privacy: store minimal snippets only, never full bodies
- Graceful degradation: partial brief when a connector fails

### 5) TOOLS INTEGRATIONS (Design for plug-in connectors)

#### Connector Contract (every tool must implement)

- connect() / refresh\_token()
- fetch\_signals(time\_window, filters, caps)
- normalize(raw) → UnifiedSignal[]
- health\_check()

#### Unified Signal Types (examples)

- EMAIL\_MESSAGE / EMAIL\_THREAD
- CALENDAR\_EVENT
- SLACK\_MENTION / SLACK\_THREAD
- JIRA\_ISSUE / JIRA\_COMMENT
- DOCUMENT\_UPDATE (future)
- TASK\_ITEM (future)

#### V1 Tool Integrations

- Gmail:  
unread threads, threads awaiting reply, VIP senders, keyword intent
- Google Calendar:  
today+tomorrow events, next 7 days conflicts, missing links, overload

#### V1.1 / V2 Integrations (planned)

- Slack:  
mentions, DMs awaiting response, channels with "blocker" keywords
- Jira:  
tickets assigned to you, blocked tickets, SLA breaches, due dates
- Notion/Docs:  
docs shared awaiting review, comments unresolved

## Important Note for interns

This agent must be built tool-agnostic:

add\_new\_tool = add\_connector + mapping rules

not "if gmail then else calendar" spaghetti logic.

## 6) IMPROVEMENT SCENARIOS (What "better" looks like over time)

-----

### Scenario 1: Slack + Jira joined attention

Before:

only inbox + calendar

After:

- identifies "blocked ticket" from Jira
- correlates with Slack mention "waiting on you"
- surfaces as top priority with evidence

### Scenario 2: Better noise suppression

- auto-detect newsletters and downrank
- group notifications into "FYI Batch"

### Scenario 3: Personalized prioritization (explicit, not implicit)

- user defines:
  - VIP senders, working hours, meeting tolerance, focus blocks preference
- agent uses this config deterministically

### Scenario 4: Meeting prep intelligence

- meeting has no agenda
- agent pulls:
  - last related emails/slack threads
- generates:
  - prep checklist + agenda draft

### Scenario 5: Team-level Attention View

- manager sees:
  - pending approvals, blockers, overdue tasks across team
- still draft-only, routed through Mr. Elite

## 7) BUILD INSTRUCTIONS (Production-ready steps)

-----

### PHASE 0: Lock Contracts (most important)

- 1) Define input schema: Mr. Elite → DAA
- 2) Define output schema: DAA → Mr. Elite
- 3) Define UnifiedSignal model
- 4) Define AttentionItem model
- 5) Define scoring fields + evidence requirements

### PHASE 1: Build Connectors (Gmail + Calendar)

- Gmail fetch:
  - caps: max\_threads, max\_messages\_per\_thread, time\_window
- Calendar fetch:
  - range: today+tomorrow focus + next\_7\_days scan
- implement retry + backoff + quota handling

### PHASE 2: Normalizer + Deduplicator

- normalize raw data into UnifiedSignal objects

- deduplicate similar items:  
same thread, same meeting, repeated notifications

#### PHASE 3: Rule Engine (must exist before any LLM)

- rules:
  - pending reply detection
  - thread staleness thresholds
  - VIP sender boost
  - meeting conflicts
  - missing meeting link/notes
- output preliminary priority ranking

#### PHASE 4: LLM Layer (optional enhancer, not dependency)

- use LLM for:
  - summarizing “what’s being asked”
  - writing drafts
  - refining ranking reasons
- enforce strict JSON output
- if LLM fails ⇒ rule-only output

#### PHASE 5: Guardrails Gate

- schema validation
- evidence validation
- cost cap enforcement
- side-effect detection (must be none)
- confidence scoring

#### PHASE 6: Persistence + UI Publish

- store:
  - daily\_brief, attention\_items, action\_payloads, run\_logs
- show in UI:
  - top items + reasons + execute buttons

#### PHASE 7: Integration with Mr. Elite

- route:
  - “execute” clicks → proper execution agents
- ensure DAA never directly calls execution tools

#### PHASE 8: Testing + Evaluation

- test with 3 real inboxes:
  - noisy, normal, heavy ops
- metrics:
  - false positives, misses, usefulness rating
- regression tests:
  - schema stable, no duplicate items on reruns

#### 8) WHAT “DONE” MEANS (Acceptance Criteria)

-----

##### Functional

- Generates brief daily on schedule
- Supports on-demand prompt calls
- Produces stable JSON output schema
- Shows ranked attention queue with reasons and evidence IDs

##### Safety

- No side effects ever



- Evidence required for every item
- Partial result warnings for missing access

Quality

- Handles noisy inbox without flooding top list
- Detects meeting conflicts reliably
- Can generate drafts when requested

Extensibility

- New tool integration requires:  
connector + normalization mapping + rules adjustments  
not rewriting the whole agent

=====

END OF HLD

=====