

Vohra Skin Clinic

Dr. DEEPAK VOHRA, MD
Skin and VD
Consultant - Dermatology
DMC - 18229

Affiliations :
International Society of Dermatology (USA)
European Academy of Dermatology & Venereology (EADV)
Indian Association of Dermatologists, Venereologists
and Leprologists (IADVL)
Association of Cutaneous Surgeons (I)

Clinic Timings : 4 PM to 8 PM (Monday to Saturday)

Mr. Tejas Oberoi;
24/11

Teleconsult
9582072323

Date: 17/09/2020

Tinea cruris/
Scrotal dermatitis (Peni-
cillin sensitive)
(inter-groin)
(ingh+).

No Known Drug Allergy

Counselled about the course, prognosis,
management & side-effects.

No H/O DM.

It has been H elsewhere -
antifungals & topical steroids.

%itch ++.

B

① Cap. ITASPOR 100 mg 1 B.O x 20 days.
(after food) MORNING NIGHT

② Tab. DAZIT 5 mg 1 B.O x 10 days
MORNING NIGHT
& then, only at NIGHT for next
10 days.

ON all the affected areas

③ ONABET cream for 1A -
MORNING NIGHT B.O x 20 days.

④ LULIBET cream for 1A -
Afternoon B.O x 20 days.

(P.T.O)

Mr. Tejas Oberoi;

17/09/2020

on all affected areas

2ly/1M

↓ ⑤ EUMOSONE-M cream for YA -
(daily Night) HS x 4 days.

Total 7 applications

then, apply on alternate nights
for 3 more applications & stop

P.S:- Apply thin layer of the cream.

• At Night → Apply ⑤ → Wait 5 minutes → Apply ⑤

⑥ K2 SOAP for YA -
Wash the affected areas while bathing. OS x 20 days.

R/A 20 days/stop

After 14 days → E-MAIL

FOR Hip area:-

⑦ → FUCIBET cream for YA -
(FUCIBET) afternoon OS x 4 days
(apply 5 min. after applying Calibet cream in the afternoon).
STOP

Dr. Deepak Vohra, MD
Skin and VD
Consultant - Dermatology
DMC - 18229