

```
USE `teencour_data` ;
```

```
-----  
-- Table `teencour_data`.`program`  
-----
```

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`program` (  
  `programID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `name` VARCHAR(150) NOT NULL ,  
  `PAddress` VARCHAR(150) NULL ,  
  `pCity` VARCHAR(45) NULL ,  
  `pState` CHAR(2) NULL ,  
  `pZip` VARCHAR(25) NULL ,  
  `mAddress` VARCHAR(150) NULL ,  
  `mCity` VARCHAR(45) NULL ,  
  `mState` CHAR(2) NULL ,  
  `mZip` VARCHAR(25) NULL COMMENT 'Mailing address zip code' ,  
  `added` TIMESTAMP NOT NULL DEFAULT now() ,  
  PRIMARY KEY (`programID`) )  
ENGINE = InnoDB;
```

```
-----  
-- Table `teencour_data`.`user`  
-----
```

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`user` (  
  `userID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `programID` INT UNSIGNED NOT NULL ,  
  `type` INT UNSIGNED NOT NULL ,  
  `firstName` VARCHAR(75) NOT NULL ,  
  `lastName` VARCHAR(75) NOT NULL ,  
  `email` VARCHAR(255) NOT NULL ,  
  `password` VARCHAR(255) NOT NULL ,  
  `createDate` DATETIME NULL ,  
  `loginDate` TIMESTAMP NOT NULL DEFAULT now() ,  
  PRIMARY KEY (`userID`) ,  
  INDEX `programID` (`programID` ASC) ,  
  CONSTRAINT `fk_user_court`  
    FOREIGN KEY (`programID` )  
    REFERENCES `teencour_data`.`program` (`programID` ) )  
ENGINE = InnoDB;
```

```
-----  
-- Table `teencour_data`.`user_phone`  
-----
```

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`user_phone` (  
  `phoneID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `userID` INT UNSIGNED NOT NULL ,  
  `phoneNum` VARCHAR(45) NOT NULL ,  
  `ext` VARCHAR(5) NULL ,  
  `type` VARCHAR(25) NULL ,  
  PRIMARY KEY (`phoneID`) ,  
  UNIQUE INDEX `phoneID_UNIQUE` (`phoneID` ASC) ,  
  CONSTRAINT `fk_user_phone_user1`  
    FOREIGN KEY (`userID` )  
    REFERENCES `teencour_data`.`user` (`userID` ) )
```

ENGINE = InnoDB;

-- Table `teencour_data`.`school`

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`school` (  
  `schoolID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `programID` INT UNSIGNED NOT NULL ,  
  `schoolName` VARCHAR(45) NULL ,  
  `address` VARCHAR(45) NULL ,  
  `city` VARCHAR(45) NULL ,  
  `state` VARCHAR(45) NULL ,  
  `zip` VARCHAR(45) NULL ,  
  `phone` VARCHAR(45) NULL ,  
  `contact` VARCHAR(45) NULL ,  
  `schoolcol` VARCHAR(45) NULL ,  
  PRIMARY KEY (`schoolID`, `programID`) ,  
  INDEX `fk_school_information_court1_idx` (`programID` ASC) ,  
  CONSTRAINT `fk_school_information_court1`  
    FOREIGN KEY (`programID` )  
      REFERENCES `teencour_data`.`program` (`programID` ) )  
ENGINE = InnoDB;
```

-- Table `teencour_data`.`defendant`

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`defendant` (  
  `defendantID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `programID` INT UNSIGNED NOT NULL ,  
  `firstName` VARCHAR(45) NOT NULL ,  
  `lastName` VARCHAR(45) NOT NULL ,  
  `middleName` VARCHAR(45) NULL ,  
  `homePhone` VARCHAR(45) NULL ,  
  `dob` INT NOT NULL ,  
  `courtCaseNumber` VARCHAR(45) NULL ,  
  `agencyCaseNumber` VARCHAR(45) NULL ,  
  `expungeDate` DATETIME NULL ,  
  `closeDate` DATETIME NULL ,  
  `schoolID` INT UNSIGNED NULL ,  
  `grade` VARCHAR(45) NULL ,  
  `height` VARCHAR(45) NULL ,  
  `weight` VARCHAR(45) NULL ,  
  `eyeColor` VARCHAR(45) NULL ,  
  `hairColor` VARCHAR(45) NULL ,  
  `sex` CHAR(1) NULL ,  
  `race` VARCHAR(45) NULL ,  
  `licenseNum` VARCHAR(45) NULL ,  
  `licenseState` VARCHAR(45) NULL ,  
  `added` TIMESTAMP NOT NULL DEFAULT now() ,  
  PRIMARY KEY (`defendantID`, `programID`) ,  
  INDEX `fk_defendant_court1_idx` (`programID` ASC) ,  
  INDEX `fk_defendant_school1_idx` (`schoolID` ASC) ,  
  CONSTRAINT `fk_defendant_court1`  
    FOREIGN KEY (`programID` )
```

```

REFERENCES `teencour_data`.`program` (`programID` ),
CONSTRAINT `fk_defendant_school1`
FOREIGN KEY (`schoolID` )
REFERENCES `teencour_data`.`school` (`schoolID` ))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`volunteer`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`volunteer` (
  `volunteerID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `programID` INT UNSIGNED NOT NULL ,
  `firstName` VARCHAR(45) NULL ,
  `lastName` VARCHAR(45) NULL ,
  `phone` VARCHAR(45) NULL ,
  `email` VARCHAR(255) NULL ,
  PRIMARY KEY (`volunteerID`, `programID`),
  INDEX `fk_volunteer_court1_idx` (`programID` ASC) ,
  UNIQUE INDEX `volID_UNIQUE` (`volunteerID` ASC) ,
  CONSTRAINT `fk_volunteer_court1`
    FOREIGN KEY (`programID` )
    REFERENCES `teencour_data`.`program` (`programID` ))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`court_location`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`court_location` (
  `locationID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `programID` INT UNSIGNED NOT NULL ,
  `name` VARCHAR(45) NULL ,
  `address` VARCHAR(45) NULL ,
  `city` VARCHAR(45) NULL ,
  `state` CHAR(2) NULL ,
  `zip` VARCHAR(45) NULL ,
  PRIMARY KEY (`locationID`, `programID`),
  INDEX `fk_trial_location_program1_idx` (`programID` ASC) ,
  UNIQUE INDEX `locationID_UNIQUE` (`locationID` ASC) ,
  CONSTRAINT `fk_trial_location_program1`
    FOREIGN KEY (`programID` )
    REFERENCES `teencour_data`.`program` (`programID` ))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`court`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`court` (
  `courtID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `programID` INT UNSIGNED NOT NULL ,
  `defendantID` INT UNSIGNED NOT NULL ,
  `locationID` INT UNSIGNED NOT NULL ,
  `type` VARCHAR(45) NOT NULL ,
  `date` DATETIME NOT NULL ,
  `closed` TINYINT(1) NULL ,

```

```

PRIMARY KEY (`courtID`, `programID`),
INDEX `fk_jury_court1_idx` (`programID` ASC),
INDEX `fk_jury_defendant1_idx` (`defendantID` ASC),
INDEX `fk_trial_trial_location1_idx` (`locationID` ASC),
CONSTRAINT `fk_jury_court1`
    FOREIGN KEY (`programID`)
    REFERENCES `teencour_data`.`program` (`programID`),
CONSTRAINT `fk_jury_defendant1`
    FOREIGN KEY (`defendantID`)
    REFERENCES `teencour_data`.`defendant` (`defendantID`),
CONSTRAINT `fk_trial_trial_location1`
    FOREIGN KEY (`locationID`)
    REFERENCES `teencour_data`.`court_location` (`locationID`))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`court_position`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`court_position` (
  `positionID` INT UNSIGNED NOT NULL AUTO_INCREMENT,
  `programID` INT UNSIGNED NOT NULL,
  `position` VARCHAR(45) NOT NULL,
  PRIMARY KEY (`positionID`),
  CONSTRAINT `fk_jury_position_court1`
    FOREIGN KEY (`programID`)
    REFERENCES `teencour_data`.`program` (`programID`))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`court_member`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`court_member` (
  `courtID` INT UNSIGNED NOT NULL,
  `volunteerID` INT UNSIGNED NOT NULL,
  `positionID` INT UNSIGNED NOT NULL,
  `hours` DECIMAL(8,2) NULL,
  PRIMARY KEY (`courtID`, `positionID`, `volunteerID`),
  INDEX `fk_jury_pool_jury1_idx` (`courtID` ASC),
  INDEX `fk_trial_members_trial_position1_idx` (`positionID` ASC),
  CONSTRAINT `fk_jury_pool_volunteer1`
    FOREIGN KEY (`volunteerID`)
    REFERENCES `teencour_data`.`volunteer` (`volunteerID`),
  CONSTRAINT `fk_jury_pool_jury1`
    FOREIGN KEY (`courtID`)
    REFERENCES `teencour_data`.`court` (`courtID`),
  CONSTRAINT `fk_trial_members_trial_position1`
    FOREIGN KEY (`positionID`)
    REFERENCES `teencour_data`.`court_position` (`positionID`))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`user_log`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`user_log` (

```

```

`logID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
`userID` INT UNSIGNED NOT NULL ,
`action` VARCHAR(45) NOT NULL ,
`ip_address` VARCHAR(45) NOT NULL ,
`date` TIMESTAMP NOT NULL DEFAULT now() ,
PRIMARY KEY (`logID`) ,
UNIQUE INDEX `logID_UNIQUE` (`logID` ASC) ,
CONSTRAINT `fk_user_log_user1`
    FOREIGN KEY (`userID`)
    REFERENCES `teencour_data`.`user` (`userID` ) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`guardian`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`guardian` (
  `guardianID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `defendantID` INT UNSIGNED NOT NULL ,
  `firstName` VARCHAR(45) NULL ,
  `lastName` VARCHAR(45) NULL ,
  `address` VARCHAR(150) NULL ,
  `city` VARCHAR(45) NULL ,
  `state` VARCHAR(45) NULL ,
  `zip` VARCHAR(45) NULL ,
  `homePhone` VARCHAR(45) NULL ,
  `emailAddress` VARCHAR(45) NULL ,
  `employer` VARCHAR(45) NULL ,
  `workPhone` VARCHAR(45) NULL ,
  `livesWith` TINYINT(1) NULL ,
  PRIMARY KEY (`guardianID`) ,
  UNIQUE INDEX `parentID_UNIQUE` (`guardianID` ASC) ,
  INDEX `fk_parents_defendant1_idx` (`defendantID` ASC) ,
  CONSTRAINT `fk_parents_defendant1`
    FOREIGN KEY (`defendantID`)
    REFERENCES `teencour_data`.`defendant` (`defendantID` ) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`custom_fields`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`custom_fields` (
  `fieldID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `programID` INT UNSIGNED NOT NULL ,
  `fieldName` VARCHAR(45) NULL ,
  `required` TINYINT(1) NULL ,
  PRIMARY KEY (`fieldID`, `programID`) ,
  UNIQUE INDEX `fieldID_UNIQUE` (`fieldID` ASC) ,
  INDEX `fk_custom_fields_court1_idx` (`programID` ASC) ,
  CONSTRAINT `fk_custom_fields_court1`
    FOREIGN KEY (`programID`)
    REFERENCES `teencour_data`.`program` (`programID` ) )
ENGINE = InnoDB;

```

-- Table `teencour_data`.`custom_data`

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`custom_data` (  
  `customID` INT UNSIGNED NOT NULL ,  
  `defendantID` INT UNSIGNED NOT NULL ,  
  `value` VARCHAR(45) NULL ,  
  PRIMARY KEY (`customID`) ,  
  INDEX `fk_custom_data_custom_fields1_idx` (`customID` ASC) ,  
  CONSTRAINT `fk_custom_data_custom_fields1`  
    FOREIGN KEY (`customID` )  
      REFERENCES `teencour_data`.`custom_fields` (`fieldID` ) )  
ENGINE = InnoDB;
```

-- Table `teencour_data`.`survey`

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`survey` (  
  `surveyID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `description` MEDIUMTEXT NULL ,  
  `created` TIMESTAMP NOT NULL DEFAULT now() ,  
  `sent` DATETIME NULL ,  
  PRIMARY KEY (`surveyID`) ,  
  UNIQUE INDEX `surveyID_UNIQUE` (`surveyID` ASC) )  
ENGINE = InnoDB;
```

-- Table `teencour_data`.`survey_questions`

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`survey_questions` (  
  `questionID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `surveyID` INT UNSIGNED NOT NULL ,  
  `question` VARCHAR(255) NULL ,  
  `type` INT UNSIGNED NULL ,  
  PRIMARY KEY (`questionID`, `surveyID`) ,  
  UNIQUE INDEX `questionID_UNIQUE` (`questionID` ASC) ,  
  INDEX `fk_survey_questions_survey1_idx` (`surveyID` ASC) ,  
  CONSTRAINT `fk_survey_questions_survey1`  
    FOREIGN KEY (`surveyID` )  
      REFERENCES `teencour_data`.`survey` (`surveyID` ) )  
ENGINE = InnoDB;
```

-- Table `teencour_data`.`survey_answers`

```
CREATE TABLE IF NOT EXISTS `teencour_data`.`survey_answers` (  
  `surveyID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,  
  `userID` INT UNSIGNED NOT NULL ,  
  `questionID` INT UNSIGNED NOT NULL ,  
  `answer` VARCHAR(45) NULL ,  
  PRIMARY KEY (`surveyID`, `userID`, `questionID`) ,  
  INDEX `fk_survey_answers_survey1_idx` (`surveyID` ASC) ,  
  INDEX `fk_survey_answers_survey_questions1_idx` (`questionID` ASC) ,  
  INDEX `fk_survey_answers_user1_idx` (`userID` ASC) ,
```

```

CONSTRAINT `fk_survey_answers_survey1`
  FOREIGN KEY (`surveyID`)
  REFERENCES `teencour_data`.`survey` (`surveyID`),
CONSTRAINT `fk_survey_answers_survey_questions1`
  FOREIGN KEY (`questionID`)
  REFERENCES `teencour_data`.`survey_questions` (`questionID`),
CONSTRAINT `fk_survey_answers_user1`
  FOREIGN KEY (`userID`)
  REFERENCES `teencour_data`.`user` (`userID`))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`survey_options`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`survey_options` (
  `optionID` VARCHAR(45) NOT NULL,
  `questionID` INT UNSIGNED NOT NULL,
  `option` VARCHAR(45) NULL,
  PRIMARY KEY (`optionID`),
  INDEX `fk_survey_options_survey_questions1_idx` (`questionID` ASC),
  CONSTRAINT `fk_survey_options_survey_questions1`
    FOREIGN KEY (`questionID`)
    REFERENCES `teencour_data`.`survey_questions` (`questionID`))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`court_defendant_jury`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`court_defendant_jury` (
  `courtID` INT UNSIGNED NOT NULL,
  `defendantID` INT UNSIGNED NOT NULL,
  `positionID` INT UNSIGNED NOT NULL,
  `hours` DECIMAL(8,2) NULL,
  PRIMARY KEY (`courtID`, `defendantID`, `positionID`),
  INDEX `fk_jury_member_def_trial1_idx` (`courtID` ASC),
  INDEX `fk_jury_member_def_defendant1_idx` (`defendantID` ASC),
  INDEX `fk_court_jury_court_position1_idx` (`positionID` ASC),
  CONSTRAINT `fk_jury_member_def_trial1`
    FOREIGN KEY (`courtID`)
    REFERENCES `teencour_data`.`court` (`courtID`),
  CONSTRAINT `fk_jury_member_def_defendant1`
    FOREIGN KEY (`defendantID`)
    REFERENCES `teencour_data`.`defendant` (`defendantID`),
  CONSTRAINT `fk_court_jury_court_position1`
    FOREIGN KEY (`positionID`)
    REFERENCES `teencour_data`.`court_position` (`positionID`))
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`statute`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`statute` (
  `statuteID` INT UNSIGNED NOT NULL AUTO_INCREMENT,
  `programID` INT UNSIGNED NOT NULL,

```

```

`code` VARCHAR(50) NULL ,
`title` VARCHAR(50) NULL ,
`description` TEXT NULL ,
PRIMARY KEY (`statuteID`, `programID`),
INDEX `fk_citation_court1_idx` (`programID` ASC),
UNIQUE INDEX `statuteID_UNIQUE` (`statuteID` ASC),
CONSTRAINT `fk_citation_court1`
    FOREIGN KEY (`programID`)
    REFERENCES `teencour_data`.`program` (`programID`) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`court_common_place`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`court_common_place` (
  `commonPlaceID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `programID` INT UNSIGNED NOT NULL ,
  `commonPlace` VARCHAR(45) NULL ,
  `address` VARCHAR(45) NULL ,
  `city` VARCHAR(45) NULL ,
  `state` CHAR(2) NULL ,
  `zip` VARCHAR(45) NULL ,
  `closeTo` VARCHAR(45) NULL ,
  PRIMARY KEY (`commonPlaceID`, `programID`),
  INDEX `fk_court_common_place_court1_idx` (`programID` ASC),
  CONSTRAINT `fk_court_common_place_court1`
    FOREIGN KEY (`programID`)
    REFERENCES `teencour_data`.`program` (`programID`) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`citation_officer`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`citation_officer` (
  `officerID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `programID` INT UNSIGNED NOT NULL ,
  `firstname` VARCHAR(45) NULL ,
  `lastname` VARCHAR(50) NULL ,
  `idNumber` VARCHAR(50) NOT NULL ,
  `phone` VARCHAR(45) NULL ,
  PRIMARY KEY (`officerID`, `programID`),
  INDEX `fk_citation_officer_court1_idx` (`programID` ASC),
  UNIQUE INDEX `officerID_UNIQUE` (`officerID` ASC),
  CONSTRAINT `fk_citation_officer_court1`
    FOREIGN KEY (`programID`)
    REFERENCES `teencour_data`.`program` (`programID`) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`citation`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`citation` (
  `citationID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `defendantID` INT UNSIGNED NOT NULL ,

```



```

`statueID` INT UNSIGNED NOT NULL ,
`officerID` INT UNSIGNED NOT NULL ,
`date` TIMESTAMP NULL ,
`address` VARCHAR(45) NULL ,
`city` VARCHAR(45) NULL ,
`state` CHAR(2) NULL ,
`zip` VARCHAR(45) NULL ,
`mirandized` TINYINT(1) NULL ,
`drugsOrAlcohol` TINYINT(1) NULL ,
`commonPlaceID` INT UNSIGNED NULL ,
`entered` TIMESTAMP NOT NULL DEFAULT now() ,
PRIMARY KEY (`citationID`, `defendantID`) ,
INDEX `fk_citation_court_common_place1_idx` (`commonPlaceID` ASC) ,
INDEX `fk_citation_defendant1_idx` (`defendantID` ASC) ,
INDEX `fk_citation_statute1_idx` (`statueID` ASC) ,
INDEX `fk_citation_citation_officer1_idx` (`officerID` ASC) ,
UNIQUE INDEX `citationID_UNIQUE` (`citationID` ASC) ,
CONSTRAINT `fk_citation_court_common_place1`
    FOREIGN KEY (`commonPlaceID`)
    REFERENCES `teencour_data`.`court_common_place` (`commonPlaceID`) ,
CONSTRAINT `fk_citation_defendant1`
    FOREIGN KEY (`defendantID`)
    REFERENCES `teencour_data`.`defendant` (`defendantID`) ,
CONSTRAINT `fk_citation_statute1`
    FOREIGN KEY (`statueID`)
    REFERENCES `teencour_data`.`statute` (`statueID`) ,
CONSTRAINT `fk_citation_citation_officer1`
    FOREIGN KEY (`officerID`)
    REFERENCES `teencour_data`.`citation_officer` (`officerID`) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`citation_vehicle`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`citation_vehicle` (
  `vehicleID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `citationID` INT UNSIGNED NOT NULL ,
  `licenseNumber` VARCHAR(45) NULL ,
  `licenseState` CHAR(2) NULL ,
  `make` VARCHAR(45) NULL ,
  `model` VARCHAR(45) NULL ,
  `color` VARCHAR(45) NULL ,
  PRIMARY KEY (`vehicleID`, `citationID`) ,
  INDEX `fk_citation_vehicle_citation1_idx` (`citationID` ASC) ,
  UNIQUE INDEX `vehicleID_UNIQUE` (`vehicleID` ASC) ,
  CONSTRAINT `fk_citation_vehicle_citation1`
    FOREIGN KEY (`citationID`)
    REFERENCES `teencour_data`.`citation` (`citationID`) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`citation_stolen_items`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`citation_stolen_items` (

```

```

`itemID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
`citationID` INT UNSIGNED NOT NULL ,
`name` VARCHAR(45) NULL ,
`value` DECIMAL(18,2) NULL ,
PRIMARY KEY (`itemID`) ,
INDEX `fk_citation_stolen_items_citation1_idx` (`citationID` ASC) ,
CONSTRAINT `fk_citation_stolen_items_citation1`
FOREIGN KEY (`citationID`)
REFERENCES `teencour_data`.`citation` (`citationID` ) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`court_guardian`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`court_guardian` (
  `courtID` INT UNSIGNED NOT NULL ,
  `guardianID` INT UNSIGNED NOT NULL ,
  PRIMARY KEY (`courtID`, `guardianID`) ,
  INDEX `fk_trial_guardian_guardian1_idx` (`guardianID` ASC) ,
  INDEX `fk_trial_guardian_trial1_idx` (`courtID` ASC) ,
  CONSTRAINT `fk_trial_guardian_guardian1`
FOREIGN KEY (`guardianID`)
REFERENCES `teencour_data`.`guardian` (`guardianID` ) ,
CONSTRAINT `fk_trial_guardian_trial1`
FOREIGN KEY (`courtID`)
REFERENCES `teencour_data`.`court` (`courtID` ) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`intake_information`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`intake_information` (
  `defendantID` INT NOT NULL ,
  `description` VARCHAR(50) NOT NULL ,
  `date` TIMESTAMP NOT NULL ,
  `interviewer` VARCHAR(45) NULL ,
  `referred` TINYINT(1) NULL ,
  `dismissed` TINYINT(1) NULL ,
  PRIMARY KEY (`defendantID`) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`workshop`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`workshop` (
  `workshopID` INT UNSIGNED NOT NULL AUTO_INCREMENT ,
  `programID` INT UNSIGNED NOT NULL ,
  `date` DATETIME NULL ,
  `title` VARCHAR(45) NULL ,
  `description` TEXT NULL ,
  `instructor` VARCHAR(45) NULL ,
  `officerID` INT NULL ,
  PRIMARY KEY (`workshopID`, `programID`) ,
  INDEX `fk_workshop_program1_idx` (`programID` ASC) ,

```

```

CONSTRAINT `fk_workshop_program1`
  FOREIGN KEY (`programID`)
  REFERENCES `teencour_data`.`program` (`programID`) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`workshop_roster`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`workshop_roster` (
  `workshopID` INT UNSIGNED NOT NULL ,
  `defendantID` INT UNSIGNED NOT NULL ,
  `completed` DATETIME NULL ,
  INDEX `fk_workshop_roster_workshop1_idx` (`workshopID` ASC) ,
  INDEX `fk_workshop_roster_defendant1_idx` (`defendantID` ASC) ,
  PRIMARY KEY (`workshopID`, `defendantID`) ,
  CONSTRAINT `fk_workshop_roster_workshop1`
    FOREIGN KEY (`workshopID`)
    REFERENCES `teencour_data`.`workshop` (`workshopID` ),
  CONSTRAINT `fk_workshop_roster_defendant1`
    FOREIGN KEY (`defendantID`)
    REFERENCES `teencour_data`.`defendant` (`defendantID` ) )
ENGINE = InnoDB;

```

```

-----
-- Table `teencour_data`.`volunteer_position`
-----

```

```

CREATE TABLE IF NOT EXISTS `teencour_data`.`volunteer_position` (
  `volunteerID` INT UNSIGNED NOT NULL ,
  `positionID` INT UNSIGNED NOT NULL ,
  PRIMARY KEY (`volunteerID`, `positionID`) ,
  INDEX `fk_volunteer_position_court_position1_idx` (`positionID` ASC) ,
  INDEX `fk_volunteer_position_volunteer1_idx` (`volunteerID` ASC) ,
  CONSTRAINT `fk_volunteer_position_court_position1`
    FOREIGN KEY (`positionID`)
    REFERENCES `teencour_data`.`court_position` (`positionID` ),
  CONSTRAINT `fk_volunteer_position_volunteer1`
    FOREIGN KEY (`volunteerID`)
    REFERENCES `teencour_data`.`volunteer` (`volunteerID` ) )
ENGINE = InnoDB;

```