VTX PHANTOM FX-A A10-A

Recovered flight register | 4-7 November 2026 | compiled 8 November 2026

Purpose. Preserve every distinct run and its observed data, irrespective of recorded outcome. This is an evidence register, not an airworthiness assessment, a test pass/fail ruling or an assignment of project success.

72	56	3	0
A10-A run IDs	runs on 6 November	configuration groupings	runs excluded for outcome

What the evidence shows

600 m: run 20261106T101512-085037 reached 600.5806 m by the flight summary and 600.811 m by 100 Hz telemetry. It spent 124.62 sampled seconds above 500 m (two intervals, 2.26 s and 122.34 s). The interval includes translation and changing altitude; this does not diminish the recorded high-altitude operation.

300 m: run 20261106T080610-01457b recorded a 299.942 m summary peak. A 17.29 s near-level sample span (299.72-299.89 m) showed 5.46 m horizontal displacement. Its recorded terminal outcome was collision. Both the altitude achievement and collision are preserved.

73 m: run 20261105T212155-03a363 reached 73.279 m in the summary. A distinct 50.97 s near-level span at 16.93-17.13 m drifted 0.84 m horizontally; the run ended in a collision.

4 November: archived Colin sortie 20261104T023710-072007 reached 74.96 m barometric altitude, recorded 1,080 Colin decisions, and later reported a hard impact. Its record lacks a formal server outcome; the impact is not erased because of that missing field.

The user determines which intended objectives were achieved. An outcome label such as "collision" describes how a run terminated, not whether lift, deployment, movement, climbing or controller behaviour was demonstrated.

Record coverage and provenance

PC archives searched: Documents\Github checkouts, VTX-flight-logs-backup, AppData\Local\VTX runtime stores and Projects\VTX worktrees. Duplicate copies were reconciled by complete run ID; no original telemetry was deleted or modified.

Across these inspected sources, 129 distinct timestamped IDs were previously found for the wider simulator. The A10-A subset in this register contains 72 IDs (including two 4 November Vercel-derived records whose metadata schema differs from later local runs).

GitHub main/docs/FLIGHT_INDEX.md catalogues an earlier subset and should not be assumed complete after 4 November. The PDF references local evidence locations, not uploaded raw logs.

Recorded terminal outcomes - not project judgements

Simulator label	Run IDs	Interpretation
Airborne attempt ended	**20**	Run stopped or reset after activity; outcome does not establish the entire flight profile.
Collision	**12**	Run ended after a recorded contact or collision; earlier manoeuvres remain evidence.
Landed	**3**	Simulator recorded landed; does not independently prove a specified destination criterion.
No takeoff	**33**	Simulator recorded no takeoff; can still contain control, ground-run or interface tests.
Interrupted	**1**	Runtime interruption; available samples may still be informative.
Unclosed / no final summary	**2**	No completed summary; retained telemetry/metadata are partial evidence.
No formal server outcome	**1**	Vercel archive contains event-level impact evidence but no formal outcome.

Method and interpretation

• Every row is included regardless of altitude, drift, collision, pilot authority, wing state, duration or whether the launch objective was met.

• "Peak (m)" is the value in the run summary: airframe-origin altitude for local A10-A logs, barometric peak for the two 4 November Vercel summaries. These measurements must not be treated as identically referenced until datums are verified.

• "Left ground" is the recorded server boolean, not an independent proof of sustained free flight. Some low/zero peak rows have Y because contact or separation flags have their own semantics.

• Missing summaries and interrupted/truncated files are marked as unknown, not converted into a no-takeoff or zero-altitude verdict.

• Authority M/C denotes the simulator channel "manual"/"colin"; it does not establish who physically spoke, issued each instruction or operated the application. Colin, Raymond and Arthur are ChatGPT-associated roles/personas in this project. Their conversation text is distinct from the command and event logs.

No FAA classification is applied to these simulator runs.

Configuration and repeatability

Repeated model/physics snapshots are first grouped by the full config SHA in the original metadata, then subdivided by runtime-source SHA. This is a comparison index, not proof that control schedules, authority, start state or time scale were identical.

70089cca (66 runs): A10-A main parameter/model configuration; 66 archived runs. Full SHA: 70089ccace22e4ce1cfd28104654257fe4d03771c4f6b1faa3c89fce253247dd.

b835295b (4 runs): Alternative A10-A configuration; 4 archived runs. Full SHA: b835295b7b806fcb785f01a8776b6715d73790f48ac5134cb8d594e6d389ebde.

Vercel (2 runs): Two 4 November Vercel-captured runs with no indexed local config SHA; event-level configuration may be available within the archived events.

Config prefix	Runtime SHA prefix	Runs	Representative run(s)
70089cca	36902a2a	**3**	20261106T084125-127d87, 20261106T084620-d9f9cd (+1 more)
70089cca	593c1872	**8**	20261107T193550-0b4f9c, 20261107T194255-117e2e (+6 more)
70089cca	671c5824	**2**	20261105T211600-b2ad7f, 20261105T212155-03a363
70089cca	7dfc0b7a	**2**	20261107T195735-e656ca, 20261107T195806-21a26d
70089cca	9584219d	**4**	20261106T073143-e2d39c, 20261106T073806-481f3d (+2 more)
70089cca	cd9d671d	**2**	20261106T075824-844739, 20261106T080610-01457b
70089cca	e7351705	**45**	20261106T085123-e22090, 20261106T094533-b134e7 (+43 more)
Vercel	?	**2**	20261104T022405-070aa5, 20261104T023710-072007
b835295b	ccec3831	**2**	20261106T112246-1bbb27, 20261106T115719-f8d4b6
b835295b	d07ed205	**1**	20261105T195409-255b57
b835295b	e4dfa5ac	**1**	20261104T141525-0cb6f8

What must also match for a controlled comparison

Model XML and parameter file SHA, runtime-source SHA, software commit, initial location/attitude and energy state, actual control inputs, wing/canard configuration, atmosphere/wind, contact and environment model, authority and controller, and time-scale/sampling assumptions. A common config prefix is a useful starting point, not a complete repeatability claim.

Specific preserved observations

20261106T101512-085037 — 600 m flight

Manual authority; Stage 1 Valley; 0.5x display scale; 524.06 simulated s; 32 recorded decisions; summary peak 600.5806 m; 100 Hz sample peak 600.811 m at t=455.42 s. Above 500 m for 2.26 s and 122.34 s; 124.62 s total. The second period spans significant translation; no drift-based exclusion.

20261106T080610-01457b — 300 m flight

Manual authority; summary peak 299.942 m; 366.65 simulated s; terminal collision. Between t=208.14 and 225.43 s the telemetry stayed within 299.72-299.89 m, with 5.46 m horizontal displacement. Broader low-vertical-speed interval is longer.

20261105T212155-03a363 — 73 m flight

Manual authority; summary peak 73.279 m; 372.98 simulated s; terminal collision. At t=160.66-211.63 s the sampled altitude was 16.93-17.13 m, with 0.84 m horizontal drift. Earlier in the same run the aircraft reached a higher altitude.

20261104T023710-072007 — Colin / 75 m flight

Vercel evidence: 74.96 m maximum barometric altitude at t=109.07 s; 1,080 Colin pilot decisions. Collision logged at t=122.1625 s, force about 802 kN in this simulation. Formal end-of-run server outcome absent; last observation ~175.955 s.

20261106T112246-1bbb27 — 42.95 m runway/deployment experiment

Manual authority; config b835295b rather than 70089cca; 42.950 m summary peak; 90.49 simulated s; collision. Metadata label: simultaneous wing and canard deployment at 60 m/s.

20261106T125005-ae1be5 — 12.28 m runway experiment

Manual authority; 12.282 m summary peak; 42.915 simulated s; collision. Recorded as explicit retry following wings-before-30 m/s runway test. Preserve procedure differences when comparing.

Conversation context (not telemetry): The 6 November operating instructions included level canards, no DRS during runway acceleration, and wing deployment before 30 m/s in later tests. The user separately described the intended roles of Colin, Raymond and Arthur. Such statements aid interpretation but do not replace logged actuator state or control commands.

Complete A10-A register

Every identified ID from inspected archives. No outcome is filtered. Dates are prefixes of run IDs. Abbreviations and source directory map follow the tables.

04 November 2026 | 3 runs

Flight ID	Peak (m)	Sim s	Recorded end	Authority	Left ground	Config / runtime	Src
20261104T022405-070aa5	17.20	35.1	Collision	manual	?	Vercel/?	B
20261104T023710-072007	74.96	176.0	No formal summary	Colin	?	Vercel/?	B
20261104T141525-0cb6f8	0.00	0.1	No takeoff	manual	N	b835295b/e4dfa5ac	B

05 November 2026 | 3 runs

Flight ID	Peak (m)	Sim s	Recorded end	Authority	Left ground	Config / runtime	Src
20261105T195409-255b57	?	?	Interrupted	manual	?	b835295b/d07ed205	L
20261105T211600-b2ad7f	0.00	329.5	No takeoff	manual	N	70089cca/671c5824	F
20261105T212155-03a363	73.28	373.0	Collision	manual	Y	70089cca/671c5824	F

06 November 2026 | 56 runs

Flight ID	Peak (m)	Sim s	Recorded end	Authority	Left ground	Config / runtime	Src
20261106T073143-e2d39c	0.00	7.7	Collision	Colin	Y	70089cca/9584219d	L
20261106T073806-481f3d	40.37	36.3	Airborne ended	Colin	Y	70089cca/9584219d	L
20261106T075228-eb5519	54.31	22.3	Airborne ended	Colin	Y	70089cca/9584219d	L
20261106T075421-ad1d05	50.72	210.4	Airborne ended	Colin	Y	70089cca/9584219d	L
20261106T075824-844739	0.00	465.6	Airborne ended	Colin	Y	70089cca/cd9d671d	L

Flight ID	Peak (m)	Sim s	Recorded end	Authority	Left ground	Config / runtime	Src
20261106T080610-01457b	299.94	366.6	Collision	manual	Y	70089cca/cd9d671d	L
20261106T084125-127d87	0.26	3848.7	Collision	manual	Y	70089cca/36902a2a	R
20261106T084620-d9f9cd	0.01	98.0	Airborne ended	Colin	Y	70089cca/36902a2a	L
20261106T084903-79dd5c	0.01	99.2	Airborne ended	Colin	Y	70089cca/36902a2a	L
20261106T085123-e22090	?	?	Unclosed	Colin	?	70089cca/e7351705	L
20261106T094533-b134e7	0.03	50.0	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T094717-4776ac	0.00	10.1	No takeoff	manual	N	70089cca/e7351705	R
20261106T094858-5604de	0.00	41.1	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T094940-281789	0.03	40.1	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T095024-2bbf65	0.00	14.9	No takeoff	manual	N	70089cca/e7351705	R
20261106T095039-774c7e	0.00	2.2	No takeoff	manual	N	70089cca/e7351705	R
20261106T095108-6646a6	0.22	37.4	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T095223-1c1415	0.00	24.2	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T095632-b7e44e	7.04	84.8	Collision	manual	Y	70089cca/e7351705	R
20261106T095921-edd45f	0.00	8.2	No takeoff	manual	N	70089cca/e7351705	R
20261106T095938-a19bca	0.00	467.0	No takeoff	manual	N	70089cca/e7351705	R
20261106T101512-085037	600.58	524.1	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T103240-17264e	3.81	51.3	Collision	manual	Y	70089cca/e7351705	R
20261106T103423-f94bce	0.23	417.9	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T104819-c363cd	0.04	78.0	Landed	manual	Y	70089cca/e7351705	R
20261106T105055-8994d8	0.00	0.1	No takeoff	manual	N	70089cca/e7351705	R
20261106T105055-e8c5b3	0.00	38.9	No takeoff	manual	N	70089cca/e7351705	R
20261106T105134-b928f6	0.07	129.7	Landed	manual	Y	70089cca/e7351705	R

Flight ID	Peak (m)	Sim s	Recorded end	Authority	Left ground	Config / runtime	Src
20261106T105344-0634b3	3.61	229.7	Collision	manual	Y	70089cca/e7351705	R
20261106T105734-cbc67a	0.06	169.0	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T110037-43631f	0.01	73.4	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T110439-625b33	0.00	6.6	No takeoff	manual	N	70089cca/e7351705	R
20261106T110446-c8cc31	0.03	61.3	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T110547-656fa3	0.00	102.8	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T110730-d17c0b	0.09	84.4	Landed	manual	Y	70089cca/e7351705	R
20261106T111019-e8a05b	0.00	2.2	No takeoff	manual	N	70089cca/e7351705	R
20261106T111024-d8a927	0.00	83.0	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T111310-17e5f4	0.00	2.0	No takeoff	manual	N	70089cca/e7351705	R
20261106T111314-315f81	0.09	435.2	Airborne ended	manual	Y	70089cca/e7351705	R
20261106T112029-731d0b	0.00	20.2	No takeoff	manual	N	70089cca/e7351705	R
20261106T112246-1bbb27	42.95	90.5	Collision	manual	Y	b835295b/ccec3831	G
20261106T115719-f8d4b6	0.00	1206.5	No takeoff	manual	N	b835295b/ccec3831	G
20261106T121639-552a4f	1.46	25.3	Airborne ended	manual	Y	70089cca/e7351705	U
20261106T124004-5b477a	0.00	23.8	No takeoff	manual	N	70089cca/e7351705	U
20261106T124135-d579a0	5.30	49.4	Collision	manual	Y	70089cca/e7351705	U
20261106T124330-c80c27	0.00	2.1	No takeoff	manual	N	70089cca/e7351705	U
20261106T124332-9237d8	0.00	51.4	No takeoff	manual	N	70089cca/e7351705	U
20261106T124423-bf5d44	0.00	36.0	No takeoff	manual	N	70089cca/e7351705	U
20261106T124601-428dc0	0.00	26.4	No takeoff	manual	N	70089cca/e7351705	U
20261106T124654-9a6ae9	0.00	15.2	No takeoff	manual	N	70089cca/e7351705	U
20261106T124737-723b85	8.76	75.7	Collision	manual	Y	70089cca/e7351705	U

Flight ID	Peak (m)	Sim s	Recorded end	Authority	Left ground	Config / runtime	Src
20261106T124928-bc84ef	0.00	18.4	No takeoff	manual	N	70089cca/e7351705	U
20261106T125005-ae1be5	12.28	42.9	Collision	manual	Y	70089cca/e7351705	U
20261106T125207-edcdec	0.00	10.8	No takeoff	manual	N	70089cca/e7351705	U
20261106T125301-5d826a	0.00	4.1	No takeoff	manual	N	70089cca/e7351705	U
20261106T125337-b1e1a0	?	?	Unclosed	manual	?	70089cca/e7351705	U

07 November 2026 | 10 runs

Flight ID	Peak (m)	Sim s	Recorded end	Authority	Left ground	Config / runtime	Src
20261107T193550-0b4f9c	0.00	0.7	No takeoff	manual	N	70089cca/593c1872	Q
20261107T194255-117e2e	0.00	?	No takeoff	manual	N	70089cca/593c1872	Q
20261107T194255-ac3ab7	0.00	?	No takeoff	manual	N	70089cca/593c1872	Q
20261107T194413-619f4f	0.00	0.1	No takeoff	manual	N	70089cca/593c1872	Q
20261107T194425-5e75b4	0.00	0.1	No takeoff	manual	N	70089cca/593c1872	Q
20261107T194640-06e5a9	0.00	0.1	No takeoff	manual	N	70089cca/593c1872	Q
20261107T194653-8b48ec	0.00	0.1	No takeoff	manual	N	70089cca/593c1872	Q
20261107T195456-9c0972	0.00	0.1	No takeoff	manual	N	70089cca/593c1872	Q
20261107T195735-e656ca	0.00	0.1	No takeoff	manual	N	70089cca/7dfc0b7a	Q
20261107T195806-21a26d	0.00	0.1	No takeoff	manual	N	70089cca/7dfc0b7a	Q

Source directories and evidence rules

B — 4 Nov Vercel and one selector record; some are compressed event-only.

`C:\Users\steve\Documents\VTX-flight-logs-backup`

F — 5 Nov fresh runtime runs.

`C:\Users\steve\AppData\Local\VTX\unified-fresh-20261105\evidence\flights`

L — Live PC runtime, including Colin runs and 300 m flight.

`C:\Users\steve\AppData\Local\VTX\unified-live\evidence\flights`

R — 6 Nov repaired evidence archive; contains the 600 m original telemetry.

`C:\Users\steve\Documents\Github\vtx-flight-repair-data\evidence\flights`

G — Primary local Git checkout for later deployment experiments.

`C:\Users\steve\Documents\Github\-vtx-flight-sim\evidence\flights`

U — 6 Nov unified A10 runway test sequence.

`C:\Users\steve\AppData\Local\VTX\unified-a10-20261106\evidence\flights`

Q — 7 Nov interface and mode QA runs.

`C:\Users\steve\AppData\Local\VTX\dashboard-cockpit-qa-20261107\evidence\flights`

Directory selection rule: take the abbreviated Source code from the register, then append the exact Flight ID as a folder name. These are local PC directories, not public download links.

Field and evidence dictionary

• Peak (m): summary-reported maximum; ? means no complete summary. The precise raw sample maximum can differ (600.811 vs 600.5806 m for the 600 m run).

• Sim s: simulated duration recorded in summary, not elapsed wall time; ? if unavailable.

• Recorded end: the simulator outcome verbatim or a missing-record designation; NEVER a project-specific success evaluation.

• Authority: "manual" or "Colin" control channel. This is not a personnel roster or claim about an independent human actor.

• Left ground: Y / N / ? - the server-recorded Boolean, not a separate flight classification.

• Config/runtime: first eight hexadecimal digits of metadata configuration hash and runtime-source hash; full hashes remain in metadata.json.

• Each local completed run typically includes metadata.json, summary.json, events.jsonl, model.xml, phantom_parameters.json, phantom_ledger.json and phantom_steps.csv.gz. Presence differs by run. An interrupted run may have truncated compressed telemetry.

Reference: https://github.com/SDarkVader/-vtx-flight-sim/blob/main/docs/FLIGHT_INDEX.md (historic, incomplete after 4 Nov 2026).

Authoritative raw records remain on the PC. The PDF preserves an inventory and derived figures; it does not substitute for the original flight telemetry and configuration snapshots.