

Experiment No. 11							
Program	to	demonstrate	data	frame	creation	and	
Manipulation using Pandas							
Date of Performance:							
Date of St	ubmi	ssion:					



Experiment No. 11

Title: Program to demonstrate data frame creation and Manipulation using Pandas

Aim: To study and implement data frame creation and Manipulation using Pandas

Objective: To introduce Pandas package for python

Theory:

Pandas is an open-source library that is built on top of NumPy library. It is a Python package that offers various data structures and operations for manipulating numerical data and time series. It is mainly popular for importing and analyzing data much easier. Pandas is fast and it has high-performance & productivity for users.

Installation of Pandas

If you have <u>Python</u> and <u>PIP</u> already installed on a system, then installation of Pandas is very easy. Install it using this command:

C:\Uscrs\Your Name>pip install pandas

If this command fails, then use a python distribution that already has Pandas installed like, Anaconda, Spyder etc.

Import Pandas

Once Pandas is installed, import it in your applications by adding the import keyword:

import pandas

Now Pandas is imported and ready to use.

Example

Code:

import pandas

 $mydataset = {$



```
'Fruit': ["Orange", "apple", "mango"],
'passings': [8, 3, 2]
}
myvar = pandas.DataFrame(mydataset)
print(myvar)
```

OUTPUT:

```
Fruit passings 0 Orange 8 1 apple 3 2 mango 2
```

Pandas is usually imported under the pd alias.

alias: In Python alias are an alternate name for referring to the same thing.

Create an alias with the as keyword while importing:

import pandas as pd

Now the Pandas package can be referred to as pd instead of pandas.

Example

```
import pandas as pd

mydataset = {
    'Fruit': ["Orange", "apple", "mango"],
    'passings': [8 , 3 , 2]
}

myvar = pd.DataFrame(mydataset)

print(myvar)
```

Checking Pandas Version

The version string is stored under __version__ attribute.



Example

import pandas as pd

print(pd.__version__)

Output:

2.0.3

What is a Series?

A Pandas Series is like a column in a table.

It is a one-dimensional array holding data of any type.

Example

Create a simple Pandas Series from a list:

import pandas as pd

$$a = [1, 7, 2]$$

myvar = pd.Series(a)

print(myvar)

0 1 1 7 2 2 dtype: int64

Labels

If nothing else is specified, the values are labeled with their index number. First value has index 0, second value has index 1 etc.

This label can be used to access a specified value.

Example

Return the first value of the Series:



```
print(myvar[0])
1
```

Create Labels

With the index argument, you can name your own labels.

Example

Create your own labels:

import pandas as pd

```
a = [7, 5, 8]
```

myvar = pd.Series(a, index = ["a", "b", "c"])

print(myvar)

```
a 7
b 5
c 8
dtype: int64
```

When you have created labels, you can access an item by referring to the label.

Example

Return the value of "y":

print(myvar["y"])

Key/Value Objects as Series

You can also use a key/value object, like a dictionary, when creating a Series.

Example

Create a simple Pandas Series from a dictionary:



To select only some of the items in the dictionary, use the index argument and specify only the items you want to include in the Series.

Example

```
Create a Series using only data from "day1" and "day2":
```

```
import pandas as pd
```

```
calories = {"day1": 420, "day2": 380, "day3": 390}
myvar = pd.Series(calories, index = ["day1", "day2"])
```

print(myvar)

day1	420
day2	380
dtype:	int64

DataFrames

Data sets in Pandas are usually multi-dimensional tables, called DataFrames.

Series is like a column, a DataFrame is the whole table.

Example

Create a DataFrame from two Series:

import pandas as pd

```
data = {
"calories": [420, 380, 390],
```



Read CSV Files

A simple way to store big data sets is to use CSV files (comma separated files).

CSV files contains plain text and is a well know format that can be read by everyone including Pandas.

In our examples we will be using a CSV file called 'data.csv'.

Example

```
Load the CSV into a DataFrame:

import pandas as pd

df = pd.read_csv('data.csv')

print(df.to_string())

Example:

Print the DataFrame without the to_string() method:

import pandas as pd

df = pd.read_csv('data.csv')

print(df)
```



max rows

The number of rows returned is defined in Pandas option settings.

You can check your system's maximum rows with the pd.options.display.max rows statement.

Example

Check the number of maximum returned rows:

import pandas as pd

print(pd.options.display.max_rows)

```
import pandas as pd
print(pd.options.display.max_rows)
```

60

Example

Increase the maximum number of rows to display the entire DataFrame:

```
import pandas as pd
pd.options.display.max_rows = 9999
df = pd.read_csv('data.csv')
print(df)
```

Code:

```
import pandas as pd
df = pd.read_csv('data.csv')
print("Original DataFrame:")
print(df)
print()
df['Average'] = df[['quiz1-marks', 'quiz2-marks', 'quiz3-marks']].mean(axis=1)
```